Copy

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/02/1999	MW-1	Antimony	<5	ug/L
11/02/1999	MW-1	Arsenic	<5	ug/L
11/02/1999	MW-1	Barium	240	ug/L
11/02/1999	MW-1	Beryllium	<1	ug/L
11/02/1999	MW-1	Cadmium	<1	ug/L
11/02/1999	MW-1	Chromium	22	ug/L
11/02/1999	MW-1	Cobalt	12	ug/L
11/02/1999	MW-1	Copper	16	ug/L
11/02/1999	MW-1	Lead	<4	ug/L
11/02/1999	MW-1	Nickel	16	ug/L
11/02/1999	MW-1	Selenium	<5	ug/L
11/02/1999	MW-1	Silver	<5	ug/L
11/02/1999	MW-1	Thallium	<2	ug/L
11/02/1999	MW-1	Vanadium	34	ug/L
11/02/1999	MW-1	Zinc	34	ug/L
11/02/1999	MW-1	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/02/1999	MW-1	1,1,1-TRICHLOROETHANE	<1	ug/L
11/02/1999	MW-1	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/02/1999	MW-1	1,1,2-TRICHLOROETHANE	<1	ug/L
11/02/1999	MW-1	1,1-DICHLOROETHANE	<1	ug/L
11/02/1999	MW-1	1,1-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-1	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/02/1999	MW-1	1,2-DICHLOROETHANE	<1	ug/L
11/02/1999	MW-1	1,2-DICHLOROPROPANE	<1	ug/L
11/02/1999	MW-1	2-HEXANONE	<5	ug/L
11/02/1999	MW-1	4-METHYL-2-PENTANONE	<5	ug/L
11/02/1999	MW-1	ACETONE	<5	ug/L
11/02/1999	MW-1	ACRYLONITRILE	<4	ug/L
11/02/1999	MW-1	BENZENE	<1	ug/L
11/02/1999	MW-1	BROMOCHLOROMETHANE	<1	ug/L
11/02/1999	MW-1	BROMODICHLOROMETHANE	<.6	ug/L
11/02/1999	MW-1	BROMOFORM	<1	ug/L
11/02/1999	MW-1	CARBON DISULFIDE	<1	ug/L
11/02/1999	MW-1	CARBON TETRACHLORIDE	<1	ug/L
11/02/1999	MW-1	CHLOROBENZENE	<1	ug/L
11/02/1999	MW-1	CHLOROETHANE	<1	ug/L
11/02/1999	MW-1	CHLOROFORM	<1	ug/L
11/02/1999	MW-1	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-1	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	MW-1	DIBROMOCHLOROMETHANE	<1	ug/L
11/02/1999	MW-1	ETHYLEBENZENE	<1	ug/L
11/02/1999	MW-1	METHYL BROMIDE	<1	ug/L
11/02/1999	MW-1	METHYL CHLORIDE	<1	ug/L
11/02/1999	MW-1	METHYL ETHYL KETONE	<5	ug/L
11/02/1999	MW-1	METHYL IODIDE	<1	ug/L
11/02/1999	MW-1	METHYLENE BROMIDE	<1	ug/L
11/02/1999	MW-1	METHYLENE CHLORIDE	<1	ug/L
11/02/1999	MW-1	o-DICHLOROBENZENE	<1	ug/L
11/02/1999	MW-1	p-DICHLOROBENZENE	<1	ug/L
11/02/1999	MW-1	STYRENE	<1	ug/L
11/02/1999	MW-1	TETRACHLOROETHYLENE	<1	ug/L
11/02/1999	MW-1	TOLUENE	<1	ug/L
11/02/1999	MW-1	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-1	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	MW-1	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/02/1999	MW-1	TRICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-1	TRICHLOROFLUOROMETHANE	<1	ug/L
11/02/1999	MW-1	VINYL ACETATE	<5	ug/L
11/02/1999	MW-1	VINYL CHLORIDE	<1	ug/L
11/02/1999	MW-1	XYLENES	<1	ug/L
11/02/1999	MW-1	CONDUCTIVITY IN FIELD	124	umhos/cm
11/02/1999	MW-1	DIBROMOCHLOROPROPANE	<.02	ug/L
11/02/1999	MW-1	ETHYLENE DIBROMIDE	<.02	ug/L
11/02/1999	MW-1	pH IN FIELD	6.38	pH UNITS
11/02/1999	MW-1	TEMPERATURE IN FIELD	14.1	DEG C
11/02/1999	MW-7	Antimony	<5	ug/L
11/02/1999	MW-7	Arsenic	<5	ug/L
11/02/1999	MW-7	Barium	70	ug/L
11/02/1999	MW-7	Beryllium	<1	ug/L

Fac/Perm/Co ID # 12
Date 1/10/09
DIN
Doc ID#

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/02/1999	MW-7	Cadmium	<1	ug/L
11/02/1999	MW-7	Chromium	6	ug/L
11/02/1999	MW-7	Cobalt	<5	ug/L
11/02/1999	MW-7	Copper	6	ug/L
11/02/1999	MW-7	Lead	<4	ug/L
11/02/1999	MW-7	Nickel	10	ug/L
11/02/1999	MW-7	Selenium	<5	ug/L
11/02/1999	MW-7	Silver	<5	ug/L
11/02/1999	MW-7	Thallium	<2	ug/L
11/02/1999	MW-7	Vanadium	10	ug/L
11/02/1999	MW-7	Zinc	40	ug/L
11/02/1999	MW-7	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/02/1999	MW-7	1,1,1-TRICHLOROETHANE	<1	ug/L
11/02/1999	MW-7	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/02/1999	MW-7	1,1,2-TRICHLOROETHANE	<1	ug/L
11/02/1999	MW-7	1,1-DICHLOROETHANE	<1	ug/L
11/02/1999	MW-7	1,1-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-7	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/02/1999	MW-7	1,2-DICHLOROETHANE	<1	ug/L
11/02/1999	MW-7	1,2-DICHLOROPROPANE	<1	ug/L
11/02/1999	MW-7	2-HEXANONE	<5	ug/L
11/02/1999	MW-7	4-METHYL-2-PENTANONE	<5	ug/L
11/02/1999	MW-7	ACETONE	<5	ug/L
11/02/1999	MW-7	ACRYLONITRILE	<4	ug/L
11/02/1999	MW-7	BENZENE	<1	ug/L
11/02/1999	MW-7	BROMOCHLOROMETHANE	<1	ug/L
11/02/1999	MW-7	BROMODICHLOROMETHANE	<.6	ug/L
11/02/1999	MW-7	BROMOFORM	<1	ug/L
11/02/1999	MW-7	CARBON DISULFIDE	<1	ug/L
11/02/1999	MW-7	CARBON TETRACHLORIDE	<1	ug/L
11/02/1999	MW-7	CHLOROBENZENE	<1	ug/L
11/02/1999	MW-7	CHLOROETHANE	<1	ug/L
11/02/1999	MW-7	CHLOROFORM	<1	ug/L
11/02/1999	MW-7	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-7	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	MW-7	DIBROMOCHLOROMETHANE	<1	ug/L
11/02/1999	MW-7	ETHYLEBENZENE	<1	ug/L
11/02/1999	MW-7	METHYL BROMIDE	<1	ug/L
11/02/1999	MW-7	METHYL CHLORIDE	<1	ug/L
11/02/1999	MW-7	METHYL ETHYL KETONE	<5	ug/L
11/02/1999	MW-7	METHYL IODIDE	<1	ug/L
11/02/1999	MW-7	METHYLENE BROMIDE	<1	ug/L
11/02/1999	MW-7	METHYLENE CHLORIDE	<1	ug/L
11/02/1999	MW-7	o-DICHLOROBENZENE	<1	ug/L
11/02/1999	MW-7	p-DICHLOROBENZENE	<1	ug/L
11/02/1999	MW-7	STYRENE	<1	ug/L
11/02/1999	MW-7	TETRACHLOROETHYLENE	<1	ug/L
11/02/1999	MW-7	TOLUENE	<1	ug/L
11/02/1999	MW-7	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-7	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	MW-7	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/02/1999	MW-7	TRICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-7	TRICHLOROFLUOROMETHANE	<1	ug/L
11/02/1999	MW-7	VINYL ACETATE	<5	ug/L
11/02/1999	MW-7	VINYL CHLORIDE	<1	ug/L
11/02/1999	MW-7	XYLENES	<1	ug/L
11/02/1999	MW-7	CONDUCTIVITY IN FIELD	273	umhos/cm
11/02/1999	MW-7	DIBROMOCHLOROPROPANE	<.02	ug/L
11/02/1999	MW-7	ETHYLENE DIBROMIDE	<.02	ug/L
11/02/1999	MW-7	pH IN FIELD	7.46	pH UNITS
11/02/1999	MW-7	TEMPERATURE IN FIELD	14.1	DEG C
11/02/1999	EQ BLK	Antimony	<5	ug/L
11/02/1999	EQ BLK	Arsenic	<5	ug/L
11/02/1999	EQ BLK	Barium	<1	ug/L
11/02/1999	EQ BLK	Beryllium	<1	ug/L
11/02/1999	EQ BLK	Cadmium	<1	ug/L
11/02/1999	EQ BLK	Chromium	<1	ug/L
11/02/1999	EQ BLK	Cobalt	<5	ug/L
11/02/1999	EQ BLK	Copper	<5	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/02/1999	EQ BLK	Lead	<4	ug/L
11/02/1999	EQ BLK	Nickel	<5	ug/L
11/02/1999	EQ BLK	Selenium	<5	ug/L
11/02/1999	EQ BLK	Silver	<5	ug/L
11/02/1999	EQ BLK	Thallium	<2	ug/L
11/02/1999	EQ BLK	Vanadium	<5	ug/L
11/02/1999	EQ BLK	Zinc	<25	ug/L
11/02/1999	EQ BLK	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/02/1999	EQ BLK	1,1,1-TRICHLOROETHANE	<1	ug/L
11/02/1999	EQ BLK	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/02/1999	EQ BLK	1,1,2-TRICHLOROETHANE	<1	ug/L
11/02/1999	EQ BLK	1,1-DICHLOROETHANE	<1	ug/L
11/02/1999	EQ BLK	1,1-DICHLOROETHYLENE	<1	ug/L
11/02/1999	EQ BLK	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/02/1999	EQ BLK	1,2-DICHLOROETHANE	<1	ug/L
11/02/1999	EQ BLK	1,2-DICHLOROPROPANE	<1	ug/L
11/02/1999	EQ BLK	2-HEXANONE	<5	ug/L
11/02/1999	EQ BLK	4-METHYL-2-PENTANONE	<5	ug/L
11/02/1999	EQ BLK	ACETONE	<5	ug/L
11/02/1999	EQ BLK	ACRYLONITRILE	<4	ug/L
11/02/1999	EQ BLK	BENZENE	<1	ug/L
11/02/1999	EQ BLK	BROMOCHLOROMETHANE	<1	ug/L
11/02/1999	EQ BLK	BROMODICHLOROMETHANE	<.6	ug/L
11/02/1999	EQ BLK	BROMOFORM	<1	ug/L
11/02/1999	EQ BLK	CARBON DISULFIDE	<1	ug/L
11/02/1999	EQ BLK	CARBON TETRACHLORIDE	<1	ug/L
11/02/1999	EQ BLK	CHLOROBENZENE	<1	ug/L
11/02/1999	EQ BLK	CHLOROETHANE	<1	ug/L
11/02/1999	EQ BLK	CHLOROFORM	<1	ug/L
11/02/1999	EQ BLK	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	EQ BLK	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	EQ BLK	DIBROMOCHLOROMETHANE	<1	ug/L
11/02/1999	EQ BLK	ETHYLEBENZENE	<1	ug/L
11/02/1999	EQ BLK	METHYL BROMIDE	<1	ug/L
11/02/1999	EQ BLK	METHYL CHLORIDE	<1	ug/L
11/02/1999	EQ BLK	METHYL ETHYL KETONE	<5	ug/L
11/02/1999	EQ BLK	METHYL IODIDE	<1	ug/L
11/02/1999	EQ BLK	METHYLENE BROMIDE	<1	ug/L
11/02/1999	EQ BLK	METHYLENE CHLORIDE	<1	ug/L
11/02/1999	EQ BLK	o-DICHLOROBENZENE	<1	ug/L
11/02/1999	EQ BLK	p-DICHLOROBENZENE	<1	ug/L
11/02/1999	EQ BLK	STYRENE	<1	ug/L
11/02/1999	EQ BLK	TETRACHLOROETHYLENE	<1	ug/L
11/02/1999	EQ BLK	TOLUENE	<1	ug/L
11/02/1999	EQ BLK	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	EQ BLK	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	EQ BLK	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/02/1999	EQ BLK	TRICHLOROETHYLENE	<1	ug/L
11/02/1999	EQ BLK	TRICHLOROFLUOROMETHANE	<1	ug/L
11/02/1999	EQ BLK	VINYL ACETATE	<5	ug/L
11/02/1999	EQ BLK	VINYL CHLORIDE	<1	ug/L
11/02/1999	EQ BLK	XYLENES	<1	ug/L
11/02/1999	EQ BLK	CONDUCTIVITY IN FIELD	<1	umhos/cm
11/02/1999	EQ BLK	DIBROMOCHLOROPROPANE	<.02	ug/L
11/02/1999	EQ BLK	ETHYLENE DIBROMIDE	<.02	ug/L
11/02/1999	EQ BLK	pH IN FIELD	8.94	pH UNITS
11/02/1999	EQ BLK	TEMPERATURE IN FIELD	15.8	DEG C
11/02/1999	MW-2	Antimony	<5	ug/L
11/02/1999	MW-2	Arsenic	<5	ug/L
11/02/1999	MW-2	Barium	240	ug/L
11/02/1999	MW-2	Beryllium	<1	ug/L
11/02/1999	MW-2	Cadmium	<1	ug/L
11/02/1999	MW-2	Chromium	19	ug/L
11/02/1999	MW-2	Cobalt	17	ug/L
11/02/1999	MW-2	Copper	10	ug/L
11/02/1999	MW-2	Lead	5	ug/L
11/02/1999	MW-2	Nickel	18	ug/L
11/02/1999	MW-2	Selenium	<5	ug/L
11/02/1999	MW-2	Silver	<5	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/02/1999	MW-2	Thallium	<2	ug/L
11/02/1999	MW-2	Vanadium	16	ug/L
11/02/1999	MW-2	Zinc	70	ug/L
11/02/1999	MW-2	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/02/1999	MW-2	1,1,1-TRICHLOROETHANE	<1	ug/L
11/02/1999	MW-2	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/02/1999	MW-2	1,1,2-TRICHLOROETHANE	<1	ug/L
11/02/1999	MW-2	1,1-DICHLOROETHANE	<1	ug/L
11/02/1999	MW-2	1,1-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-2	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/02/1999	MW-2	1,2-DICHLOROETHANE	<1	ug/L
11/02/1999	MW-2	1,2-DICHLOROPROPANE	<1	ug/L
11/02/1999	MW-2	2-HEXANONE	<5	ug/L
11/02/1999	MW-2	4-METHYL-2-PENTANONE	<5	ug/L
11/02/1999	MW-2	ACETONE	<5	ug/L
11/02/1999	MW-2	ACRYLONITRILE	<4	ug/L
11/02/1999	MW-2	BENZENE	<1	ug/L
11/02/1999	MW-2	BROMOCHLOROMETHANE	<1	ug/L
11/02/1999	MW-2	BROMODICHLOROMETHANE	<.6	ug/L
11/02/1999	MW-2	BROMOFORM	<1	ug/L
11/02/1999	MW-2	CARBON DISULFIDE	<1	ug/L
11/02/1999	MW-2	CARBON TETRACHLORIDE	<1	ug/L
11/02/1999	MW-2	CHLOROBENZENE	<1	ug/L
11/02/1999	MW-2	CHLOROETHANE	<1	ug/L
11/02/1999	MW-2	CHLOROFORM	<1	ug/L
11/02/1999	MW-2	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-2	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	MW-2	DIBROMOCHLOROMETHANE	<1	ug/L
11/02/1999	MW-2	ETHYLEBENZENE	<1	ug/L
11/02/1999	MW-2	METHYL BROMIDE	<1	ug/L
11/02/1999	MW-2	METHYL CHLORIDE	<1	ug/L
11/02/1999	MW-2	METHYL ETHYL KETONE	<5	ug/L
11/02/1999	MW-2	METHYL IODIDE	<1	ug/L
11/02/1999	MW-2	METHYLENE BROMIDE	<1	ug/L
11/02/1999	MW-2	METHYLENE CHLORIDE	<1	ug/L
11/02/1999	MW-2	o-DICHLOROBENZENE	<1	ug/L
11/02/1999	MW-2	p-DICHLOROBENZENE	<1	ug/L
11/02/1999	MW-2	STYRENE	<1	ug/L
11/02/1999	MW-2	TETRACHLOROETHYLENE	<1	ug/L
11/02/1999	MW-2	TOLUENE	<1	ug/L
11/02/1999	MW-2	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-2	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	MW-2	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/02/1999	MW-2	TRICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-2	TRICHLOROFLUOROMETHANE	<1	ug/L
11/02/1999	MW-2	VINYL ACETATE	<5	ug/L
11/02/1999	MW-2	VINYL CHLORIDE	<1	ug/L
11/02/1999	MW-2	XYLENES	<1	ug/L
11/02/1999	MW-2	CONDUCTIVITY IN FIELD	126	umhos/cm
11/02/1999	MW-2	DIBROMOCHLOROPROPANE	<.02	ug/L
11/02/1999	MW-2	ETHYLENE DIBROMIDE	<.02	ug/L
11/02/1999	MW-2	pH IN FIELD	6.27	pH UNITS
11/02/1999	MW-2	TEMPERATURE IN FIELD	15.7	DEG C
11/02/1999	MW-2D	Antimony	<5	ug/L
11/02/1999	MW-2D	Arsenic	<5	ug/L
11/02/1999	MW-2D	Barium	80	ug/L
11/02/1999	MW-2D	Beryllium	<1	ug/L
11/02/1999	MW-2D	Cadmium	<1	ug/L
11/02/1999	MW-2D	Chromium	4	ug/L
11/02/1999	MW-2D	Cobalt	<5	ug/L
11/02/1999	MW-2D	Copper	<5	ug/L
11/02/1999	MW-2D	Lead	<4	ug/L
11/02/1999	MW-2D	Nickel	<5	ug/L
11/02/1999	MW-2D	Selenium	<5	ug/L
11/02/1999	MW-2D	Silver	<5	ug/L
11/02/1999	MW-2D	Thallium	<2	ug/L
11/02/1999	MW-2D	Vanadium	6	ug/L
11/02/1999	MW-2D	Zinc	20	ug/L
11/02/1999	MW-2D	1,1,1,2-TETRACHLOROETHANE	<1	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/02/1999	MW-2D	1,1,1-TRICHLOROETHANE	<1	ug/L
11/02/1999	MW-2D	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/02/1999	MW-2D	1,1,2-TRICHLOROETHANE	<1	ug/L
11/02/1999	MW-2D	1,1-DICHLOROETHANE	<1	ug/L
11/02/1999	MW-2D	1,1-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-2D	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/02/1999	MW-2D	1,2-DICHLOROETHANE	<1	ug/L
11/02/1999	MW-2D	1,2-DICHLOROPROPANE	<1	ug/L
11/02/1999	MW-2D	2-HEXANONE	<5	ug/L
11/02/1999	MW-2D	4-METHYL-2-PENTANONE	<5	ug/L
11/02/1999	MW-2D	ACETONE	<5	ug/L
11/02/1999	MW-2D	ACRYLONITRILE	<4	ug/L
11/02/1999	MW-2D	BENZENE	<1	ug/L
11/02/1999	MW-2D	BROMOCHLOROMETHANE	<1	ug/L
11/02/1999	MW-2D	BROMODICHLOROMETHANE	<.6	ug/L
11/02/1999	MW-2D	BROMOFORM	<1	ug/L
11/02/1999	MW-2D	CARBON DISULFIDE	<1	ug/L
11/02/1999	MW-2D	CARBON TETRACHLORIDE	<1	ug/L
11/02/1999	MW-2D	CHLOROBENZENE	<1	ug/L
11/02/1999	MW-2D	CHLOROETHANE	<1	ug/L
11/02/1999	MW-2D	CHLOROFORM	<1	ug/L
11/02/1999	MW-2D	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-2D	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	MW-2D	DIBROMOCHLOROMETHANE	<1	ug/L
11/02/1999	MW-2D	ETHYLEBENZENE	<1	ug/L
11/02/1999	MW-2D	METHYL BROMIDE	<1	ug/L
11/02/1999	MW-2D	METHYL CHLORIDE	<1	ug/L
11/02/1999	MW-2D	METHYL ETHYL KETONE	<5	ug/L
11/02/1999	MW-2D	METHYL IODIDE	<1	ug/L
11/02/1999	MW-2D	METHYLENE BROMIDE	<1	ug/L
11/02/1999	MW-2D	METHYLENE CHLORIDE	<1	ug/L
11/02/1999	MW-2D	o-DICHLOROBENZENE	<1	ug/L
11/02/1999	MW-2D	p-DICHLOROBENZENE	<1	ug/L
11/02/1999	MW-2D	STYRENE	<1	ug/L
11/02/1999	MW-2D	TETRACHLOROETHYLENE	<1	ug/L
11/02/1999	MW-2D	TOLUENE	<1	ug/L
11/02/1999	MW-2D	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-2D	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	MW-2D	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/02/1999	MW-2D	TRICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-2D	TRICHLOROFLUOROMETHANE	<1	ug/L
11/02/1999	MW-2D	VINYL ACETATE	<5	ug/L
11/02/1999	MW-2D	VINYL CHLORIDE	<1	ug/L
11/02/1999	MW-2D	XYLENES	<1	ug/L
11/02/1999	MW-2D	CONDUCTIVITY IN FIELD	167	umhos/cm
11/02/1999	MW-2D	DIBROMOCHLOROPROPANE	<.02	ug/L
11/02/1999	MW-2D	ETHYLENE DIBROMIDE	<.02	ug/L
11/02/1999	MW-2D	pH IN FIELD	6.58	pH UNITS
11/02/1999	MW-2D	TEMPERATURE IN FIELD	15.7	DEG C
11/02/1999	MW-5D	Antimony	<5	ug/L
11/02/1999	MW-5D	Arsenic	<5	ug/L
11/02/1999	MW-5D	Barium	46	ug/L
11/02/1999	MW-5D	Beryllium	<1	ug/L
11/02/1999	MW-5D	Cadmium	<1	ug/L
11/02/1999	MW-5D	Chromium	3	ug/L
11/02/1999	MW-5D	Cobalt	<5	ug/L
11/02/1999	MW-5D	Copper	7	ug/L
11/02/1999	MW-5D	Lead	<4	ug/L
11/02/1999	MW-5D	Nickel	<5	ug/L
11/02/1999	MW-5D	Selenium	<5	ug/L
11/02/1999	MW-5D	Silver	<5	ug/L
11/02/1999	MW-5D	Thallium	<2	ug/L
11/02/1999	MW-5D	Vanadium	<5	ug/L
11/02/1999	MW-5D	Zinc	70	ug/L
11/02/1999	MW-5D	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/02/1999	MW-5D	1,1,1-TRICHLOROETHANE	<1	ug/L
11/02/1999	MW-5D	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/02/1999	MW-5D	1,1,2-TRICHLOROETHANE	<1	ug/L
11/02/1999	MW-5D	1,1-DICHLOROETHANE	<1	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/02/1999	MW-5D	1,1-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-5D	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/02/1999	MW-5D	1,2-DICHLOROETHANE	<1	ug/L
11/02/1999	MW-5D	1,2-DICHLOROPROPANE	<1	ug/L
11/02/1999	MW-5D	2-HEXANONE	<5	ug/L
11/02/1999	MW-5D	4-METHYL-2-PENTANONE	<5	ug/L
11/02/1999	MW-5D	ACETONE	<5	ug/L
11/02/1999	MW-5D	ACRYLONITRILE	<4	ug/L
11/02/1999	MW-5D	BENZENE	<1	ug/L
11/02/1999	MW-5D	BROMOCHLOROMETHANE	<1	ug/L
11/02/1999	MW-5D	BROMODICHLOROMETHANE	<.6	ug/L
11/02/1999	MW-5D	BROMOFORM	<1	ug/L
11/02/1999	MW-5D	CARBON DISULFIDE	<1	ug/L
11/02/1999	MW-5D	CARBON TETRACHLORIDE	<1	ug/L
11/02/1999	MW-5D	CHLOROBENZENE	<1	ug/L
11/02/1999	MW-5D	CHLOROETHANE	<1	ug/L
11/02/1999	MW-5D	CHLOROFORM	<1	ug/L
11/02/1999	MW-5D	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-5D	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	MW-5D	DIBROMOCHLOROMETHANE	<1	ug/L
11/02/1999	MW-5D	ETHYLEBENZENE	<1	ug/L
11/02/1999	MW-5D	METHYL BROMIDE	<1	ug/L
11/02/1999	MW-5D	METHYL CHLORIDE	<1	ug/L
11/02/1999	MW-5D	METHYL ETHYL KETONE	<5	ug/L
11/02/1999	MW-5D	METHYL IODIDE	<1	ug/L
11/02/1999	MW-5D	METHYLENE BROMIDE	<1	ug/L
11/02/1999	MW-5D	METHYLENE CHLORIDE	<1	ug/L
11/02/1999	MW-5D	o-DICHLOROBENZENE	<1	ug/L
11/02/1999	MW-5D	p-DICHLOROBENZENE	<1	ug/L
11/02/1999	MW-5D	STYRENE	<1	ug/L
11/02/1999	MW-5D	TETRACHLOROETHYLENE	<1	ug/L
11/02/1999	MW-5D	TOLUENE	<1	ug/L
11/02/1999	MW-5D	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-5D	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	MW-5D	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/02/1999	MW-5D	TRICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-5D	TRICHLOROFLUOROMETHANE	<1	ug/L
11/02/1999	MW-5D	VINYL ACETATE	<5	ug/L
11/02/1999	MW-5D	VINYL CHLORIDE	<1	ug/L
11/02/1999	MW-5D	XYLENES	<1	ug/L
11/02/1999	MW-5D	CONDUCTIVITY IN FIELD	123	umhos/cm
11/02/1999	MW-5D	DIBROMOCHLOROPROPANE	<.02	ug/L
11/02/1999	MW-5D	ETHYLENE DIBROMIDE	<.02	ug/L
11/02/1999	MW-5D	pH IN FIELD	6.31	pH UNITS
11/02/1999	MW-5D	TEMPERATURE IN FIELD	15.2	DEG C
11/02/1999	MW-5	Antimony	<5	ug/L
11/02/1999	MW-5	Arsenic	<5	ug/L
11/02/1999	MW-5	Barium	52	ug/L
11/02/1999	MW-5	Beryllium	<1	ug/L
11/02/1999	MW-5	Cadmium	<1	ug/L
11/02/1999	MW-5	Chromium	8	ug/L
11/02/1999	MW-5	Cobalt	<5	ug/L
11/02/1999	MW-5	Copper	<5	ug/L
11/02/1999	MW-5	Lead	<4	ug/L
11/02/1999	MW-5	Nickel	<5	ug/L
11/02/1999	MW-5	Selenium	<5	ug/L
11/02/1999	MW-5	Silver	<5	ug/L
11/02/1999	MW-5	Thallium	<2	ug/L
11/02/1999	MW-5	Vanadium	50	ug/L
11/02/1999	MW-5	Zinc	20	ug/L
11/02/1999	MW-5	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/02/1999	MW-5	1,1,1-TRICHLOROETHANE	<1	ug/L
11/02/1999	MW-5	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/02/1999	MW-5	1,1,2-TRICHLOROETHANE	<1	ug/L
11/02/1999	MW-5	1,1-DICHLOROETHANE	<1	ug/L
11/02/1999	MW-5	1,1-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-5	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/02/1999	MW-5	1,2-DICHLOROETHANE	<1	ug/L
11/02/1999	MW-5	1,2-DICHLOROPROPANE	<1	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/02/1999	MW-5	2-HEXANONE	<5	ug/L
11/02/1999	MW-5	4-METHYL-2-PENTANONE	<5	ug/L
11/02/1999	MW-5	ACETONE	<5	ug/L
11/02/1999	MW-5	ACRYLONITRILE	<4	ug/L
11/02/1999	MW-5	BENZENE	<1	ug/L
11/02/1999	MW-5	BROMOCHLOROMETHANE	<1	ug/L
11/02/1999	MW-5	BROMODICHLOROMETHANE	<.6	ug/L
11/02/1999	MW-5	BROMOFORM	<1	ug/L
11/02/1999	MW-5	CARBON DISULFIDE	<1	ug/L
11/02/1999	MW-5	CARBON TETRACHLORIDE	<1	ug/L
11/02/1999	MW-5	CHLOROBENZENE	<1	ug/L
11/02/1999	MW-5	CHLOROETHANE	<1	ug/L
11/02/1999	MW-5	CHLOROFORM	<1	ug/L
11/02/1999	MW-5	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-5	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	MW-5	DIBROMOCHLOROMETHANE	<1	ug/L
11/02/1999	MW-5	ETHYLEBENZENE	<1	ug/L
11/02/1999	MW-5	METHYL BROMIDE	<1	ug/L
11/02/1999	MW-5	METHYL CHLORIDE	<1	ug/L
11/02/1999	MW-5	METHYL ETHYL KETONE	<5	ug/L
11/02/1999	MW-5	METHYL IODIDE	<1	ug/L
11/02/1999	MW-5	METHYLENE BROMIDE	<1	ug/L
11/02/1999	MW-5	METHYLENE CHLORIDE	<1	ug/L
11/02/1999	MW-5	o-DICHLOROBENZENE	<1	ug/L
11/02/1999	MW-5	p-DICHLOROBENZENE	<1	ug/L
11/02/1999	MW-5	STYRENE	<1	ug/L
11/02/1999	MW-5	TETRACHLOROETHYLENE	<1	ug/L
11/02/1999	MW-5	TOLUENE	<1	ug/L
11/02/1999	MW-5	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-5	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	MW-5	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/02/1999	MW-5	TRICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-5	TRICHLOROFLUOROMETHANE	<1	ug/L
11/02/1999	MW-5	VINYL ACETATE	<5	ug/L
11/02/1999	MW-5	VINYL CHLORIDE	<1	ug/L
11/02/1999	MW-5	XYLENES	<1	ug/L
11/02/1999	MW-5	CONDUCTIVITY IN FIELD	165	umhos/cm
11/02/1999	MW-5	DIBROMOCHLOROPROPANE	<.02	ug/L
11/02/1999	MW-5	ETHYLENE DIBROMIDE	<.02	ug/L
11/02/1999	MW-5	pH IN FIELD	10.07	pH UNITS
11/02/1999	MW-5	TEMPERATURE IN FIELD	13.4	DEG C
11/02/1999	MW-5D DUP	Antimony	<5	ug/L
11/02/1999	MW-5D DUP	Arsenic	<5	ug/L
11/02/1999	MW-5D DUP	Barium	50	ug/L
11/02/1999	MW-5D DUP	Beryllium	<1	ug/L
11/02/1999	MW-5D DUP	Cadmium	<1	ug/L
11/02/1999	MW-5D DUP	Chromium	4	ug/L
11/02/1999	MW-5D DUP	Cobalt	<5	ug/L
11/02/1999	MW-5D DUP	Copper	11	ug/L
11/02/1999	MW-5D DUP	Lead	<4	ug/L
11/02/1999	MW-5D DUP	Nickel	6	ug/L
11/02/1999	MW-5D DUP	Selenium	<5	ug/L
11/02/1999	MW-5D DUP	Silver	<5	ug/L
11/02/1999	MW-5D DUP	Thallium	<2	ug/L
11/02/1999	MW-5D DUP	Vanadium	<5	ug/L
11/02/1999	MW-5D DUP	Zinc	80	ug/L
11/02/1999	MW-5D DUP	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/02/1999	MW-5D DUP	1,1,1-TRICHLOROETHANE	<1	ug/L
11/02/1999	MW-5D DUP	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/02/1999	MW-5D DUP	1,1,2-TRICHLOROETHANE	<1	ug/L
11/02/1999	MW-5D DUP	1,1-DICHLOROETHANE	<1	ug/L
11/02/1999	MW-5D DUP	1,1-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-5D DUP	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/02/1999	MW-5D DUP	1,2-DICHLOROETHANE	<1	ug/L
11/02/1999	MW-5D DUP	1,2-DICHLOROPROPANE	<1	ug/L
11/02/1999	MW-5D DUP	2-HEXANONE	<5	ug/L
11/02/1999	MW-5D DUP	4-METHYL-2-PENTANONE	<5	ug/L
11/02/1999	MW-5D DUP	ACETONE	<5	ug/L
11/02/1999	MW-5D DUP	ACRYLONITRILE	<4	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/02/1999	MW-5D DUP	BENZENE	<1	ug/L
11/02/1999	MW-5D DUP	BROMOCHLOROMETHANE	<1	ug/L
11/02/1999	MW-5D DUP	BROMODICHLOROMETHANE	<.6	ug/L
11/02/1999	MW-5D DUP	BROMOFORM	<1	ug/L
11/02/1999	MW-5D DUP	CARBON DISULFIDE	<1	ug/L
11/02/1999	MW-5D DUP	CARBON TETRACHLORIDE	<1	ug/L
11/02/1999	MW-5D DUP	CHLOROBENZENE	<1	ug/L
11/02/1999	MW-5D DUP	CHLOROETHANE	<1	ug/L
11/02/1999	MW-5D DUP	CHLOROFORM	<1	ug/L
11/02/1999	MW-5D DUP	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-5D DUP	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	MW-5D DUP	DIBROMOCHLOROMETHANE	<1	ug/L
11/02/1999	MW-5D DUP	ETHYLEBENZENE	<1	ug/L
11/02/1999	MW-5D DUP	METHYL BROMIDE	<1	ug/L
11/02/1999	MW-5D DUP	METHYL CHLORIDE	<1	ug/L
11/02/1999	MW-5D DUP	METHYL ETHYL KETONE	<5	ug/L
11/02/1999	MW-5D DUP	METHYL IODIDE	<1	ug/L
11/02/1999	MW-5D DUP	METHYLENE BROMIDE	<1	ug/L
11/02/1999	MW-5D DUP	METHYLENE CHLORIDE	<1	ug/L
11/02/1999	MW-5D DUP	o-DICHLOROBENZENE	<1	ug/L
11/02/1999	MW-5D DUP	p-DICHLOROBENZENE	<1	ug/L
11/02/1999	MW-5D DUP	STYRENE	<1	ug/L
11/02/1999	MW-5D DUP	TETRACHLOROETHYLENE	<1	ug/L
11/02/1999	MW-5D DUP	TOLUENE	<1	ug/L
11/02/1999	MW-5D DUP	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-5D DUP	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	MW-5D DUP	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/02/1999	MW-5D DUP	TRICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-5D DUP	TRICHLOROFLUOROMETHANE	<1	ug/L
11/02/1999	MW-5D DUP	VINYL ACETATE	<5	ug/L
11/02/1999	MW-5D DUP	VINYL CHLORIDE	<1	ug/L
11/02/1999	MW-5D DUP	XYLENES	<1	ug/L
11/02/1999	MW-5D DUP	CONDUCTIVITY IN FIELD	165	umhos/cm
11/02/1999	MW-5D DUP	DIBROMOCHLOROPROPANE	<.02	ug/L
11/02/1999	MW-5D DUP	ETHYLENE DIBROMIDE	<.02	ug/L
11/02/1999	MW-5D DUP	pH IN FIELD	10.07	pH UNITS
11/02/1999	MW-5D DUP	TEMPERATURE IN FIELD	13.4	DEG C
11/02/1999	MW-6	Antimony	<5	ug/L
11/02/1999	MW-6	Arsenic	<5	ug/L
11/02/1999	MW-6	Barium	120	ug/L
11/02/1999	MW-6	Beryllium	<1	ug/L
11/02/1999	MW-6	Cadmium	<1	ug/L
11/02/1999	MW-6	Chromium	32	ug/L
11/02/1999	MW-6	Cobalt	7	ug/L
11/02/1999	MW-6	Copper	10	ug/L
11/02/1999	MW-6	Lead	<4	ug/L
11/02/1999	MW-6	Nickel	10	ug/L
11/02/1999	MW-6	Selenium	<5	ug/L
11/02/1999	MW-6	Silver	<5	ug/L
11/02/1999	MW-6	Thallium	<2	ug/L
11/02/1999	MW-6	Vanadium	30	ug/L
11/02/1999	MW-6	Zinc	50	ug/L
11/02/1999	MW-6	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/02/1999	MW-6	1,1,1-TRICHLOROETHANE	<1	ug/L
11/02/1999	MW-6	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/02/1999	MW-6	1,1,2-TRICHLOROETHANE	<1	ug/L
11/02/1999	MW-6	1,1-DICHLOROETHANE	<1	ug/L
11/02/1999	MW-6	1,1-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-6	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/02/1999	MW-6	1,2-DICHLOROETHANE	<1	ug/L
11/02/1999	MW-6	1,2-DICHLOROPROPANE	<1	ug/L
11/02/1999	MW-6	2-HEXANONE	<5	ug/L
11/02/1999	MW-6	4-METHYL-2-PENTANONE	<5	ug/L
11/02/1999	MW-6	ACETONE	<5	ug/L
11/02/1999	MW-6	ACRYLONITRILE	<4	ug/L
11/02/1999	MW-6	BENZENE	<1	ug/L
11/02/1999	MW-6	BROMOCHLOROMETHANE	<1	ug/L
11/02/1999	MW-6	BROMODICHLOROMETHANE	<.6	ug/L
11/02/1999	MW-6	BROMOFORM	<1	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/02/1999	MW-6	CARBON DISULFIDE	<1	ug/L
11/02/1999	MW-6	CARBON TETRACHLORIDE	<1	ug/L
11/02/1999	MW-6	CHLOROBENZENE	<1	ug/L
11/02/1999	MW-6	CHLOROETHANE	<1	ug/L
11/02/1999	MW-6	CHLOROFORM	<1	ug/L
11/02/1999	MW-6	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-6	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	MW-6	DIBROMOCHLOROMETHANE	<1	ug/L
11/02/1999	MW-6	ETHYLEBENZENE	<1	ug/L
11/02/1999	MW-6	METHYL BROMIDE	<1	ug/L
11/02/1999	MW-6	METHYL CHLORIDE	<1	ug/L
11/02/1999	MW-6	METHYL ETHYL KETONE	<5	ug/L
11/02/1999	MW-6	METHYL IODIDE	<1	ug/L
11/02/1999	MW-6	METHYLENE BROMIDE	<1	ug/L
11/02/1999	MW-6	METHYLENE CHLORIDE	<1	ug/L
11/02/1999	MW-6	o-DICHLOROBENZENE	<1	ug/L
11/02/1999	MW-6	p-DICHLOROBENZENE	<1	ug/L
11/02/1999	MW-6	STYRENE	<1	ug/L
11/02/1999	MW-6	TETRACHLOROETHYLENE	<1	ug/L
11/02/1999	MW-6	TOLUENE	<1	ug/L
11/02/1999	MW-6	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-6	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	MW-6	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/02/1999	MW-6	TRICHLOROETHYLENE	<1	ug/L
11/02/1999	MW-6	TRICHLOROFLUOROMETHANE	<1	ug/L
11/02/1999	MW-6	VINYL ACETATE	<5	ug/L
11/02/1999	MW-6	VINYL CHLORIDE	<1	ug/L
11/02/1999	MW-6	XYLENES	<1	ug/L
11/02/1999	MW-6	CONDUCTIVITY IN FIELD	98	umhos/cm
11/02/1999	MW-6	DIBROMOCHLOROPROPANE	<.02	ug/L
11/02/1999	MW-6	ETHYLENE DIBROMIDE	<.02	ug/L
11/02/1999	MW-6	pH IN FIELD	6.11	pH UNITS
11/02/1999	MW-6	TEMPERATURE IN FIELD	14.7	DEG C
11/02/1999	EQ BLK	Antimony	<5	ug/l
11/02/1999	EQ BLK	Arsenic	<5	ug/l
11/02/1999	EQ BLK	Barium	<1	ug/l
11/02/1999	EQ BLK	Beryllium	<1	ug/l
11/02/1999	EQ BLK	Cadmium	<1	ug/l
11/02/1999	EQ BLK	Chromium	<1	ug/l
11/02/1999	EQ BLK	Cobalt	<5	ug/l
11/02/1999	EQ BLK	Copper	<5	ug/l
11/02/1999	EQ BLK	Lead	<4	ug/l
11/02/1999	EQ BLK	Nickel	<5	ug/l
11/02/1999	EQ BLK	Selenium	<5	ug/l
11/02/1999	EQ BLK	Silver	<5	ug/l
11/02/1999	EQ BLK	Thallium	<2	ug/l
11/02/1999	EQ BLK	Vanadium	<5	ug/l
11/02/1999	EQ BLK	Zinc	<25	ug/l
11/02/1999	EQ BLK	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/02/1999	EQ BLK	1,1,1-TRICHLOROETHANE	<1	ug/L
11/02/1999	EQ BLK	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/02/1999	EQ BLK	1,1,2-TRICHLOROETHANE	<1	ug/L
11/02/1999	EQ BLK	1,1-DICHLOROETHANE	<1	ug/L
11/02/1999	EQ BLK	1,1-DICHLOROETHYLENE	<1	ug/L
11/02/1999	EQ BLK	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/02/1999	EQ BLK	1,2-DICHLOROETHANE	<1	ug/L
11/02/1999	EQ BLK	1,2-DICHLOROPROPANE	<1	ug/L
11/02/1999	EQ BLK	2-HEXANONE	<5	ug/L
11/02/1999	EQ BLK	4-METHYL-2-PENTANONE	<5	ug/L
11/02/1999	EQ BLK	ACETONE	<5	ug/L
11/02/1999	EQ BLK	ACRYLONITRILE	<4	ug/L
11/02/1999	EQ BLK	BENZENE	<1	ug/L
11/02/1999	EQ BLK	BROMOCHLOROMETHANE	<1	ug/L
11/02/1999	EQ BLK	BROMODICHLOROMETHANE	<.6	ug/L
11/02/1999	EQ BLK	BROMOFORM	<1	ug/L
11/02/1999	EQ BLK	CARBON DISULFIDE	<1	ug/L
11/02/1999	EQ BLK	CARBON TETRACHLORIDE	<1	ug/L
11/02/1999	EQ BLK	CHLOROBENZENE	<1	ug/L
11/02/1999	EQ BLK	CHLOROETHANE	<1	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/02/1999	EQ BLK	CHLOROFORM	<1	ug/L
11/02/1999	EQ BLK	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	EQ BLK	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	EQ BLK	DIBROMOCHLOROMETHANE	<1	ug/L
11/02/1999	EQ BLK	ETHYLEBENZENE	<1	ug/L
11/02/1999	EQ BLK	METHYL BROMIDE	<1	ug/L
11/02/1999	EQ BLK	METHYL CHLORIDE	<1	ug/L
11/02/1999	EQ BLK	METHYL ETHYL KETONE	<5	ug/L
11/02/1999	EQ BLK	METHYL IODIDE	<1	ug/L
11/02/1999	EQ BLK	METHYLENE BROMIDE	<1	ug/L
11/02/1999	EQ BLK	METHYLENE CHLORIDE	<1	ug/L
11/02/1999	EQ BLK	o-DICHLOROBENZENE	<1	ug/L
11/02/1999	EQ BLK	p-DICHLOROBENZENE	<1	ug/L
11/02/1999	EQ BLK	STYRENE	<1	ug/L
11/02/1999	EQ BLK	TETRACHLOROETHYLENE	<1	ug/L
11/02/1999	EQ BLK	TOLUENE	<1	ug/L
11/02/1999	EQ BLK	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	EQ BLK	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	EQ BLK	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/02/1999	EQ BLK	TRICHLOROETHYLENE	<1	ug/L
11/02/1999	EQ BLK	TRICHLOROFLUOROMETHANE	<1	ug/L
11/02/1999	EQ BLK	VINYL ACETATE	<5	ug/L
11/02/1999	EQ BLK	VINYL CHLORIDE	<1	ug/L
11/02/1999	EQ BLK	XYLENES	<1	ug/L
11/02/1999	EQ BLK	CONDUCTIVITY IN FIELD	<1	umhos/cm
11/02/1999	EQ BLK	DIBROMOCHLOROPROPANE	<.02	ug/L
11/02/1999	EQ BLK	ETHYLENE DIBROMIDE	<.02	ug/L
11/02/1999	EQ BLK	pH IN FIELD	6.88	pH UNITS
11/02/1999	EQ BLK	TEMPERATURE IN FIELD	16.8	DEG C
11/02/1999	SW-2	Antimony	<5	ug/l
11/02/1999	SW-2	Arsenic	<5	ug/l
11/02/1999	SW-2	Barium	120	ug/l
11/02/1999	SW-2	Beryllium	5	ug/l
11/02/1999	SW-2	Cadmium	4	ug/l
11/02/1999	SW-2	Chromium	14	ug/l
11/02/1999	SW-2	Cobalt	32	ug/l
11/02/1999	SW-2	Copper	14	ug/l
11/02/1999	SW-2	Lead	4	ug/l
11/02/1999	SW-2	Nickel	60	ug/l
11/02/1999	SW-2	Selenium	6	ug/l
11/02/1999	SW-2	Silver	<5	ug/l
11/02/1999	SW-2	Thallium	6	ug/l
11/02/1999	SW-2	Vanadium	18	ug/l
11/02/1999	SW-2	Zinc	80	ug/l
11/02/1999	SW-2	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/02/1999	SW-2	1,1,1-TRICHLOROETHANE	<1	ug/L
11/02/1999	SW-2	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/02/1999	SW-2	1,1,2-TRICHLOROETHANE	<1	ug/L
11/02/1999	SW-2	1,1-DICHLOROETHANE	<1	ug/L
11/02/1999	SW-2	1,1-DICHLOROETHYLENE	<1	ug/L
11/02/1999	SW-2	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/02/1999	SW-2	1,2-DICHLOROETHANE	<1	ug/L
11/02/1999	SW-2	1,2-DICHLOROPROPANE	<1	ug/L
11/02/1999	SW-2	2-HEXANONE	<5	ug/L
11/02/1999	SW-2	4-METHYL-2-PENTANONE	<5	ug/L
11/02/1999	SW-2	ACETONE	<5	ug/L
11/02/1999	SW-2	ACRYLONITRILE	<4	ug/L
11/02/1999	SW-2	BENZENE	<1	ug/L
11/02/1999	SW-2	BROMOCHLOROMETHANE	<1	ug/L
11/02/1999	SW-2	BROMODICHLOROMETHANE	<.6	ug/L
11/02/1999	SW-2	BROMOFORM	<1	ug/L
11/02/1999	SW-2	CARBON DISULFIDE	<1	ug/L
11/02/1999	SW-2	CARBON TETRACHLORIDE	<1	ug/L
11/02/1999	SW-2	CHLOROBENZENE	<1	ug/L
11/02/1999	SW-2	CHLOROETHANE	<1	ug/L
11/02/1999	SW-2	CHLOROFORM	<1	ug/L
11/02/1999	SW-2	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	SW-2	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	SW-2	DIBROMOCHLOROMETHANE	<1	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/02/1999	SW-2	ETHYLEBENZENE	<1	ug/L
11/02/1999	SW-2	METHYL BROMIDE	<1	ug/L
11/02/1999	SW-2	METHYL CHLORIDE	<1	ug/L
11/02/1999	SW-2	METHYL ETHYL KETONE	<5	ug/L
11/02/1999	SW-2	METHYL IODIDE	<1	ug/L
11/02/1999	SW-2	METHYLENE BROMIDE	<1	ug/L
11/02/1999	SW-2	METHYLENE CHLORIDE	<1	ug/L
11/02/1999	SW-2	o-DICHLOROBENZENE	<1	ug/L
11/02/1999	SW-2	p-DICHLOROBENZENE	<1	ug/L
11/02/1999	SW-2	STYRENE	<1	ug/L
11/02/1999	SW-2	TETRACHLOROETHYLENE	<1	ug/L
11/02/1999	SW-2	TOLUENE	<1	ug/L
11/02/1999	SW-2	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	SW-2	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	SW-2	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/02/1999	SW-2	TRICHLOROETHYLENE	<1	ug/L
11/02/1999	SW-2	TRICHLOROFLUOROMETHANE	<1	ug/L
11/02/1999	SW-2	VINYL ACETATE	<5	ug/L
11/02/1999	SW-2	VINYL CHLORIDE	<1	ug/L
11/02/1999	SW-2	XYLENES	<1	ug/L
11/02/1999	SW-2	CONDUCTIVITY IN FIELD	161	umhos/cm
11/02/1999	SW-2	DIBROMOCHLOROPROPANE	<.02	ug/L
11/02/1999	SW-2	ETHYLENE DIBROMIDE	<.02	ug/L
11/02/1999	SW-2	pH IN FIELD	6.61	pH UNITS
11/02/1999	SW-2	TEMPERATURE IN FIELD	13.6	DEG C
11/02/1999	SW-3	Antimony	<5	ug/l
11/02/1999	SW-3	Arsenic	<5	ug/l
11/02/1999	SW-3	Barium	130	ug/l
11/02/1999	SW-3	Beryllium	<1	ug/l
11/02/1999	SW-3	Cadmium	<1	ug/l
11/02/1999	SW-3	Chromium	12	ug/l
11/02/1999	SW-3	Cobalt	50	ug/l
11/02/1999	SW-3	Copper	9	ug/l
11/02/1999	SW-3	Lead	<4	ug/l
11/02/1999	SW-3	Nickel	90	ug/l
11/02/1999	SW-3	Selenium	<5	ug/l
11/02/1999	SW-3	Silver	<5	ug/l
11/02/1999	SW-3	Thallium	<2	ug/l
11/02/1999	SW-3	Vanadium	15	ug/l
11/02/1999	SW-3	Zinc	70	ug/l
11/02/1999	SW-3	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/02/1999	SW-3	1,1,1-TRICHLOROETHANE	<1	ug/L
11/02/1999	SW-3	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/02/1999	SW-3	1,1,2-TRICHLOROETHANE	<1	ug/L
11/02/1999	SW-3	1,1-DICHLOROETHANE	<1	ug/L
11/02/1999	SW-3	1,1-DICHLOROETHYLENE	<1	ug/L
11/02/1999	SW-3	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/02/1999	SW-3	1,2-DICHLOROETHANE	<1	ug/L
11/02/1999	SW-3	1,2-DICHLOROPROPANE	<1	ug/L
11/02/1999	SW-3	2-HEXANONE	<5	ug/L
11/02/1999	SW-3	4-METHYL-2-PENTANONE	<5	ug/L
11/02/1999	SW-3	ACETONE	28	ug/L
11/02/1999	SW-3	ACRYLONITRILE	<4	ug/L
11/02/1999	SW-3	BENZENE	<1	ug/L
11/02/1999	SW-3	BROMOCHLOROMETHANE	<1	ug/L
11/02/1999	SW-3	BROMODICHLOROMETHANE	<.6	ug/L
11/02/1999	SW-3	BROMOFORM	<1	ug/L
11/02/1999	SW-3	CARBON DISULFIDE	<1	ug/L
11/02/1999	SW-3	CARBON TETRACHLORIDE	<1	ug/L
11/02/1999	SW-3	CHLOROBENZENE	<1	ug/L
11/02/1999	SW-3	CHLOROETHANE	<1	ug/L
11/02/1999	SW-3	CHLOROFORM	<1	ug/L
11/02/1999	SW-3	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	SW-3	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	SW-3	DIBROMOCHLOROMETHANE	<1	ug/L
11/02/1999	SW-3	ETHYLEBENZENE	<1	ug/L
11/02/1999	SW-3	METHYL BROMIDE	<1	ug/L
11/02/1999	SW-3	METHYL CHLORIDE	<1	ug/L
11/02/1999	SW-3	METHYL ETHYL KETONE	<5	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/02/1999	SW-3	METHYL IODIDE	<1	ug/L
11/02/1999	SW-3	METHYLENE BROMIDE	<1	ug/L
11/02/1999	SW-3	METHYLENE CHLORIDE	<1	ug/L
11/02/1999	SW-3	o-DICHLOROBENZENE	<1	ug/L
11/02/1999	SW-3	p-DICHLOROBENZENE	<1	ug/L
11/02/1999	SW-3	STYRENE	<1	ug/L
11/02/1999	SW-3	TETRACHLOROETHYLENE	<1	ug/L
11/02/1999	SW-3	TOLUENE	<1	ug/L
11/02/1999	SW-3	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	SW-3	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	SW-3	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/02/1999	SW-3	TRICHLOROETHYLENE	<1	ug/L
11/02/1999	SW-3	TRICHLOROFLUOROMETHANE	<1	ug/L
11/02/1999	SW-3	VINYL ACETATE	<5	ug/L
11/02/1999	SW-3	VINYL CHLORIDE	<1	ug/L
11/02/1999	SW-3	XYLENES	<1	ug/L
11/02/1999	SW-3	CONDUCTIVITY IN FIELD	178	umhos/cm
11/02/1999	SW-3	DIBROMOCHLOROPROPANE	<.02	ug/L
11/02/1999	SW-3	ETHYLENE DIBROMIDE	<.02	ug/L
11/02/1999	SW-3	pH IN FIELD	6.5	pH UNITS
11/02/1999	SW-3	TEMPERATURE IN FIELD	13.2	DEG C
11/02/1999	SW-2 DUP	Antimony	<5	ug/l
11/02/1999	SW-2 DUP	Arsenic	<5	ug/l
11/02/1999	SW-2 DUP	Barium	120	ug/l
11/02/1999	SW-2 DUP	Beryllium	<1	ug/l
11/02/1999	SW-2 DUP	Cadmium	<1	ug/l
11/02/1999	SW-2 DUP	Chromium	11	ug/l
11/02/1999	SW-2 DUP	Cobalt	30	ug/l
11/02/1999	SW-2 DUP	Copper	6	ug/l
11/02/1999	SW-2 DUP	Lead	<4	ug/l
11/02/1999	SW-2 DUP	Nickel	60	ug/l
11/02/1999	SW-2 DUP	Selenium	<5	ug/l
11/02/1999	SW-2 DUP	Silver	<5	ug/l
11/02/1999	SW-2 DUP	Thallium	<2	ug/l
11/02/1999	SW-2 DUP	Vanadium	14	ug/l
11/02/1999	SW-2 DUP	Zinc	60	ug/l
11/02/1999	SW-2 DUP	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/02/1999	SW-2 DUP	1,1,1-TRICHLOROETHANE	<1	ug/L
11/02/1999	SW-2 DUP	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/02/1999	SW-2 DUP	1,1,2-TRICHLOROETHANE	<1	ug/L
11/02/1999	SW-2 DUP	1,1-DICHLOROETHANE	<1	ug/L
11/02/1999	SW-2 DUP	1,1-DICHLOROETHYLENE	<1	ug/L
11/02/1999	SW-2 DUP	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/02/1999	SW-2 DUP	1,2-DICHLOROETHANE	<1	ug/L
11/02/1999	SW-2 DUP	1,2-DICHLOROPROPANE	<1	ug/L
11/02/1999	SW-2 DUP	2-HEXANONE	<5	ug/L
11/02/1999	SW-2 DUP	4-METHYL-2-PENTANONE	<5	ug/L
11/02/1999	SW-2 DUP	ACETONE	<5	ug/L
11/02/1999	SW-2 DUP	ACRYLONITRILE	<4	ug/L
11/02/1999	SW-2 DUP	BENZENE	<1	ug/L
11/02/1999	SW-2 DUP	BROMOCHLOROMETHANE	<1	ug/L
11/02/1999	SW-2 DUP	BROMODICHLOROMETHANE	<.6	ug/L
11/02/1999	SW-2 DUP	BROMOFORM	<1	ug/L
11/02/1999	SW-2 DUP	CARBON DISULFIDE	<1	ug/L
11/02/1999	SW-2 DUP	CARBON TETRACHLORIDE	<1	ug/L
11/02/1999	SW-2 DUP	CHLOROBENZENE	<1	ug/L
11/02/1999	SW-2 DUP	CHLOROETHANE	<1	ug/L
11/02/1999	SW-2 DUP	CHLOROFORM	<1	ug/L
11/02/1999	SW-2 DUP	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	SW-2 DUP	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	SW-2 DUP	DIBROMOCHLOROMETHANE	<1	ug/L
11/02/1999	SW-2 DUP	ETHYLEBENZENE	<1	ug/L
11/02/1999	SW-2 DUP	METHYL BROMIDE	<1	ug/L
11/02/1999	SW-2 DUP	METHYL CHLORIDE	<1	ug/L
11/02/1999	SW-2 DUP	METHYL ETHYL KETONE	<5	ug/L
11/02/1999	SW-2 DUP	METHYL IODIDE	<1	ug/L
11/02/1999	SW-2 DUP	METHYLENE BROMIDE	<1	ug/L
11/02/1999	SW-2 DUP	METHYLENE CHLORIDE	<1	ug/L
11/02/1999	SW-2 DUP	o-DICHLOROBENZENE	<1	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/02/1999	SW-2 DUP	p-DICHLOROBENZENE	<1	ug/L
11/02/1999	SW-2 DUP	STYRENE	<1	ug/L
11/02/1999	SW-2 DUP	TETRACHLOROETHYLENE	<1	ug/L
11/02/1999	SW-2 DUP	TOLUENE	<1	ug/L
11/02/1999	SW-2 DUP	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	SW-2 DUP	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	SW-2 DUP	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/02/1999	SW-2 DUP	TRICHLOROETHYLENE	<1	ug/L
11/02/1999	SW-2 DUP	TRICHLOROFLUOROMETHANE	<1	ug/L
11/02/1999	SW-2 DUP	VINYL ACETATE	<5	ug/L
11/02/1999	SW-2 DUP	VINYL CHLORIDE	<1	ug/L
11/02/1999	SW-2 DUP	XYLENES	<1	ug/L
11/02/1999	SW-2 DUP	CONDUCTIVITY IN FIELD	161	umhos/cm
11/02/1999	SW-2 DUP	DIBROMOCHLOROPROPANE	<.02	ug/L
11/02/1999	SW-2 DUP	ETHYLENE DIBROMIDE	<.02	ug/L
11/02/1999	SW-2 DUP	pH IN FIELD	6.61	pH UNITS
11/02/1999	SW-2 DUP	TEMPERATURE IN FIELD	13.6	DEG C
11/02/1999	SW-1	Antimony	<5	ug/l
11/02/1999	SW-1	Arsenic	<5	ug/l
11/02/1999	SW-1	Barium	60	ug/l
11/02/1999	SW-1	Beryllium	<1	ug/l
11/02/1999	SW-1	Cadmium	<1	ug/l
11/02/1999	SW-1	Chromium	1	ug/l
11/02/1999	SW-1	Cobalt	<5	ug/l
11/02/1999	SW-1	Copper	<5	ug/l
11/02/1999	SW-1	Lead	<4	ug/l
11/02/1999	SW-1	Nickel	<5	ug/l
11/02/1999	SW-1	Selenium	<5	ug/l
11/02/1999	SW-1	Silver	<5	ug/l
11/02/1999	SW-1	Thallium	<2	ug/l
11/02/1999	SW-1	Vanadium	<5	ug/l
11/02/1999	SW-1	Zinc	40	ug/l
11/02/1999	SW-1	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/02/1999	SW-1	1,1,1-TRICHLOROETHANE	<1	ug/L
11/02/1999	SW-1	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/02/1999	SW-1	1,1,2-TRICHLOROETHANE	<1	ug/L
11/02/1999	SW-1	1,1-DICHLOROETHANE	<1	ug/L
11/02/1999	SW-1	1,1-DICHLOROETHYLENE	<1	ug/L
11/02/1999	SW-1	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/02/1999	SW-1	1,2-DICHLOROETHANE	<1	ug/L
11/02/1999	SW-1	1,2-DICHLOROPROPANE	<1	ug/L
11/02/1999	SW-1	2-HEXANONE	<5	ug/L
11/02/1999	SW-1	4-METHYL-2-PENTANONE	<5	ug/L
11/02/1999	SW-1	ACETONE	<5	ug/L
11/02/1999	SW-1	ACRYLONITRILE	<4	ug/L
11/02/1999	SW-1	BENZENE	<1	ug/L
11/02/1999	SW-1	BROMOCHLOROMETHANE	<1	ug/L
11/02/1999	SW-1	BROMODICHLOROMETHANE	<.6	ug/L
11/02/1999	SW-1	BROMOFORM	<1	ug/L
11/02/1999	SW-1	CARBON DISULFIDE	<1	ug/L
11/02/1999	SW-1	CARBON TETRACHLORIDE	<1	ug/L
11/02/1999	SW-1	CHLOROBENZENE	<1	ug/L
11/02/1999	SW-1	CHLOROETHANE	<1	ug/L
11/02/1999	SW-1	CHLOROFORM	<1	ug/L
11/02/1999	SW-1	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	SW-1	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	SW-1	DIBROMOCHLOROMETHANE	<1	ug/L
11/02/1999	SW-1	ETHYLEBENZENE	<1	ug/L
11/02/1999	SW-1	METHYL BROMIDE	<1	ug/L
11/02/1999	SW-1	METHYL CHLORIDE	<1	ug/L
11/02/1999	SW-1	METHYL ETHYL KETONE	<5	ug/L
11/02/1999	SW-1	METHYL IODIDE	<1	ug/L
11/02/1999	SW-1	METHYLENE BROMIDE	<1	ug/L
11/02/1999	SW-1	METHYLENE CHLORIDE	<1	ug/L
11/02/1999	SW-1	o-DICHLOROBENZENE	<1	ug/L
11/02/1999	SW-1	p-DICHLOROBENZENE	<1	ug/L
11/02/1999	SW-1	STYRENE	<1	ug/L
11/02/1999	SW-1	TETRACHLOROETHYLENE	<1	ug/L
11/02/1999	SW-1	TOLUENE	<1	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/02/1999	SW-1	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/02/1999	SW-1	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/02/1999	SW-1	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/02/1999	SW-1	TRICHLOROETHYLENE	<1	ug/L
11/02/1999	SW-1	TRICHLOROFLUOROMETHANE	<1	ug/L
11/02/1999	SW-1	VINYL ACETATE	<5	ug/L
11/02/1999	SW-1	VINYL CHLORIDE	<1	ug/L
11/02/1999	SW-1	XYLENES	<1	ug/L
11/02/1999	SW-1	CONDUCTIVITY IN FIELD	115	umhos/cm
11/02/1999	SW-1	DIBROMOCHLOROPROPANE	<.02	ug/L
11/02/1999	SW-1	ETHYLENE DIBROMIDE	<.02	ug/L
11/02/1999	SW-1	pH IN FIELD	7.41	pH UNITS
11/02/1999	SW-1	TEMPERATURE IN FIELD	11.5	DEG C
11/01/1999	MW-8D	Antimony	<5	ug/L
11/01/1999	MW-8D	Arsenic	<5	ug/L
11/01/1999	MW-8D	Barium	50	ug/L
11/01/1999	MW-8D	Beryllium	<1	ug/L
11/01/1999	MW-8D	Cadmium	<1	ug/L
11/01/1999	MW-8D	Chromium	2	ug/L
11/01/1999	MW-8D	Cobalt	<5	ug/L
11/01/1999	MW-8D	Copper	<5	ug/L
11/01/1999	MW-8D	Lead	<4	ug/L
11/01/1999	MW-8D	Nickel	<5	ug/L
11/01/1999	MW-8D	Selenium	<5	ug/L
11/01/1999	MW-8D	Silver	<5	ug/L
11/01/1999	MW-8D	Thallium	<2	ug/L
11/01/1999	MW-8D	Vanadium	<5	ug/L
11/01/1999	MW-8D	Zinc	30	ug/L
11/01/1999	MW-8D	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/01/1999	MW-8D	1,1,1-TRICHLOROETHANE	<1	ug/L
11/01/1999	MW-8D	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/01/1999	MW-8D	1,1,2-TRICHLOROETHANE	<1	ug/L
11/01/1999	MW-8D	1,1-DICHLOROETHANE	<1	ug/L
11/01/1999	MW-8D	1,1-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-8D	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/01/1999	MW-8D	1,2-DICHLOROETHANE	<1	ug/L
11/01/1999	MW-8D	1,2-DICHLOROPROPANE	<1	ug/L
11/01/1999	MW-8D	2-HEXANONE	<5	ug/L
11/01/1999	MW-8D	4-METHYL-2-PENTANONE	<5	ug/L
11/01/1999	MW-8D	ACETONE	<5	ug/L
11/01/1999	MW-8D	ACRYLONITRILE	<4	ug/L
11/01/1999	MW-8D	BENZENE	<1	ug/L
11/01/1999	MW-8D	BROMOCHLOROMETHANE	<1	ug/L
11/01/1999	MW-8D	BROMODICHLOROMETHANE	<.6	ug/L
11/01/1999	MW-8D	BROMOFORM	<1	ug/L
11/01/1999	MW-8D	CARBON DISULFIDE	<1	ug/L
11/01/1999	MW-8D	CARBON TETRACHLORIDE	<1	ug/L
11/01/1999	MW-8D	CHLOROBENZENE	<1	ug/L
11/01/1999	MW-8D	CHLOROETHANE	<1	ug/L
11/01/1999	MW-8D	CHLOROFORM	<1	ug/L
11/01/1999	MW-8D	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-8D	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	MW-8D	DIBROMOCHLOROMETHANE	<1	ug/L
11/01/1999	MW-8D	ETHYLEBENZENE	<1	ug/L
11/01/1999	MW-8D	METHYL BROMIDE	<1	ug/L
11/01/1999	MW-8D	METHYL CHLORIDE	<1	ug/L
11/01/1999	MW-8D	METHYL ETHYL KETONE	<5	ug/L
11/01/1999	MW-8D	METHYL IODIDE	<1	ug/L
11/01/1999	MW-8D	METHYLENE BROMIDE	<1	ug/L
11/01/1999	MW-8D	METHYLENE CHLORIDE	2	ug/L
11/01/1999	MW-8D	o-DICHLOROBENZENE	<1	ug/L
11/01/1999	MW-8D	p-DICHLOROBENZENE	<1	ug/L
11/01/1999	MW-8D	STYRENE	<1	ug/L
11/01/1999	MW-8D	TETRACHLOROETHYLENE	<1	ug/L
11/01/1999	MW-8D	TOLUENE	<1	ug/L
11/01/1999	MW-8D	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-8D	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	MW-8D	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/01/1999	MW-8D	TRICHLOROETHYLENE	<1	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/01/1999	MW-8D	TRICHLOROFLUOROMETHANE	<1	ug/L
11/01/1999	MW-8D	VINYL ACETATE	<5	ug/L
11/01/1999	MW-8D	VINYL CHLORIDE	<1	ug/L
11/01/1999	MW-8D	XYLENES	<1	ug/L
11/01/1999	MW-8D	CONDUCTIVITY IN FIELD	126	umhos/cm
11/01/1999	MW-8D	DIBROMOCHLOROPROPANE	<.02	ug/L
11/01/1999	MW-8D	ETHYLENE DIBROMIDE	<.02	ug/L
11/01/1999	MW-8D	pH IN FIELD	6.08	pH UNITS
11/01/1999	MW-8D	TEMPERATURE IN FIELD	15.7	DEG C
11/01/1999	MW-8	Antimony	<5	ug/L
11/01/1999	MW-8	Arsenic	<5	ug/L
11/01/1999	MW-8	Barium	60	ug/L
11/01/1999	MW-8	Beryllium	<1	ug/L
11/01/1999	MW-8	Cadmium	2	ug/L
11/01/1999	MW-8	Chromium	8	ug/L
11/01/1999	MW-8	Cobalt	<5	ug/L
11/01/1999	MW-8	Copper	6	ug/L
11/01/1999	MW-8	Lead	<4	ug/L
11/01/1999	MW-8	Nickel	7	ug/L
11/01/1999	MW-8	Selenium	<5	ug/L
11/01/1999	MW-8	Silver	<5	ug/L
11/01/1999	MW-8	Thallium	<2	ug/L
11/01/1999	MW-8	Vanadium	8	ug/L
11/01/1999	MW-8	Zinc	40	ug/L
11/01/1999	MW-8	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/01/1999	MW-8	1,1,1-TRICHLOROETHANE	<1	ug/L
11/01/1999	MW-8	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/01/1999	MW-8	1,1,2-TRICHLOROETHANE	<1	ug/L
11/01/1999	MW-8	1,1-DICHLOROETHANE	<1	ug/L
11/01/1999	MW-8	1,1-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-8	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/01/1999	MW-8	1,2-DICHLOROETHANE	<1	ug/L
11/01/1999	MW-8	1,2-DICHLOROPROPANE	<1	ug/L
11/01/1999	MW-8	2-HEXANONE	<5	ug/L
11/01/1999	MW-8	4-METHYL-2-PENTANONE	<5	ug/L
11/01/1999	MW-8	ACETONE	<5	ug/L
11/01/1999	MW-8	ACRYLONITRILE	<4	ug/L
11/01/1999	MW-8	BENZENE	<1	ug/L
11/01/1999	MW-8	BROMOCHLOROMETHANE	<1	ug/L
11/01/1999	MW-8	BROMODICHLOROMETHANE	<.6	ug/L
11/01/1999	MW-8	BROMOFORM	<1	ug/L
11/01/1999	MW-8	CARBON DISULFIDE	<1	ug/L
11/01/1999	MW-8	CARBON TETRACHLORIDE	<1	ug/L
11/01/1999	MW-8	CHLOROBENZENE	<1	ug/L
11/01/1999	MW-8	CHLOROETHANE	<1	ug/L
11/01/1999	MW-8	CHLOROFORM	<1	ug/L
11/01/1999	MW-8	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-8	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	MW-8	DIBROMOCHLOROMETHANE	<1	ug/L
11/01/1999	MW-8	ETHYLEBENZENE	<1	ug/L
11/01/1999	MW-8	METHYL BROMIDE	<1	ug/L
11/01/1999	MW-8	METHYL CHLORIDE	<1	ug/L
11/01/1999	MW-8	METHYL ETHYL KETONE	<5	ug/L
11/01/1999	MW-8	METHYL IODIDE	<1	ug/L
11/01/1999	MW-8	METHYLENE BROMIDE	<1	ug/L
11/01/1999	MW-8	METHYLENE CHLORIDE	<1	ug/L
11/01/1999	MW-8	o-DICHLOROBENZENE	<1	ug/L
11/01/1999	MW-8	p-DICHLOROBENZENE	<1	ug/L
11/01/1999	MW-8	STYRENE	<1	ug/L
11/01/1999	MW-8	TETRACHLOROETHYLENE	<1	ug/L
11/01/1999	MW-8	TOLUENE	<1	ug/L
11/01/1999	MW-8	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-8	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	MW-8	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/01/1999	MW-8	TRICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-8	TRICHLOROFLUOROMETHANE	<1	ug/L
11/01/1999	MW-8	VINYL ACETATE	<5	ug/L
11/01/1999	MW-8	VINYL CHLORIDE	<1	ug/L
11/01/1999	MW-8	XYLENES	<1	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/01/1999	MW-8	CONDUCTIVITY IN FIELD	133	umhos/cm
11/01/1999	MW-8	DIBROMOCHLOROPROPANE	<.02	ug/L
11/01/1999	MW-8	ETHYLENE DIBROMIDE	<.02	ug/L
11/01/1999	MW-8	pH IN FIELD	6.64	pH UNITS
11/01/1999	MW-8	TEMPERATURE IN FIELD	16	DEG C
11/01/1999	MW-9	Antimony	<5	ug/L
11/01/1999	MW-9	Arsenic	<5	ug/L
11/01/1999	MW-9	Barium	200	ug/L
11/01/1999	MW-9	Beryllium	<1	ug/L
11/01/1999	MW-9	Cadmium	<1	ug/L
11/01/1999	MW-9	Chromium	2	ug/L
11/01/1999	MW-9	Cobalt	<5	ug/L
11/01/1999	MW-9	Copper	<5	ug/L
11/01/1999	MW-9	Lead	<4	ug/L
11/01/1999	MW-9	Nickel	12	ug/L
11/01/1999	MW-9	Selenium	<5	ug/L
11/01/1999	MW-9	Silver	<5	ug/L
11/01/1999	MW-9	Thallium	<2	ug/L
11/01/1999	MW-9	Vanadium	<5	ug/L
11/01/1999	MW-9	Zinc	<25	ug/L
11/01/1999	MW-9	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/01/1999	MW-9	1,1,1-TRICHLOROETHANE	<1	ug/L
11/01/1999	MW-9	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/01/1999	MW-9	1,1,2-TRICHLOROETHANE	<1	ug/L
11/01/1999	MW-9	1,1-DICHLOROETHANE	<1	ug/L
11/01/1999	MW-9	1,1-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-9	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/01/1999	MW-9	1,2-DICHLOROETHANE	<1	ug/L
11/01/1999	MW-9	1,2-DICHLOROPROPANE	<1	ug/L
11/01/1999	MW-9	2-HEXANONE	<5	ug/L
11/01/1999	MW-9	4-METHYL-2-PENTANONE	<5	ug/L
11/01/1999	MW-9	ACETONE	<5	ug/L
11/01/1999	MW-9	ACRYLONITRILE	<4	ug/L
11/01/1999	MW-9	BENZENE	<1	ug/L
11/01/1999	MW-9	BROMOCHLOROMETHANE	<1	ug/L
11/01/1999	MW-9	BROMODICHLOROMETHANE	<.6	ug/L
11/01/1999	MW-9	BROMOFORM	<1	ug/L
11/01/1999	MW-9	CARBON DISULFIDE	<1	ug/L
11/01/1999	MW-9	CARBON TETRACHLORIDE	<1	ug/L
11/01/1999	MW-9	CHLOROBENZENE	<1	ug/L
11/01/1999	MW-9	CHLOROETHANE	<1	ug/L
11/01/1999	MW-9	CHLOROFORM	<1	ug/L
11/01/1999	MW-9	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-9	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	MW-9	DIBROMOCHLOROMETHANE	<1	ug/L
11/01/1999	MW-9	ETHYLEBENZENE	<1	ug/L
11/01/1999	MW-9	METHYL BROMIDE	<1	ug/L
11/01/1999	MW-9	METHYL CHLORIDE	<1	ug/L
11/01/1999	MW-9	METHYL ETHYL KETONE	<5	ug/L
11/01/1999	MW-9	METHYL IODIDE	<1	ug/L
11/01/1999	MW-9	METHYLENE BROMIDE	<1	ug/L
11/01/1999	MW-9	METHYLENE CHLORIDE	<1	ug/L
11/01/1999	MW-9	o-DICHLOROBENZENE	<1	ug/L
11/01/1999	MW-9	p-DICHLOROBENZENE	<1	ug/L
11/01/1999	MW-9	STYRENE	<1	ug/L
11/01/1999	MW-9	TETRACHLOROETHYLENE	<1	ug/L
11/01/1999	MW-9	TOLUENE	<1	ug/L
11/01/1999	MW-9	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-9	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	MW-9	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/01/1999	MW-9	TRICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-9	TRICHLOROFLUOROMETHANE	<1	ug/L
11/01/1999	MW-9	VINYL ACETATE	<5	ug/L
11/01/1999	MW-9	VINYL CHLORIDE	<1	ug/L
11/01/1999	MW-9	XYLENES	<1	ug/L
11/01/1999	MW-9	CONDUCTIVITY IN FIELD	362	umhos/cm
11/01/1999	MW-9	DIBROMOCHLOROPROPANE	<.02	ug/L
11/01/1999	MW-9	ETHYLENE DIBROMIDE	<.02	ug/L
11/01/1999	MW-9	pH IN FIELD	5.84	pH UNITS

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/01/1999	MW-9	TEMPERATURE IN FIELD	15.6	DEG C
11/01/1999	MW-9D	Antimony	<5	ug/L
11/01/1999	MW-9D	Arsenic	<5	ug/L
11/01/1999	MW-9D	Barium	100	ug/L
11/01/1999	MW-9D	Beryllium	<1	ug/L
11/01/1999	MW-9D	Cadmium	<1	ug/L
11/01/1999	MW-9D	Chromium	3	ug/L
11/01/1999	MW-9D	Cobalt	<5	ug/L
11/01/1999	MW-9D	Copper	7	ug/L
11/01/1999	MW-9D	Lead	<4	ug/L
11/01/1999	MW-9D	Nickel	8	ug/L
11/01/1999	MW-9D	Selenium	<5	ug/L
11/01/1999	MW-9D	Silver	<5	ug/L
11/01/1999	MW-9D	Thallium	<2	ug/L
11/01/1999	MW-9D	Vanadium	<5	ug/L
11/01/1999	MW-9D	Zinc	80	ug/L
11/01/1999	MW-9D	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/01/1999	MW-9D	1,1,1-TRICHLOROETHANE	<1	ug/L
11/01/1999	MW-9D	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/01/1999	MW-9D	1,1,2-TRICHLOROETHANE	<1	ug/L
11/01/1999	MW-9D	1,1-DICHLOROETHANE	<1	ug/L
11/01/1999	MW-9D	1,1-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-9D	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/01/1999	MW-9D	1,2-DICHLOROETHANE	<1	ug/L
11/01/1999	MW-9D	1,2-DICHLOROPROPANE	<1	ug/L
11/01/1999	MW-9D	2-HEXANONE	<5	ug/L
11/01/1999	MW-9D	4-METHYL-2-PENTANONE	<5	ug/L
11/01/1999	MW-9D	ACETONE	<5	ug/L
11/01/1999	MW-9D	ACRYLONITRILE	<4	ug/L
11/01/1999	MW-9D	BENZENE	<1	ug/L
11/01/1999	MW-9D	BROMOCHLOROMETHANE	<1	ug/L
11/01/1999	MW-9D	BROMODICHLOROMETHANE	<.6	ug/L
11/01/1999	MW-9D	BROMOFORM	<1	ug/L
11/01/1999	MW-9D	CARBON DISULFIDE	<1	ug/L
11/01/1999	MW-9D	CARBON TETRACHLORIDE	<1	ug/L
11/01/1999	MW-9D	CHLOROBENZENE	<1	ug/L
11/01/1999	MW-9D	CHLOROETHANE	<1	ug/L
11/01/1999	MW-9D	CHLOROFORM	<1	ug/L
11/01/1999	MW-9D	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-9D	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	MW-9D	DIBROMOCHLOROMETHANE	<1	ug/L
11/01/1999	MW-9D	ETHYLEBENZENE	<1	ug/L
11/01/1999	MW-9D	METHYL BROMIDE	<1	ug/L
11/01/1999	MW-9D	METHYL CHLORIDE	<1	ug/L
11/01/1999	MW-9D	METHYL ETHYL KETONE	<5	ug/L
11/01/1999	MW-9D	METHYL IODIDE	<1	ug/L
11/01/1999	MW-9D	METHYLENE BROMIDE	<1	ug/L
11/01/1999	MW-9D	METHYLENE CHLORIDE	<1	ug/L
11/01/1999	MW-9D	o-DICHLOROBENZENE	<1	ug/L
11/01/1999	MW-9D	p-DICHLOROBENZENE	<1	ug/L
11/01/1999	MW-9D	STYRENE	<1	ug/L
11/01/1999	MW-9D	TETRACHLOROETHYLENE	<1	ug/L
11/01/1999	MW-9D	TOLUENE	<1	ug/L
11/01/1999	MW-9D	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-9D	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	MW-9D	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/01/1999	MW-9D	TRICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-9D	TRICHLOROFLUOROMETHANE	<1	ug/L
11/01/1999	MW-9D	VINYL ACETATE	<5	ug/L
11/01/1999	MW-9D	VINYL CHLORIDE	<1	ug/L
11/01/1999	MW-9D	XYLENES	<1	ug/L
11/01/1999	MW-9D	CONDUCTIVITY IN FIELD	240	umhos/cm
11/01/1999	MW-9D	DIBROMOCHLOROPROPANE	<.02	ug/L
11/01/1999	MW-9D	ETHYLENE DIBROMIDE	<.02	ug/L
11/01/1999	MW-9D	pH IN FIELD	6.04	pH UNITS
11/01/1999	MW-9D	TEMPERATURE IN FIELD	16	DEG C
11/01/1999	EQ BLK	Antimony	<5	ug/L
11/01/1999	EQ BLK	Arsenic	<5	ug/L
11/01/1999	EQ BLK	Barium	<1	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/01/1999	EQ BLK	Beryllium	<1	ug/L
11/01/1999	EQ BLK	Cadmium	<1	ug/L
11/01/1999	EQ BLK	Chromium	<1	ug/L
11/01/1999	EQ BLK	Cobalt	<5	ug/L
11/01/1999	EQ BLK	Copper	<5	ug/L
11/01/1999	EQ BLK	Lead	<4	ug/L
11/01/1999	EQ BLK	Nickel	<5	ug/L
11/01/1999	EQ BLK	Selenium	<5	ug/L
11/01/1999	EQ BLK	Silver	<5	ug/L
11/01/1999	EQ BLK	Thallium	<2	ug/L
11/01/1999	EQ BLK	Vanadium	<5	ug/L
11/01/1999	EQ BLK	Zinc	<25	ug/L
11/01/1999	EQ BLK	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/01/1999	EQ BLK	1,1,1-TRICHLOROETHANE	<1	ug/L
11/01/1999	EQ BLK	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/01/1999	EQ BLK	1,1,2-TRICHLOROETHANE	<1	ug/L
11/01/1999	EQ BLK	1,1-DICHLOROETHANE	<1	ug/L
11/01/1999	EQ BLK	1,1-DICHLOROETHYLENE	<1	ug/L
11/01/1999	EQ BLK	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/01/1999	EQ BLK	1,2-DICHLOROETHANE	<1	ug/L
11/01/1999	EQ BLK	1,2-DICHLOROPROPANE	<1	ug/L
11/01/1999	EQ BLK	2-HEXANONE	<5	ug/L
11/01/1999	EQ BLK	4-METHYL-2-PENTANONE	<5	ug/L
11/01/1999	EQ BLK	ACETONE	<5	ug/L
11/01/1999	EQ BLK	ACRYLONITRILE	<4	ug/L
11/01/1999	EQ BLK	BENZENE	<1	ug/L
11/01/1999	EQ BLK	BROMOCHLOROMETHANE	<1	ug/L
11/01/1999	EQ BLK	BROMODICHLOROMETHANE	<.6	ug/L
11/01/1999	EQ BLK	BROMOFORM	<1	ug/L
11/01/1999	EQ BLK	CARBON DISULFIDE	<1	ug/L
11/01/1999	EQ BLK	CARBON TETRACHLORIDE	<1	ug/L
11/01/1999	EQ BLK	CHLOROBENZENE	<1	ug/L
11/01/1999	EQ BLK	CHLOROETHANE	<1	ug/L
11/01/1999	EQ BLK	CHLOROFORM	<1	ug/L
11/01/1999	EQ BLK	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	EQ BLK	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	EQ BLK	DIBROMOCHLOROMETHANE	<1	ug/L
11/01/1999	EQ BLK	ETHYLEBENZENE	<1	ug/L
11/01/1999	EQ BLK	METHYL BROMIDE	<1	ug/L
11/01/1999	EQ BLK	METHYL CHLORIDE	<1	ug/L
11/01/1999	EQ BLK	METHYL ETHYL KETONE	<5	ug/L
11/01/1999	EQ BLK	METHYL IODIDE	<1	ug/L
11/01/1999	EQ BLK	METHYLENE BROMIDE	<1	ug/L
11/01/1999	EQ BLK	METHYLENE CHLORIDE	<1	ug/L
11/01/1999	EQ BLK	o-DICHLOROBENZENE	<1	ug/L
11/01/1999	EQ BLK	p-DICHLOROBENZENE	<1	ug/L
11/01/1999	EQ BLK	STYRENE	<1	ug/L
11/01/1999	EQ BLK	TETRACHLOROETHYLENE	<1	ug/L
11/01/1999	EQ BLK	TOLUENE	<1	ug/L
11/01/1999	EQ BLK	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	EQ BLK	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	EQ BLK	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/01/1999	EQ BLK	TRICHLOROETHYLENE	<1	ug/L
11/01/1999	EQ BLK	TRICHLOROFLUOROMETHANE	<1	ug/L
11/01/1999	EQ BLK	VINYL ACETATE	<5	ug/L
11/01/1999	EQ BLK	VINYL CHLORIDE	<1	ug/L
11/01/1999	EQ BLK	XYLENES	<1	ug/L
11/01/1999	EQ BLK	CONDUCTIVITY IN FIELD	<1	umhos/cm
11/01/1999	EQ BLK	DIBROMOCHLOROPROPANE	<.02	ug/L
11/01/1999	EQ BLK	ETHYLENE DIBROMIDE	<.02	ug/L
11/01/1999	EQ BLK	pH IN FIELD	7.37	pH UNITS
11/01/1999	EQ BLK	TEMPERATURE IN FIELD	18.5	DEG C
11/01/1999	MW-9 DUP	Antimony	<5	ug/L
11/01/1999	MW-9 DUP	Arsenic	<5	ug/L
11/01/1999	MW-9 DUP	Barium	190	ug/L
11/01/1999	MW-9 DUP	Beryllium	<1	ug/L
11/01/1999	MW-9 DUP	Cadmium	<1	ug/L
11/01/1999	MW-9 DUP	Chromium	2	ug/L
11/01/1999	MW-9 DUP	Cobalt	<5	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/01/1999	MW-9 DUP	Copper	<5	ug/L
11/01/1999	MW-9 DUP	Lead	<4	ug/L
11/01/1999	MW-9 DUP	Nickel	12	ug/L
11/01/1999	MW-9 DUP	Selenium	<5	ug/L
11/01/1999	MW-9 DUP	Silver	<5	ug/L
11/01/1999	MW-9 DUP	Thallium	<2	ug/L
11/01/1999	MW-9 DUP	Vanadium	<5	ug/L
11/01/1999	MW-9 DUP	Zinc	<25	ug/L
11/01/1999	MW-9 DUP	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/01/1999	MW-9 DUP	1,1,1-TRICHLOROETHANE	<1	ug/L
11/01/1999	MW-9 DUP	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/01/1999	MW-9 DUP	1,1,2-TRICHLOROETHANE	<1	ug/L
11/01/1999	MW-9 DUP	1,1-DICHLOROETHANE	<1	ug/L
11/01/1999	MW-9 DUP	1,1-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-9 DUP	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/01/1999	MW-9 DUP	1,2-DICHLOROETHANE	<1	ug/L
11/01/1999	MW-9 DUP	1,2-DICHLOROPROPANE	<1	ug/L
11/01/1999	MW-9 DUP	2-HEXANONE	<5	ug/L
11/01/1999	MW-9 DUP	4-METHYL-2-PENTANONE	<5	ug/L
11/01/1999	MW-9 DUP	ACETONE	<5	ug/L
11/01/1999	MW-9 DUP	ACRYLONITRILE	<4	ug/L
11/01/1999	MW-9 DUP	BENZENE	<1	ug/L
11/01/1999	MW-9 DUP	BROMOCHLOROMETHANE	<1	ug/L
11/01/1999	MW-9 DUP	BROMODICHLOROMETHANE	<.6	ug/L
11/01/1999	MW-9 DUP	BROMOFORM	<1	ug/L
11/01/1999	MW-9 DUP	CARBON DISULFIDE	<1	ug/L
11/01/1999	MW-9 DUP	CARBON TETRACHLORIDE	<1	ug/L
11/01/1999	MW-9 DUP	CHLOROBENZENE	<1	ug/L
11/01/1999	MW-9 DUP	CHLOROETHANE	<1	ug/L
11/01/1999	MW-9 DUP	CHLOROFORM	<1	ug/L
11/01/1999	MW-9 DUP	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-9 DUP	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	MW-9 DUP	DIBROMOCHLOROMETHANE	<1	ug/L
11/01/1999	MW-9 DUP	ETHYLEBENZENE	<1	ug/L
11/01/1999	MW-9 DUP	METHYL BROMIDE	<1	ug/L
11/01/1999	MW-9 DUP	METHYL CHLORIDE	<1	ug/L
11/01/1999	MW-9 DUP	METHYL ETHYL KETONE	<5	ug/L
11/01/1999	MW-9 DUP	METHYL IODIDE	<1	ug/L
11/01/1999	MW-9 DUP	METHYLENE BROMIDE	<1	ug/L
11/01/1999	MW-9 DUP	METHYLENE CHLORIDE	<1	ug/L
11/01/1999	MW-9 DUP	o-DICHLOROBENZENE	<1	ug/L
11/01/1999	MW-9 DUP	p-DICHLOROBENZENE	<1	ug/L
11/01/1999	MW-9 DUP	STYRENE	<1	ug/L
11/01/1999	MW-9 DUP	TETRACHLOROETHYLENE	<1	ug/L
11/01/1999	MW-9 DUP	TOLUENE	<1	ug/L
11/01/1999	MW-9 DUP	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-9 DUP	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	MW-9 DUP	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/01/1999	MW-9 DUP	TRICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-9 DUP	TRICHLOROFLUOROMETHANE	<1	ug/L
11/01/1999	MW-9 DUP	VINYL ACETATE	<5	ug/L
11/01/1999	MW-9 DUP	VINYL CHLORIDE	<1	ug/L
11/01/1999	MW-9 DUP	XYLENES	<1	ug/L
11/01/1999	MW-9 DUP	CONDUCTIVITY IN FIELD	362	umhos/cm
11/01/1999	MW-9 DUP	DIBROMOCHLOROPROPANE	<.02	ug/L
11/01/1999	MW-9 DUP	ETHYLENE DIBROMIDE	<.02	ug/L
11/01/1999	MW-9 DUP	pH IN FIELD	5.84	pH UNITS
11/01/1999	MW-9 DUP	TEMPERATURE IN FIELD	15.6	DEG C
11/01/1999	MW-4	Antimony	<5	ug/L
11/01/1999	MW-4	Arsenic	<5	ug/L
11/01/1999	MW-4	Barium	140	ug/L
11/01/1999	MW-4	Beryllium	<1	ug/L
11/01/1999	MW-4	Cadmium	<1	ug/L
11/01/1999	MW-4	Chromium	8	ug/L
11/01/1999	MW-4	Cobalt	6	ug/L
11/01/1999	MW-4	Copper	7	ug/L
11/01/1999	MW-4	Lead	<4	ug/L
11/01/1999	MW-4	Nickel	13	ug/L
11/01/1999	MW-4	Selenium	<5	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/01/1999	MW-4	Silver	<5	ug/L
11/01/1999	MW-4	Thallium	<2	ug/L
11/01/1999	MW-4	Vanadium	11	ug/L
11/01/1999	MW-4	Zinc	<25	ug/L
11/01/1999	MW-4	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/01/1999	MW-4	1,1,1-TRICHLOROETHANE	<1	ug/L
11/01/1999	MW-4	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/01/1999	MW-4	1,1,2-TRICHLOROETHANE	<1	ug/L
11/01/1999	MW-4	1,1-DICHLOROETHANE	<1	ug/L
11/01/1999	MW-4	1,1-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-4	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/01/1999	MW-4	1,2-DICHLOROETHANE	<1	ug/L
11/01/1999	MW-4	1,2-DICHLOROPROPANE	<1	ug/L
11/01/1999	MW-4	2-HEXANONE	<5	ug/L
11/01/1999	MW-4	4-METHYL-2-PENTANONE	<5	ug/L
11/01/1999	MW-4	ACETONE	<5	ug/L
11/01/1999	MW-4	ACRYLONITRILE	<4	ug/L
11/01/1999	MW-4	BENZENE	<1	ug/L
11/01/1999	MW-4	BROMOCHLOROMETHANE	<1	ug/L
11/01/1999	MW-4	BROMODICHLOROMETHANE	<.6	ug/L
11/01/1999	MW-4	BROMOFORM	<1	ug/L
11/01/1999	MW-4	CARBON DISULFIDE	<1	ug/L
11/01/1999	MW-4	CARBON TETRACHLORIDE	<1	ug/L
11/01/1999	MW-4	CHLOROBENZENE	<1	ug/L
11/01/1999	MW-4	CHLOROETHANE	<1	ug/L
11/01/1999	MW-4	CHLOROFORM	<1	ug/L
11/01/1999	MW-4	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-4	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	MW-4	DIBROMOCHLOROMETHANE	<1	ug/L
11/01/1999	MW-4	ETHYLEBENZENE	<1	ug/L
11/01/1999	MW-4	METHYL BROMIDE	<1	ug/L
11/01/1999	MW-4	METHYL CHLORIDE	<1	ug/L
11/01/1999	MW-4	METHYL ETHYL KETONE	<5	ug/L
11/01/1999	MW-4	METHYL IODIDE	<1	ug/L
11/01/1999	MW-4	METHYLENE BROMIDE	<1	ug/L
11/01/1999	MW-4	METHYLENE CHLORIDE	<1	ug/L
11/01/1999	MW-4	o-DICHLOROBENZENE	<1	ug/L
11/01/1999	MW-4	p-DICHLOROBENZENE	<1	ug/L
11/01/1999	MW-4	STYRENE	<1	ug/L
11/01/1999	MW-4	TETRACHLOROETHYLENE	<1	ug/L
11/01/1999	MW-4	TOLUENE	<1	ug/L
11/01/1999	MW-4	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-4	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	MW-4	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/01/1999	MW-4	TRICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-4	TRICHLOROFLUOROMETHANE	<1	ug/L
11/01/1999	MW-4	VINYL ACETATE	<5	ug/L
11/01/1999	MW-4	VINYL CHLORIDE	<1	ug/L
11/01/1999	MW-4	XYLENES	<1	ug/L
11/01/1999	MW-4	CONDUCTIVITY IN FIELD	221	umhos/cm
11/01/1999	MW-4	DIBROMOCHLOROPROPANE	<.02	ug/L
11/01/1999	MW-4	ETHYLENE DIBROMIDE	<.02	ug/L
11/01/1999	MW-4	pH IN FIELD	.27	pH UNITS
11/01/1999	MW-4	TEMPERATURE IN FIELD	16.1	DEG C
11/01/1999	MW-4D	Antimony	<5	ug/L
11/01/1999	MW-4D	Arsenic	<5	ug/L
11/01/1999	MW-4D	Barium	29	ug/L
11/01/1999	MW-4D	Beryllium	<1	ug/L
11/01/1999	MW-4D	Cadmium	<1	ug/L
11/01/1999	MW-4D	Chromium	3	ug/L
11/01/1999	MW-4D	Cobalt	<5	ug/L
11/01/1999	MW-4D	Copper	8	ug/L
11/01/1999	MW-4D	Lead	<4	ug/L
11/01/1999	MW-4D	Nickel	5	ug/L
11/01/1999	MW-4D	Selenium	<5	ug/L
11/01/1999	MW-4D	Silver	<5	ug/L
11/01/1999	MW-4D	Thallium	<2	ug/L
11/01/1999	MW-4D	Vanadium	<5	ug/L
11/01/1999	MW-4D	Zinc	80	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/01/1999	MW-4D	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/01/1999	MW-4D	1,1,1-TRICHLOROETHANE	<1	ug/L
11/01/1999	MW-4D	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/01/1999	MW-4D	1,1,2-TRICHLOROETHANE	<1	ug/L
11/01/1999	MW-4D	1,1-DICHLOROETHANE	<1	ug/L
11/01/1999	MW-4D	1,1-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-4D	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/01/1999	MW-4D	1,2-DICHLOROETHANE	<1	ug/L
11/01/1999	MW-4D	1,2-DICHLOROPROPANE	<1	ug/L
11/01/1999	MW-4D	2-HEXANONE	<5	ug/L
11/01/1999	MW-4D	4-METHYL-2-PENTANONE	<5	ug/L
11/01/1999	MW-4D	ACETONE	<5	ug/L
11/01/1999	MW-4D	ACRYLONITRILE	<4	ug/L
11/01/1999	MW-4D	BENZENE	<1	ug/L
11/01/1999	MW-4D	BROMOCHLOROMETHANE	<1	ug/L
11/01/1999	MW-4D	BROMODICHLOROMETHANE	<.6	ug/L
11/01/1999	MW-4D	BROMOFORM	<1	ug/L
11/01/1999	MW-4D	CARBON DISULFIDE	<1	ug/L
11/01/1999	MW-4D	CARBON TETRACHLORIDE	<1	ug/L
11/01/1999	MW-4D	CHLOROBENZENE	<1	ug/L
11/01/1999	MW-4D	CHLOROETHANE	<1	ug/L
11/01/1999	MW-4D	CHLOROFORM	<1	ug/L
11/01/1999	MW-4D	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-4D	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	MW-4D	DIBROMOCHLOROMETHANE	<1	ug/L
11/01/1999	MW-4D	ETHYLEBENZENE	<1	ug/L
11/01/1999	MW-4D	METHYL BROMIDE	<1	ug/L
11/01/1999	MW-4D	METHYL CHLORIDE	<1	ug/L
11/01/1999	MW-4D	METHYL ETHYL KETONE	<5	ug/L
11/01/1999	MW-4D	METHYL IODIDE	<1	ug/L
11/01/1999	MW-4D	METHYLENE BROMIDE	<1	ug/L
11/01/1999	MW-4D	METHYLENE CHLORIDE	<1	ug/L
11/01/1999	MW-4D	o-DICHLOROBENZENE	<1	ug/L
11/01/1999	MW-4D	p-DICHLOROBENZENE	<1	ug/L
11/01/1999	MW-4D	STYRENE	<1	ug/L
11/01/1999	MW-4D	TETRACHLOROETHYLENE	<1	ug/L
11/01/1999	MW-4D	TOLUENE	<1	ug/L
11/01/1999	MW-4D	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-4D	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	MW-4D	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/01/1999	MW-4D	TRICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-4D	TRICHLOROFLUOROMETHANE	<1	ug/L
11/01/1999	MW-4D	VINYL ACETATE	<5	ug/L
11/01/1999	MW-4D	VINYL CHLORIDE	<1	ug/L
11/01/1999	MW-4D	XYLENES	<1	ug/L
11/01/1999	MW-4D	CONDUCTIVITY IN FIELD	224	umhos/cm
11/01/1999	MW-4D	DIBROMOCHLOROPROPANE	<.02	ug/L
11/01/1999	MW-4D	ETHYLENE DIBROMIDE	<.02	ug/L
11/01/1999	MW-4D	pH IN FIELD	6.4	pH UNITS
11/01/1999	MW-4D	TEMPERATURE IN FIELD	14.6	DEG C
11/01/1999	MW-3	Antimony	<5	ug/L
11/01/1999	MW-3	Arsenic	<5	ug/L
11/01/1999	MW-3	Barium	230	ug/L
11/01/1999	MW-3	Beryllium	<1	ug/L
11/01/1999	MW-3	Cadmium	<1	ug/L
11/01/1999	MW-3	Chromium	56	ug/L
11/01/1999	MW-3	Cobalt	18	ug/L
11/01/1999	MW-3	Copper	17	ug/L
11/01/1999	MW-3	Lead	4	ug/L
11/01/1999	MW-3	Nickel	66	ug/L
11/01/1999	MW-3	Selenium	<5	ug/L
11/01/1999	MW-3	Silver	<5	ug/L
11/01/1999	MW-3	Thallium	<2	ug/L
11/01/1999	MW-3	Vanadium	75	ug/L
11/01/1999	MW-3	Zinc	60	ug/L
11/01/1999	MW-3	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/01/1999	MW-3	1,1,1-TRICHLOROETHANE	<1	ug/L
11/01/1999	MW-3	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/01/1999	MW-3	1,1,2-TRICHLOROETHANE	<1	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/01/1999	MW-3	1,1-DICHLOROETHANE	<1	ug/L
11/01/1999	MW-3	1,1-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-3	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/01/1999	MW-3	1,2-DICHLOROETHANE	<1	ug/L
11/01/1999	MW-3	1,2-DICHLOROPROPANE	<1	ug/L
11/01/1999	MW-3	2-HEXANONE	<5	ug/L
11/01/1999	MW-3	4-METHYL-2-PENTANONE	<5	ug/L
11/01/1999	MW-3	ACETONE	<5	ug/L
11/01/1999	MW-3	ACRYLONITRILE	<4	ug/L
11/01/1999	MW-3	BENZENE	<1	ug/L
11/01/1999	MW-3	BROMOCHLOROMETHANE	<1	ug/L
11/01/1999	MW-3	BROMODICHLOROMETHANE	<.6	ug/L
11/01/1999	MW-3	BROMOFORM	<1	ug/L
11/01/1999	MW-3	CARBON DISULFIDE	<1	ug/L
11/01/1999	MW-3	CARBON TETRACHLORIDE	<1	ug/L
11/01/1999	MW-3	CHLOROBENZENE	<1	ug/L
11/01/1999	MW-3	CHLOROETHANE	<1	ug/L
11/01/1999	MW-3	CHLOROFORM	<1	ug/L
11/01/1999	MW-3	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-3	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	MW-3	DIBROMOCHLOROMETHANE	<1	ug/L
11/01/1999	MW-3	ETHYLEBENZENE	<1	ug/L
11/01/1999	MW-3	METHYL BROMIDE	<1	ug/L
11/01/1999	MW-3	METHYL CHLORIDE	<1	ug/L
11/01/1999	MW-3	METHYL ETHYL KETONE	<5	ug/L
11/01/1999	MW-3	METHYL IODIDE	<1	ug/L
11/01/1999	MW-3	METHYLENE BROMIDE	<1	ug/L
11/01/1999	MW-3	METHYLENE CHLORIDE	<1	ug/L
11/01/1999	MW-3	o-DICHLOROBENZENE	<1	ug/L
11/01/1999	MW-3	p-DICHLOROBENZENE	<1	ug/L
11/01/1999	MW-3	STYRENE	<1	ug/L
11/01/1999	MW-3	TETRACHLOROETHYLENE	<1	ug/L
11/01/1999	MW-3	TOLUENE	<1	ug/L
11/01/1999	MW-3	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-3	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/01/1999	MW-3	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/01/1999	MW-3	TRICHLOROETHYLENE	<1	ug/L
11/01/1999	MW-3	TRICHLOROFLUOROMETHANE	<1	ug/L
11/01/1999	MW-3	VINYL ACETATE	<5	ug/L
11/01/1999	MW-3	VINYL CHLORIDE	<1	ug/L
11/01/1999	MW-3	XYLENES	<1	ug/L
11/01/1999	MW-3	CONDUCTIVITY IN FIELD	110	umhos/cm
11/01/1999	MW-3	DIBROMOCHLOROPROPANE	<.02	ug/L
11/01/1999	MW-3	ETHYLENE DIBROMIDE	<.02	ug/L
11/01/1999	MW-3	pH IN FIELD	6.17	pH UNITS
11/01/1999	MW-3	TEMPERATURE IN FIELD	14.3	DEG C
11/04/1999	LD 1	Antimony	<5	ug/L
11/04/1999	LD 1	Arsenic	11	ug/L
11/04/1999	LD 1	Barium	280	ug/L
11/04/1999	LD 1	Beryllium	2	ug/L
11/04/1999	LD 1	Cadmium	<1	ug/L
11/04/1999	LD 1	Chromium	58	ug/L
11/04/1999	LD 1	Cobalt	680	ug/L
11/04/1999	LD 1	Copper	26	ug/L
11/04/1999	LD 1	Lead	6	ug/L
11/04/1999	LD 1	Nickel	850	ug/L
11/04/1999	LD 1	Selenium	<5	ug/L
11/04/1999	LD 1	Silver	<5	ug/L
11/04/1999	LD 1	Thallium	9	ug/L
11/04/1999	LD 1	Vanadium	69	ug/L
11/04/1999	LD 1	Zinc	370	ug/L
11/04/1999	LD 1	1,1,1,2-TETRACHLOROETHANE	<1	ug/L
11/04/1999	LD 1	1,1,1-TRICHLOROETHANE	<1	ug/L
11/04/1999	LD 1	1,1,2,2-TETRACHLOROETHANE	<.2	ug/L
11/04/1999	LD 1	1,1,2-TRICHLOROETHANE	<1	ug/L
11/04/1999	LD 1	1,1-DICHLOROETHANE	<1	ug/L
11/04/1999	LD 1	1,1-DICHLOROETHYLENE	<1	ug/L
11/04/1999	LD 1	1,2,3-TRICHLOROPROPANE	<1	ug/L
11/04/1999	LD 1	1,2-DICHLOROETHANE	<1	ug/L

Buncombe County New Facility

Sample Date	Site ID	Analyte	Result	Units
11/04/1999	LD 1	1,2-DICHLOROPROPANE	<1	ug/L
11/04/1999	LD 1	2-HEXANONE	<5	ug/L
11/04/1999	LD 1	4-METHYL-2-PENTANONE	<5	ug/L
11/04/1999	LD 1	ACETONE	<5	ug/L
11/04/1999	LD 1	ACRYLONITRILE	<4	ug/L
11/04/1999	LD 1	BENZENE	<1	ug/L
11/04/1999	LD 1	BROMOCHLOROMETHANE	<1	ug/L
11/04/1999	LD 1	BROMODICHLOROMETHANE	<.6	ug/L
11/04/1999	LD 1	BROMOFORM	<1	ug/L
11/04/1999	LD 1	CARBON DISULFIDE	<1	ug/L
11/04/1999	LD 1	CARBON TETRACHLORIDE	<1	ug/L
11/04/1999	LD 1	CHLOROBENZENE	<1	ug/L
11/04/1999	LD 1	CHLOROETHANE	<1	ug/L
11/04/1999	LD 1	CHLOROFORM	<1	ug/L
11/04/1999	LD 1	CIS-1,2-DICHLOROETHYLENE	<1	ug/L
11/04/1999	LD 1	CIS-1,3-DICHLOROPROPENE	<1	ug/L
11/04/1999	LD 1	DIBROMOCHLOROMETHANE	<1	ug/L
11/04/1999	LD 1	ETHYLEBENZENE	<1	ug/L
11/04/1999	LD 1	METHYL BROMIDE	<1	ug/L
11/04/1999	LD 1	METHYL CHLORIDE	<1	ug/L
11/04/1999	LD 1	METHYL ETHYL KETONE	<5	ug/L
11/04/1999	LD 1	METHYL IODIDE	<1	ug/L
11/04/1999	LD 1	METHYLENE BROMIDE	<1	ug/L
11/04/1999	LD 1	METHYLENE CHLORIDE	<1	ug/L
11/04/1999	LD 1	o-DICHLOROBENZENE	<1	ug/L
11/04/1999	LD 1	p-DICHLOROBENZENE	<1	ug/L
11/04/1999	LD 1	STYRENE	<1	ug/L
11/04/1999	LD 1	TETRACHLOROETHYLENE	<1	ug/L
11/04/1999	LD 1	TOLUENE	<1	ug/L
11/04/1999	LD 1	TRANS-1,2-DICHLOROETHYLENE	<1	ug/L
11/04/1999	LD 1	TRANS-1,3-DICHLOROPROPENE	<1	ug/L
11/04/1999	LD 1	TRANS-1,4-DICHLORO-2-BUTENE	<4	ug/L
11/04/1999	LD 1	TRICHLOROETHYLENE	<1	ug/L
11/04/1999	LD 1	TRICHLOROFLUOROMETHANE	<1	ug/L
11/04/1999	LD 1	VINYL ACETATE	<5	ug/L
11/04/1999	LD 1	VINYL CHLORIDE	<1	ug/L
11/04/1999	LD 1	XYLENES	<1	ug/L
11/04/1999	LD 1	CONDUCTIVITY IN FIELD	523	umhos/cm
11/04/1999	LD 1	DIBROMOCHLOROPROPANE	<.02	ug/L
11/04/1999	LD 1	ETHYLENE DIBROMIDE	<.02	ug/L
11/04/1999	LD 1	pH IN FIELD	4.5	pH UNITS
11/04/1999	LD 1	TEMPERATURE IN FIELD	14.2	DEG C