Dare County C&D Landfill Facility Permit No. 28-03 Semi-Annual Sampling Report

(August 2012 Sampling Event

Dare County

Report

October 2012

CDM Smith

DENR USE ONLY: ☐ Paper Report ☐ Electronic Data - Email CD (data loaded: Yes / No) Doc/Event #:

NC DENR
Division of Waste Management - Solid Waste

Environmental Monitoring Reporting Form

Notice: This form and any information attached to it are "Public Records" as defined in NC General Statute 132-1. As such, these documents are available for inspection and examination by any person upon request (NC General Statute 132-6).

Instructions:

- **Prepare one form for each individually monitored unit.**
- **Please type or print legibly.**
- Attach a notification table with values that attain or exceed NC 2L groundwater standards or NC 2B surface water standards. The notification must include a preliminary analysis of the cause and significance of each value. (e.g. naturally occurring, off-site source, pre-existing condition, etc.).
- Attach a notification table of any groundwater or surface water values that equal or exceed the reporting limits.
- Attach a notification table of any methane gas values that attain or exceed explosive gas levels. This includes any structures on or nearby the facility (NCAC 13B .1629 (4)(a)(i).
- Send the original signed and sealed form, any tables, and Electronic Data Deliverable to: Compliance Unit, NCDENR-DWM, Solid Waste Section, 1646 Mail Service Center, Raleigh, NC 27699-1646.

Solid Waste Monitoring Data Submittal Information

Name of entity submitting data (laboratory, consultant, facility owner):

Consultant - CDM Smith Inc.

Contact for questions about data formatting. Include data preparer's name, telephone number and E-mail address:

Name: Mathew F. Colone Phone: 919-787-5620

E-mail: colonemf@cdmsmith.com

Facility name:	Facility Address:	Facility Permit #	NC Landfill Rule: (.0500 or .1600)	Actual sampling dates (e.g., October 20-24, 2006)
Dare County C&D Landfill	1603 Cub Road Manns Harbor, NC 27953	28-03	.0500	August 14, 2012

Environmental Status: (Check all that apply)

☐ Initial/Background Monitoring ☒ Detection Monitoring ☐ Assessment Monitoring ☐ Corrective Action

Type of data submitted: (Check all that apply)

☒ Groundwater monitoring data from monitoring wells
☐ Groundwater monitoring data from private water supply wells
☐ Leachate monitoring data
☒ Surface water monitoring data
☐ Methane gas monitoring data
☐ Corrective action data (specify) _____
☐ Other(specify) _____

Notification attached?

☐ No. No groundwater or surface water standards were exceeded.
☒ Yes, a notification of values exceeding a groundwater or surface water standard is attached. It includes a list of groundwater and surface water monitoring points, dates, analytical values, NC 2L groundwater standard, NC 2B surface water standard or NC Solid Waste GWPS and preliminary analysis of the cause and significance of any concentration.
☐ Yes, a notification of values exceeding an explosive methane gas limit is attached. It includes the methane monitoring points, dates, sample values and explosive methane gas limits.

Certification

To the best of my knowledge, the information reported and statements made on this data submittal and attachments are true and correct. Furthermore, I have attached complete notification of any sampling values meeting or exceeding groundwater standards or explosive gas levels, and a preliminary analysis of the cause and significance of concentrations exceeding groundwater standards. I am aware that there are significant penalties for making any false statement, representation, or certification including the possibility of a fine and imprisonment.

Mathew F. Colone	Consultant	(919) 787-5620
Facility Representative Name (Print)	Title	(Area Code) Telephone Number

Signature: Matthew F. Colone Date: 10/30/2012

Affix NC Licensed/ Professional Geologist Seal

NORTH CAROLINA LICENSED SEAL 1851 GEOLOGIST MATHEW F. COLONE
10/30/2012

5400 Glenwood Ave, Suite 300, Raleigh, NC 27612

Facility Representative Address

F-0412

NC PE Firm License Number (if applicable effective May 1, 2009)

Revised 6/2009

CDM Smith

5400 Glenwood Avenue, Suite 300
Raleigh, North Carolina 27612
tel: 919 787-5620
fax: 919 781-5730

October 30, 2012

Ms. Jaclynne Drummond
North Carolina Department of Environment and
Natural Resources
Division of Waste Management
Solid Waste Section
1646 Mail Service Center
Raleigh, North Carolina 27699-1646

Subject: August 2012 Semi-Annual Monitoring Sampling Report
Dare County C&D Landfill
Facility Permit No. 28-03

Dear Ms. Drummond:

CDM Smith Inc., on behalf of Dare County, is submitting an electronic copy of the August 2012 semi-annual sampling event report. This letter report presents the results of the most recent semi-annual sampling event that was completed at the Dare County C&D Landfill and constitutes the second semi-annual sampling event for 2012. The approved groundwater monitoring network consists of 13 wells (i.e. MW-1, -2, -3, -8, -9, -10, -11, -12, -13, -14, -15, -16, and -17) and 3 surface water sampling locations (i.e. SW-1, -2, and –3). Field activities and sampling results are discussed below.

Field Activities

Groundwater and surface water samples from the Dare County C&D Landfill were collected on August 14, 2012 by Environment One, Inc. Groundwater elevations were measured at each well prior to sampling and are presented in **Table 1**. These groundwater elevations were used to construct a potentiometric surface map for this sampling event. The potentiometric contours and sampling locations are presented on **Figure 1**. Each well was measured in the field for pH, conductivity, temperature, and total dissolved solids prior to sampling. The water quality parameters at the time samples were collected are also presented in Table 1.

Sampling Results

Environment One, Inc. in Greenville, North Carolina analyzed the groundwater and surface water samples for the North Carolina Appendix I volatile organic compounds (VOC's) by U.S. Environmental Protection Agency (EPA) Method 8260B, metals by EPA Method 200.8 and Standard Method (SM)

3113B, alkalinity by SM 2320B, chloride by SM 4500-CL B, and sulfate by SM 426C. In accordance with Solid Waste Section guidelines, the analytical results were reported to the laboratory specific method detection limit (MDL) and are quantifiable at or below Solid Waste Section Limits (SWSLs). All monitoring wells and surface water sample locations for the C&D Landfill had detections of analytes above the MDL with a majority of the detections below SWSLs. These detections were qualified as estimated or "J" flags.

The following list presents the analytes detected above the MDL at each sample location. No "J" flag detections are provided. Underlined analytes exceeded the North Carolina 2L Standard, Groundwater Protection Standard, or the North Carolina Surface Water Standards for Class C Waters. A complete summary of all detected and estimated concentrations for the August 2012 sampling event is presented in **Table 2**. A copy of the laboratory report is provided in **Appendix A**.

MW-1

Inorganics:	Alkalinity, <u>Chloride</u>
Metals:	<u>Iron</u>, <u>Manganese</u>, Zinc
Volatile Organic Compounds:	None Detected

MW-2

Inorganics:	Alkalinity, Chloride
Metals:	<u>Iron</u>, <u>Manganese</u>, Zinc
Volatile Organic Compounds:	None Detected

MW-3

Inorganics:	Alkalinity, Chloride
Metals:	<u>Iron</u>, <u>Manganese</u>
Volatile Organic Compounds:	None Detected

MW-8

Inorganics:	Alkalinity, <u>Chloride</u>
Metals:	Barium, <u>Iron</u>, <u>Manganese</u>, Selenium
Volatile Organic Compounds:	None Detected

MW-9

Inorganics:	Alkalinity, Chloride
Metals:	<u>Arsenic</u>, <u>Iron</u>, Zinc
Volatile Organic Compounds:	None Detected

MW-10

Inorganics:	Alkalinity, Chloride, Sulfate
Metals:	Arsenic, Iron, Manganese
Volatile Organic Compounds:	None Detected

MW-11

Inorganics:	Alkalinity, Chloride
Metals:	Iron, Manganese
Volatile Organic Compounds:	None Detected

MW-12

Inorganics:	Alkalinity, Chloride
Metals:	Iron, Manganese
Volatile Organic Compounds:	None Detected

MW-13

Inorganics:	Alkalinity, Chloride
Metals:	Iron, Manganese
Volatile Organic Compounds:	None Detected

MW-14

Inorganics:	Alkalinity, Chloride
Metals:	Iron, Manganese, Zinc
Volatile Organic Compounds:	None Detected

MW-15

Inorganics:	Alkalinity, Chloride
Metals:	Arsenic, Iron, Manganese, Zinc
Volatile Organic Compounds:	None Detected

MW-16

Inorganics:	Alkalinity, Chloride
Metals:	Barium, Iron, Manganese, Selenium
Volatile Organic Compounds:	None Detected

MW-17

Inorganics:	Alkalinity, Chloride
Metals:	Arsenic, Iron, Manganese, Zinc
Volatile Organic Compounds:	None Detected

SW-1

Inorganics:	Alkalinity, Chloride
Metals:	Iron, Manganese
Volatile Organic Compounds:	None Detected

SW-2

Inorganics:	Alkalinity, Chloride
Metals:	Iron, Manganese
Volatile Organic Compounds:	None Detected

SW-3

Inorganics:	Alkalinity, Chloride
Metals:	Iron, Manganese
Volatile Organic Compounds:	None Detected

"J" flags were not included in the previous list, but several locations had "J" flag detections that exceeded the standards. The "J" flag constituents above the standards along with their locations are listed below.

Cobalt:	MW-9, MW-11, MW-17
Selenium:	SW-1
Vanadium:	MW-1, MW-2, MW-8, MW-9, MW-10, MW-11, MW-12, MW-13, MW-14, MW-16, MW-17

The semi-annual groundwater monitoring program will be continued by Dare County. The first semi-annual sampling event for 2013 will be completed in February.

If you have any questions or require further explanation, do not hesitate to call me at (919) 787-5620.

Very truly yours,

Mathew F. Colone, P.G.
CDM Smith Inc.

Attachments

cc: Edward Mann, Dare County

Table 1
Groundwater Elevations
August 2012 Semi-Annual Sampling Event
Dare County C&D Landfill

		Date Measured	2/14/2012		8/16/2012	
Facility Permit Number	Monitoring Well I.D.	TOC Elevation (feet AMSL)	Depth to Groundwater (feet btoc)	Groundwater Elevation (feet AMSL)	Depth to Groundwater (feet btoc)	Groundwater Elevation (feet AMSL)
28-02	Well #1s	7.07	6.54	0.53	6.24	0.83
28-02	Well #1d	7.15	6.40	0.75	6.36	0.79
28-02	Well #2s	5.80	5.05	0.75	5.35	0.45
28-02	Well #2d	5.49	4.66	0.83	4.67	0.82
28-02	Well #3s	4.28	3.76	0.52	3.88	0.40
28-02	Well #3d	3.85	3.18	0.67	3.25	0.60
28-02	Well #4s	4.20	5.25	-1.05	5.04	-0.84
28-02	Well #4d	4.22	3.55	0.67	3.55	0.67
28-02	Well #5s	9.88	8.73	1.15	8.75	1.13
28-02	Well #5d	10.33	9.60	0.73	9.63	0.70
28-02	Well #6s	7.38	5.87	1.51	Not Measured	
28-02	Well #6d	6.88	6.51	0.37	Not Measured	
28-02	Well #7s	5.08	3.98	1.10	3.98	1.10

Notes:
1. AMSL - Above Mean Sea Level
2. btoc - Below Top of Casing
3. Vertical Control - NAVD 88
4. Horizontal Control - NAD 83

Table 2a
Detected Groundwater Constituents - Metals, Volatile Organic Compounds, and Inorganics
August 2012 Semi-Annual Sampling Event
Dare County C&D Landfill

			Metals																		Volatile Organic Compounds						Inorganics		
Facility Permit Number	Monitoring Well I.D.	Sample Date	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Mercury	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc	Acetone	Benzene	Carbon Disulfide	Chlorobenzene	Chloromethane	Toluene	Alkalinity (mg/L)	Chloride (mg/L)	Sulfate (mg/L)
North Carolina 2L Standard			1*	10	700	4*	2	10	1*	1,000	300	15	50	1	100	20	20	0.28*	0.3*	1,000	6,000	1	700	50	3	600	NS	250	250
Solid Waste Section Limit			6	10	100	1	1	10	10	10	300	10	50	0.2	50	10	10	5.5	25	10	100	1	100	3	1	1	NE	NE	250
28-03	MW-1	22-Aug-11		2.7J	48.1J	0.10J		1.6J	0.57J	2.5J	46,050	0.60J	552		2.5J	7.3J			3.0J	3.9J							239	1,070	58.8J
28-03	MW-1	16-Feb-12		2.2J	42.2J	0.09J		1.6J	0.39J	1.9J	49,400	0.47J	578		2.0J	6.7J			2.3J	1.8J							296	1,000	45.2J
28-03	MW-1	14-Aug-12		1.5J	42.9J	0.13J		0.85J	0.20J	1.9J	46,550		473		2.0J	5.5J			1.0J	15							273	906	64.5J
28-03	MW-2	22-Aug-11		0.21J	7.8J				0.14J	0.72J	16,160	0.06J	282		1.2J	0.26J			1.4J	2.0J							388	39	
28-03	MW-2	16-Feb-12		0.32J	12.9J	0.06J		0.94J	0.18J	1.5J	45,400	0.43J	344		0.88J	0.26J			1.9J	2.8J							393	37	
28-03	MW-2	14-Aug-12			8.7J		0.05J		0.12J	1.0J	23,480		262		1.2J				0.39J	11							378	38	10.9J
28-03	MW-3	22-Aug-11		0.18J	13.0J	0.11J	0.04J		0.18J	0.72J	25,400	0.08J	355		1.2J				1.1J	3.6J							391	35	12.1J
28-03	MW-3	16-Feb-12			10.7J	0.11J	0.04J	0.22J	0.15J	0.28J	25,275	0.07J	398		0.77J				0.71J								408	34	
28-03	MW-3	14-Aug-12			13.8J	0.10J	0.04J	0.28J	0.16J	0.64J	25,325		244		1.6J				0.13J	6.9J							416	38	18.2J
28-03	MW-8	22-Aug-11		4.2J	253	0.74J		4.5J	0.12J	7.7J	31,125	0.11J	101		1.3J			0.05J	8.4J	3.1J							128	2,724	213J
28-03	MW-8	16-Feb-12		3.3J	237	0.5J		3.6J	0.24J	6.0J	24,150	0.16J	166		1.8J	14			5.4J	2.7J							179	2,699	166J
28-03	MW-8	14-Aug-12	0.04J	4.1J	192	0.96J		5.4J	0.15J	5.1J	35,150	0.17J	95		1.6J	16			11.1J	5.2J							157	2,693	191J
28-03	MW-9	22-Aug-11		21	35.8J	0.18J	0.16J	6.1J	5.6J	2.8J	194,750	2.6J	162		7.1J	1.0J		0.12J	9.4J	47							38	12	194J
28-03	MW-9	16-Feb-12	0.21J	249	47.4J	0.45J	0.18J	14	3.2J	5.1J	68,075	8.1J	69		3.6J	1.5J	0.07J	0.08J	31	21							11	16	120J
28-03	MW-9	14-Aug-12	0.12J	36	25.3J	0.26J	0.20J	6.4J	3.6J	3.3J	9,725	3.5J	37J	0.02J	4.1J	0.72J		0.21J	11.5J	22							21	16	74.6J
28-03	MW-10	22-Aug-11	0.26J	5.8J	63.1J	0.22J	0.11J	3.9J	0.51J	1.3J	116,250	1.0J	567		2.3J	1.1J		0.05J	7.5J	5.3J							209	34	626
28-03	MW-10	16-Feb-12		10	42.5J	0.25J	0.12J	3.2J	2J	1.4J	68,475	1.3J	617		6.7J	1.1J		0.07J	8.5J	14							45	39	3,365
28-03	MW-10	14-Aug-12	0.10J	11	43.5J	0.10J	0.10J	1.2J	0.79J	1.7J	8,875	1.4J	440		4.2J	0.55J	0.37J		5.7J	6.4J							250	7	584
28-03	MW-11	22-Aug-11		1.7J	50.1J	0.07J	0.10J	2.1J	0.74J	1.3J	18,880	1.4J	257		1.5J	0.41J		0.08J	3.6J	5.6J							93	47	257
28-03	MW-11	16-Feb-12		5.1J	72.4J	0.13J	0.16J	2.2J	2.7J	1.5J	54,125	1.6J	295		3.6J	0.35J		0.04J	4.7J	9J							48	60	376
28-03	MW-11	14-Aug-12	0.06J	5.8J	35.6J	0.11J	0.16J	1.8J	1.3J	1.6J	10,965	1.2J	100		3.0J	0.43J			3.8J	7.3J							83	23	192J
28-03	MW-12	22-Aug-11		5.5J	59.8J	0.10J	0.07J	1.2J	0.54J	0.85J	26,700	0.74J	579		2.3J	0.34J		0.03J	3.7J	6.5J							209	51	
28-03	MW-12	16-Feb-12		3.3J	43.6J	0.1J	0.04J	1.4J	0.93J	0.94J	11,685	1.3J	253		2.2J	0.24J		0.08J	3.6J	4.1J							49	38	14.6J
28-03	MW-12	14-Aug-12		2.9J	45.4J	0.10J	0.09J	0.97J	0.89J	1.1J	25,825	0.53J	367		3.1J	0.24J			2.0J	8.2J							100	27	19.7J
28-03	MW-13	18-Oct-11		2.7J	30.0J	0.10J	0.11J	2.5J	0.59J	0.78J	21,100	0.51J	2,672		1.3J	0.59J		0.03J	2.8J	4.9J							296	43	7.9J
28-03	MW-13	16-Feb-12	0.25J	3.8J	31.4J	0.08J	0.08J	1.4J	0.26J	0.27J	40,875	0.31J	351	0.11J	0.93J	0.34J		0.03J	2.5J	1.6J							343	46	12.9J
28-03	MW-13	14-Aug-12		3.4J	28.8J		0.08J	1.2J	0.14J	0.61J	33,860		211		0.85J	0.38J			1.6J	7.7J							253	46	20.0J
28-03	MW-14	18-Oct-11		33	76.8J	0.54J	0.26J	6.2J	0.40J	0.57J	74,700	0.63J	188		1.0J	0.50J			12.0J	3.5J							243	38	
28-03	MW-14	16-Feb-12		3.3J	29.3J		0.04J	1.9J	0.2J	0.7J	32,250	0.18J	206		0.88J				1.8J	1.9J							273	36	
28-03	MW-14	14-Aug-12		3.6J	42.3J		0.09J	1.4J	0.15J	0.64J	50,075		220		0.94J	0.26J			1.3J	23							226	39	96.4J

Table 2a
Detected Groundwater Constituents - Metals, Volatile Organic Compounds, and Inorganics
August 2012 Semi-Annual Sampling Event
Dare County C&D Landfill

			Metals																		Volatile Organic Compounds						Inorganics		
Facility Permit Number	Monitoring Well I.D.	Sample Date	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Mercury	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc	Acetone	Benzene	Carbon Disulfide	Chlorobenzene	Chloromethane	Toluene	Alkalinity (mg/L)	Chloride (mg/L)	Sulfate (mg/L)
North Carolina 2L Standard			1*	10	700	4*	2	10	1*	1,000	300	15	50	1	100	20	20	0.28*	0.3*	1,000	6,000	1	700	50	3	600	NS	250	250
Solid Waste Section Limit			6	10	100	1	1	10	10	10	300	10	50	0.2	50	10	10	5.5	25	10	100	1	100	3	1	1	NE	NE	250
28-03	MW-15	18-Oct-11		13	43.0J	0.26J	0.23J	3.5J	1.3J	1.6J	43,025	2.1J	292		2.7J	0.28J		0.05J	4.7J	354							191	29	30.2J
28-03	MW-15	16-Feb-12		5.3J	24.9J	0.07J	0.09J	0.9J	0.33J	0.3J	29,125	0.38J	226		0.62J				1.2J	78							143	30	23.4J
28-03	MW-15	14-Aug-12		11	28.3J	0.11J	0.13J	0.27J	0.12J	0.80J	32,000	0.12J	99		0.86J			0.07J	0.22J	72							92	28	28.3J
28-03	MW-16	18-Oct-11	0.15J	3.7J	278	0.48J		3.9J	0.38J	7.6J	29,425	0.22J	89		2.1J				5.5J	3.7J							154	3,099	207J
28-03	MW-16	16-Feb-12		6.6J	283	0.36J		3.2J	0.17J	6.1J	24,175	0.06J	108		1.8J	21			4.7J	1J							163	2,824	255
28-03	MW-16	14-Aug-12	0.12J	8J	472	0.38J		3.1J	0.26J	8.2J	27,313	0.16J	81		2.2J	30		0.07J	4.2J	6.2J							133	3,539	177J
28-03	MW-17	18-Oct-11		30	63.5J	1	0.33J	2.9J	3.7J	1.4J	47,875	1.8J	194		7.9J	0.91J		0.03J	8.3J	957								19	287
28-03	MW-17	16-Feb-12		4.1J	36.8J	0.9J	0.21J	1.8J	3.1J	1.1J	7,748	1.4J	98		6.3J	0.51J			2.1J	382								22	372
28-03	MW-17	14-Aug-12		11	43.5J	0.80J	0.19J	2.5J	2.9J	1.1J	30,800	1.5J	89		7.8J	0.69J			6.1J	201							4	23	225J

Notes:

1. Metal and volatile organic compound units are in micrograms per liter (parts per billion).
2. Inorganic units are in milligrams per liter (parts per million).
3. *-Groundwater Protection Standard
4. NE = Not Established
5. NS = No Standard
6. J - Indicates the analytical result is an estimated concentration between the method detection limit and the Solid Waste Section Reporting Limit.

- Blank cell indicates analyte was not detected
- Concentration exceeds N.C. 2L or Groundwater Protection Standard

Table 2b
Detected Surface Water Constituents - Metals, Volatile Organic Compounds, and Inorganics
August 2012 Semi-Annual Sampling Event
Dare County C&D Landfill

			Metals																		Volatile Organic Compounds						Inorganics		
Facility Permit Number	Surface Water I.D.	Sample Date	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Copper	Iron	Lead	Manganese	Mercury	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc	Acetone	Benzene	Chlorobenzene	Chloromethane	1,4-Dichlorobenzene	Toluene	Alkalinity (mg/L)	Chloride (mg/L)	Sulfate (mg/L)
North Carolina 2B Standard			10*	10*	1,000	6.5	2	50	NS	7**	1,000**	25	200	0.012	88	5	0.06**	NS	NS	50**	NS	51	488	NS	488	11	NS	230**	250
Solid Waste Section Limit			10	10	100	1	1	10	10	10	300	10	50	0.2	50	10	10	5.5	25	10	100	1	3	1	1	1	1	5	250
28-03	SW-1	22-Aug-11		2.8J	23.7J			0.17J	0.54J	1.4J	274J	0.19J	**635**		2.5J	2.0J			2.9J	2.4J							214	**392**	76.3J
28-03	SW-1	16-Feb-12		2.1J	93J			0.19J	1.0J	2.1J	403	0.17J	**201**		3.9J	**7.2J**			0.72J	0.92J							158	**935**	170J
28-03	SW-1	14-Aug-12		2.3J	65.1J				0.64J	2.2J	651	0.38J	**225**		3.4J	**5.9J**			0.59J	4.7J							143	**717**	158J
28-03	SW-2	18-Oct-11	0.21J	3.5J	53.3J			0.70J	0.74J	3.3J	**2,396**	13	153		2.7J	**7.4J**			0.94J	9.4J							91	**1,170**	127J
28-03	SW-2	16-Feb-12		2.9J	97.3J			0.95J	1.4J	2.9J	**2,968**	4.9J	**274**		4.4J	**6.5J**			1.2J	7.6J							143	**935**	165J
28-03	SW-2	14-Aug-12	0.14J	3.0J	56.0J			0.93J	0.62J	2.0J	**2,389**	4.3J	116		3.0J	4.2J			0.80J	5.4J							128	**549**	150J
28-03	SW-3	22-Aug-11		4.5J	44.1J			0.53J	0.93J	3.3J	**1,142**	2.8J	106		3.2J	**6.3J**			3.2J	5.2J							178	**965**	117J
28-03	SW-3	16-Feb-12		2.7J	94.4J			0.64J	0.9J	2.2J	924	2.1J	**249**		3.8J	**8.1J**			0.72J	2.9J							159	**910**	153J
28-03	SW-3	14-Aug-12	0.17J	2.9J	55.4J			0.86J	0.60J	1.9J	**2,274**	3.6J	117		2.9J	4.6J			0.60J	4.8J							116	**567**	144J

Notes:

1. Metal and volatile organic compound concentrations are in micrograms per liter (parts per billion).
2. Inorganic concentrations are in milligrams per liter (parts per million).
3. Standards obtained from section 15A NCAC 02B .0211 Fresh Surface Water Quality Standards for Class C Waters.
4. * - Human Health Standard
5. ** - Action Level Standard
6. NS = No Standard
7. J - Indicates the analytical result is an estimated concentration between the method detection limit and the Solid Waste Section Reporting Limit.

- Concentrations exceeds N.C. 2B Standards for Class C Waters

- Blank cells indicate analyte was not detected

NOTES:

1. TOPOGRAPHIC SURVEY DATE 04/12–05/11–09 BY QUIBLE & ASSOCIATES, P.C.
2. CONDITIONS WITHIN SURVEY AREA MAY HAVE CHANGED SINCE DATE OF SURVEY.
3. GROUNDWATER MONITORING WELLS GW–16 AND GW–17 WERE INSTALLED ON JULY 7, 2010.
4. METHANE MONITORING WELLS M–1 THROUGH M–12 WERE INSTALLED ON JULY 7–9, 2010.
5. GROUNDWATER LEVELS WERE MEASURED ON AUGUST 14, 2012.



REV. NO.	DATE	DRWN	CHKD	REMARKS

DESIGNED BY: P. STOUT
DRAWN BY: A. WEISPFENNING
SHEET CHK'D BY: D. FORBES
CROSS CHK'D BY:
APPROVED BY:
DATE: OCTOBER 2012

CDM Smith
5400 Glenwood Ave, Suite 300
Raleigh, NC 27612
Tel: (919) 325-3500

DARE COUNTY
NORTH CAROLINA

CONSTRUCTION & DEMOLITION DEBRIS LANDFILL

POTENTIOMETRIC SURFACE MAP

PROJECT NO. 17952–56960
FILE NAME: DARE C&D F12.DWG

SHEET NO.
1

Appendix A

Environment 1, Incorporated

Drinking Water ID: 37715
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

ID#: 6051

DARE COUNTY (C&D SITE)
MR. EDWARD L. MANN
DARE CO. PUBLIC WORKS
P.O. BOX 1000
MANTEO ,NC 27954

DATE COLLECTED: 08/14/12
DATE REPORTED : 08/30/12

REVIEWED BY:

PARAMETERS	MDL	SWSL	MW-1	MW-2	MW-3	MW-8	MW-9	Analysis Date	Analyst	Method Code
PH (field measurement), Units			6.6	6.8	6.7	6.1	5.2	08/14/12	RJH	SM4500HB
Total Alkalinity, mg/l	1.0	1.0	273	378	416	157	21	08/15/12	TRB	SM2320B
Chloride, mg/l	5.0	5.0	906	38	38	2693	16	08/15/12	MSG	SM4500-CLB
Total Dissolved Residue, mg/l	1.0	1.0	2070	525	566	4330	214	08/20/12	HLB	SM2540C
Sulfate, mg/l	5.0	250.0	64.5 J	10.9 J	18.2 J	191 J	74.6 J	08/16/12	TRB	4500SO42E97
Antimony, ug/l	0.02	6.0	--- U	- - U	--- U	0.04 J	0.12 J	08/20/12	LFJ	EPA200.8
Arsenic, ug/l	0.13	10.0	1.5 J	- - U	--- U	4.1 J	36	08/20/12	LFJ	EPA200.8
Barium, ug/l	0.07	100.0	42.9 J	8.7 J	13.8 J		25.3 J	08/20/12	LFJ	EPA200.8
Barium, ug/l	0.07	100.0				192		08/22/12	LFJ	EPA200.8
Beryllium, ug/l	0.07	1.0	0.13 J	- - U	0.10 J	0.96 J	0.26 J	08/20/12	LFJ	EPA200.8
Cadmium, ug/l	0.03	1.0	--- U	0.05 J	0.04 J	--- U	0.20 J	08/20/12	LFJ	EPA200.8
Cobalt, ug/l	0.02	10.0	0.20 J	0.12 J	0.16 J	0.15 J	3.6 J	08/20/12	LFJ	EPA200.8
Copper, ug/l	0.06	10.0	1.9 J	1.0 J	0.64 J	5.1 J	3.3 J	08/20/12	LFJ	EPA200.8
Total Chromium, ug/l	0.18	10.0	0.85 J	- - U	0.28 J	5.4 J	6.4 J	08/20/12	LFJ	EPA200.8
Iron, ug/l	15.9	300.0	46550	23480	25325	35150	9725	08/30/12	ADD	SM3111B
Manganese, ug/l	0.13	50.0	473	262	244			08/22/12	LFJ	EPA200.8
Manganese, ug/l	0.13	50.0				95	37 J	08/20/12	LFJ	EPA200.8
Lead, ug/l	0.08	10.0	--- U	- - U	--- U	0.17 J	3.5 J	08/20/12	LFJ	EPA200.8
Mercury, ug/l	0.02	0.20	--- U	- - U	--- U	--- U	0.02 J	08/20/12	LFJ	EPA200.8
Nickel, ug/l	0.06	50.0	2.0 J	1.2 J	1.6 J	1.6 J	4.1 J	08/20/12	LFJ	EPA200.8
Selenium, ug/l	0.17	10.0	5.5 J	- - U	--- U	16	0.72 J	08/20/12	LFJ	EPA200.8
Silver, ug/l	0.10	10.0	--- U	- - U	--- U	--- U	--- U	08/20/12	LFJ	EPA200.8
Thallium, ug/l	0.07	5.5	--- U	- - U	--- U	--- U	0.21 J	08/20/12	LFJ	EPA200.8
Vanadium, ug/l	0.10	25.0	1.0 J	0.39 J	0.13 J	11.1 J	11.5 J	08/20/12	LFJ	EPA200.8
Zinc, ug/l	0.48	10.0	15	11	6.9 J	5.2 J	22	08/20/12	LFJ	EPA200.8
Conductivity (at 25c), uMhos/cm	1.0	1.0	3000	783	829	5082	277	08/14/12	RJH	SM2510B
Temperature, °C			20	20	20	21	22	08/14/12	RJH	SM2550B
Static Water Level, feet			1.70	2.01	3.14	2.56	4.74	08/14/12	RJH	
Well Depth, feet			20.35	20.97	19.95	19.17	22.75	08/14/12	RJH	

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Incorporated

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

DEINKAUT WATER NC 27744
Wastewater ID: 10

ID#: 6051

DARE COUNTY (C&D SITE)
MR. EDWARD L. MANN
DARE CO. PUBLIC WORKS
P.O. BOX 1000
MANTEO ,NC 27954

DATE COLLECTED: 08/14/12
DATE REPORTED : 08/30/12

REVIEWED BY:

PARAMETERS	MDL	SWSL	MW-10	MW-11	MW-12	SW-1	SW-2	Analysis Date	Analyst	Method Code
PH (field measurement), Units			5.9	5.8	6.4	7.9	6.7	08/14/12	RJH	SM4500HB
Total Alkalinity, mg/l	1.0	1.0	250	83	100	143	128	08/15/12	TRB	SM2320B
Chloride, mg/l	5.0	5.0	7	23	27	717	549	08/21/12	MSG	SM4500-CLB
Total Dissolved Residue, mg/l	1.0	1.0	1060	414	281	1650	1310	08/20/12	HLB	SM2540C
Sulfate, mg/l	5.0	250.0	584	192 J	19.7 J	158 J	150 J	08/16/12	TRB	4500SO42E97
Antimony, ug/l	0.02	6.0	0.10 J	0.06 J	--- U	--- U	0.14 J	08/20/12	LFJ	EPA200.8
Arsenic, ug/l	0.13	10.0	11	5.8 J	2.9 J	2.3 J	3.0 J	08/20/12	LFJ	EPA200.8
Barium, ug/l	0.07	100.0	43.5 J	35.6 J	45.4 J	65.1 J	56.0 J	08/20/12	LFJ	EPA200.8
Beryllium, ug/l	0.07	1.0	0.10 J	0.11 J	0.10 J	--- U	--- U	08/20/12	LFJ	EPA200.8
Cadmium, ug/l	0.03	1.0	0.10 J	0.16 J	0.09 J	--- U	--- U	08/20/12	LFJ	EPA200.8
Cobalt, ug/l	0.02	10.0	0.79 J	1.3 J	0.89 J	0.64 J	0.62 J	08/20/12	LFJ	EPA200.8
Copper, ug/l	0.06	10.0	1.7 J	1.6 J	1.1 J	2.2 J	2.0 J	08/20/12	LFJ	EPA200.8
Total Chromium, ug/l	0.18	10.0	1.2 J	1.8 J	0.97 J	--- U	0.93 J	08/20/12	LFJ	EPA200.8
Iron, ug/l	15.9	300.0	8875	10965	25825	651	2389	08/30/12	ADD	SM3111B
Manganese, ug/l	0.13	50.0	440	100			116	08/20/12	LFJ	EPA200.8
Manganese, ug/l	0.13	50.0			367	225		08/22/12	LFJ	EPA200.8
Lead, ug/l	0.08	10.0	1.4 J	1.2 J	0.53 J	0.38 J	4.3 J	08/20/12	LFJ	EPA200.8
Mercury, ug/l	0.02	0.20	--- U	--- U	--- U	--- U	--- U	08/20/12	LFJ	EPA200.8
Nickel, ug/l	0.06	50.0	4.2 J	3.0 J	3.1 J	3.4 J	3.0 J	08/20/12	LFJ	EPA200.8
Selenium, ug/l	0.17	10.0	0.55 J	0.43 J	0.24 J	5.9 J	4.2 J	08/20/12	LFJ	EPA200.8
Silver, ug/l	0.10	10.0	0.37 J	--- U	--- U	--- U	--- U	08/20/12	LFJ	EPA200.8
Thallium, ug/l	0.07	5.5	--- U	--- U	--- U	--- U	--- U	08/20/12	LFJ	EPA200.8
Vanadium, ug/l	0.10	25.0	5.7 J	3.8 J	2.0 J	0.59 J	0.80 J	08/20/12	LFJ	EPA200.8
Zinc, ug/l	0.48	10.0	6.4 J	7.3 J	8.2 J	4.7 J	5.4 J	08/20/12	LFJ	EPA200.8
Conductivity (at 25c), uMhos/cm	1.0	1.0	1149	518	419	1992	1701	08/14/12	RJH	SM2510B
Temperature, °C			20	22	19	30	30	08/14/12	RJH	SM2550B
Static Water Level, feet			4.35	3.81	3.42			08/14/12	RJH	
Well Depth, feet			21.97	20.42	22.65			08/14/12	RJH	

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Incorporated

Drinking Water ID: 37715
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

ID#: 6051

DARE COUNTY (C&D SITE)
MR. EDWARD L. MANN
DARE CO. PUBLIC WORKS
P.O. BOX 1000
MANTEO ,NC 27954

DATE COLLECTED: 08/14/12
DATE REPORTED : 08/30/12

REVIEWED BY:

PARAMETERS	MDL	SWSL	SW-3	Trip Blank	Analysis Date	Analyst	Method Code
PH (field measurement), Units			6.8		08/14/12	RJH	SM4500HB
Total Alkalinity, mg/l	1.0	1.0	116		08/15/12	TRB	SM2320B
Chloride, mg/l	5.0	5.0	567		08/21/12	MSG	SM4500-CLB
Total Dissolved Residue, mg/l	1.0	1.0	1280		08/20/12	HLB	SM2540C
Sulfate, mg/l	5.0	250.0	144 J		08/16/12	TRB	4500SO42E97
Antimony, ug/l	0.02	6.0	0.17 J		08/20/12	LFJ	EPA200.8
Arsenic, ug/l	0.13	10.0	2.9 J		08/20/12	LFJ	EPA200.8
Barium, ug/l	0.07	100.0	55.4 J		08/20/12	LFJ	EPA200.8
Beryllium, ug/l	0.07	1.0	--- U		08/20/12	LFJ	EPA200.8
Cadmium, ug/l	0.03	1.0	--- U		08/20/12	LFJ	EPA200.8
Cobalt, ug/l	0.02	10.0	0.60 J		08/20/12	LFJ	EPA200.8
Copper, ug/l	0.06	10.0	1.9 J		08/20/12	LFJ	EPA200.8
Total Chromium, ug/l	0.18	10.0	0.86 J		08/20/12	LFJ	EPA200.8
Iron, ug/l	15.9	300.0	2274		08/30/12	ADD	SM3111B
Manganese, ug/l	0.13	50.0	117		08/20/12	LFJ	EPA200.8
Lead, ug/l	0.08	10.0	3.6 J		08/20/12	LFJ	EPA200.8
Mercury, ug/l	0.02	0.20	--- U		08/20/12	LFJ	EPA200.8
Nickel, ug/l	0.06	50.0	2.9 J		08/20/12	LFJ	EPA200.8
Selenium, ug/l	0.17	10.0	4.6 J		08/20/12	LFJ	EPA200.8
Silver, ug/l	0.10	10.0	--- U		08/20/12	LFJ	EPA200.8
Thallium, ug/l	0.07	5.5	--- U		08/20/12	LFJ	EPA200.8
Vanadium, ug/l	0.10	25.0	0.60 J		08/20/12	LFJ	EPA200.8
Zinc, ug/l	0.48	10.0	4.8 J		08/20/12	LFJ	EPA200.8
Conductivity (at 25c), uMhos/cm	1.0	1.0	1717		08/14/12	RJH	SM2510B
Temperature, °C			28		08/14/12	RJH	SM2550B

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Incorporated

Drinking Water ID: 17715
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

CLIENT: DARE COUNTY (C&D SITE)
MR. EDWARD L. MANN
DARE CO. PUBLIC WORKS
P.O. BOX 1000
MANTEO, NC 27954

CLIENT ID: 6051

ANALYST: MAO
DATE COLLECTED: 08/14/12
DATE REPORTED: 08/30/12

Page: 1

REVIEWED BY: _____

VOLATILE ORGANICS
EPA METHOD 8260B R1(96)

PARAMETERS, ug/l	Date Analyzed: MDL	SWSL	08/16/12 MW-1	08/16/12 MW-2	08/17/12 MW-3	08/17/12 MW-8	08/17/12 MW-9
1. Chloromethane	0.77	1.0	--- U	--- U	--- U	--- U	--- U
2. Vinyl Chloride	0.63	1.0	--- U	--- U	--- U	--- U	--- U
3. Bromomethane	0.67	10.0	--- U	--- U	--- U	--- U	--- U
4. Chloroethane	0.48	10.0	--- U	--- U	--- U	--- U	--- U
5. Trichlorofluoromethane	0.24	1.0	--- U	--- U	--- U	--- U	--- U
6. 1,1-Dichloroethene	0.17	5.0	--- U	--- U	--- U	--- U	--- U
7. Acetone	9.06	100.0	--- U	--- U	--- U	--- U	--- U
8. Iodomethane	0.26	10.0	--- U	--- U	--- U	--- U	--- U
9. Carbon Disulfide	0.23	100.0	--- U	--- U	--- U	--- U	--- U
10. Methylene Chloride	0.64	1.0	--- U	--- U	--- U	--- U	--- U
11. trans-1,2-Dichloroethene	0.23	5.0	--- U	--- U	--- U	--- U	--- U
12. 1,1-Dichloroethane	0.20	5.0	--- U	--- U	--- U	--- U	--- U
13. Vinyl Acetate	0.20	50.0	--- U	--- U	--- U	--- U	--- U
14. Cis-1,2-Dichloroethene	0.25	5.0	--- U	--- U	--- U	--- U	--- U
15. 2-Butanone	2.21	100.0	--- U	--- U	--- U	--- U	--- U
16. Bromochloromethane	0.27	3.0	--- U	--- U	--- U	--- U	--- U
17. Chloroform	0.25	5.0	--- U	--- U	--- U	--- U	--- U
18. 1,1,1-Trichloroethane	0.19	1.0	--- U	--- U	--- U	--- U	--- U
19. Carbon Tetrachloride	0.22	1.0	--- U	--- U	--- U	--- U	--- U
20. Benzene	0.24	1.0	--- U	--- U	--- U	--- U	--- U
21. 1,2-Dichloroethane	0.27	1.0	--- U	--- U	--- U	--- U	--- U
22. Trichloroethene	0.23	1.0	--- U	--- U	--- U	--- U	--- U
23. 1,2-Dichloropropane	0.21	1.0	--- U	--- U	--- U	--- U	--- U
24. Bromodichloromethane	0.21	1.0	--- U	--- U	--- U	--- U	--- U
25. Cis-1,3-Dichloropropene	0.24	1.0	--- U	--- U	--- U	--- U	--- U
26. 4-Methyl-2-Pentanone	1.19	100.0	--- U	--- U	--- U	--- U	--- U
27. Toluene	0.23	1.0	--- U	--- U	--- U	--- U	--- U
28. trans-1,3-Dichloropropene	0.28	1.0	--- U	--- U	--- U	--- U	--- U
29. 1,1,2-Trichloroethane	0.25	1.0	--- U	--- U	--- U	--- U	--- U
30. Tetrachloroethene	0.17	1.0	--- U	--- U	--- U	--- U	--- U
31. 2-Hexanone	1.57	50.0	--- U	--- U	--- U	--- U	--- U
32. Dibromochloromethane	0.24	3.0	--- U	--- U	--- U	--- U	--- U
33. 1,2-Dibromoethane	0.26	1.0	--- U	--- U	--- U	--- U	--- U
34. Chlorobenzene	0.30	3.0	--- U	--- U	--- U	--- U	--- U
35. 1,1,1,2-Tetrachloroethane	0.22	5.0	--- U	--- U	--- U	--- U	--- U
36. Ethylbenzene	0.21	1.0	--- U	--- U	--- U	--- U	--- U
37. Xylenes	0.68	5.0	--- U	--- U	--- U	--- U	--- U
38. Dibromomethane	0.28	10.0	--- U	--- U	--- U	--- U	--- U
39. Styrene	0.19	1.0	--- U	--- U	--- U	--- U	--- U
40. Bromoform	0.20	3.0	--- U	--- U	--- U	--- U	--- U
41. 1,1,2,2-Tetrachloroethane	0.26	3.0	--- U	--- U	--- U	--- U	--- U
42. 1,2,3-Trichloropropane	0.43	1.0	--- U	--- U	--- U	--- U	--- U
43. 1,4-Dichlorobenzene	0.39	1.0	--- U	--- U	--- U	--- U	--- U
44. 1,2-Dichlorobenzene	0.32	5.0	--- U	--- U	--- U	--- U	--- U
45. 1,2-Dibromo-3-Chloropropane	0.34	13.0	--- U	--- U	--- U	--- U	--- U
46. Acrylonitrile	2.72	200.0	--- U	--- U	--- U	--- U	--- U
47. trans-1,4-Dichloro-2-Butene	0.42	100.0	--- U	--- U	--- U	--- U	--- U

J = Between MDL and SWSL, U = Below ALL Quanititation Limits

Environment 1, Incorporated

Drinking Water ID: 17715
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

CLIENT: DARE COUNTY (C&D SITE)
MR. EDWARD L. MANN
DARE CO. PUBLIC WORKS
P.O. BOX 1000
MANTEO, NC 27954

CLIENT ID: 6051

ANALYST: MAO
DATE COLLECTED: 08/14/12
DATE REPORTED: 08/30/12

REVIEWED BY: _____

VOLATILE ORGANICS
EPA METHOD 8260B R1(96)

PARAMETERS, ug/l	Date Analyzed: MDL	SWSL	08/16/12 MW-1	08/16/12 MW-2	08/17/12 MW-3	08/17/12 MW-8	08/17/12 MW-9
48. Tetrahydrofuran	0.39	1.0	--- U	--- U	--- U	--- U	--- U

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Incorporated

Drinking Water ID: 17755
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

CLIENT: DARE COUNTY (C&D SITE)
MR. EDWARD L. MANN
DARE CO. PUBLIC WORKS
P.O. BOX 1000
MANTEO, NC 27954

CLIENT ID: 6051

ANALYST: MAO
DATE COLLECTED: 08/14/12
DATE REPORTED: 08/30/12

REVIEWED BY:

VOLATILE ORGANICS
EPA METHOD 8260B R1(96)

PARAMETERS, ug/l	MDL	SWSL	08/17/12 MW-10	08/17/12 MW-11	08/17/12 MW-12	08/17/12 SW-1	08/17/12 SW-2
	Date Analyzed:						
1. Chloromethane	0.77	1.0	--- U	--- U	--- U	--- U	--- U
2. Vinyl Chloride	0.63	1.0	--- U	--- U	--- U	--- U	--- U
3. Bromomethane	0.67	10.0	--- U	--- U	--- U	--- U	--- U
4. Chloroethane	0.48	10.0	--- U	--- U	--- U	--- U	--- U
5. Trichlorofluoromethane	0.24	1.0	--- U	--- U	--- U	--- U	--- U
6. 1,1-Dichloroethene	0.17	5.0	--- U	--- U	--- U	--- U	--- U
7. Acetone	9.06	100.0	--- U	--- U	--- U	--- U	--- U
8. Iodomethane	0.26	10.0	--- U	--- U	--- U	--- U	--- U
9. Carbon Disulfide	0.23	100.0	--- U	--- U	--- U	--- U	--- U
10. Methylene Chloride	0.64	1.0	--- U	--- U	--- U	--- U	--- U
11. trans-1,2-Dichloroethene	0.23	5.0	--- U	--- U	--- U	--- U	--- U
12. 1,1-Dichloroethane	0.20	5.0	--- U	--- U	--- U	--- U	--- U
13. Vinyl Acetate	0.20	50.0	--- U	--- U	--- U	--- U	--- U
14. Cis-1,2-Dichloroethene	0.25	5.0	--- U	--- U	--- U	--- U	--- U
15. 2-Butanone	2.21	100.0	--- U	--- U	--- U	--- U	--- U
16. Bromochloromethane	0.27	3.0	--- U	--- U	--- U	--- U	--- U
17. Chloroform	0.25	5.0	--- U	--- U	--- U	--- U	--- U
18. 1,1,1-Trichloroethane	0.19	1.0	--- U	--- U	--- U	--- U	--- U
19. Carbon Tetrachloride	0.22	1.0	--- U	--- U	--- U	--- U	--- U
20. Benzene	0.24	1.0	--- U	--- U	--- U	--- U	--- U
21. 1,2-Dichloroethane	0.27	1.0	--- U	--- U	--- U	--- U	--- U
22. Trichloroethene	0.23	1.0	--- U	--- U	--- U	--- U	--- U
23. 1,2-Dichloropropane	0.21	1.0	--- U	--- U	--- U	--- U	--- U
24. Bromodichloromethane	0.21	1.0	--- U	--- U	--- U	--- U	--- U
25. Cis-1,3-Dichloropropene	0.24	1.0	--- U	--- U	--- U	--- U	--- U
26. 4-Methyl-2-Pentanone	1.19	100.0	--- U	--- U	--- U	--- U	--- U
27. Toluene	0.23	1.0	--- U	--- U	--- U	--- U	--- U
28. trans-1,3-Dichloropropene	0.28	1.0	--- U	--- U	--- U	--- U	--- U
29. 1,1,2-Trichloroethane	0.25	1.0	--- U	--- U	--- U	--- U	--- U
30. Tetrachloroethene	0.17	1.0	--- U	--- U	--- U	--- U	--- U
31. 2-Hexanone	1.57	50.0	--- U	--- U	--- U	--- U	--- U
32. Dibromochloromethane	0.24	3.0	--- U	--- U	--- U	--- U	--- U
33. 1,2-Dibromoethane	0.26	1.0	--- U	--- U	--- U	--- U	--- U
34. Chlorobenzene	0.30	3.0	--- U	--- U	--- U	--- U	--- U
35. 1,1,1,2-Tetrachloroethane	0.22	5.0	--- U	--- U	--- U	--- U	--- U
36. Ethylbenzene	0.21	1.0	--- U	--- U	--- U	--- U	--- U
37. Xylenes	0.68	5.0	--- U	--- U	--- U	--- U	--- U
38. Dibromomethane	0.28	10.0	--- U	--- U	--- U	--- U	--- U
39. Styrene	0.19	1.0	--- U	--- U	--- U	--- U	--- U
40. Bromoform	0.20	3.0	--- U	--- U	--- U	--- U	--- U
41. 1,1,2,2-Tetrachloroethane	0.26	3.0	--- U	--- U	--- U	--- U	--- U
42. 1,2,3-Trichloropropane	0.43	1.0	--- U	--- U	--- U	--- U	--- U
43. 1,4-Dichlorobenzene	0.39	1.0	--- U	--- U	--- U	--- U	--- U
44. 1,2-Dichlorobenzene	0.32	5.0	--- U	--- U	--- U	--- U	--- U
45. 1,2-Dibromo-3-Chloropropane	0.34	13.0	--- U	--- U	--- U	--- U	--- U
46. Acrylonitrile	2.72	200.0	--- U	--- U	--- U	--- U	--- U
47. trans-1,4-Dichloro-2-Butene	0.42	100.0	--- U	--- U	--- U	--- U	--- U

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Incorporated

Drinking Water ID: 17715
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

CLIENT: DARE COUNTY (C&D SITE)
MR. EDWARD L. MANN
DARE CO. PUBLIC WORKS
P.O. BOX 1000
MANTEO, NC 27954

CLIENT ID: 6051

ANALYST: MAO
DATE COLLECTED: 08/14/12
DATE REPORTED: 08/30/12

REVIEWED BY: _____

VOLATILE ORGANICS
EPA METHOD 8260B R1(96)

PARAMETERS, ug/l	Date Analyzed: MDL	SWSL	08/17/12 MW-10	08/17/12 MW-11	08/17/12 MW-12	08/17/12 SW-1	08/17/12 SW-2
48. Tetrahydrofuran	0.39	1.0	--- U	--- U	--- U	--- U	--- U

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Incorporated

Drinking Water ID: 17715
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

CLIENT: DARE COUNTY (C&D SITE)
MR. EDWARD L. MANN
DARE CO. PUBLIC WORKS
P.O. BOX 1000
MANTEO, NC 27954

CLIENT ID: 6051

ANALYST: MAO
DATE COLLECTED: 08/14/12
DATE REPORTED: 08/30/12

REVIEWED BY:

VOLATILE ORGANICS
EPA METHOD 8260B R1(96)

PARAMETERS, ug/l	Date Analyzed: MDL	SWSL	08/17/12 SW-3	08/17/12 Trip Blank
1. Chloromethane	0.77	1.0	--- U	--- U
2. Vinyl Chloride	0.63	1.0	--- U	--- U
3. Bromomethane	0.67	10.0	--- U	--- U
4. Chloroethane	0.48	10.0	--- U	--- U
5. Trichlorofluoromethane	0.24	1.0	--- U	--- U
6. 1,1-Dichloroethene	0.17	5.0	--- U	--- U
7. Acetone	9.06	100.0	--- U	--- U
8. Iodomethane	0.26	10.0	--- U	--- U
9. Carbon Disulfide	0.23	100.0	--- U	--- U
10. Methylene Chloride	0.64	1.0	--- U	--- U
11. trans-1,2-Dichloroethene	0.23	5.0	--- U	--- U
12. 1,1-Dichloroethane	0.20	5.0	--- U	--- U
13. Vinyl Acetate	0.20	50.0	--- U	--- U
14. Cis-1,2-Dichloroethene	0.25	5.0	--- U	--- U
15. 2-Butanone	2.21	100.0	--- U	--- U
16. Bromochloromethane	0.27	3.0	--- U	--- U
17. Chloroform	0.25	5.0	--- U	--- U
18. 1,1,1-Trichloroethane	0.19	1.0	--- U	--- U
19. Carbon Tetrachloride	0.22	1.0	--- U	--- U
20. Benzene	0.24	1.0	--- U	--- U
21. 1,2-Dichloroethane	0.27	1.0	--- U	--- U
22. Trichloroethene	0.23	1.0	--- U	--- U
23. 1,2-Dichloropropane	0.21	1.0	--- U	--- U
24. Bromodichloromethane	0.21	1.0	--- U	--- U
25. Cis-1,3-Dichloropropene	0.24	1.0	--- U	--- U
26. 4-Methyl-2-Pentanone	1.19	100.0	--- U	--- U
27. Toluene	0.23	1.0	--- U	--- U
28. trans-1,3-Dichloropropene	0.28	1.0	--- U	--- U
29. 1,1,2-Trichloroethane	0.25	1.0	--- U	--- U
30. Tetrachloroethene	0.17	1.0	--- U	--- U
31. 2-Hexanone	1.57	50.0	--- U	--- U
32. Dibromochloromethane	0.24	3.0	--- U	--- U
33. 1,2-Dibromoethane	0.26	1.0	--- U	--- U
34. Chlorobenzene	0.30	3.0	--- U	--- U
35. 1,1,1,2-Tetrachloroethane	0.22	5.0	--- U	--- U
36. Ethylbenzene	0.21	1.0	--- U	--- U
37. Xylenes	0.68	5.0	--- U	--- U
38. Dibromomethane	0.28	10.0	--- U	--- U
39. Styrene	0.19	1.0	--- U	--- U
40. Bromoform	0.20	3.0	--- U	--- U
41. 1,1,2,2-Tetrachloroethane	0.26	3.0	--- U	--- U
42. 1,2,3-Trichloropropane	0.43	1.0	--- U	--- U
43. 1,4-Dichlorobenzene	0.39	1.0	--- U	--- U
44. 1,2-Dichlorobenzene	0.32	5.0	--- U	--- U
45. 1,2-Dibromo-3-Chloropropane	0.34	13.0	--- U	--- U
46. Acrylonitrile	2.72	200.0	--- U	--- U
47. trans-1,4-Dichloro-2-Butene	0.42	100.0	--- U	--- U

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Incorporated

Drinking Water ID: 17715
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

CLIENT: DARE COUNTY (C&D SITE)
MR. EDWARD L. MANN
DARE CO. PUBLIC WORKS
P.O. BOX 1000
MANTEO, NC 27954

CLIENT ID: 6051

ANALYST: MAO
DATE COLLECTED: 08/14/12
DATE REPORTED: 08/30/12

REVIEWED BY: _____

VOLATILE ORGANICS
EPA METHOD 8260B R1(96)

PARAMETERS, ug/l	Date Analyzed: MDL	SWSL	08/17/12 SW-3	08/17/12 Trip Blank
48. Tetrahydrofuran	0.39	1.0	--- U	--- U

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Inc.
P.O. Box 7085, 114 Oakmont Dr.
Greenville, NC 27858

Phone (252) 756-6208 • Fax (252) 756-0633

CHAIN OF CUSTODY RECORD

CLIENT: 6051 **Week:** 35

DARE COUNTY (C&D SITE)
MR. EDWARD L. MANN
DARE CO. PUBLIC WORKS
P.O. BOX 1000
MANTEO NC 27954

DISINFECTION: ☐ CHLORINE ☐ UV ☐ NONE ☐ _____

SAMPLE LOCATION		COLLECTION DATE	COLLECTION TIME	TOTAL CHLORINE, mg/l AT COLLECTION	TEMPERATURE, °C AT COLLECTION	# OF CONTAINERS	Field pH	Alkalinity	Chloride	TDS	Sulfate	Metals	Conductivity	Temperature	Field Parameter	EPA 8260B	8260 Dup. 1	8260 Dup. 2
CHLORINE NEUTRALIZED AT COLLECTION																		
pH CHECK (LAB)												12				12	12	12
CONTAINER TYPE, P/G							P	P	P	P	P	P	P	P		G	G	G
CHEMICAL PRESERVATION							A	A	A	A	A	A	A	A		E	E	E
MW-1	OS	14 12	0915		20	8	■	■	■	■	■	■	■	■	■	■	■	■
MW-2	OS	14 12	0935		20	7	■	■	■	■	■	■	■	■	■	■	■	
MW-3	OS	14 12	1015		20	7	■	■	■	■	■	■	■	■	■	■	■	
MW-8	OS	14 12	1125		21	7	■	■	■	■	■	■	■	■	■	■	■	
MW-9	OS	14 12	1105		22	7	■	■	■	■	■	■	■	■	■	■	■	
MW-10	OS	14 12	1050		20	7	■	■	■	■	■	■	■	■	■	■	■	
MW-11	OS	14 12	1040		22	7	■	■	■	■	■	■	■	■	■	■	■	
MW-12	OS	14 12	1025		19	7	■	■	■	■	■	■	■	■	■	■	■	
SW-1	OS	14 12	1400		30	7	■	■	■	■	■	■	■	■		■	■	
SW-2	OS	14 12	1350		30	7	■	■	■	■	■	■	■	■		■	■	
SW-3	OS	14 12	1105		28	7	■	■	■	■	■	■	■	■		■	■	

PARAMETERS

A - NONE D - NAOH
B - HNO_3 E - HCL
C - H_2SO_4 F - ZINC ACETATE
G - NA THIOSULFATE

CLASSIFICATION:
☐ WASTEWATER (NPDES)
☐ DRINKING WATER
☐ DWQ/GW
☒ SOLID WASTE SECTION

CHAIN OF CUSTODY MAINTAINED DURING SHIPMENT/DELIVERY: (Y) N

SAMPLES COLLECTED BY: (Please Print) [illegible]

SAMPLES RECEIVED IN LAB AT 6.2 °C

RELINQUISHED BY (SIG.) (SAMPLER)	DATE/TIME	RECEIVED BY (SIG.)	DATE/TIME
[illegible] OS	14 12	[illegible]	8/14 1440
RELINQUISHED BY (SIG.)	DATE/TIME	RECEIVED BY (SIG.)	DATE/TIME
RELINQUISHED BY (SIG.)	DATE/TIME	RECEIVED BY (SIG.)	DATE/TIME

COMMENTS:

PLEASE READ Instructions for completing this form on the reverse side.

Sampler must place a "C" for composite sample or a "G" for Grab sample in the blocks above for each parameter requested.

FORM #5

№ 246778

Environment 1, Inc.
P.O. Box 7085, 114 Oakmont Dr.
Greenville, NC 27858

Phone (252) 756-6208 • Fax (252) 756-0633

CHAIN OF CUSTODY RECORD

CLIENT: 6051 **Week: 35**

DARE COUNTY (C&D SITE)
MR. EDWARD L. MANN
DARE CO. PUBLIC WORKS
P.O. BOX 1000
MANTEO NC 27954

DISINFECTION: ☐ CHLORINE ☐ UV ☐ NONE ☐ _____

SAMPLE LOCATION	COLLECTION DATE	COLLECTION TIME	TOTAL CHLORINE, mg/l AT COLLECTION	TEMPERATURE, °C AT COLLECTION	# OF CONTAINERS	Field pH	Alkalinity	Chloride	TDS	Sulfate	Metals	Conductivity	Temperature	Field Parameter	EPA 8260B	8260 Dup. 1	8260 Dup. 2				
CHLORINE NEUTRALIZED AT COLLECTION																					
pH CHECK (LAB)															2	2					
CONTAINER TYPE, P/G						P	P	P	P	P	P	P	P		G	G	G				
CHEMICAL PRESERVATION						A	A	A	A	A	A	A	A		E	E	E				
PARAMETERS																					
Trip Blank					2																

A - NONE D - NAOH
B - HNO_3 E - HCL
C - H_2SO_4 F - ZINC ACETATE
G - NA THIOSULFATE

CLASSIFICATION:
☐ WASTEWATER (NPDES)
☐ DRINKING WATER
☐ DWQ/GW
☒ SOLID WASTE SECTION

CHAIN OF CUSTODY MAINTAINED DURING SHIPMENT/DELIVERY: (Y) N

SAMPLES COLLECTED BY: (Please Print) H Page / FOT

SAMPLES RECEIVED IN LAB AT 0-2 °C

RELINQUISHED BY (SIG.) (SAMPLER)	DATE/TIME	RECEIVED BY (SIG.)	DATE/TIME
Bob H Page	08/14/12	[signature]	8/14/12 1440
RELINQUISHED BY (SIG.)	DATE/TIME	RECEIVED BY (SIG.)	DATE/TIME
RELINQUISHED BY (SIG.)	DATE/TIME	RECEIVED BY (SIG.)	DATE/TIME

COMMENTS:

PLEASE READ Instructions for completing this form on the reverse side.

Sampler must place a "C" for composite sample or a "G" for Grab sample in the blocks above for each parameter requested.

FORM #5

№ 246777

Environment 1, Incorporated

Drinking Water ID: 37718
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

ID#: 6051 A

DARE COUNTY (C&D SITE)
MR. EDWARD L. MANN
DARE CO. PUBLIC WORKS
P.O. BOX 1000
MANTEO ,NC 27954

DATE COLLECTED: 08/14/12
DATE REPORTED : 08/30/12

REVIEWED BY: _____

PARAMETERS	MDL	SWSL	MW-13	MW-14	MW-15	MW-16	MW-17	Analysis Date	Analyst	Method Code
PH (field measurement), Units			6.5	6.4	6.3	6.0	4.7	08/14/12	RJH	SM4500HB
Total Alkalinity, mg/l	1.0	1.0	253	226	92	133	4	08/15/12	TRB	SM2320B
Chloride, mg/l	5.0	5.0	46	39	28	3539	23	08/21/12	MSG	SM4500-CLB
Total Dissolved Residue, mg/l	1.0	1.0	447	425	235	6210	405	08/20/12	HLB	SM2540C
Sulfate, mg/l	5.0	250.0	20.0 J	96.4 J	28.3 J	177 J	225 J	08/16/12	TRB	4500SO42E97
Antimony, ug/l	0.02	6.0	--- U	- - U	--- U	0.12 J	--- U	08/20/12	LFJ	EPA200.8
Arsenic, ug/l	0.13	10.0	3.4 J	3.6 J	11	8 J	11	08/20/12	LFJ	EPA200.8
Barium, ug/l	0.07	100.0	28.8 J	42.3 J	28.3 J	472	43.5 J	08/20/12	LFJ	EPA200.8
Beryllium, ug/l	0.07	1.0	--- U	- - U	0.11 J	0.38 J	0.80 J	08/20/12	LFJ	EPA200.8
Cadmium, ug/l	0.03	1.0	0.08 J	0.09 J	0.13 J	--- U	0.19 J	08/20/12	LFJ	EPA200.8
Cobalt, ug/l	0.02	10.0	0.14 J	0.15 J	0.12 J	0.26 J	2.9 J	08/20/12	LFJ	EPA200.8
Copper, ug/l	0.06	10.0	0.61 J	0.64 J	0.80 J	8.2 J	1.1 J	08/20/12	LFJ	EPA200.8
Total Chromium, ug/l	0.18	10.0	1.2 J	1.4 J	0.27 J	3.1 J	2.5 J	08/20/12	LFJ	EPA200.8
Iron, ug/l	15.9	300.0	33860	50075	32000	27313	30800	08/30/12	ADD	SM3111B
Manganese, ug/l	0.13	50.0	211	220				08/22/12	LFJ	EPA200.8
Manganese, ug/l	0.13	50.0			99	81	89	08/20/12	LFJ	EPA200.8
Lead, ug/l	0.08	10.0	--- U	--- U	0.12 J	0.16 J	1.5 J	08/20/12	LFJ	EPA200.8
Mercury, ug/l	0.02	0.20	--- U	--- U	--- U	--- U	--- U	08/20/12	LFJ	EPA200.8
Nickel, ug/l	0.06	50.0	0.85 J	0.94 J	0.86 J	2.2 J	7.8 J	08/20/12	LFJ	EPA200.8
Selenium, ug/l	0.17	10.0	0.38 J	0.26 J	--- U	30	0.69 J	08/20/12	LFJ	EPA200.8
Silver, ug/l	0.10	10.0	--- U	- - U	--- U	--- U	--- U	08/20/12	LFJ	EPA200.8
Thallium, ug/l	0.07	5.5	--- U	- - U	0.07 J	0.07 J	--- U	08/20/12	LFJ	EPA200.8
Vanadium, ug/l	0.10	25.0	1.6 J	1.3 J	0.22 J	4.2 J	6.1 J	08/20/12	LFJ	EPA200.8
Zinc, ug/l	0.48	10.0	7.7 J	23	72	6.2 J	201	08/20/12	LFJ	EPA200.8
Conductivity (at 25c), uMhos/cm	1.0	1.0	660	669	356	7055	540	08/14/12	RJH	SM2510B
Temperature, °C			21	20	21	21	21	08/14/12	RJH	SM2550B
Static Water Level, feet			3.25	3.30	3.38	5.58	3.67	08/14/12	RJH	
Well Depth, feet			22.41	22.02	22.62	20.11	14.78	08/14/12	RJH	

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Incorporated

Drinking Water ID: 37715
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

CLIENT: DARE COUNTY (C&D SITE)
MR. EDWARD L. MANN
DARE CO. PUBLIC WORKS
P.O. BOX 1000
MANTEO, NC 27954

CLIENT ID: 6051 A

ANALYST: MAO
DATE COLLECTED: 08/14/12
DATE ANALYZED: 08/17/12
DATE REPORTED: 08/30/12

Page: 1

REVIEWED BY: _____

VOLATILE ORGANICS
EPA METHOD 8260B R1(96)

PARAMETERS, ug/l	MDL	SWSL	MW-13	MW-14	MW-15	MW-16	MW-17
1. Chloromethane	0.77	1.0	--- U	--- U	--- U	--- U	--- U
2. Vinyl Chloride	0.63	1.0	--- U	--- U	--- U	--- U	--- U
3. Bromomethane	0.67	10.0	--- U	--- U	--- U	--- U	--- U
4. Chloroethane	0.48	10.0	--- U	--- U	--- U	--- U	--- U
5. Trichlorofluoromethane	0.24	1.0	--- U	--- U	--- U	--- U	--- U
6. 1,1-Dichloroethene	0.17	5.0	--- U	--- U	--- U	--- U	--- U
7. Acetone	9.06	100.0	--- U	--- U	--- U	--- U	--- U
8. Iodomethane	0.26	10.0	--- U	--- U	--- U	--- U	--- U
9. Carbon Disulfide	0.23	100.0	--- U	--- U	--- U	--- U	--- U
10. Methylene Chloride	0.64	1.0	--- U	--- U	--- U	--- U	--- U
11. trans-1,2-Dichloroethene	0.23	5.0	--- U	--- U	--- U	--- U	--- U
12. 1,1-Dichloroethane	0.20	5.0	--- U	--- U	--- U	--- U	--- U
13. Vinyl Acetate	0.20	50.0	--- U	--- U	--- U	--- U	--- U
14. Cis-1,2-Dichloroethene	0.25	5.0	--- U	--- U	--- U	--- U	--- U
15. 2-Butanone	2.21	100.0	--- U	--- U	--- U	--- U	--- U
16. Bromochloromethane	0.27	3.0	--- U	--- U	--- U	--- U	--- U
17. Chloroform	0.25	5.0	--- U	--- U	--- U	--- U	--- U
18. 1,1,1-Trichloroethane	0.19	1.0	--- U	--- U	--- U	--- U	--- U
19. Carbon Tetrachloride	0.22	1.0	--- U	--- U	--- U	--- U	--- U
20. Benzene	0.24	1.0	--- U	--- U	--- U	--- U	--- U
21. 1,2-Dichloroethane	0.27	1.0	--- U	--- U	--- U	--- U	--- U
22. Trichloroethene	0.23	1.0	--- U	--- U	--- U	--- U	--- U
23. 1,2-Dichloropropane	0.21	1.0	--- U	--- U	--- U	--- U	--- U
24. Bromodichloromethane	0.21	1.0	--- U	--- U	--- U	--- U	--- U
25. Cis-1,3-Dichloropropene	0.24	1.0	--- U	--- U	--- U	--- U	--- U
26. 4-Methyl-2-Pentanone	1.19	100.0	--- U	--- U	--- U	--- U	--- U
27. Toluene	0.23	1.0	--- U	--- U	--- U	--- U	--- U
28. trans-1,3-Dichloropropene	0.28	1.0	--- U	--- U	--- U	--- U	--- U
29. 1,1,2-Trichloroethane	0.25	1.0	--- U	--- U	--- U	--- U	--- U
30. Tetrachloroethene	0.17	1.0	--- U	--- U	--- U	--- U	--- U
31. 2-Hexanone	1.57	50.0	--- U	--- U	--- U	--- U	--- U
32. Dibromochloromethane	0.24	3.0	--- U	--- U	--- U	--- U	--- U
33. 1,2-Dibromoethane	0.26	1.0	--- U	--- U	--- U	--- U	--- U
34. Chlorobenzene	0.30	3.0	--- U	--- U	--- U	--- U	--- U
35. 1,1,1,2-Tetrachloroethane	0.22	5.0	--- U	--- U	--- U	--- U	--- U
36. Ethylbenzene	0.21	1.0	--- U	--- U	--- U	--- U	--- U
37. Xylenes	0.68	5.0	--- U	--- U	--- U	--- U	--- U
38. Dibromomethane	0.28	10.0	--- U	--- U	--- U	--- U	--- U
39. Styrene	0.19	1.0	--- U	--- U	--- U	--- U	--- U
40. Bromoform	0.20	3.0	--- U	--- U	--- U	--- U	--- U
41. 1,1,2,2-Tetrachloroethane	0.26	3.0	--- U	--- U	--- U	--- U	--- U
42. 1,2,3-Trichloropropane	0.43	1.0	--- U	--- U	--- U	--- U	--- U
43. 1,4-Dichlorobenzene	0.39	1.0	--- U	--- U	--- U	--- U	--- U
44. 1,2-Dichlorobenzene	0.32	5.0	--- U	--- U	--- U	--- U	--- U
45. 1,2-Dibromo-3-Chloropropane	0.34	13.0	--- U	--- U	--- U	--- U	--- U
46. Acrylonitrile	2.72	200.0	--- U	--- U	--- U	--- U	--- U
47. trans-1,4-Dichloro-2-Butene	0.42	100.0	--- U	--- U	--- U	--- U	--- U
48. Tetrahydrofuran	0.39	1.0	--- U	--- U	--- U	--- U	--- U

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Incorporated

Drinking Water ID: 37715
Wastewater ID: 10

P.O. BOX 7085, 114 OAKMONT DRIVE
GREENVILLE, N.C. 27835-7085

PHONE (252) 756-6208
FAX (252) 756-0633

CLIENT: DARE COUNTY (C&D SITE)
MR. EDWARD L. MANN
DARE CO. PUBLIC WORKS
P.O. BOX 1000
MANTEO, NC 27954

CLIENT ID: 6051 A

ANALYST: MAO
DATE COLLECTED: 08/14/12
DATE ANALYZED: 08/17/12
DATE REPORTED: 08/30/12

REVIEWED BY:

VOLATILE ORGANICS
EPA METHOD 8260B R1(96)

PARAMETERS, ug/l	MDL	SWSL	Trip Blank
1. Chloromethane	0.77	1.0	--- U
2. Vinyl Chloride	0.63	1.0	--- U
3. Bromomethane	0.67	10.0	--- U
4. Chloroethane	0.48	10.0	--- U
5. Trichlorofluoromethane	0.24	1.0	--- U
6. 1,1-Dichloroethene	0.17	5.0	--- U
7. Acetone	9.06	100.0	--- U
8. Iodomethane	0.26	10.0	--- U
9. Carbon Disulfide	0.23	100.0	--- U
10. Methylene Chloride	0.64	1.0	--- U
11. trans-1,2-Dichloroethene	0.23	5.0	--- U
12. 1,1-Dichloroethane	0.20	5.0	--- U
13. Vinyl Acetate	0.20	50.0	--- U
14. Cis-1,2-Dichloroethene	0.25	5.0	--- U
15. 2-Butanone	2.21	100.0	--- U
16. Bromochloromethane	0.27	3.0	--- U
17. Chloroform	0.25	5.0	--- U
18. 1,1,1-Trichloroethane	0.19	1.0	--- U
19. Carbon Tetrachloride	0.22	1.0	--- U
20. Benzene	0.24	1.0	--- U
21. 1,2-Dichloroethane	0.27	1.0	--- U
22. Trichloroethene	0.23	1.0	--- U
23. 1,2-Dichloropropane	0.21	1.0	--- U
24. Bromodichloromethane	0.21	1.0	--- U
25. Cis-1,3-Dichloropropene	0.24	1.0	--- U
26. 4-Methyl-2-Pentanone	1.19	100.0	--- U
27. Toluene	0.23	1.0	--- U
28. trans-1,3-Dichloropropene	0.28	1.0	--- U
29. 1,1,2-Trichloroethane	0.25	1.0	--- U
30. Tetrachloroethene	0.17	1.0	--- U
31. 2-Hexanone	1.57	50.0	--- U
32. Dibromochloromethane	0.24	3.0	--- U
33. 1,2-Dibromoethane	0.26	1.0	--- U
34. Chlorobenzene	0.30	3.0	--- U
35. 1,1,1,2-Tetrachloroethane	0.22	5.0	--- U
36. Ethylbenzene	0.21	1.0	--- U
37. Xylenes	0.68	5.0	--- U
38. Dibromomethane	0.28	10.0	--- U
39. Styrene	0.19	1.0	--- U
40. Bromoform	0.20	3.0	--- U
41. 1,1,2,2-Tetrachloroethane	0.26	3.0	--- U
42. 1,2,3-Trichloropropane	0.43	1.0	--- U
43. 1,4-Dichlorobenzene	0.39	1.0	--- U
44. 1,2-Dichlorobenzene	0.32	5.0	--- U
45. 1,2-Dibromo-3-Chloropropane	0.34	13.0	--- U
46. Acrylonitrile	2.72	200.0	--- U
47. trans-1,4-Dichloro-2-Butene	0.42	100.0	--- U
48. Tetrahydrofuran	0.39	1.0	--- U

J = Between MDL and SWSL, U = Below ALL Quanititation Limits.

Environment 1, Inc.
P.O. Box 7085, 114 Oakmont Dr.
Greenville, NC 27858

Phone (252) 756-6208 • Fax (252) 756-0633

CHAIN OF CUSTODY RECORD

CLIENT: 6051 A **Week: 35**

DARE COUNTY (C&D SITE)
MR. EDWARD L. MANN
DARE CO. PUBLIC WORKS
P.O. BOX 1000
MANTEO NC 27954

DISINFECTION: ☐ CHLORINE ☐ UV ☐ NONE ☐ _____

SAMPLE LOCATION	COLLECTION DATE	COLLECTION TIME	TOTAL CHLORINE, mg/l AT COLLECTION	TEMPERATURE, °C AT COLLECTION	# OF CONTAINERS	Field pH	Alkalinity	Chloride	TDS	Sulfate	Metals	Conductivity	Temperature	Field Parameter	EPA 8260B	8260 Dup. 1	8260 Dup. 2
CHLORINE NEUTRALIZED AT COLLECTION																	
pH CHECK (LAB)											12				12	12	12
CONTAINER TYPE, P/G						P	P	P	P	P	P	P	P		G	G	G
CHEMICAL PRESERVATION						A	A	A	A	A	A	A	A		E	E	E
MW-13	08/14/12	1245		21	8	G	G	G	G	G	G	G	G	G	G	G	G
MW-14	08/14/12	1300		20	7	G	G	G	G	G	G	G	G	G	G	G	
MW-15	08/14/12	1320		21	7	G	G	G	G	G	G	G	G	G	G	G	
MW-16	08/14/12	1225		21	7	G	G	G	G	G	G	G	G	G	G	G	
MW-17	08/14/12	1340		21	7	G	G	G	G	G	G	G	G	G	G	G	
Trip Blank					2										G	G	

PARAMETERS

A - NONE D - NAOH
B - HNO_3 E - HCL
C - H_2SO_4 F - ZINC ACETATE
G - NA THIOSULFATE

CLASSIFICATION:
☐ WASTEWATER (NPDES)
☐ DRINKING WATER
☐ DWQ/GW
☒ SOLID WASTE SECTION

CHAIN OF CUSTODY MAINTAINED DURING SHIPMENT/DELIVERY: Y N

SAMPLES COLLECTED BY: (Please Print) R Bob Hogge

SAMPLES RECEIVED IN LAB AT 0-2 °C

RELINQUISHED BY (SIG.) (SAMPLER)	DATE/TIME	RECEIVED BY (SIG.)	DATE/TIME
Bob Hogge	08/14/12	[signature]	8/14/12 1440
RELINQUISHED BY (SIG.)	DATE/TIME	RECEIVED BY (SIG.)	DATE/TIME
RELINQUISHED BY (SIG.)	DATE/TIME	RECEIVED BY (SIG.)	DATE/TIME

COMMENTS:

PLEASE READ Instructions for completing this form on the reverse side.

Sampler must place a "C" for composite sample or a "G" for Grab sample in the blocks above for each parameter requested

FORM #5

N° 246776

CDM Smith

cdmsmith.com