Table of Values Which Exceed Established Standards And/Or Exceed Reporting Levels

Facility Name: DUPLIN COUNTY LANDFILL Permit #: 3101 Lab ID# 6060

Location	Collection Date	Exceeds Std	Parameter	CAS #	Result, ug/l	NC 2L STD **	NC GWP STD **	NC 2B SWS **
SW-2	08/29/2014		Methylene Chloride	75-09-2	1.10			
SW-2	08/29/2014	Y	Benzene	71-43-2	1.40			1.19
SW-2	08/29/2014		Toluene	108-88-3	2.20			11
SW-2	08/29/2014		Chlorobenzene	108-90-7	4.10			

** Note: NC 2L STD = NC 2L Ground Water Standard
NC GWP STD = NC Solid Waste Groundwater Protection Standard
NC 2B SWS = NC 2B Surface Water Standard

FACILITY PERMIT	WELL ID	CAS NUMBER	SWS ID	PARAMETER	RESULT	UNITS	QUALIFIER	METHOD	MDL	MRL	SWSL	DILUTION F	COLLECT DATE	EXTRACTION DATE	ANALYSIS DATE	NC LAB CERT NUM
3101	3101-SW1	SW320	320	PH (field measurement)	7.3	Units		4500HB-00				1	8/29/2014		8/29/2014	10
3101	3101-SW2	SW320	320	PH (field measurement)	6.8	Units		4500HB-00				1	8/29/2014		8/29/2014	10
3101	3101-SW1	7440-38-2	14	Arsenic	1.9	ug/l	J	EPA200.8	0.1	5	10	1	8/29/2014		9/8/2014	10
3101	3101-SW2	7440-38-2	14	Arsenic	8	ug/l	J	EPA200.8	0.1	5	10	1	8/29/2014		9/8/2014	10
3101	3101-SW1	7440-39-3	15	Barium	84.3	ug/l	J	EPA200.8	0.12	100	100	1	8/29/2014		9/8/2014	10
3101	3101-SW2	7440-39-3	15	Barium	92.5	ug/l	J	EPA200.8	0.12	100	100	1	8/29/2014		9/8/2014	10
3101	3101-SW1	7440-43-9	34	Cadmium	---	ug/l	U	EPA200.8	0.04	1	1	1	8/29/2014		9/8/2014	10
3101	3101-SW2	7440-43-9	34	Cadmium	0.08	ug/l	J	EPA200.8	0.04	1	1	1	8/29/2014		9/8/2014	10
3101	3101-SW1	7440-47-3	51	Total Chromium	0.93	ug/l	J	EPA200.8	0.14	5	10	1	8/29/2014		9/8/2014	10
3101	3101-SW2	7440-47-3	51	Total Chromium	1.4	ug/l	J	EPA200.8	0.14	5	10	1	8/29/2014		9/8/2014	10
3101	3101-SW1	7439-92-1	131	Lead	---	ug/l	U	EPA200.8	0.13	5	10	1	8/29/2014		9/8/2014	10
3101	3101-SW2	7439-92-1	131	Lead	0.19	ug/l	J	EPA200.8	0.13	5	10	1	8/29/2014		9/8/2014	10
3101	3101-SW1	7439-97-6	132	Mercury	---	ug/l	U	245.1 R3-94	0.06	0.2	0.2	1	8/29/2014		9/10/2014	10
3101	3101-SW2	7439-97-6	132	Mercury	---	ug/l	U	245.1 R3-94	0.06	0.2	0.2	1	8/29/2014		9/10/2014	10
3101	3101-SW1	7782-49-2	183	Selenium	3.7	ug/l	J	EPA200.8	0.16	10	10	1	8/29/2014		9/8/2014	10
3101	3101-SW2	7782-49-2	183	Selenium	7.3	ug/l	J	EPA200.8	0.16	10	10	1	8/29/2014		9/8/2014	10
3101	3101-SW1	7440-22-4	184	Silver	---	ug/l	U	EPA200.8	0.04	5	10	1	8/29/2014		9/8/2014	10
3101	3101-SW2	7440-22-4	184	Silver	---	ug/l	U	EPA200.8	0.04	5	10	1	8/29/2014		9/8/2014	10
3101	3101-SW1	SW323	323	Conductivity (at 25c)	1679	uMhos/cm		2510B-97	1	1	1	1	8/29/2014		8/29/2014	10
3101	3101-SW2	SW323	323	Conductivity (at 25c)	1446	uMhos/cm		2510B-97	1	1	1	1	8/29/2014		8/29/2014	10
3101	3101-SW1	SW325	325	Temperature	23	C		2550B-00				1	8/29/2014		8/29/2014	10
3101	3101-SW2	SW325	325	Temperature	24	C		2550B-00				1	8/29/2014		8/29/2014	10
3101	3101-SW1	74-87-3	137	Chloromethane	0.77	ug/l	U	EPA8260B	0.77	1	1	1	8/29/2014		9/5/2014	10
3101	3101-SW2	74-87-3	137	Chloromethane	0.77	ug/l	U	EPA8260B	0.77	1	1	1	8/29/2014		9/6/2014	10
3101	3101-TB	74-87-3	137	Chloromethane	0.77	ug/l	U	EPA8260B	0.77	1	1	1	8/29/2014		9/6/2014	10
3101	3101-SW1	75-01-4	211	Vinyl Chloride	0.63	ug/l	U	EPA8260B	0.63	1	1	1	8/29/2014		9/5/2014	10
3101	3101-SW2	75-01-4	211	Vinyl Chloride	0.63	ug/l	U	EPA8260B	0.63	1	1	1	8/29/2014		9/6/2014	10
3101	3101-TB	75-01-4	211	Vinyl Chloride	0.63	ug/l	U	EPA8260B	0.63	1	1	1	8/29/2014		9/6/2014	10
3101	3101-SW1	74-83-9	136	Bromomethane	0.67	ug/l	U	EPA8260B	0.67	10	10	1	8/29/2014		9/5/2014	10
3101	3101-SW2	74-83-9	136	Bromomethane	0.67	ug/l	U	EPA8260B	0.67	10	10	1	8/29/2014		9/6/2014	10
3101	3101-TB	74-83-9	136	Bromomethane	0.67	ug/l	U	EPA8260B	0.67	10	10	1	8/29/2014		9/6/2014	10
3101	3101-SW1	75-00-3	41	Chloroethane	0.48	ug/l	U	EPA8260B	0.48	10	10	1	8/29/2014		9/5/2014	10
3101	3101-SW2	75-00-3	41	Chloroethane	0.48	ug/l	U	EPA8260B	0.48	10	10	1	8/29/2014		9/6/2014	10
3101	3101-TB	75-00-3	41	Chloroethane	0.48	ug/l	U	EPA8260B	0.48	10	10	1	8/29/2014		9/6/2014	10
3101	3101-SW1	75-69-4	203	Trichlorofluoromethane	0.24	ug/l	U	EPA8260B	0.24	1	1	1	8/29/2014		9/5/2014	10
3101	3101-SW2	75-69-4	203	Trichlorofluoromethane	0.24	ug/l	U	EPA8260B	0.24	1	1	1	8/29/2014		9/6/2014	10
3101	3101-TB	75-69-4	203	Trichlorofluoromethane	0.24	ug/l	U	EPA8260B	0.24	1	1	1	8/29/2014		9/6/2014	10
3101	3101-SW1	75-35-4	77	1,1-Dichloroethene	0.17	ug/l	U	EPA8260B	0.17	5	5	1	8/29/2014		9/5/2014	10
3101	3101-SW2	75-35-4	77	1,1-Dichloroethene	0.17	ug/l	U	EPA8260B	0.17	5	5	1	8/29/2014		9/6/2014	10
3101	3101-TB	75-35-4	77	1,1-Dichloroethene	0.17	ug/l	U	EPA8260B	0.17	5	5	1	8/29/2014		9/6/2014	10
3101	3101-SW1	67-64-1	3	Acetone	9.06	ug/l	U	EPA8260B	9.06	100	100	1	8/29/2014		9/5/2014	10
3101	3101-SW2	67-64-1	3	Acetone	9.06	ug/l	U	EPA8260B	9.06	100	100	1	8/29/2014		9/6/2014	10
3101	3101-TB	67-64-1	3	Acetone	9.06	ug/l	U	EPA8260B	9.06	100	100	1	8/29/2014		9/6/2014	10
3101	3101-SW1	74-88-4	142	Iodomethane	0.26	ug/l	U	EPA8260B	0.26	10	10	1	8/29/2014		9/5/2014	10
3101	3101-SW2	74-88-4	142	Iodomethane	0.26	ug/l	U	EPA8260B	0.26	10	10	1	8/29/2014		9/6/2014	10
3101	3101-TB	74-88-4	142	Iodomethane	0.26	ug/l	U	EPA8260B	0.26	10	10	1	8/29/2014		9/6/2014	10
3101	3101-SW1	75-15-0	35	Carbon Disulfide	0.23	ug/l	U	EPA8260B	0.23	100	100	1	8/29/2014		9/5/2014	10
3101	3101-SW2	75-15-0	35	Carbon Disulfide	0.23	ug/l	U	EPA8260B	0.23	100	100	1	8/29/2014		9/6/2014	10
3101	3101-TB	75-15-0	35	Carbon Disulfide	0.23	ug/l	U	EPA8260B	0.23	100	100	1	8/29/2014		9/6/2014	10
3101	3101-SW1	75-09-2	140	Methylene Chloride	0.64	ug/l	U	EPA8260B	0.64	1	1	1	8/29/2014		9/5/2014	10
3101	3101-SW2	75-09-2	140	Methylene Chloride	1.1	ug/l		EPA8260B	0.64	1	1	1	8/29/2014		9/6/2014	10
3101	3101-TB	75-09-2	140	Methylene Chloride	0.64	ug/l	U	EPA8260B	0.64	1	1	1	8/29/2014		9/6/2014	10
3101	3101-SW1	156-60-5	79	trans-1,2-Dichloroethene	0.23	ug/l	U	EPA8260B	0.23	5	5	1	8/29/2014		9/5/2014	10
3101	3101-SW2	156-60-5	79	trans-1,2-Dichloroethene	0.23	ug/l	U	EPA8260B	0.23	5	5	1	8/29/2014		9/6/2014	10
3101	3101-TB	156-60-5	79	trans-1,2-Dichloroethene	0.23	ug/l	U	EPA8260B	0.23	5	5	1	8/29/2014		9/6/2014	10

3101	3101-SW1	75-34-3	75	1,1-Dichloroethane	0.2	ug/l	U	EPA8260B	0.2	5	5	1	8/29/2014	9/5/2014	10
3101	3101-SW2	75-34-3	75	1,1-Dichloroethane	0.2	ug/l	U	EPA8260B	0.2	5	5	1	8/29/2014	9/6/2014	10
3101	3101-TB	75-34-3	75	1,1-Dichloroethane	0.2	ug/l	U	EPA8260B	0.2	5	5	1	8/29/2014	9/6/2014	10
3101	3101-SW1	108-05-4	210	Vinyl Acetate	0.2	ug/l	U	EPA8260B	0.2	50	50	1	8/29/2014	9/5/2014	10
3101	3101-SW2	108-05-4	210	Vinyl Acetate	0.2	ug/l	U	EPA8260B	0.2	50	50	1	8/29/2014	9/6/2014	10
3101	3101-TB	108-05-4	210	Vinyl Acetate	0.2	ug/l	U	EPA8260B	0.2	50	50	1	8/29/2014	9/6/2014	10
3101	3101-SW1	156-59-2	78	Cis-1,2-Dichloroethene	0.25	ug/l	U	EPA8260B	0.25	5	5	1	8/29/2014	9/5/2014	10
3101	3101-SW2	156-59-2	78	Cis-1,2-Dichloroethene	0.3	ug/l	J	EPA8260B	0.25	5	5	1	8/29/2014	9/6/2014	10
3101	3101-TB	156-59-2	78	Cis-1,2-Dichloroethene	0.25	ug/l	U	EPA8260B	0.25	5	5	1	8/29/2014	9/6/2014	10
3101	3101-SW1	78-93-3	141	2-Butanone	2.21	ug/l	U	EPA8260B	2.21	100	100	1	8/29/2014	9/5/2014	10
3101	3101-SW2	78-93-3	141	2-Butanone	3.5	ug/l	J	EPA8260B	2.21	100	100	1	8/29/2014	9/6/2014	10
3101	3101-TB	78-93-3	141	2-Butanone	2.21	ug/l	U	EPA8260B	2.21	100	100	1	8/29/2014	9/6/2014	10
3101	3101-SW1	74-97-5	28	Bromochloromethane	0.27	ug/l	U	EPA8260B	0.27	3	3	1	8/29/2014	9/5/2014	10
3101	3101-SW2	74-97-5	28	Bromochloromethane	0.27	ug/l	U	EPA8260B	0.27	3	3	1	8/29/2014	9/6/2014	10
3101	3101-TB	74-97-5	28	Bromochloromethane	0.27	ug/l	U	EPA8260B	0.27	3	3	1	8/29/2014	9/6/2014	10
3101	3101-SW1	67-66-3	44	Chloroform	0.25	ug/l	U	EPA8260B	0.25	5	5	1	8/29/2014	9/5/2014	10
3101	3101-SW2	67-66-3	44	Chloroform	0.25	ug/l	U	EPA8260B	0.25	5	5	1	8/29/2014	9/6/2014	10
3101	3101-TB	67-66-3	44	Chloroform	0.25	ug/l	U	EPA8260B	0.25	5	5	1	8/29/2014	9/6/2014	10
3101	3101-SW1	71-55-6	200	1,1,1-Trichloroethane	0.19	ug/l	U	EPA8260B	0.19	1	1	1	8/29/2014	9/5/2014	10
3101	3101-SW2	71-55-6	200	1,1,1-Trichloroethane	0.19	ug/l	U	EPA8260B	0.19	1	1	1	8/29/2014	9/6/2014	10
3101	3101-TB	71-55-6	200	1,1,1-Trichloroethane	0.19	ug/l	U	EPA8260B	0.19	1	1	1	8/29/2014	9/6/2014	10
3101	3101-SW1	56-23-5	36	Carbon Tetrachloride	0.22	ug/l	U	EPA8260B	0.22	1	1	1	8/29/2014	9/5/2014	10
3101	3101-SW2	56-23-5	36	Carbon Tetrachloride	0.22	ug/l	U	EPA8260B	0.22	1	1	1	8/29/2014	9/6/2014	10
3101	3101-TB	56-23-5	36	Carbon Tetrachloride	0.22	ug/l	U	EPA8260B	0.22	1	1	1	8/29/2014	9/6/2014	10
3101	3101-SW1	71-43-2	16	Benzene	0.24	ug/l	U	EPA8260B	0.24	1	1	1	8/29/2014	9/5/2014	10
3101	3101-SW2	71-43-2	16	Benzene	1.4	ug/l		EPA8260B	0.24	1	1	1	8/29/2014	9/6/2014	10
3101	3101-TB	71-43-2	16	Benzene	0.24	ug/l	U	EPA8260B	0.24	1	1	1	8/29/2014	9/6/2014	10
3101	3101-SW1	107-06-2	76	1,2-Dichloroethane	0.27	ug/l	U	EPA8260B	0.27	1	1	1	8/29/2014	9/5/2014	10
3101	3101-SW2	107-06-2	76	1,2-Dichloroethane	0.27	ug/l	U	EPA8260B	0.27	1	1	1	8/29/2014	9/6/2014	10
3101	3101-TB	107-06-2	76	1,2-Dichloroethane	0.27	ug/l	U	EPA8260B	0.27	1	1	1	8/29/2014	9/6/2014	10
3101	3101-SW1	79-01-6	201	Trichloroethene	0.23	ug/l	U	EPA8260B	0.23	1	1	1	8/29/2014	9/5/2014	10
3101	3101-SW2	79-01-6	201	Trichloroethene	0.23	ug/l	U	EPA8260B	0.23	1	1	1	8/29/2014	9/6/2014	10
3101	3101-TB	79-01-6	201	Trichloroethene	0.23	ug/l	U	EPA8260B	0.23	1	1	1	8/29/2014	9/6/2014	10
3101	3101-SW1	78-87-5	82	1,2-Dichloropropane	0.21	ug/l	U	EPA8260B	0.21	1	1	1	8/29/2014	9/5/2014	10
3101	3101-SW2	78-87-5	82	1,2-Dichloropropane	0.21	ug/l	U	EPA8260B	0.21	1	1	1	8/29/2014	9/6/2014	10
3101	3101-TB	78-87-5	82	1,2-Dichloropropane	0.21	ug/l	U	EPA8260B	0.21	1	1	1	8/29/2014	9/6/2014	10
3101	3101-SW1	75-27-4	29	Bromodichloromethane	0.21	ug/l	U	EPA8260B	0.21	1	1	1	8/29/2014	9/5/2014	10
3101	3101-SW2	75-27-4	29	Bromodichloromethane	0.21	ug/l	U	EPA8260B	0.21	1	1	1	8/29/2014	9/6/2014	10
3101	3101-TB	75-27-4	29	Bromodichloromethane	0.21	ug/l	U	EPA8260B	0.21	1	1	1	8/29/2014	9/6/2014	10
3101	3101-SW1	10061-01-5	86	Cis-1,3-Dichloropropene	0.24	ug/l	U	EPA8260B	0.24	1	1	1	8/29/2014	9/5/2014	10
3101	3101-SW2	10061-01-5	86	Cis-1,3-Dichloropropene	0.24	ug/l	U	EPA8260B	0.24	1	1	1	8/29/2014	9/6/2014	10
3101	3101-TB	10061-01-5	86	Cis-1,3-Dichloropropene	0.24	ug/l	U	EPA8260B	0.24	1	1	1	8/29/2014	9/6/2014	10
3101	3101-SW1	108-10-1	147	4-Methyl-2-Pentanone	1.19	ug/l	U	EPA8260B	1.19	100	100	1	8/29/2014	9/5/2014	10
3101	3101-SW2	108-10-1	147	4-Methyl-2-Pentanone	1.19	ug/l	U	EPA8260B	1.19	100	100	1	8/29/2014	9/6/2014	10
3101	3101-TB	108-10-1	147	4-Methyl-2-Pentanone	1.19	ug/l	U	EPA8260B	1.19	100	100	1	8/29/2014	9/6/2014	10
3101	3101-SW1	108-88-3	196	Toluene	0.23	ug/l	U	EPA8260B	0.23	1	1	1	8/29/2014	9/5/2014	10
3101	3101-SW2	108-88-3	196	Toluene	2.2	ug/l		EPA8260B	0.23	1	1	1	8/29/2014	9/6/2014	10
3101	3101-TB	108-88-3	196	Toluene	0.23	ug/l	U	EPA8260B	0.23	1	1	1	8/29/2014	9/6/2014	10
3101	3101-SW1	10061-02-6	87	trans-1,3-Dichloropropene	0.28	ug/l	U	EPA8260B	0.28	1	1	1	8/29/2014	9/5/2014	10
3101	3101-SW2	10061-02-6	87	trans-1,3-Dichloropropene	0.28	ug/l	U	EPA8260B	0.28	1	1	1	8/29/2014	9/6/2014	10
3101	3101-TB	10061-02-6	87	trans-1,3-Dichloropropene	0.28	ug/l	U	EPA8260B	0.28	1	1	1	8/29/2014	9/6/2014	10
3101	3101-SW1	79-00-5	202	1,1,2-Trichloroethane	0.25	ug/l	U	EPA8260B	0.25	1	1	1	8/29/2014	9/5/2014	10
3101	3101-SW2	79-00-5	202	1,1,2-Trichloroethane	0.25	ug/l	U	EPA8260B	0.25	1	1	1	8/29/2014	9/6/2014	10
3101	3101-TB	79-00-5	202	1,1,2-Trichloroethane	0.25	ug/l	U	EPA8260B	0.25	1	1	1	8/29/2014	9/6/2014	10
3101	3101-SW1	127-18-4	192	Tetrachloroethene	0.17	ug/l	U	EPA8260B	0.17	1	1	1	8/29/2014	9/5/2014	10
3101	3101-SW2	127-18-4	192	Tetrachloroethene	0.17	ug/l	U	EPA8260B	0.17	1	1	1	8/29/2014	9/6/2014	10

3101	3101-TB	127-18-4	192	Tetrachloroethene	0.17	ug/l	U	EPA8260B	0.17	1	1	1	8/29/2014	9/6/2014	10
3101	3101-SW1	591-78-6	124	2-Hexanone	1.57	ug/l	U	EPA8260B	1.57	50	50	1	8/29/2014	9/5/2014	10
3101	3101-SW2	591-78-6	124	2-Hexanone	1.57	ug/l	U	EPA8260B	1.57	50	50	1	8/29/2014	9/6/2014	10
3101	3101-TB	591-78-6	124	2-Hexanone	1.57	ug/l	U	EPA8260B	1.57	50	50	1	8/29/2014	9/6/2014	10
3101	3101-SW1	124-48-1	66	Dibromochloromethane	0.24	ug/l	U	EPA8260B	0.24	3	3	1	8/29/2014	9/5/2014	10
3101	3101-SW2	124-48-1	66	Dibromochloromethane	0.24	ug/l	U	EPA8260B	0.24	3	3	1	8/29/2014	9/6/2014	10
3101	3101-TB	124-48-1	66	Dibromochloromethane	0.24	ug/l	U	EPA8260B	0.24	3	3	1	8/29/2014	9/6/2014	10
3101	3101-SW1	106-93-4	68	1,2-Dibromoethane	0.26	ug/l	U	EPA8260B	0.26	1	1	1	8/29/2014	9/5/2014	10
3101	3101-SW2	106-93-4	68	1,2-Dibromoethane	0.26	ug/l	U	EPA8260B	0.26	1	1	1	8/29/2014	9/6/2014	10
3101	3101-TB	106-93-4	68	1,2-Dibromoethane	0.26	ug/l	U	EPA8260B	0.26	1	1	1	8/29/2014	9/6/2014	10
3101	3101-SW1	108-90-7	39	Chlorobenzene	0.6	ug/l	J	EPA8260B	0.3	3	3	1	8/29/2014	9/5/2014	10
3101	3101-SW2	108-90-7	39	Chlorobenzene	4.1	ug/l		EPA8260B	0.3	3	3	1	8/29/2014	9/6/2014	10
3101	3101-TB	108-90-7	39	Chlorobenzene	0.3	ug/l	U	EPA8260B	0.3	3	3	1	8/29/2014	9/6/2014	10
3101	3101-SW1	630-20-6	190	1,1,1,2-Tetrachloroethane	0.22	ug/l	U	EPA8260B	0.22	5	5	1	8/29/2014	9/5/2014	10
3101	3101-SW2	630-20-6	190	1,1,1,2-Tetrachloroethane	0.22	ug/l	U	EPA8260B	0.22	5	5	1	8/29/2014	9/6/2014	10
3101	3101-TB	630-20-6	190	1,1,1,2-Tetrachloroethane	0.22	ug/l	U	EPA8260B	0.22	5	5	1	8/29/2014	9/6/2014	10
3101	3101-SW1	100-41-4	110	Ethylbenzene	0.21	ug/l	U	EPA8260B	0.21	1	1	1	8/29/2014	9/5/2014	10
3101	3101-SW2	100-41-4	110	Ethylbenzene	0.21	ug/l	U	EPA8260B	0.21	1	1	1	8/29/2014	9/6/2014	10
3101	3101-TB	100-41-4	110	Ethylbenzene	0.21	ug/l	U	EPA8260B	0.21	1	1	1	8/29/2014	9/6/2014	10
3101	3101-SW1	1330-20-7	346	Xylenes	0.68	ug/l	U	EPA8260B	0.68	5	5	1	8/29/2014	9/5/2014	10
3101	3101-SW2	1330-20-7	346	Xylenes	0.68	ug/l	U	EPA8260B	0.68	5	5	1	8/29/2014	9/6/2014	10
3101	3101-TB	1330-20-7	346	Xylenes	0.68	ug/l	U	EPA8260B	0.68	5	5	1	8/29/2014	9/6/2014	10
3101	3101-SW1	74-95-3	139	Dibromomethane	0.28	ug/l	U	EPA8260B	0.28	10	10	1	8/29/2014	9/5/2014	10
3101	3101-SW2	74-95-3	139	Dibromomethane	0.28	ug/l	U	EPA8260B	0.28	10	10	1	8/29/2014	9/6/2014	10
3101	3101-TB	74-95-3	139	Dibromomethane	0.28	ug/l	U	EPA8260B	0.28	10	10	1	8/29/2014	9/6/2014	10
3101	3101-SW1	100-42-5	186	Styrene	0.19	ug/l	U	EPA8260B	0.19	1	1	1	8/29/2014	9/5/2014	10
3101	3101-SW2	100-42-5	186	Styrene	0.19	ug/l	U	EPA8260B	0.19	1	1	1	8/29/2014	9/6/2014	10
3101	3101-TB	100-42-5	186	Styrene	0.19	ug/l	U	EPA8260B	0.19	1	1	1	8/29/2014	9/6/2014	10
3101	3101-SW1	75-25-2	30	Bromoform	0.2	ug/l	U	EPA8260B	0.2	3	3	1	8/29/2014	9/5/2014	10
3101	3101-SW2	75-25-2	30	Bromoform	0.2	ug/l	U	EPA8260B	0.2	3	3	1	8/29/2014	9/6/2014	10
3101	3101-TB	75-25-2	30	Bromoform	0.2	ug/l	U	EPA8260B	0.2	3	3	1	8/29/2014	9/6/2014	10
3101	3101-SW1	79-34-5	191	1,1,2,2-Tetrachloroethane	0.26	ug/l	U	EPA8260B	0.26	3	3	1	8/29/2014	9/5/2014	10
3101	3101-SW2	79-34-5	191	1,1,2,2-Tetrachloroethane	0.26	ug/l	U	EPA8260B	0.26	3	3	1	8/29/2014	9/6/2014	10
3101	3101-TB	79-34-5	191	1,1,2,2-Tetrachloroethane	0.26	ug/l	U	EPA8260B	0.26	3	3	1	8/29/2014	9/6/2014	10
3101	3101-SW1	96-18-4	206	1,2,3-Trichloropropane	0.43	ug/l	U	EPA8260B	0.43	1	1	1	8/29/2014	9/5/2014	10
3101	3101-SW2	96-18-4	206	1,2,3-Trichloropropane	0.43	ug/l	U	EPA8260B	0.43	1	1	1	8/29/2014	9/6/2014	10
3101	3101-TB	96-18-4	206	1,2,3-Trichloropropane	0.43	ug/l	U	EPA8260B	0.43	1	1	1	8/29/2014	9/6/2014	10
3101	3101-SW1	106-46-7	71	1,4-Dichlorobenzene	0.4	ug/l	J	EPA8260B	0.39	1	1	1	8/29/2014	9/5/2014	10
3101	3101-SW2	106-46-7	71	1,4-Dichlorobenzene	0.4	ug/l	J	EPA8260B	0.39	1	1	1	8/29/2014	9/6/2014	10
3101	3101-TB	106-46-7	71	1,4-Dichlorobenzene	0.39	ug/l	U	EPA8260B	0.39	1	1	1	8/29/2014	9/6/2014	10
3101	3101-SW1	95-50-1	69	1,2-Dichlorobenzene	0.32	ug/l	U	EPA8260B	0.32	5	5	1	8/29/2014	9/5/2014	10
3101	3101-SW2	95-50-1	69	1,2-Dichlorobenzene	0.32	ug/l	U	EPA8260B	0.32	5	5	1	8/29/2014	9/6/2014	10
3101	3101-TB	95-50-1	69	1,2-Dichlorobenzene	0.32	ug/l	U	EPA8260B	0.32	5	5	1	8/29/2014	9/6/2014	10
3101	3101-SW1	96-12-8	67	1,2-Dibromo-3-Chloropropane	0.34	ug/l	U	EPA8260B	0.34	13	13	1	8/29/2014	9/5/2014	10
3101	3101-SW2	96-12-8	67	1,2-Dibromo-3-Chloropropane	0.34	ug/l	U	EPA8260B	0.34	13	13	1	8/29/2014	9/6/2014	10
3101	3101-TB	96-12-8	67	1,2-Dibromo-3-Chloropropane	0.34	ug/l	U	EPA8260B	0.34	13	13	1	8/29/2014	9/6/2014	10
3101	3101-SW1	107-13-1	8	Acrylonitrile	2.72	ug/l	U	EPA8260B	2.72	200	200	1	8/29/2014	9/5/2014	10
3101	3101-SW2	107-13-1	8	Acrylonitrile	2.72	ug/l	U	EPA8260B	2.72	200	200	1	8/29/2014	9/6/2014	10
3101	3101-TB	107-13-1	8	Acrylonitrile	2.72	ug/l	U	EPA8260B	2.72	200	200	1	8/29/2014	9/6/2014	10
3101	3101-SW1	110-57-6	73	trans-1,4-Dichloro-2-Butene	0.42	ug/l	U	EPA8260B	0.42	100	100	1	8/29/2014	9/5/2014	10
3101	3101-SW2	110-57-6	73	trans-1,4-Dichloro-2-Butene	0.42	ug/l	U	EPA8260B	0.42	100	100	1	8/29/2014	9/6/2014	10
3101	3101-TB	110-57-6	73	trans-1,4-Dichloro-2-Butene	0.42	ug/l	U	EPA8260B	0.42	100	100	1	8/29/2014	9/6/2014	10

→