
Landfill Gas Monitoring Plan

“As-Built”

Prepared for
Iredell County Subtitle D Lined Landfills
and
Closed Unlined C&D Landfill


Permit Number: 49-03
Statesville, North Carolina


Prepared by:

Municipal Engineering Services Company
PO Box 97
Garner, NC 27529
Corporate License Number: C-0281
MESCO Project Number: G14129.0

Pre-Construction Plan Submitted: August 28, 2013
Pre-Construction Plan Approved by SWS: August 29, 2013
This As-Built Plan Submitted: November 20, 2014

This revised plan supersedes all previous approved landfill gas monitoring plans


Steven R. Gandy, Ph.D, P.E.
Senior Project Manager


Jonathan Pfohl
Environmental Specialist

DOCUMENT CONTROL

This document is the current *Landfill Gas Monitoring Plan "As-Built"* for the subject facility. This plan is expected to perpetually kept up to date as inevitably site conditions and rules will change overtime. The original derivation of this plan was submitted to the SWS prior to construction on August 28, 2013 which was approved by Mr. Brian Wootton on August 29, 2013 (DIN:19613). The original "As-Built" Plan dated October 30, 2014 was reviewed by Mr. Perry Sugg of the SWS. Mr. Sugg requested via email on November 19, 2014 that hydrogen sulfide (H₂S) be monitored at five specific locations that are closest to the CDLF. This "As-Built" plan was revised to provide for monitoring of H₂S at the five locations.

Minor deviations were encountered between the approved plan and this "As-Built" include:

- Added Appendix D Pre-con plan approval letter and Appendix E well completion logs (MP5-1 through MP5-7)
- Updated figures and tables to reflect actual surveyed probe locations
- Added monitoring for H₂S at locations in closest proximity to the closed CDLF (MP-21, MP-22, SWAPSHOP, GARAGE1 and LFGEOFFICE) per SWS request.

TABLE OF CONTENTS

1 INTRODUCTION 2
1.1 BACKGROUND.....2
1.2 SITE GEOLOGY AND HYDROGEOLOGY.....2
1.3 REGULATORY LIMITS3
2 LANDFILL GAS MONITORING 3
2.1 LANDFILL GAS PROBES3
2.1.1 LANDFILL GAS PROBE LOCATIONS3
2.1.2 LANDFILL GAS PROBE CONSTRUCTION SPECIFICATIONS.....5
2.2 STRUCTURE MONITORING.....6
2.3 LANDFILL GAS MONITORING FREQUENCY.....6
3 LANDFILL GAS SAMPLING PROCEDURE 6
3.1 EQUIPMENT.....6
3.2 MONITORING PROCEDURE7
4 RECORD KEEPING AND REPORTING 7
4.1 MONITORING DATA FORM.....7
4.2 MONITORING REPORTS.....7
4.3 PERMANENT RECORD KEEPING7
5 CONTINGENCY PLAN 8
6 CERTIFICATION OF PROFESSIONAL GEOLOGIST OR PROFESSIONAL ENGINEER 8

TABLES

EXISTING LFG MONITORING LOCATION DETAILSTABLE 1

FIGURES

SINGLE-DAY POTENTIOMETRIC MAP.....FIGURE 1
LFG MONITORING LOCATIONS –BOTH MONITORED AND UNMONITOREDFIGURE 2
LFG MONITORING LOCATIONS –ONLY MONITOREDFIGURE 3
LFG MONITORING LOCATIONS –SUPERIMPOSED AERIALFIGURE 4
STOPCOCK VALVE CONSTRUCTION DETAILSFIGURE 5

APPENDICES

SWS LANDFILL GAS MONITORING (NOVEMBER 2010).....APPENDIX A
LANDFILL GAS MONITORING DATA FORM (EXAMPLE).....APPENDIX B
RESPONSES TO SWS COMMENTS (AUGUST 27, 2013).....APPENDIX C
TECHNICAL REVIEW AND APPROVAL LETTER (DIN:19613).....APPENDIX D
LANDFILL GAS MONITORING PROBE COMPLETION LOGSAPPENDIX E

1 INTRODUCTION

1.1 BACKGROUND

North Carolina Solid Waste Management Rules 15A NCAC 13B require quarterly monitoring of methane gas (at MSW landfills) and quarterly monitoring of methane and other explosive landfill gases (LFG) (at C&D and other landfills) to ensure that methane does not exceed the lower explosive limit (LEL) in the soil at the facility property boundary or 25 percent of the lower explosive limit within facility structures. If the concentration exceeds the specified limits, steps must be taken to ensure the protection of public health and a remediation plan must be implemented immediately.

A LFG monitoring plan is necessary to ensure that these performance standards are met. LFG monitoring has consistently been performed at this facility on a quarterly basis since operations commenced in 1993 in compliance with Rule .1626 (4)(b). A large-scale active LFG extraction to energy project has been implemented at the lined landfills Phases 1-4, which likely decreases methane migration.

This *Landfill Gas Monitoring Plan*'s objective is to provide clear guidelines and procedures for field personnel when performing explosive gas monitoring. This plan applies to the Iredell County Subtitle D Lined Landfill Phases 1-5 and the unlined closed C&D landfill but the monitoring network as designed should be considered sufficient to encompass future lined expansion planned between Phases 1 and 5. Facility conditions or unforeseen sampling variables may warrant deviation from standard procedures, in which case alternative sampling procedures will conform to the most current NC Solid Waste Section guidelines and industry Standards. This LFG monitoring plan complies with the current version of the NC *Solid Waste Section Landfill Gas Monitoring Guidance* referenced henceforth as the *SWS Guidance Document*.

1.2 SITE GEOLOGY AND HYDROGEOLOGY

Iredell County is located in the NC Inner Piedmont Belt (Inner Piedmont) which is bounded by the Chauga and Blue Ridge Belts on the northwestern side and the Kings Mountain Belt and the Charlotte Belt to the southeast. Inner Piedmont rocks consist of thinly layered mica schist and biotite gneiss with inter-layered amphibolite, calc-silicate rock, hornblende, gneiss, quartzite and marble. The facility is located on the southeast limb of the Newton Anticline with composite gneiss the predominate rock type. Bedrock is not suspected to influence LFG migration at this facility since it is typically beneath the water table at the site which serves as the lower LFG confining feature.

Per the *SWS Guidance Document*, subsurface gas typically migrates above the groundwater table and is restricted laterally by streams. Several onsite unnamed perennial and intermittent tributaries of Fourth Creek may act as hydraulic barriers to horizontal LFG migration. Approximately 66% of the linear area surrounding the waste units is isolated by perennial hydraulic barriers within Iredell County owned property which significantly decreases the potential for LFG migration beyond property boundaries.

The uppermost aquifer across the entire site has been identified to be within the unconsolidated regolith. The vertical LFG migration potential extent is the water table which ranges from 0 to 52 feet below ground surface which is the deepest groundwater has ever been identified at this facility. Groundwater generally mirrors topography and a potentiometric map of the uppermost aquifer from groundwater elevations recorded on January 23, 2013 are shown on **Figure 1**.

1.3 REGULATORY LIMITS

In accordance with Rule 15A NCAC 13B LFG readings will be recorded quarterly and results will be kept in the facility operating records. Iredell County will follow all operational requirements for MSWLF facilities; ensuring the measured concentration of methane gas does not exceed the lower explosive limit (100% LEL or 5% by volume) at the facility boundary and (25% LEL or 1.25% by volume) in structures and hydrogen sulfide gas does not exceed its lower explosive limit (100% LEL or 4% by volume) at the facility boundary and (25% LEL or 1% by volume) in structures. LFG records will be submitted to the SWS in the event that stabilized methane or hydrogen sulfide levels exceed these limits or upon SWS request.

2 LANDFILL GAS MONITORING

2.1 LANDFILL GAS PROBES

2.1.1 LANDFILL GAS PROBE LOCATIONS

Iredell County Landfill Permit 49-03 consists of Subtitle D Lined MSWLFs and a closed unlined construction and demolition (C&D) landfill. LFG migration has consistently monitored by an extensive network of probes and within structures surrounding each unit. The existing monitoring network was established predominately by geography (approximately 500 linear foot density) without regard to onsite hydrogeology which effectively inhibits the potential for LFG to migrate beyond property lines and/or accumulate in structures at specific locations around the facility. Since the hydraulic barriers effectively negate the risk of LFG migration beyond property lines in specific areas eighteen existing LFG probes and four structures will not be required to be monitored for compliance purposes as part of this plan. A comprehensive facility wide color-coded drawing with an embedded table detailing the existing and proposed LFG monitoring locations (both monitored and

non-monitored) is shown on **Figure 2**. A separate color-coded facility- wide drawing and table showing only the LFG monitoring locations which are to be monitored as part of this plan is shown on **Figure 3**. An aerial photograph with pertinent features superimposed is shown on **Figure 4**.

The locations of monitoring points in this new LFG monitoring plan were chosen following careful consideration of spatial relationship between property boundaries, hydraulic barriers and both on and off-site structures.

Contiguous lined Phases 1 & 2 shall be monitored at MP-10 and on-site structures SWAPSHOP, GARAGE 1 and LFGE OFFICE. LFG migration through soil originating from lined Phases 1 and 2 are effectively bound by perennial and intermittent streams on all sides except in the southern direction which is monitored as part of Phase 5. Lined Phases 1 and 2 existing monitoring probes MP-6, MP-8-2, MP-9, MP-11, MP-12 and MP-13 will not be monitored, but will be retained for potential future supplemental LFG investigations. These probes are not located within any future planned landfill development areas however in the unlikely event their location inhibits any site development they will be properly abandoned per 15A NCAC2C.0113(d). Existing LFG probes MP-14 through MP-17 were abandoned by over drilling and grouting their entire depths (approximately 6 feet below current grade) per 15A NCAC2C.0113(d) on April 11, 2014 with a *Landfill Gas Monitoring Well Abandonment Notification* submitted to the SWS on April 15, 2014. On-site structures SCALEHOUSE, BALER OFFICE, BALER ROOM and MAINT. SHOP, located beyond two intermittent streams, will not be monitored since they are isolated from LFG migration through soil by hydraulic barriers. Methane has never previously been reported at any level within any of these buildings as expected. No additional monitoring locations are currently proposed around Phases 1 & 2.

Contiguous lined MSWLF Phases 3 & 4 shall be monitored in the northern direction by four existing LFG probes (MP-4A, MP-5A, MP-6A, MP-7A) and the adjacent structure which houses the Iredell County Area Transit Service Office (ICATS OFFICE). Existing LFG probes MP-3A, MP-8A, MP-9A, MP-10A and MP-11A will not be monitored since adjoining off-site properties are isolated to the east, south and west by streams which act as barriers to LFG migration through soil. The aforementioned probes will be retained for potential future supplemental LFG investigations. These probes are not located within any future planned landfill development areas; however in the unlikely event their location inhibits any site development they will be properly abandoned per 15A NCAC 2C .0113(d). No additional monitoring locations are currently proposed around lined landfill Phases 3 & 4.

The closed unlined C&D landfill is monitored by two existing LFG monitoring probes (MP-21 and MP-22) which monitor the shallow vadose zone between the landfill and the eastern property line. Hydrogen sulfide readings will be recorded from MP-21 and MP-22 in addition methane, oxygen and carbon dioxide. Potential off-site LFG migration through soil originating from the C&D landfill is restricted in the eastern direction by a stream that is located mostly within property confines. Existing LFG probes MP-20, MP-23, MP-24 and MP-25 will not be monitored since adjoining off-site properties are isolated by a stream which acts as a barrier to LFG migration through soil. The aforementioned probes will be retained for potential future supplemental LFG investigations. These probes are not located within any future planned landfill development areas; however in the unlikely event their location inhibits any site development they will be abandoned per 15A NCAC 2C .0113(d). Locations in closest proximity to the CDLF (MP-21, MP-22, SWAP) No additional monitoring locations are currently proposed around the C&D landfill.

Subtitle D Lined MSWLF Phase 5 LFG monitoring system was installed as approved by the SWS’s *Technical Review and Approval Letter* (DIN:19613) (**Appendix D**) on October 6, 2014. All seven LFG probes (MP5-1 through MP5-7) were installed at the location and depths as approved in the plan. Probe details are on **Table 1**, construction records are in **Appendix E** and locations are shown on Figures **Figures 1, 2, 3 & 4**.

MP5-1 monitors the eastern side of Phase 5 near P-85. MP5-2 monitors the south eastern property corner near P-86. MP5-3 monitors the southern property border. MP5-4 monitors the southern border adjacent to P-83. MP5-5 monitors the southern property border approximately 190 feet south east of P-81. MP5-6 monitors the southwestern property corner. MP5-7 is located approximately 500 feet north of MP5-6. No additional monitoring locations are currently proposed around lined landfill Phases 5.

2.1.2 LANDFILL GAS PROBE CONSTRUCTION SPECIFICATIONS

Details of the LFG probe construction are shown on **Table 1**. Probes MP5-1 through MP5-7 were installed per the *SWS Guidance Document* with the exception the probes are constructed of 1” rather than 2” PVC which was previously approved by the SWS. All probes are equipped with a quick disconnect valve threaded into a cap secured to the well casing. However, stop cock ball valves bushed to the casing or an equivalent device that allows air flow to be controlled at the wellhead may be used in the future if warranted as shown on **Figure 5**.

2.2 STRUCTURE MONITORING

The inside of four on-site structures (SWAPSHOP, GARAGE 1, LFGE OFFICE and ICATS OFFICE) will be monitored quarterly for LFG accumulation in accordance with the *Guidance Document*. The remaining four on-site structures (SCALEHOUSE, BALER OFFICE, BALER ROOM and MAINT. SHOP) will not be monitored since two streams are located between the buildings and the landfills which effectively serve as a hydraulic barrier to potential LFG migration. The three structures located in closest proximity to the CDLF (SWAPSHOP, GARAGE 1, LFGE OFFICE) will be monitored for hydrogen sulfide in addition to methane, oxygen and carbon dioxide. The structures identified as (MAINT. SHOP, BALER OFFICE, SCALEHOUSE and ICATS OFFICE) have continuously been monitored by dedicated methane detectors with no alarms activated since installation in 2007. The methane detectors will continue to be constant operation and any future detection will be addressed immediately. All habitable on-site structures are shown on **Figures 1, 2 & 3**.

2.3 LANDFILL GAS MONITORING FREQUENCY

LFG monitoring will be performed and documented on at least a quarterly basis (four times annually approximately three months apart). Monitoring per this plan will be initiated during the first scheduled quarterly event following SWS approval except for designated Phase 5 probes. Lined Phase 5 probes will commence monitoring during the first scheduled quarterly event following acceptance of waste into Phase 5. Monitoring frequency will not be decreased without pre-authorization by the SWS.

3 LANDFILL GAS SAMPLING PROCEDURE

3.1 EQUIPMENT

Instrumentation must be capable of accurately reading volumetric percentages of methane, hydrogen sulfide, oxygen and carbon dioxide. Instruments shall be calibrated according to manufacturer's specifications prior to performing monitoring. Although other instrument(s) maybe available which meet or exceed these requirements that would also be deemed acceptable the most common instrument is a Landfill Gas Analyzer manufactured by LANDTEC which includes models such as GEM2000 with H2S pod, GEM2000+ and GEM5000. Stopcock valves on monitoring probes should remain in a closed position until instrument tubing is tightly sealed

3.2 MONITORING PROCEDURE

LFG monitoring will be performed by personnel that understand the principles of operation and use instruments per manufacturer’s instructions. LFG monitoring shall be performed in accordance with procedures outlined in the most current NC SWS issued Landfill Gas Monitoring *Guidance Document*. A copy of the current *SWS Guidance Document* dated November 2010 is included in **Appendix A**. Deviation from procedures outlined in this plan may be warranted depending on facility conditions or unforeseen variables. Any variance from the methodology contained in the current *SWS Guidance Document* will be consistent with industry standards, documented accordingly and be described in the associated LFG monitoring report.

4 RECORD KEEPING AND REPORTING

4.1 MONITORING DATA FORM

LFG monitoring event results shall be recorded on a Landfill Gas Monitoring Data Form. The monitoring data form should contain at least the information outlined in the *SWS Guidance Document* as shown on the example form in **Appendix B**.

4.2 MONITORING REPORTS

A landfill gas monitoring report consisting of at a minimum the completed Landfill Gas Monitoring Report Form and a site drawing showing the location of each monitoring location shall be drafted shortly following every quarterly monitoring event.

4.3 PERMANENT RECORD KEEPING

Landfill gas monitoring records including monitoring plans, monitoring reports and remediation plans will be retained at the facility in an operating record and updated as the information becomes available. Reports will be sent to the SWS only in the event methane is detected above allowable limits or per request.

LFG monitoring probe well construction and well abandonment records were submitted to the NC Division of Water Quality (DWQ). LFG monitoring probe well construction records for (MP5-1 through MP5-7) are included as **Appendix E** and abandonment records for (MP-14 through MP-17) were submitted to the SWS on April 15, 2014. All records pertaining to well construction and abandonment will be kept in the facilities’ permanent file.

5 CONTINGENCY PLAN

If stabilized methane or hydrogen sulfide levels are detected above regulatory compliance levels, additional probe(s) will be installed closer towards the property boundary in order to determine the LFG extent. If stabilized methane or hydrogen sulfide readings are detected above regulatory limits at the facility boundary remedial actions will be implemented per Rule 15A NCAC 13B .1626(4)(c). The specific remedial actions taken to abate LFG migration will be chosen based on site specific circumstances and consistent with industry protocols.


6 CERTIFICATION OF PROFESSIONAL GEOLOGIST OR PROFESSIONAL ENGINEER

This LFG monitoring plan supersedes all previous plans implemented at the Iredell County Landfill which operates under Permit 49-03. The landfill gas monitoring plan for this facility has been prepared by a qualified geologist or engineer who is licensed to practice in the State of North Carolina. The plan has been prepared based on first-hand knowledge of site conditions and familiarity with North Carolina solid waste rules and industry protocol. This certification is made in accordance with North Carolina Solid Waste Regulations, indicating this Landfill Gas Monitoring Plan should provide early detection of methane migration through the vadose zone, so as to be protective of public health and the environment. No other warranties, expressed or implied, are made.

Signed 

Printed Steven R. Gandy, Ph.D., P.E.

Date 11/20/2014




Tables

Table 1: Existing Landfill Gas Monitoring Location Details

LFG Monitoring Location ID	Type	Monitored Unit	Ground Elevation (ft amsl)	Sand Interval Exposed to LFG (ft BGS)		Depth to Groundwater (ft BGS)	Predominant Screened Lithology
				Top	Bottom		
MP5-1	Probe	Lined Phase 5	875.39	3	31.0	32	Sandy Silt
MP5-2	Probe	Lined Phase 5	897.35	3	48.0	48	Silty Sand
MP5-3	Probe	Lined Phase 5	897.61	3	44.0	44	Sandy Silt
MP5-4	Probe	Lined Phase 5	898.61	3	31.0	40	Silty Sand
MP5-5	Probe	Lined Phase 5	882.91	3	18.5	19	Sandy Silt
MP5-6	Probe	Lined Phase 5	872.10	3	15.5	16	Sandy Silt
MP5-7	Probe	Lined Phase 5	866.04	3	20.0	20	Sandy Silt
MP-4A	Probe	Lined Phase 4		~0.5	3.3	~30	Silt
MP-5A	Probe	Lined Phases 3&4		~0.5	2.6	~30	Silt
MP-6A	Probe	Lined Phase 4		~0.5	2.7	~33	Silty Clay
MP-7A	Probe	Lined Phase 4		~0.5	2.9	~20	Silt
MP-10	Probe	Lined Phase 2		~0.5	2.9	~30	Silt
MP-21	Probe	Unlined C&D		~0.5	3.4	~20	Silty Clay
MP-22	Probe	Unlined C&D		~0.5	3.9	~28	Silty Sand
SWAP SHOP	Structure	Lined Phase 2		-	-	~39	-
LFGE OFFICE	Structure	Lined Phase 2		-	-	~40	-
GARAGE 1	Structure	Lined Phase 2		-	-	~41	-
ICATS OFFICE	Structure	Lined Phase 4		-	-	~31	-


Information compiled from prior hydrogeologic investigations, verbal interviews and field measurements/observations
 All probes except for MP5-1 through MP5-7 installed prior to issuance of SWS Guidance Document (November 2010).
 ~ = Extrapolated approximation

Figures



LEGEND

- ESTIMATED WASTE LIMITS
- PERENIAL STREAM (HYDRAULIC BARRIER TO LFG MIGRATION)
- INTERMITTENT STREAM (POTENTIAL HYDRAULIC BARRIER TO LFG MIGRATION)
- EXISTING TOPOGRAPHIC CONTOURS
- 790 GROUNDWATER CONTOURS (UPPERMOST AQUIFER 1/23/13)
- IREDELL COUNTY PROPERTY LINE
- WATER MONITORING WELL
- + WATER PIEZOMETER (LOCATION SURVEYED)
- SURFACE WATER MONITORING POINT
- MP5-7 LFG MONITORING PROBES TO BE MONITORED (LOCATION SURVEYED)
- MP-6 EXISTING LFG MONITORING PROBE (TO BE RETAINED BUT NOT MONITORED) (LOCATION NOT SURVEYED)
- MP-14 LFG MONITORING PROBES ABANDONED 4/11/14 (LOCATION NOT SURVEYED)
- EXISTING STRUCTURE (NOT TO BE MONITORED) (LOCATION SURVEYED)
- EXISTING STRUCTURE (TO BE MONITORED) (LOCATION SURVEYED)



**GROUNDWATER ELEVATIONS
JANUARY 23, 2013**

WATER WELL ID	TOP OF CASING ELEVATION (FT AMSL)	DEPTH TO GROUNDWATER (FT BTOC)	GROUNDWATER POTENTIOMETRIC ELEVATION (FT AMSL)	WATER WELL ID	TOP OF CASING ELEVATION (FT AMSL)	DEPTH TO GROUNDWATER (FT BTOC)	GROUNDWATER POTENTIOMETRIC ELEVATION (FT AMSL)
MW-1A*	867.74	26.92	840.82	P2-10D*	812.37	35.27	777.10
MW-1B	867.93	>21.00	<846.93	P2-1S	858.36	23.78	834.58
MW-1C	866.25	27.11	839.14	P2-19	814.30	38.1	776.20
MW-2	797.62	7.85	789.77	MW-17	854.35	39.28	815.07
MW-3A	792.10	8.41	783.69	MW-18	800.72	7.78	792.94
MW-3B	790.61	7.87	782.74	MW-19SR	797.26	7.88	789.38
MW-4A	822.70	>29.79	<792.84	MW-19D*	795.81	7.98	787.83
MW-4B	825.41	34.21	791.20	MW-21S	823.97	34.81	789.16
MW-6A	793.00	18.69	774.31	MW-21D*	822.76	32.34	790.42
MW-6B*	798.87	22.48	776.39	MW-22	832.31	31.81	800.50
MW-7	798.23	13.99	784.24	MW-23	824.34	10.95	813.39
MW-8	797.40	19.72	777.68	MW-24S	819.34	8.41	810.93
MW-9R	807.19	13.05	794.14	MW-24D*	819.13	7.95	811.18
MW-9RR	806.16	17.91	788.25	MW-25	865.16	23.62	841.54
MW-10R	820.74	23.54	797.20	MW-26S	833.54	13.72	819.82
MW-11	821.46	15.52	805.94	MW-26D*	833.94	13.11	820.83
MW-12	805.64	18.56	<782.49	MW-27S	807.25	11.96	795.29
MW-13A*	818.41	41.06	777.35	MW-27D*	806.95	11.01	795.94
MW-13B	818.10	40.68	777.42	MW-28	810.17	7.74	802.43
MW-13BR	811.31	36.32	774.99	MW-29	809.06	9.54	799.52
MW-14A	818.98	>40.89	<778.18	MW-30	797.91	6.64	791.27
MW-14B	818.54	42.45	776.09	PZ-1S	873.42	43.82	829.60
MW-15	838.99	>44.45	<794.88	P-4	839.25	23.21	816.04
MW-15D	837.64	48.59	789.05	P4-7S	818.47	10.72	807.75
MW-16	794.14	11.14	783.00	P4-7D*	819.00	11.16	807.84
P2-10S	812.37	33.42	778.95	CD3-11M*	834.35	13.95	820.40

FIGURE 1

Engineering Company, P.A.
Municipal Services


P.O. BOX 349 BOONE, N.C. 28607
 (828) 262-1767
 P.O. BOX 97 GARNER, N.C. 27529
 (919) 772-5393
 LICENSE NUMBER: C-0281

**SUBTITLE D LINED MSWLF PHASES 1-6
 CLOSED C&D PHASES 1-3
 IREDELL COUNTY
 NORTH CAROLINA**

**SINGLE-DAY POTENTIOMETRIC MAP
 JANUARY 23, 2013**

DATE	BY	REV.	DESCRIPTION
8/28/13	JAP		CHANGED MP-10 FROM NOT MONITORED TO MONITORED
8/28/13	JAP		REVISED STREAM DESIGNATIONS TO MATCH USGS TOPO
8/28/13	JAP		IMPROVED SEWER LINE DETAILS

SCALE: SEE SCALEBAR
 DATE: 10/14/14
 DRWN. BY: J. PFOHL
 CHKD. BY: S. GANDY
 PROJECT NUMBER: G14129.0
 DRAWING NO. SHEET NO.: FIGURE 1 1 OF 1



Engineering Company, P.A.

Municipal Services

P.O. BOX 349 BOONE, N.C. 28607
(919) 772-5393
LICENSE NUMBER: C-0281

IREDELL COUNTY NORTH CAROLINA


**SUBTITLE D LINED MSWLF PHASES 1-6
CLOSED C&D PHASES 1-3**

**LANDFILL GAS MONITORING LOCATIONS
BOTH MONITORED AND UNMONITORED LOCATIONS**

DATE	BY	REV.	DESCRIPTION
8/28/13	JAP		CHANGED MP-10 FROM UNMONITORED TO MONITORED
8/28/13	JAP		REVISED STREAM DESIGNATIONS PER USGS TOPO MAPS
8/26/13	JAP		IMPROVED SEWER LINE DETAILS

SCALE: SEE SCALEBAR
DATE: 10/14/14
DRWN. BY: J. PFOHL
CHKD. BY: S. GANDY
PROJECT NUMBER: G14129.0
DRAWING NO. SHEET NO.
FIGURE 2 1 OF 1

FIGURE 2




LEGEND

- ESTIMATED WASTE LIMITS
- PERENIAL CREEK (HYDRAULIC BARRIER TO LFG MIGRATION)
- EPHEMERAL CREEK (POTENTIAL HYDRAULIC BARRIER TO LFG MIGRATION)
- EXISTING TOPOGRAPHIC CONTOURS
- IREDELL COUNTY PROPERTY LINE
- WATER MONITORING WELL
- WATER PIEZOMETER (LOCATION SURVEYED)
- EXISTING LFG MONITORING PROBE (TO BE MONITORED)
- EXISTING STRUCTURE (TO BE MONITORED)(LOCATION SURVEYED)

LANDFILL GAS MONITORING LOCATION SUMMARY

LFG Monitoring Location	Monitored Unit	Planned Use with Justification
MP5-1	Lined Phase 5	Installed and monitor quarterly once Phase 5 commences operations
MP5-2	Lined Phase 5	Installed and monitor quarterly once Phase 5 commences operations
MP5-3	Lined Phase 5	Installed and monitor quarterly once Phase 5 commences operations
MP5-4	Lined Phase 5	Installed and monitor quarterly once Phase 5 commences operations
MP5-5	Lined Phase 5	Installed and monitor quarterly once Phase 5 commences operations
MP5-6	Lined Phase 5	Installed and monitor quarterly once Phase 5 commences operations
MP5-7	Lined Phase 5	Installed and monitor quarterly once Phase 5 commences operations
MP-4A	Lined Phases 3&4	Installed continue to monitor quarterly
MP-5A	Lined Phases 3&4	Installed continue to monitor quarterly
MP-6A	Lined Phases 3&4	Installed continue to monitor quarterly
MP-7A	Lined Phases 3&4	Installed continue to monitor quarterly
MP-10	Lined Phases 1&2	Installed continue to monitor quarterly
MP-21	Closed C&D	Installed continue to monitor quarterly
MP-22	Closed C&D	Installed continue to monitor quarterly
SWAP SHOP	Lined Phases 1&2	Monitor quarterly
GARAGE 1	Lined Phases 1&2	Monitor quarterly
LFGE OFFICE	Lined Phases 1&2	Monitor quarterly
ICATS OFFICE	Lined Phases 3&4	Monitor quarterly



Engineering Company, P.A.
P.O. BOX 349 BOONE, N.C. 28607
(828) 262-1757
LICENSE NUMBER: C-0281

Municipal Services
P.O. BOX 87 GARNER, N.C. 27529
(919) 772-5393


**SUBTITLE D LINED MSWLF PHASES 1-6
CLOSED C&D PHASES 1-3
IREDELL COUNTY
NORTH CAROLINA**

DATE	BY	REV.	DESCRIPTION
8/28/13	JAP		CHANGED MP-10 FROM NOT MONITORED TO MONITORED
8/26/13	JAP		REVISED STREAM DESIGNATIONS PER USGS TOPO MAPS
8/26/13	JAP		IMPROVED SEWER LINE DETAILS

LANDFILL GAS MONITORING LOCATIONS
MONITORED LOCATIONS

SCALE: SEE SCALEBAR
DATE: 10/15/14
DRWN. BY: J. PFÖHL
CHKD. BY: S. GANDY
PROJECT NUMBER: G14129.0
DRAWING NO. SHEET NO.
FIGURE 3 1 OF 1

FIGURE 3



TWIN OAKS GOLF COURSE OWNED BY IREDELL COUNTY

UNLINED LANDFILL PHASE 1
CLOSED <10/9/91

UNLINED LANDFILL PHASE 2
CLOSED <10/9/93
CLOSED .500 SITE MONITORED SEPERATELY
AROUND ENTIRE PERIMETER

LINED MSWLF PHASE 4
ACTIVE
PTO 7/30/08

LINED MSWLF PHASE 3
INACTIVE
PTO 7/26/02

LINED MSWLF PHASE 1
INACTIVE
PTO 10/8/93

LINED MSWLF PHASE 2
INACTIVE
PTO 9/28/98

LEACHATE LAGOON

C&D PHASE 1
CLOSED

FUTURE LINED MSWLF PHASE 6


C&D PHASE 2
CLOSED

LINED MSWLF PHASE 5
CONSTRUCTED YET TO OPEN

C&D PHASE 3
CLOSED

LEGEND

- ESTIMATED WASTE LIMITS
- PERENNIAL STREAM (HYDRAULIC BARRIER TO LFG MIGRATION)
- INTERMITTENT STREAM (POTENTIAL HYDRAULIC BARRIER TO LFG MIGRATION)
- IREDELL COUNTY PROPERTY LINE
- Ⓜ EXISTING LFG MONITORING PROBE TO BE MONITORED
- Ⓜ EXISTING STRUCTURE (TO BE MONITORED)(LOCATION SURVEYED)



Engineering Company, P.A.

P.O. BOX 37 GARNER, N.C. 27529 P.O. BOX 349 BOONE, N.C. 28607
(919) 772-5393 (828) 262-1767
LICENSE NUMBER: C-0281

Municipal Services

**SUBTITLE D LINED MSWLF PHASES 1-6
CLOSED C&D PHASES 1-3
IREDELL COUNTY
NORTH CAROLINA**

DATE	BY	REV.	DESCRIPTION
10/15/14	J. PFOHL		CHANGED MP-10 FROM NOT MONITORED TO MONITORED

LANDFILL GAS MONITORING LOCATIONS
SUPERIMPOSED AERIAL PHOTOGRAPH

SCALE: SEE SCALEBAR
DATE: 10/15/14
DRWN. BY: J. PFOHL
CHKD. BY: S. GANDY
PROJECT NUMBER
C14129.0
DRAWING NO. SHEET NO.
FIGURE 4 1 OF 1

FIGURE 4

Figure 5
Stop-Cock Valve Construction Details

Ball Valve (Bushed onto Well Casing)



OR

Quick Connect Coupling (Threaded into Cap)



OR
Equivalent

Appendix A
SWS Landfill Gas Monitoring
Guidance Document
(Intended to be most recent version)

NORTH CAROLINA DEPARTMENT OF
ENVIRONMENT AND NATURAL RESOURCES

DIVISION OF WASTE MANAGEMENT

SOLID WASTE SECTION

LANDFILL GAS MONITORING GUIDANCE

NOVEMBER 2010

TABLE OF CONTENTS

Section 1 – Introduction	Page 2
Section 2 – Factors Influencing Landfill Gas Generation and Migration	Page 3
Section 3 - Current Solid Waste Section Rules Pertaining to Landfill Gas Monitoring	Page 5
Section 4 – Landfill Gas Incidents and Explosions	Page 9
Section 5 – Landfill Gas Monitoring Wells.....	Page 11
Section 6 – Landfill Gas Monitoring Instrumentation	Page 14
Section 7 – References	Page 17
Section 8 – Suggested Outline for a Landfill Gas Monitoring Plan	Page 18
Section 9 – Checklist of Items to be Included in a Landfill Gas Monitoring Plan	Page 19

SECTION 1 - Introduction

North Carolina Solid Waste Management Rules 15A NCAC 13B require quarterly monitoring of methane gas (at MSW landfills) and quarterly monitoring of methane and other explosive landfill gases (LFG) (at C&D and other landfills) to ensure that landfill gas does not exceed the lower explosive limit (LEL) at the facility property boundary or 25 percent of the lower explosive limit in facility structures. If the concentration exceeds the specified limits, steps must be taken to ensure the protection of public health and a remediation plan must be implemented immediately. A landfill gas monitoring plan is necessary to ensure that these performance standards are met and this guidance document was developed to assist in establishing a standardized procedure for the monitoring of landfill gas.

Background

Organic matter in landfills begins to decompose almost immediately after being placed in a disposal site. Putrescible wastes such as food products and sewage sludges begin to break down by biological processes very rapidly whereas paper, cardboard or cellulose based materials are slower to decompose. However, when conditions become favorable, most organic matter will decompose. The decomposition process typically goes through several stages that depend on conditions such as pH, temperature, and moisture content. The final stage results in the production of methane and although the rate of production may vary, most landfills produce methane.

Landfill Gas Generation

Landfill gas is a natural by-product of the anaerobic decomposition of organic waste in a landfill. The composition, quantity and rate of landfill gas generation are dependent on the types of waste that are decomposing and the level of microbial activity within the wastes. The decomposition of biodegradable waste begins with aerobic decomposition which lasts until the oxygen in the landfill is depleted. The anaerobic phase then begins, resulting in landfill gas production.

There are four stages of landfill gas composition: the first stage is characterized by elevated nitrogen levels and occurs when the landfill is new. The second stage is characterized by elevated carbon dioxide levels and occurs for a relatively short period of time after the initial stage is complete. The third and fourth stages are characterized by elevated methane concentrations and represent the active life of a landfill and the post-closure time frame.

Landfill gas is generally composed of 50-55% methane (CH₄); 45-50% carbon dioxide (CO₂); less than 5% nitrogen (N₂); and less than 1% non-methane organic compounds. These individual gases generally remain co-mingled and do not naturally separate. The Solid Waste Section (SWS) Rules typically focus on methane (CH₄) and its explosive properties due to public safety issues. Hydrogen sulfide (H₂S) is also of particular concern in landfills and is typically recognized by its rotten egg odor. H₂S is immediately dangerous to life and health at concentrations of 100 parts per million (ppm).

Landfill Gas Migration

The production of landfill gas creates a positive pressure within the landfill that forces the gas to migrate. Landfill gas migrates from place to place by diffusion and pressure gradient and will follow the path of least resistance. Subsurface gas typically migrates above the groundwater table and is restricted laterally by streams. Porous soils lying above the bedrock can serve as pathways to transmit large volumes of gas. Underground off-site migration is common and can be facilitated by the presence of pipelines, buried utility corridors or trenches located within or adjacent to the landfill boundaries. Movement depends on soil type and moisture, and migration distances of 1,500 feet have been observed. Barometric pressure also influences movement. Falling barometric pressure allows methane to migrate out of the landfill and into surrounding areas.

SECTION 2 - Factors Influencing Landfill Gas Generation and Migration

Factors that affect landfill gas generation and migration through the subsurface include the following:

Waste Composition

The production of landfill gas is directly related to the amount of organic matter present in waste. The bacteria that break down the waste require small amounts of specific minerals such as calcium, potassium, magnesium and other micronutrients. Bacteria are able to thrive and produce landfill gas if the minerals/micronutrients are present. If the minerals/micronutrients are not present or if substances that inhibit bacterial growth exist, landfill gas production will occur at a reduced rate. Some forms of organic matter such as cellulose break down quickly whereas matter such as lignin breaks down more slowly. The rate at which landfill gas is produced depends on the proportions of each type of organic matter present in the waste.

Moisture Content

Landfills with higher moisture content generate higher concentrations of landfill gas in earlier stages of development (such as during leachate recirculation). Moisture accelerates the methanogenic process.

Temperature

Landfill bacteria are temperature dependant. They are able to survive and function below the freezing point, but they also function well at temperatures up to 65°C. Anaerobic bacteria produce small amounts of heat and may not be able to maintain the temperature of a shallow landfill when external temperatures decrease, so LFG generation may exhibit seasonal variations. Saturated landfills may not achieve ideal temperatures because the bacteria do not generate sufficient heat to raise the temperature of the excess water. Higher temperatures promote volatilization and chemical reactions with the waste so the trace gas component of landfill gas tends to increase with higher landfill temperatures.

Age of Landfill

Typically, landfills have an increasing generation of landfill gas for a number of years until closure at which time landfill gas generation reaches a peak and begins to subside. An evaluation of the age of the landfill and use of a landfill gas generation curve can be helpful in determining the likelihood of significant landfill gas concentrations from the landfill.

Landfill Cap

The type or presence of landfill cover can influence landfill gas generation and migration. Although a low permeability cap will reduce moisture and landfill gas generation over the longer term, initially, the installation of a landfill cap could drive landfill gas migration further from the landfill in the subsurface without proper ventilation (either passive or active). This is especially true in the case of unlined (unvented) landfills.

Water Table

Landfill gas movement in unlined landfills may be influenced by groundwater table variations. A rising water table could cause displacement and force upward movement of landfill gas.

Man-made and Natural Conduits

Structures such as drains, trenches, and buried utility corridors can act as conduits for landfill gas migration. Geologic features including fractured bedrock, porous soil, and permeable strata also provide conduits for landfill gas migration

Landfill Liner Conditions

The presence of a Subtitle-D (or equivalent) landfill liner has the capability to limit the lateral migration of landfill gas in the subsurface. Unlined landfills have no barrier to prevent lateral landfill gas migration in the subsurface.

Weather Conditions

Barometric pressure and precipitation have significant effects on landfill gas migration. Increased barometric pressure yields decreased landfill gas venting from the subsurface, until the pressure within the subsurface is greater than the atmospheric (barometric) pressure. Conversely, as the barometric pressure decreases, the landfill will vent the stored gas until pressure equilibrium is reached. Capping of a landfill can influence the effect of barometric pressure on landfill gas migration. Generally, a more permeable landfill cap will allow greater influence by barometric pressure than a less permeable landfill cap.

SECTION 3 – Current Solid Waste Section Rules Pertaining to Landfill Gas Monitoring

Web link to the 15A NCAC 13B rules - <http://portal.ncdenr.org/web/wm/sw/rules>

15A NCAC 13B

.0101- DEFINITIONS

.0101 (14) "Explosive gas" means Methane (CH₄)

.0101(25) "Lower explosive limit" (LEL) means the lowest percent by volume of a mixture of explosive gases which will propagate a flame in air at 25 degrees Celsius and atmospheric pressure.

.0503 - SITING AND DESIGN REQUIREMENTS FOR DISPOSAL FACILITIES

.0503(2) A site shall meet the following design requirements:

- (a) The concentration of explosive gases generated by the site shall not exceed:
 - (i) twenty-five percent of the limit for the gases in site structures (excluding gas control or recovery system components); and
 - (ii) the lower explosive limit for the gases at the property boundary;

.0543 - CLOSURE AND POST-CLOSURE REQUIREMENTS FOR C&DLF FACILITIES

.0543(e) Post-closure criteria.

- (1) Following closure of each C&DLF unit, the owner and operator must conduct post-closure care. Postclosure care must be conducted for 30 years, except as provided under Subparagraph (2) of this Paragraph, and consist of at least the following:
 - (C) maintaining and operating the gas monitoring system in accordance with the requirements of Rule .0544 of this Section; and
- (2) The length of the post-closure care period may be:
 - (A) decreased by the Division if the owner or operator demonstrates that the reduced period is sufficient to protect human health and the environment and this demonstration is approved by the Division; or
 - (B) increased by the Division if the Division determines that the lengthened period is necessary to protect human health and the environment.

.0544 - MONITORING PLANS AND REQUIREMENTS FOR C&DLF FACILITIES

.0544(d) Gas Control Plan

- (1) Owners and operators of all C&DLF units must ensure that:
 - (A) the concentration of methane gas or other explosive gases generated by the facility does not exceed 25 percent of the lower explosive limit in on-site facility structures (excluding gas control or recovery system components);
 - (B) the concentration of methane gas or other explosive gases does not exceed the lower explosive limit for methane or other explosive gases at the facility property boundary; and
 - (C) the facility does not release methane gas or other explosive gases in any concentration that can be detected in offsite structures.
- (2) Owners and operators of all C&DLF units must implement a routine methane monitoring program to ensure that the standards of this Paragraph are met.
 - (A) The type of monitoring must be determined based on soil conditions, the Hydrogeologic conditions under and surrounding the facility, hydraulic conditions on and surrounding the facility, the location of facility structures and property boundaries, and the location of all offsite structures adjacent to property boundaries.

- (B) The frequency of monitoring shall be quarterly or as approved by the Division.
- (3) If methane or explosive gas levels exceeding the limits specified in Subparagraph (d)(1) of this Rule are detected, the owner and operator must:
 - (A) immediately take all steps necessary to ensure protection of human health and notify the Division;
 - (B) within seven days of detection, place in the operating record the methane or explosive gas levels detected and a description of the steps taken to protect human health; and
 - (C) within 60 days of detection, implement a remediation plan for the methane or explosive gas releases, place a copy of the plan in the operating record, and notify the Division that the plan has been implemented. The plan must describe the nature and extent of the problem and the proposed remedy.
- (4) Based on the need for an extension demonstrated by the operator, the Division may establish alternative schedules for demonstrating compliance with Parts (3)(B) and (3)(C) of this Paragraph.
- (5) For purposes of this Item, "lower explosive limit" means the lowest percent by volume of a mixture of explosive gases in air that will propagate a flame at 25 C and atmospheric pressure.

.0566 - OPERATIONAL REQUIREMENTS FOR LAND CLEARING/INERT DEBRIS (LCID) LANDFILLS

- .0566(13) The concentration of explosive gases generated by the facility shall not exceed:
 - (a) Twenty-five percent of the lower explosive limit for the gases in facility structures.
 - (b) The lower explosive limit for the gases at the property boundary.

.1626 – OPERATIONAL REQUIREMENTS FOR MSWLF FACILITIES

- .1626(4) Explosive gases control.
 - (a) Owners or operators of all MSWLF units must ensure that:
 - (i) The concentration of methane gas generated by the facility does not exceed 25 percent of the lower explosive limit for methane in facility structures (excluding gas control or recovery system components); and
 - (ii) The concentration of methane gas does not exceed the lower explosive limit for methane at the facility property boundary.
 - (b) Owners or operators of all MSWLF units must implement a routine methane monitoring program to ensure that the standards of (4)(a) are met. A permanent monitoring system shall be constructed on or before October 9, 1994. A temporary monitoring system shall be used prior to construction of the permanent system.
 - (i) The type and frequency of monitoring must be determined based on the following factors:
 - (A) Soil conditions;
 - (B) The hydrogeologic conditions surrounding the facility;
 - (C) The hydraulic conditions surrounding the facility; and
 - (D) The location of facility structures and property boundaries.
 - (ii) The minimum frequency of monitoring shall be quarterly.
 - (c) If methane gas levels exceeding the limits specified in (4)(a) are detected, the owner or operator must:
 - (i) Immediately take all necessary steps to ensure protection of human health and notify the Division;
 - (ii) Within seven days of detection, place in the operating record the methane gas levels detected and a description of the steps taken to protect human health; and
 - (iii) Within 60 days of detection, implement a remediation plan for the methane gas releases, place a copy of the plan in the operating record, and notify the Division that the

plan has been implemented. The plan shall describe the nature and extent of the problem and the proposed remedy.

(iv) Based on the need for an extension demonstrated by the operator, the Division may establish alternative schedules for demonstrating compliance with (4)(c)(ii) and (iii) of this Rule.

(d) For purposes of this Item, "lower explosive limit" means the lowest percent by volume of a mixture of explosive gases in air that will propagate a flame at 25°C and atmospheric pressure.

.1626(10) Recordkeeping requirements.

(a) The owner or operator of a MSWLF unit must record and retain at the facility, or an alternative location near the facility approved by the Division, in an operating record the following information as it becomes available:

(iii) Gas monitoring results and any remediation plans required by Item (4) of this Rule;

.1627 – CLOSURE AND POST CLOSURE REQUIREMENTS FOR MSWLF ACTIVITIES

.1627(d) Post-Closure Criteria

(1) Following closure of each MSWLF unit, the owner or operator shall conduct post-closure care. Post-closure care shall be conducted for 30 years, except as provided under Subparagraph (2) of this Paragraph, and consist of at least the following:

(D)-Maintaining and operating the gas monitoring system in accordance with the requirements of Rule .1626 of this Section.

(2) The length of the post-closure care period may be:

(A) Decreased by the Division if the owner or operator demonstrates that the reduced period is sufficient to protect human health and the environment and this demonstration is approved by the Division; or

(B) Increased by the Division if the Division determines that the lengthened period is necessary to protect human health and the environment.

(3) Following completion of the post-closure care period for each MSWLF unit, the owner or operator shall notify the Division that a certification, signed by a registered professional engineer, verifying that post-closure care has been completed in accordance with the post-closure plan, has been placed in the operating record.

NOTES:

Based on the referenced rules above, the following words / phrases are presently in the Solid Waste Section rules pertaining to methane and explosive landfill gas.

Rule .0101(14) states: "*Explosive gas means Methane (CH)*".

Rule .0503 (2)(a) refers to "*explosive gases*".

Rule .0544(d) refers to "*Gas Control Plan*"

Rule .0544(d)(1) refers to "*methane or other explosive gases*".

Rule .0544(d)(2) refers to "*methane monitoring program*"

Rule .0544(d)(3) refers to "*methane or explosive gas levels*"

Rule .0566 (13) refers to "*explosive gases*".

Rule .1626 (4) refers to "*explosive gases control*"

Rule .1626(4)(a-b) refers to "*methane monitoring*" and "*methane monitoring program*".

Monitoring Goals

Landfill design and landfill gas monitoring regulations in North Carolina require that there not be an exceedance of 100% of the Lower Explosion Limit (LEL) (equivalent to 5% methane) at the property boundary, or 25% LEL in on-site structures. These regulations were developed over time to protect the health and safety of the citizens of North Carolina and the U.S. from the asphyxiation and explosive hazards of landfill gas.

NC Rule History

A review of NC landfill guidance documents and regulations from 1972 to the present indicates that from 1972 through 1982, there was no mention of design requirements regarding the control of landfill gas, nor were there any landfill monitoring requirements for landfill gas. In 1982, the regulations were changed to require that sanitary landfill design prevent landfill gas concentrations of 100% LEL at the property boundary line and 25% inside on-site structures. Although a design requirement was added, no design requirement was established to determine if the design requirement was being met. In 1993 with the establishment of .1600 rules, requirements for designs to limit landfill gas levels to below 100% at the property boundary line and 25% in on-site structures and monitoring of landfill gas concentrations around the perimeter of the landfill and inside on-site structures were adopted.

SECTION 4 – Landfill Gas Incidents and Explosions

Hazards Involving Landfill Gas

Landfill fires may or may not be directly caused by landfill gas. The primary concern with these fires is air contamination from the resulting smoke; however they also present a variety of additional problems. In addition to concerns with containing and extinguishing landfill fires, potential reactions involving unknown chemicals in the landfill can cause uncertain hazards. Discarded consumer products in a landfill, such as pesticides, paints, solvents, cleaners, and other material can be the source of chemical releases. Heat from the fire can cause chemicals to volatilize, breakdown, and enter the environment. Also to be considered is the presence of other combustible gases in addition to methane. Whenever an environmental investigation of a landfill is prompted by odorous compounds or explosive gases, the presence of toxic substances should also be investigated. One example is hydrogen sulfide (H₂S) that can cause asphyxiation and is flammable. An analysis should include alkyl benzenes, sulfur compounds, vinyl chloride, and methane, and other products associated with industrial wastes, construction and debris waste, and normal organic and inorganic waste.

Fires and explosion hazards become a concern when gases collect in confined spaces. Buildings, basements, and pits are typically regarded as confined spaces. However, landfill gases also collect in and migrate to cracks in the landfill cover, leachate “springs”, cracks in adjacent structures, paved parking areas, etc. Fires can occur on the surface and underground. Surface fires involve recently buried waste near the surface in an aerobic decomposing layer, typically 1 to 4 feet below ground. These fires can be intensified by subsurface landfill gas and spread throughout the landfill. Subsurface fires occur deeper within the landfill, involve material buried for months or years, and can burn for days and months.

The following is a brief summary of some incidents involving landfill gas migration from landfills:

- 2007 Four employees died as a result of exposure to high concentrations of hydrogen sulfide while attempting to repair a leachate pump at a C&D landfill in Superior, Wisconsin (Journal of Environmental Health 2008).
- 1999 An 8-year old girl was burned on her arms and legs when playing in an Atlanta, Georgia playground. The area was reportedly used as an illegal dumping ground many years ago (Atlanta Journal-Constitution 1999).
- 1994 While playing soccer in a park built over an old landfill in Charlotte, North Carolina, a woman was seriously burned by a methane explosion (Charlotte Observer 1994).
- 1987 Offsite landfill gas migration is suspected to have caused a house to explode in Pittsburgh, Pennsylvania (EPA 1991).
- 1984 Landfill gas migrated to and destroyed one house near a landfill in Akron, Ohio. Ten houses were temporarily evacuated (EPA 1991).
- 1983 An explosion destroyed a residence across the street from a landfill in Cincinnati, Ohio. Minor injuries were reported (EPA 1991).
- 1975 In Sheridan, Colorado, landfill gas accumulated in a storm drain pipe that ran through a landfill. An explosion occurred when several children playing in the pipe lit a candle, resulting in serious injury.

1969 Methane gas migrated from an adjacent landfill into the basement of an armory in Winston-Salem, North Carolina. A lit cigarette caused the gas to explode, killing three men and seriously injuring five others (USACE 1984).

SECTION 5 - Landfill Gas Monitoring Wells

Locations

Landfill gas monitoring well locations will be site specific depending upon site geology, depth to groundwater, surface water features, on-site and off-site structures and sensitive receptors. The landfill gas monitoring wells must be spaced no more than 500 feet apart depending upon site specifics. A readily accessible, unobstructed path must be maintained so that landfill gas monitoring wells are always accessible using four-wheel drive vehicles. Regardless of site specifics, the permittee must obtain approval from the Solid Waste Section for the design and installation of any landfill gas monitoring well system.

Well Construction and Installation

Landfill gas monitoring wells are the same as groundwater monitoring wells with two exceptions. Landfill gas monitoring wells are installed just above the water table within the unsaturated zone and are equipped with a stopcock valve or a quick connect coupling on the cap, which allows for accurate landfill gas measurements. The stopcock valve must be equipped with flexible tubing and a barb connection that will fit the gas meter's inlet tube. The stopcock valve or a quick connect coupling must be closed between monitoring events. The landfill gas monitoring well must also be capped, locked, and labeled with a permanently affixed identification plate stating the well contractor name and certification number, date of well completion, total depth of well, screen length and well ID number. See detailed schematics of a landfill gas monitoring well (Figure 1).

The depth of each landfill gas monitoring well will be site specific depending upon depth to groundwater. Landfill gas monitoring wells must be constructed the same as groundwater monitoring wells as described in 15A NCAC Subchapter 2C. Typically landfill gas monitoring wells must be installed using 2" PVC piping and screen. The screen length, also site specific, must span the majority of the unsaturated zone while still allowing for proper well construction. A North Carolina Licensed/Professional Geologist must be present to supervise the installation of all landfill gas monitoring wells. The exact locations, screened intervals, and nesting of the wells must be approved by the Solid Waste Section Hydrogeologist prior to landfill gas monitoring well installation. Each landfill gas monitoring well must be surveyed for location and elevation by a North Carolina Registered Land Surveyor. Within thirty (30) days of the completed construction of each new landfill gas monitoring well, the well construction record (Division of Water Quality form GW-1b) and the boring log/well detail diagram of each well must be submitted to the Solid Waste Section. The submittal must also include a scaled topographic map showing the location and identification of new, existing and abandoned landfill gas monitoring wells.

Nested and Clustered Landfill Gas Monitoring Wells

Nested and/or clustered landfill gas monitoring wells may be required in unsaturated zones of 45 feet or more to measure specific depths of the unsaturated zone. Initially, the installation of one long screen shall be sufficient. If a monitoring event shows an exceedance of the lower explosive limit, then the Solid Waste Section may require the installation of nested and/or clustered landfill gas monitoring wells.

Abandonment of Wells

An abandonment record must be submitted to the Solid Waste Section within 30 (thirty) days of the abandonment of a landfill gas monitoring well. The landfill gas monitoring well(s) must be overdrilled and sealed with grout in accordance with 15A NCAC 2C .0113(d) and certified by a North Carolina Licensed/Professional Geologist.

Professional Certification

The certification statement below must be signed and sealed by a Professional Geologist and submitted with the Landfill Gas Monitoring Plan.

The landfill gas monitoring plan for this facility has been prepared by a qualified geologist who is licensed to practice in the State of North Carolina. The plan has been prepared based on first-hand knowledge of site conditions and familiarity with North Carolina solid waste rules and industry standard protocol. This certification is made in accordance with North Carolina Solid Waste Regulations, indicating this Landfill Gas Monitoring Plan should provide early detection of any release of hazardous constituents to the uppermost aquifer, so as to be protective of public health and the environment. No other warranties, expressed or implied, are made.


Signed _____

Printed _____

Date _____

Not valid unless this document bears the seal of the above mentioned licensed professional.

Figure 1 – Landfill Gas Monitoring Well Detail



SECTION 6 – Landfill Gas Monitoring Instrumentation

The person using the landfill gas monitoring instrument must understand the principles of operation and follow the manufacturer's instructions. This includes calibrating the instrument according to the manufacturer's specifications. Include the following on the top portion of the landfill gas monitoring form (See example below) : facility name, permit number, type and serial number of gas monitoring instrument, calibration date of the instrument, date and time of field calibration, type of gas used for field calibration (15/15 or 35/50), expiration date of field calibration gas canister, date of landfill gas monitoring event, name and position of sample collector, pump rate of instrument being used, ambient air temperature, and general weather conditions. Verification that the equipment was calibrated in accordance with the manufacturer's specifications is also required. When determining which field calibration gas to use, take into consideration the expected levels of methane in the landfill gas monitoring wells. If the methane levels are expected to be low, use the 15/15 gas canister (15% CO₂/15% CH₄). If the methane levels are expected to be high, use the 35/50 gas canister (35% CO₂/50% CH₄).

For every landfill gas monitoring well, please include the following: verification of sample tube purge prior to each sample taken (should be one minute), the time pumped in seconds (should be at least one minute), barometric pressure, time stabilized reading collected, percent lower explosive limit, percent methane by volume, percent oxygen, percent carbon dioxide, and any observations or comments. Most modern gas monitoring instruments will measure percent oxygen and carbon dioxide in addition to the methane and display the results on the same instrument. Recording the levels of percent oxygen and carbon dioxide should require little or no extra effort.

The landfill gas monitoring data form (See example below) and results should be retained in the facility's operating record unless an exceedance has occurred and/or is requested by the Solid Waste Section.

Landfill gas monitoring readings from non-calibrated or inaccurately calibrated instruments are not reliable, and will therefore be rejected by the Solid Waste Section. Landfill gas monitoring readings collected with monitoring equipment that was not designed for landfill gas monitoring will also be rejected by the Solid Waste Section. There are several different landfill gas monitoring instruments on the market which may be used in order to obtain all of the information required by the Solid Waste Section.

Monitoring Times

Monitoring times are also important when conducting landfill gas monitoring. Proper landfill gas monitoring should include sampling during times when landfill gas is most likely to migrate. Landfill gas can migrate and accumulate not only in landfill gas monitoring wells; it can also migrate and accumulate in buildings and other structures. Because subsurface gas pressures are considered to be at a maximum during the afternoon hours, monitoring should be conducted in the afternoon or whenever the barometric pressure is low.

Scientific evidence also indicates that weather and soil conditions influence the migration of landfill gas. Barometric pressure and precipitation have significant effects on landfill gas migration. Increased barometric pressure generates decreased landfill gas venting from the subsurface, until the pressure within the subsurface is greater than the atmospheric (barometric) pressure. On the other hand, when the barometric pressure decreases, the landfill will vent the stored gas until a pressure equilibrium is reached. Capping of a landfill can influence the effect of barometric pressure on landfill gas migration. Generally, a more permeable landfill cap will allow greater influence by barometric pressure than a less permeable

landfill cap. As a result, landfill gas monitoring should be conducted when the barometric pressure is low and soils are saturated. During the winter season when snow cover is just beginning to melt or when the ground is frozen or ice covered, landfill gas monitoring should be conducted when the barometric pressure is low.

Landfill Gas Sampling Procedures

Any accumulation of landfill gas in the landfill gas monitoring wells is the result of landfill gas migration. The following procedure is a recommended example for conducting landfill gas monitoring well sampling, but always read and follow the manufacturer's instructions because each instrument will be different.

Step 1 – Calibrate the instrument according to the manufacturer's specifications. In addition, prepare the instrument for monitoring by allowing it to properly warm up as directed by the manufacturer. Make sure the static pressure shows a reading of zero on the instrument prior to taking the first sample.

Step 2 – Purge sample tube for at least one minute prior to taking reading. Connect the instrument tubing to the landfill gas monitoring well cap fitted with a stopcock valve or quick connect coupling.

Step 3 – Open the valve and record the initial reading and then the stabilized reading. A stable reading is one that does not vary more than 0.5 percent by volume on the instrument's scale.

Step 4 - Record the stabilized reading including the oxygen concentration and barometric pressure. A proper reading should have two percent oxygen by volume or less. If levels of oxygen are higher, it may indicate that air is being drawn into the system giving a false reading.

Step 5 – Turn the stopcock valve to the off position and disconnect the tubing.

Step 6 – Proceed to the next landfill gas monitoring well and repeat Steps 2 – 5.

Landfill Gas Constituent Sampling and Analysis

Sampling of landfill gas to determine volume percentages/concentrations of each constituent can be accomplished through the use of canisters which are specifically designed for landfill gas analysis. Several analytical methods are available to determine the concentrations of a variety of constituents. Typically, landfill gas analysis of this type is performed to determine the non-methane organic compounds emission rate for Tier 2 testing under the Clean Air Act (Title V Subpart WWW 60.754). Isotopic identification of landfill methane can be accomplished to identify one source of methane from another. In this case, isotopes of carbon and hydrogen in the methane are analyzed to determine the methane source.

SECTION 7 - References

Agency for Toxic Substances & Disease Registry. “Landfill Gas Primer- An Overview for Environmental Health Professionals. 2001.” <http://www.atsdr.cdc.gov/HAC/landfill/html/toc.html> (accessed February 24, 2010).

California Environmental Protection Agency. “Landfill Gas Monitoring Well Functionality at 20 California Landfills, 2008”. <http://www.calrecycle.ca.gov/Publications/Organics/2008022.pdf> (accessed February 24 2010).

Florida Department of Environmental Protection. Gas Management Systems, under Rule 62-701.530. http://www.dep.state.fl.us/waste/quick_topics/rules/default.htm (accessed February 24, 2010).

Missouri Department of Natural Resources, Flood Grant Team. “An Analysis of Landfill Gas Monitoring Well Design and Construction, 2007”. http://www.clu-in.org/conf/itrc/directpush/prez/Missouri_Study.pdf (accessed February 24, 2010).

Missouri Department of Natural Resources. “Design and Construction of Landfill Gas Monitoring Wells”. <http://www.dnr.missouri.gov/pubs/pub2054.pdf> (accessed February 24, 2010).

Wisconsin Department of Natural Resources. Environmental Monitoring for Landfills, under Chapter NR 507.22. <http://www.dnr.state.wi.us/org/aw/wm/information/wiacsss.htm> (accessed February 24, 2010).

“Landfill Gas-an Overview” Landfill-gas.com. Web, 22, Feb. 2010
<http://www.landfill-gas.com/webpage -LFG-overview.doc>

SECTION 8 – Suggested Outline for a Landfill Gas Monitoring Plan

1. Introduction
 - 1.1. Background (project overview, site observations, NCDENR rules referenced)
 - 1.2. Site Geology with discussion of groundwater depth and flow (potentiometric surface map)
 - 1.3. Regulatory Limits
2. Landfill Gas Monitoring
 - 2.1. Landfill Gas Monitoring Well Locations (discussion of reasoning behind proposed locations, discussion of well construction, reference map showing proposed locations, reference table displaying well ID, well depth, screen interval and depth to groundwater)
 - 2.2. Structure and Ambient Sampling
 - 2.3. Landfill Gas Monitoring Frequency
3. Landfill Gas Sampling Procedures
 - 3.1. Detection Equipment Used (discussion of calibration procedures)
 - 3.2. Landfill Gas Sampling Procedure
4. Record Keeping and Reporting
 - 4.1. Landfill Gas Monitoring Data Form
 - 4.2. Sampling Reports
 - 4.3. Permanent Record Keeping
5. Contingency Plan
6. Certification of Professional Geologist
7. Certification of Registered Land Surveyor

Figures

Map displaying proposed landfill gas monitoring well locations

Potentiometric Surface Map

Diagram showing construction of stopcock valve or quick connect coupling on well cap

Diagram showing well construction of each landfill gas monitoring well

Table

Table displaying well ID, well depth, screen interval, depth to groundwater

Example of landfill gas monitoring data form

SECTION 9 – Checklist of Items to be Included in a Landfill Gas Monitoring Plan

1. Depth to groundwater discussion
2. Well locations
 - a. Number of wells
 - b. Well spacing
3. Instrumentation being used
 - a. Calibration procedures
4. Sampling procedures as per the manufacture's instructions
5. Map of well locations
6. Table describing each well location
 - a. Well ID
 - b. Well depth
 - c. Screen interval
 - d. Depth to groundwater
 - e. Subsurface lithology
7. Diagram of cap construction w/ stopcock valve or quick connect coupling
8. Diagram of well construction
9. Potentiometric surface map
10. Professional Geologist certification
11. Registered Land Surveyor certification

Appendix B
Landfill Gas Monitoring Data Form
(Intended to be most recent version)

Appendix C
Responses to SWS Comments
(August 27, 2013)

Subject: Iredell Landfill (49-03) LFG Plan DRAFT (8_27_13)

From: Jonathan Pfohl <jpfohl@mesco.com>

Date: 8/27/2013 12:12 PM

To: "Wootton, Brian" <brian.wootton@ncdenr.gov>

Hi,

Responses to your comments are shown in black font below.

The attached LFG plan draft was revised to include some additional information based on your comments and they are shown in red font for ease of review.

Attached Figures 1-3 were revised and a new superimposed aerial photograph (Figure 4) are attached to demonstrate the LFG plan as originally proposed in the draft is reasonable.

Hard copies will gladly be delivered to you upon request.

Please review these responses to your comments and the revised attached draft.

In your response please indicate if you want these comments (i.e. add sewer line details) presented in the official plan.

The next quarterly event is scheduled for the end of this month and our goal is to initiate this new plan at that time.

Thank You,

Jonathan

On 8/5/2013 9:45 AM, Wootton, Brian wrote:

Jonathan,

Thank you for submitting the Draft Landfill Gas Monitoring Plan. I have just a few questions/clarification requests of the Plan, as mentioned below.

- According to Figures 1 & 2, there is a sewer line easement delineated that extends from near gas monitoring well, MP-6 to the west of MP-9A (northwest portion of the facility) and the creeks are highlighted as perennial. Please confirm the status of these creeks where the sewer lines intersect the creeks (i.e. is there flow in the streams also during drought /dry periods?).

The west to east running unnamed tributary to Fourth Creek that parallels the sewer-line is definitely perennial thus always has base-flow. The creek is designated perennial on USGS topo maps and surface water samples have consistently been collected at three points in Jan. & July every year for the past 19 years. The two south flowing tributaries that flank the PH 3&4 landfill unit are intermittent per USGS topo maps (Figures were revised). However, these two tributaries have consistently been observed to contain base-flow the past 20+ years as reported by the facility field supervisor.

Does this sewer line extend off the facility premises to the west / northwest and north to the adjacent properties. ?

To the west. The sewer-line crosses onto the west ad-joiner operated as the Sherril Industrial Park (Figures have been revised). However, the sewer-line crosses the far west intermittent tributary with the top portion of the pipe exposed to the atmosphere and the suspected gravel bedding beneath the pipe likely beneath the water table which should restrict potential horizontal LFG migration beyond the west property line.

Are there any residences located on adjacent properties located to the west of Active Phase 4 and north of Phase 1 that could possibly be impacted by migrating landfill gas. The Solid Waste Section (SWS) has concerns that any potential gas can migrate the along the outside portion of utilities lines that are encapsulated in a permeable material such as pea gravel, loose backfill, etc. and cross over any dry creek beds.

There are no residences immediately west of Phase 4. The west ad-joiner is a large warehouse operated by Ozburn Hesse Logistics, owned by NK Statesville and operated as part of the Sherril Industrial Park. North of Phase 1 is another 144 acre tract owned by Iredell County a portion which is operated as Twin Oaks Golf Course. This Iredell owned golf course is bounded at the south by a perennial unmanned tributary to Fourth Creek. The only known buried utility lines in the referenced areas is the sewer-line. A review of the designed sewer line plan details and consultation with the design engineer indicate that at underground creek crossings the pipe and bedding are beneath the water table and surrounded by a concrete encasement which should effectively inhibit LFG migration potential.

The referenced sewer line segment does cross onto adjoining properties at three locations.

1. Onto NK Statesville properties at the west of Ph 4 but potential LFG is likely restricted by a hydraulic barrier and atmosphere venting (Figure 1).
2. Onto Maarsen Land Management LLC properties south of Phases 3&4 but LFG is restricted by atmospheric venting since the sewer line aerials above the perennial stream (Figure 1).
3. Onto Statesville Country Club property ~0.9 miles northeast of Phase 2 but LFG is restricted by crossing under hydraulic barriers six times and arialing over creeks twice .

- Also depicted on Figures 1&2 is another tributary creek between the facility maintenance shop, the Baler Office/Room, the Scale House; and Phase 2 of the MSWLF. As noted in the narrative portion of the Draft Plan, there is language about deleting the requirement to monitor the these facility structures. Please also provide the following information / clarification to determine whether or not deletion of monitoring of these facility structures is warranted.
 - o Confirm the status of the creek between groundwater monitoring well, MW-8 and the subject facility structures mentioned above. Is there flow in the creek also during drought periods ? Are there any utility lines that lead to these facility structures that may serve as conduits for migrating landfill gas from the eastern C&D and MSWLF phases toward the facility structures?

The south-north running creek between MW-8 and the structures is intermittent per USGS topo maps and the Figures have been revised accordingly. However this creek has consistently been identified as the local uppermost aquifer discharge feature and surface water sample point SW-3, midpoint of the segment, has consistently been sampled semi-annually for the past 19 years. In the unlikely event base-flow would temporarily cease in the future in response to severe drought conditions potential LFG migration would likely vent to the atmosphere from the highly permeable loose sandy channel material. The only identified underground utility lines in this area are the sewer line which crosses below the water table and the leachate lagoon discharge pipe which aerials across the creek bed which both inhibit potential LFG from migrating towards the structures.

- o Is there any active ambient gas monitoring with detection alarm systems currently taking place in the facility structures?

Yes, the structures labeled (SCALEHOUSE, BALER OFFICE & MAINT SHOP) have dedicated methane

detectors installed in locations designated by the fire marshall as most susceptible to methane accumulation. The BALER ROOM does not have a detector but it is an open shed without two of the four walls so LFG accumulation potential is negligible.

If yes, how long has this type of monitoring been occurring?

Dedicated structure monitoring has been ongoing since 2007 with no alarm events reported. The dedicated methane detectors are planned to continue to be in continuous operation.

- According to Figures 1 & 2, there is a delineated statement about the adjacent Twin Oaks Golf Course. Where is the southern boundary of the golf course?

The golf course property is contiguous to the landfill which are both owned by Iredell County so in respect to LFG monitoring compliance the southern boundary of the golf course is irrelevant.

If the southern boundary of the golf course is south of gas monitoring well MP-8-2, and the Fourth Creek Tributary, then monitoring of this well and other gas wells in this vicinity maybe necessary.

Monitoring in the center of Iredell County owned property is unnecessary when bounded by the west-east perennial creek which serves as a hydraulic barrier to LFG migration.

- According to Figures 1 & 2, there are some ephemeral streams delineated near MP-23, MP-24, MP-25, MP-13, MP-12, and MP-11. These drawings and the narrative of the draft plan mention to delete sampling of these gas monitoring wells. Continued monitoring of these gas wells maybe necessary, since these streams are listed as ephemeral and could gas potentially migrate across these areas during dry periods.

These streams are depicted as ephemeral on USGS maps. However, we contend that the far west stream acts as a hydraulic barrier to LFG migration since it has been observed to consistently contain base-flow. The far west stream has consistently contained base-flow for more than the past 20 years as reported by facility field supervisor. Jonathan Pfohl of MESCO has consistently observed base-flow for more than 16 years and surface water samples (SW-3) have been collected from this stream in January and July for the past 19 years. Previous study of this stream in 2004 concluded and concurred by the SWS that it is the local groundwater discharge feature. In the unlikely event base-flow temporarily recedes in response to severe drought conditions LFG would likely vent to the atmosphere through the (< 1 foot) of highly permeable loose sandy channel material rather than migrate beyond the channel.

- The suggestions you made in red font boxes on the Solid Waste Section's Landfill Gas Monitoring Guidance Document are O.K. to abide by, but to avoid confusion, please revise by removing the written comments from this guidance document and state the suggestions in the narrative portion of the Gas Monitoring Plan.

OK, guidance document will not be edited but comments will be made in the narrative portion of the final LFG plan.

Please call or e-mail me if you have any questions.

Thank you,

Brian

Brian Wootton, Hydrogeologist
Solid Waste Section
Division of Waste Management
1646 Mail Service Center
Raleigh, NC 27699-1646
217 West Jones Street,
tel: 919-707-8258
Brian.Wootton@ncdenr.gov<mailto:Brian.Wootton@ncdenr.gov>
<http://portal.ncdenr.org/web/wm/sw>

Email correspondence to and from this address may be subject to the NC Public Records Law and may be disclosed to third parties

From: Jonathan Pfohl [<mailto:jpfohl@mesco.com>]
Sent: Tuesday, July 30, 2013 8:51 AM
To: Wootton, Brian; David Lambert
Subject: Iredell Landfill (49-03) LFG Plan DRAFT (7_30_13)

Dear Mr. Wootton,

Attached is the *DRAFT Landfill Gas Monitoring Plan* for the entire Iredell County Solid Waste Facility (49-03).

As previously discussed this plan is initially being submitted for review as a draft. Please give us your specific comments/mark-ups and we'll revise and re-submit for final approval. A response prior to September would be appreciated. I've also sent a hard copy (with larger drawings) to your attention today.

Thank You Very Much,
Jonathan

--
Jonathan Pfohl
Municipal Engineering Services
PO Box 97
Garner NC 27529
Phone: (919) 772-5393
Fax: (919) 772-1176
Mobile (919) 696-1383

--
Jonathan Pfohl
Municipal Engineering Services
PO Box 97
Garner NC 27529
Phone: (919) 772-5393
Fax: (919) 772-1176
Mobile (919) 696-1383

— Attachments: —

Iredell (49-03) LFG Plan DRAFT 8_27_13.pdf

11.1 MB

Appendix D
Technical Review and Approval Letter
(DIN:19613 August 28, 2013)



North Carolina Department of Environment and Natural Resources
Division of Waste Management

Pat McCrory
Governor

Dexter R. Matthews
Director

John E. Skvarla, III
Secretary

Solid Waste Section

August 29, 2013

Mr. David Lambert, Solid Waste Director
Iredell County MSW Landfill
354 Twin Oaks Road
Statesville, NC 28625-6447

Re: Technical Review and Approval Letter for
Landfill Gas Monitoring Plan- Modification
Iredell County Subtitle D & Closed Unlined C&D Landfill, - Permit No. 49-03
Iredell County, North Carolina
Document ID No. (Doc ID) 19613

Dear Mr. Lambert:

The North Carolina Solid Waste Section (SWS) has completed a technical review of the modified Landfill Gas Monitoring Plan (DIN 19612), submitted by Municipal Engineering Company, P.A. on August 28, 2013 for the entire facility; which encompasses the lined MSW landfills (Phases 1, 2, 3, 4, 5, and future 6), the closed C&D (Phases 1, 2, and 3), and facility structures. The SWS approves the referenced plan and this Landfill Gas Monitoring Plan shall supersede previous landfill gas monitoring plans at this facility.

If you have any questions, you may contact me at (919) 707-8258.

Sincerely,

Brian Wootton
Hydrogeologist
Solid Waste Section

cc: Jonathan Pfohl, Municipal Engineering, Inc.
D. Mark Durway, Municipal Engineering, Inc.
Ed Mussler, NC Solid Waste Section
John Murray, NC Solid Waste Section
Ervin Lane, NC Solid Waste Section
Teresa Bradford, NC Solid Waste Section

Appendix E
LFG Probe Completion Logs

MP5-1

WELL CONSTRUCTION RECORD

This form can be used for single or multiple wells

I. Well Contractor Information:

Steve Thompson

Well Contractor Name

3579-A

NC Well Contractor Certification Number

Akers Environmental

Company Name

2. Well Construction Permit #: pre-approved by SWS DIN:19613

List all applicable well permits (i.e. County, State, Variance, Injection, etc.)

3. Well Use (check well use):

Water Supply Well:

- Agricultural Municipal/Public
- Geothermal (Heating/Cooling Supply) Residential Water Supply (single)
- Industrial/Commercial Residential Water Supply (shared)
- Irrigation

Non-Water Supply Well:

- Monitoring LFG Migration Monitoring Recovery

Injection Well:

- Aquifer Recharge Groundwater Remediation
- Aquifer Storage and Recovery Salinity Barrier
- Aquifer Test Stormwater Drainage
- Experimental Technology Subsidence Control
- Geothermal (Closed Loop) Tracer
- Geothermal (Heating/Cooling Return) Other (explain under #21 Remarks)

4. Date Well(s) Completed: 10/6/14 Well ID# MP5-1

5a. Well Location:

Iredell Co. MSWLF Ph 5

49-03

Facility/Owner Name

Facility ID# (if applicable)

354 Twin Oaks Road

Physical Address, City, and Zip

Statesville NC 28625

4753697097

County

Parcel Identification No. (PIN)

5b. Latitude and Longitude in degrees/minutes/seconds or decimal degrees: (if well field, one lat/long is sufficient)

35.76253 N 80.84605 W

6. Is (are) the well(s): Permanent or Temporary

7. Is this a repair to an existing well: Yes or No

If this is a repair, fill out known well construction information and explain the nature of the repair under #21 remarks section or on the back of this form.

8. Number of wells constructed: 1

For multiple injection or non-water supply wells ONLY with the same construction, you can submit one form.

9. Total well depth below land surface: 31 (ft.)
For multiple wells list all depths if different (example- 3@200' and 2@100')

10. Static water level below top of casing: Well Dry but 32' BGS (ft.)
If water level is above casing, use "+"

11. Borehole diameter: 3.1 (in.)

12. Well construction method: direct push
(i.e. auger, rotary, cable, direct push, etc.)

FOR WATER SUPPLY WELLS ONLY:

13a. Yield (gpm) _____ Method of test: _____

13b. Disinfection type: _____ Amount: _____

For Internal Use ONLY:

14. WATER ZONES		
FROM	TO	DESCRIPTION
ft.	ft.	Dry
ft.	ft.	

15. OUTER CASING (for multi-cased wells) OR LINER (if applicable)				
FROM	TO	DIAMETER	THICKNESS	MATERIAL
ft.	ft.	in.		
ft.	ft.	in.		

16. INNER CASING OR TUBING (geothermal closed-loop)				
FROM	TO	DIAMETER	THICKNESS	MATERIAL
ft.	ft.	in.		
ft.	ft.	in.		

17. SCREEN					
FROM	TO	DIAMETER	SLOT SIZE	THICKNESS	MATERIAL
3.5 ft.	30.88 ft.	1 in.	0.01"	sch40	PVC
ft.	ft.	in.			

18. GROUT			
FROM	TO	MATERIAL	EMPLACEMENT METHOD & AMOUNT
0 ft.	2.5 ft.	Concrete	Mix & pour 400 lbs
2.5 ft.	3.0 ft.	Bent. Chips	Pour 15 lbs than hydrated
ft.	ft.		

19. SAND/GRAVEL PACK (if applicable)			
FROM	TO	MATERIAL	EMPLACEMENT METHOD
3.0 ft.	31 ft.	#3 Filter Sand	Gravity Pour
ft.	ft.		

20. DRILLING LOG (attach additional sheets if necessary)		
FROM	TO	DESCRIPTION (color, hardness, soil/rock type, grain size, etc.)
0 ft.	2 ft.	Silty Clay; Red
2 ft.	8 ft.	Clayey Silt; Red
8 ft.	13 ft.	Silty Sand; Med. Red
13 ft.	23 ft.	Sandy Silt; Red, Brown & Olive Gray
23 ft.	31 ft.	Sandy Silt; Olive Gray
ft.	ft.	Quick connect stopcock valve
ft.	ft.	No Rock

21. REMARKS:

LFG Migration Monitoring Well next to P-85.

Locking steel above ground case & pad installed.

22. Certification:

John S. Thompson 10/14/14
Signature of Certified Well Contractor Date

By signing this form, I hereby certify that the well(s) was (were) constructed in accordance with 15A NCAC 02C .0100 or 15A NCAC 02C .0200 Well Construction Standards and that a copy of this record has been provided to the well owner.

23. Site diagram or additional well details:

You may use the back of this page to provide additional well site details or well construction details. You may also attach additional pages if necessary.

SUBMITTAL INSTRUCTIONS

24a. For All Wells: Submit this form within 30 days of completion of well construction to the following:


Division of Water Resources, Information Processing Unit,
1617 Mail Service Center, Raleigh, NC 27699-1617

24b. For Injection Wells ONLY: In addition to sending the form to the address in 24a above, also submit a copy of this form within 30 days of completion of well construction to the following:

Division of Water Resources, Underground Injection Control Program,
1636 Mail Service Center, Raleigh, NC 27699-1636

24c. For Water Supply & Injection Wells:

Also submit one copy of this form within 30 days of completion of well construction to the county health department of the county where constructed.



MP5-2

WELL CONSTRUCTION RECORD

This form can be used for single or multiple wells

1. Well Contractor Information:

Steve Thompson

Well Contractor Name

3579-A

NC Well Contractor Certification Number

Akers Environmental

Company Name

2. Well Construction Permit #: pre-approved by SWS DIN:19613

List all applicable well permits (i.e. County, State, Variance, Injection, etc.)

3. Well Use (check well use):

Water Supply Well:

- Agricultural Municipal/Public
- Geothermal (Heating/Cooling Supply) Residential Water Supply (single)
- Industrial/Commercial Residential Water Supply (shared)
- Irrigation

Non-Water Supply Well:

- Monitoring LFG Migration Monitoring Recovery

Injection Well:

- Aquifer Recharge Groundwater Remediation
- Aquifer Storage and Recovery Salinity Barrier
- Aquifer Test Stormwater Drainage
- Experimental Technology Subsidence Control
- Geothermal (Closed Loop) Tracer
- Geothermal (Heating/Cooling Return) Other (explain under #21 Remarks)

4. Date Well(s) Completed: 10/6/14 Well ID# MP5-2

5a. Well Location:

Iredell Co. MSWLF Ph 5

49-03

Facility/Owner Name

Facility ID# (if applicable)

354 Twin Oaks Road

Physical Address, City, and Zip

Statesville NC 28625

4753697097

County

Parcel Identification No. (PIN)

5b. Latitude and Longitude in degrees/minutes/seconds or decimal degrees: (if well field, one lat/long is sufficient)

35.76128

N

80.84633

W

6. Is (are) the well(s): Permanent or Temporary

7. Is this a repair to an existing well: Yes or No

If this is a repair, fill out known well construction information and explain the nature of the repair under #21 remarks section or on the back of this form.

8. Number of wells constructed: 1

For multiple injection or non-water supply wells ONLY with the same construction, you can submit one form.

9. Total well depth below land surface: 48 (ft.)
For multiple wells list all depths if different (example- 3@200' and 2@100')

10. Static water level below top of casing: Well Dry but 32' BGS (ft.)
If water level is above casing, use "+"

11. Borehole diameter: 3.1 (in.)

12. Well construction method: direct push
(i.e. auger, rotary, cable, direct push, etc.)

FOR WATER SUPPLY WELLS ONLY:

13a. Yield (gpm) _____ Method of test: _____

13b. Disinfection type: _____ Amount: _____

For Internal Use ONLY:

14. WATER ZONES		
FROM	TO	DESCRIPTION
49 ft.	ft.	Measured at adjacent P-86
ft.	ft.	

15. OUTER CASING (for multi-cased wells) OR LINER (if applicable)				
FROM	TO	DIAMETER	THICKNESS	MATERIAL
ft.	ft.	in.		

16. INNER CASING OR TUBING (geothermal closed-loop)				
FROM	TO	DIAMETER	THICKNESS	MATERIAL
ft.	ft.	in.		
ft.	ft.	in.		

17. SCREEN					
FROM	TO	DIAMETER	SLOT SIZE	THICKNESS	MATERIAL
3.5 ft.	47.75 ft.	1 in.	0.01"	sch40	PVC
ft.	ft.	in.			

18. GROUT			
FROM	TO	MATERIAL	EMPLACEMENT METHOD & AMOUNT
0 ft.	2.5 ft.	Concrete	Mix & pour 400 lbs
2.5 ft.	3.0 ft.	Bent. Chips	Pour 15 lbs than hydrated
ft.	ft.		

19. SAND/GRAVEL PACK (if applicable)			
FROM	TO	MATERIAL	EMPLACEMENT METHOD
3.0 ft.	48 ft.	#3 Filter Sand	Gravity Pour
ft.	ft.		

20. DRILLING LOG (attach additional sheets if necessary)		
FROM	TO	DESCRIPTION (color, hardness, soil/rock type, grain size, etc.)
0 ft.	3 ft.	Silty Clay; Red
3 ft.	13 ft.	Silty Sand; Reddish Brown
13 ft.	22 ft.	Sandy Silt; Tan & Olive Gray
22 ft.	48 ft.	Silty Sand; Reddish Brown
ft.	ft.	
ft.	ft.	Quick connect stopcock valve
ft.	ft.	No Rock

21. REMARKS
LFG Migration Monitoring Well next to P-86.
Locking steel above ground case & pad installed.

22. Certification:

John S. Thompson
Signature of Certified Well Contractor

10/14/14
Date

By signing this form, I hereby certify that the well(s) was (were) constructed in accordance with 15A NCAC 02C .0100 or 15A NCAC 02C .0200 Well Construction Standards and that a copy of this record has been provided to the well owner.

23. Site diagram or additional well details:

You may use the back of this page to provide additional well site details or well construction details. You may also attach additional pages if necessary.

SUBMITTAL INSTRUCTIONS

24a. For All Wells: Submit this form within 30 days of completion of well construction to the following:


Division of Water Resources, Information Processing Unit,
1617 Mail Service Center, Raleigh, NC 27699-1617

24b. For Injection Wells ONLY: In addition to sending the form to the address in 24a above, also submit a copy of this form within 30 days of completion of well construction to the following:

Division of Water Resources, Underground Injection Control Program,
1636 Mail Service Center, Raleigh, NC 27699-1636

24c. For Water Supply & Injection Wells:

Also submit one copy of this form within 30 days of completion of well construction to the county health department of the county where constructed.



MP5-3

WELL CONSTRUCTION RECORD

This form can be used for single or multiple wells

1. Well Contractor Information:

Steve Thompson

Well Contractor Name

3579-A

NC Well Contractor Certification Number

Akers Environmental

Company Name

2. Well Construction Permit #: pre-approved by SWS DIN:19613

List all applicable well permits (i.e. County, State, Variance, Injection, etc.)

3. Well Use (check well use):

Water Supply Well:

- Agricultural Municipal/Public
 Geothermal (Heating/Cooling Supply) Residential Water Supply (single)
 Industrial/Commercial Residential Water Supply (shared)
 Irrigation

Non-Water Supply Well:

- Monitoring LFG Migration Monitoring Recovery

Injection Well:

- Aquifer Recharge Groundwater Remediation
 Aquifer Storage and Recovery Salinity Barrier
 Aquifer Test Stormwater Drainage
 Experimental Technology Subsidence Control
 Geothermal (Closed Loop) Tracer
 Geothermal (Heating/Cooling Return) Other (explain under #21 Remarks)

4. Date Well(s) Completed: 10/6/14 Well ID# MP5-3

5a. Well Location:

Iredell Co. MSWLF Ph 5

49-03

Facility/Owner Name

Facility ID# (if applicable)

354 Twin Oaks Road

Physical Address, City, and Zip

Statesville NC 28625

4753697097

County

Parcel Identification No. (PIN)

5b. Latitude and Longitude in degrees/minutes/seconds or decimal degrees: (if well field, one lat/long is sufficient)

35.760810 N 80.830832 W

6. Is (are) the well(s): Permanent or Temporary

7. Is this a repair to an existing well: Yes or No
If this is a repair, fill out known well construction information and explain the nature of the repair under #21 remarks section or on the back of this form.

8. Number of wells constructed: 1
For multiple injection or non-water supply wells ONLY with the same construction, you can submit one form.

9. Total well depth below land surface: 44 (ft.)
For multiple wells list all depths if different (example- 3@200' and 2@100')

10. Static water level below top of casing: 46.95 (ft.)
If water level is above casing, use "+"

11. Borehole diameter: 3.1 (in.)

12. Well construction method: direct push
(i.e. auger, rotary, cable, direct push, etc.)

FOR WATER SUPPLY WELLS ONLY:

13a. Yield (gpm) Method of test:

13b. Disinfection type: Amount:

For Internal Use ONLY:

Table 14: WATER ZONES. Columns: FROM, TO, DESCRIPTION. Row 1: 44 ft. to ft. Terminated at water.

Table 15: OUTER CASING (for multi-cased wells) OR LINER (if applicable). Columns: FROM, TO, DIAMETER, THICKNESS, MATERIAL.

Table 16: INNER CASING OR TUBING (geothermal closed-loop). Columns: FROM, TO, DIAMETER, THICKNESS, MATERIAL.

Table 17: SCREEN. Columns: FROM, TO, DIAMETER, SLOT SIZE, THICKNESS, MATERIAL. Row 1: 3.5 ft. to 43.80 ft. 1 in. 0.01" sch40 PVC.

Table 18: GROUT. Columns: FROM, TO, MATERIAL, EMPLACEMENT METHOD & AMOUNT. Row 1: 0 ft. to 2.5 ft. Concrete Mix & pour 400 lbs.

Table 19: SAND/GRAVEL PACK (if applicable). Columns: FROM, TO, MATERIAL, EMPLACEMENT METHOD. Row 1: 3.0 ft. to 44 ft. #3 Filter Sand Gravity Pour.

Table 20: DRILLING LOG (attach additional sheets if necessary). Columns: FROM, TO, DESCRIPTION (color, hardness, soil/rock type, grain size, etc.). Rows: 0-3 ft. Silty Clay; Red; 3-13 ft. Silty Sand; Reddish Brown; 13-44 ft. Sandy Silt; Tan & Olive Gray; No Rock.

21. REMARKS: LFG Migration Monitoring Well with quick connect stopcock valve. Locked steel above ground case & pad installed.

22. Certification:

Signature of Certified Well Contractor: [Signature] Date: 10/14/14

By signing this form, I hereby certify that the well(s) was (were) constructed in accordance with 15A NCAC 02C .0100 or 15A NCAC 02C.0200 Well Construction Standards and that a copy of this record has been provided to the well owner.

23. Site diagram or additional well details: You may use the back of this page to provide additional well site details or well construction details. You may also attach additional pages if necessary.

SUBMITTAL INSTRUCTIONS


24a. For All Wells: Submit this form within 30 days of completion of well construction to the following:

Division of Water Resources, Information Processing Unit, 1617 Mail Service Center, Raleigh, NC 27699-1617

24b. For Injection Wells ONLY: In addition to sending the form to the address in 24a above, also submit a copy of this form within 30 days of completion of well construction to the following:

Division of Water Resources, Underground Injection Control Program, 1636 Mail Service Center, Raleigh, NC 27699-1636

24c. For Water Supply & Injection Wells: Also submit one copy of this form within 30 days of completion of well construction to the county health department of the county where constructed.



MP5-4

WELL CONSTRUCTION RECORD

This form can be used for single or multiple wells

I. Well Contractor Information:

Jonathan Pfohl

Well Contractor Name

3301-A

NC Well Contractor Certification Number

Akers Environmental

Company Name

2. Well Construction Permit #:

List all applicable well permits (i.e. County, State, Variance, Injection, etc.)

3. Well Use (check well use):

Water Supply Well:

- Agricultural Municipal/Public
- Geothermal (Heating/Cooling Supply) Residential Water Supply (single)
- Industrial/Commercial Residential Water Supply (shared)
- Irrigation

Non-Water Supply Well:

- Monitoring LFG Migration Monitoring Recovery

Injection Well:

- Aquifer Recharge Groundwater Remediation
- Aquifer Storage and Recovery Salinity Barrier
- Aquifer Test Stormwater Drainage
- Experimental Technology Subsidence Control
- Geothermal (Closed Loop) Tracer
- Geothermal (Heating/Cooling Return) Other (explain under #21 Remarks)

4. Date Well(s) Completed: 10/8/12 Well ID# MP5-4

5a. Well Location:

Iredell Co. MSWLF Ph 5

49-03

Facility/Owner Name

Facility ID# (if applicable)

354 Twin Oaks Road

Physical Address, City, and Zip

Statesville NC 28625

4753697097

County

Parcel Identification No. (PIN)

5b. Latitude and Longitude in degrees/minutes/seconds or decimal degrees:
(if well field, one lat/long is sufficient)

35.76142 N 80.84868 W

6. Is (are) the well(s): Permanent or Temporary

7. Is this a repair to an existing well: Yes or No

If this is a repair, fill out known well construction information and explain the nature of the repair under #21 remarks section or on the back of this form.

8. Number of wells constructed: 1

For multiple injection or non-water supply wells ONLY with the same construction, you can submit one form.

9. Total well depth below land surface: 31 (ft.)
For multiple wells list all depths if different (example- 3@200' and 2@100')

10. Static water level below top of casing: dry (ft.)
If water level is above casing, use "+"

11. Borehole diameter: 3.1 (in.)

12. Well construction method: direct push
(i.e. auger, rotary, cable, direct push, etc.)

FOR WATER SUPPLY WELLS ONLY:

13a. Yield (gpm) _____ Method of test: _____

13b. Disinfection type: _____ Amount: _____

For Internal Use ONLY:

14. WATER ZONES		
FROM	TO	DESCRIPTION
ft.	ft.	
ft.	ft.	

15. OUTER CASING (for multi-cased wells) OR LINER (if applicable)				
FROM	TO	DIAMETER	THICKNESS	MATERIAL
ft.	ft.	in.		

16. INNER CASING OR TUBING (geothermal closed-loop)				
FROM	TO	DIAMETER	THICKNESS	MATERIAL
ft.	ft.	in.		
ft.	ft.	in.		

17. SCREEN					
FROM	TO	DIAMETER	SLOT SIZE	THICKNESS	MATERIAL
3.5 ft.	30.10 ft.	1 in.	0.01"	scH40	PVC
ft.	ft.	in.			

18. GROUT			
FROM	TO	MATERIAL	EMPLACEMENT METHOD & AMOUNT
0 ft.	2.5 ft.	Concrete	Mix & pour 400 lbs
2.5 ft.	3.0 ft.	Bent. Chips	Pour 15 lbs than hydrated
ft.	ft.		

19. SAND/GRAVEL PACK (if applicable)			
FROM	TO	MATERIAL	EMPLACEMENT METHOD
3.0 ft.	31 ft.	#3 Filter Sand	Gravity Pour
ft.	ft.		

20. DRILLING LOG (attach additional sheets if necessary)			
FROM	TO	DESCRIPTION (color, hardness, soil/rock type, grain size, etc.)	
0 ft.	8 ft.	Silty Clay; Red	
8 ft.	18.5 ft.	Silty Sand; Red	
18 ft.	31 ft.	Silty Sand; Yellowish Orange	
ft.	ft.		
ft.	ft.	Quick connect stopcock valve	
ft.	ft.	No Rock	

21. REMARKS:
LFG Migration Monitoring Well next to P-83.
Locked steel above ground case & pad installed.

22. Certification:


Signature of Certified Well Contractor 10/9/14
Date

By signing this form, I hereby certify that the well(s) was (were) constructed in accordance with 15A NCAC 02C.0100 or 15A NCAC 02C.0200 Well Construction Standards and that a copy of this record has been provided to the well owner.

23. Site diagram or additional well details:

You may use the back of this page to provide additional well site details or well construction details. You may also attach additional pages if necessary.

SUBMITTAL INSTRUCTIONS

24a. **For All Wells:** Submit this form within 30 days of completion of well construction to the following:


Division of Water Resources, Information Processing Unit,
1617 Mail Service Center, Raleigh, NC 27699-1617

24b. **For Injection Wells ONLY:** In addition to sending the form to the address in 24a above, also submit a copy of this form within 30 days of completion of well construction to the following:

Division of Water Resources, Underground Injection Control Program,
1636 Mail Service Center, Raleigh, NC 27699-1636

24c. For Water Supply & Injection Wells:

Also submit one copy of this form within 30 days of completion of well construction to the county health department of the county where constructed.



MP5-5

WELL CONSTRUCTION RECORD

This form can be used for single or multiple wells

1. Well Contractor Information:

Steve Thompson

Well Contractor Name

3579-A

NC Well Contractor Certification Number

Akers Environmental

Company Name

2. Well Construction Permit #: pre-approved by SWS DIN:19613

List all applicable well permits (i.e. County, State, Variance, Injection, etc.)

3. Well Use (check well use):

Water Supply Well:

- Agricultural Municipal/Public
- Geothermal (Heating/Cooling Supply) Residential Water Supply (single)
- Industrial/Commercial Residential Water Supply (shared)
- Irrigation

Non-Water Supply Well:

- Monitoring LFG Migration Monitoring Recovery

Injection Well:

- Aquifer Recharge Groundwater Remediation
- Aquifer Storage and Recovery Salinity Barrier
- Aquifer Test Stormwater Drainage
- Experimental Technology Subsidence Control
- Geothermal (Closed Loop) Tracer
- Geothermal (Heating/Cooling Return) Other (explain under #21 Remarks)

4. Date Well(s) Completed: 10/6/14 Well ID# MP5-5

5a. Well Location:

Iredell Co. MSWLF Ph 5

49-03

Facility/Owner Name

Facility ID# (if applicable)

354 Twin Oaks Road

Physical Address, City, and Zip

Statesville NC 28625

4753697097

County

Parcel Identification No. (PIN)

5b. Latitude and Longitude in degrees/minutes/seconds or decimal degrees: (if well field, one lat/long is sufficient)

35.762113

N

80.832648

W

6. Is (are) the well(s): Permanent or Temporary

7. Is this a repair to an existing well: Yes or No

If this is a repair, fill out known well construction information and explain the nature of the repair under #21 remarks section or on the back of this form.

8. Number of wells constructed: 1

For multiple injection or non-water supply wells ONLY with the same construction, you can submit one form.

9. Total well depth below land surface: 18.5 (ft.)

For multiple wells list all depths if different (example- 3@200' and 2@100')

10. Static water level below top of casing: dry (ft.)

If water level is above casing, use "+"

11. Borehole diameter: 3.1 (in.)

12. Well construction method: direct push

(i.e. auger, rotary, cable, direct push, etc.)

FOR WATER SUPPLY WELLS ONLY:

13a. Yield (gpm) _____ Method of test: _____

13b. Disinfection type: _____ Amount: _____

For Internal Use ONLY:

14. WATER ZONES						
FROM	TO	DESCRIPTION				
18.5 ft.	ft.	Terminated at water				
ft.	ft.					
15. OUTER CASING (for multi-cased wells) OR LINER (if applicable)						
FROM	TO	DIAMETER	THICKNESS	MATERIAL		
ft.	ft.	in.				
16. INNER CASING OR TUBING (geothermal closed-loop)						
FROM	TO	DIAMETER	THICKNESS	MATERIAL		
ft.	ft.	in.				
ft.	ft.	in.				
17. SCREEN						
FROM	TO	DIAMETER	SLOT SIZE	THICKNESS	MATERIAL	
3.5 ft.	16.03 ft.	1 in.	0.01"	sch40	PVC	
ft.	ft.	in.				
18. GROUT						
FROM	TO	MATERIAL	EMPLACEMENT METHOD & AMOUNT			
0 ft.	2.5 ft.	Concrete	Mix & pour 400 lbs			
2.5 ft.	3.0 ft.	Bent. Chips	Pour 15 lbs than hydrated			
ft.	ft.					
19. SAND/GRAVEL PACK (if applicable)						
FROM	TO	MATERIAL	EMPLACEMENT METHOD			
3.0 ft.	18.5 ft.	#3 Filter Sand	Gravity Pour			
ft.	ft.					
20. DRILLING LOG (attach additional sheets if necessary)						
FROM	TO	DESCRIPTION (color, hardness, soil/rock type, grain size, etc.)				
0 ft.	8 ft.	Silty Clay; Red				
8 ft.	18.5 ft.	Sandy Silt; Olive Gray				
ft.	ft.					
ft.	ft.					
ft.	ft.	Quick connect stopcock valve				
ft.	ft.	No Rock				
21. REMARKS:						
LFG Migration Monitoring Well.						
Locked steel above ground case & pad installed.						

22. Certification:

John S. Thompson
Signature of Certified Well Contractor

10/10/14
Date

By signing this form, I hereby certify that the well(s) was (were) constructed in accordance with 15A NCAC 02C .0100 or 15A NCAC 02C .0200 Well Construction Standards and that a copy of this record has been provided to the well owner.

23. Site diagram or additional well details:

You may use the back of this page to provide additional well site details or well construction details. You may also attach additional pages if necessary.

SUBMITTAL INSTRUCTIONS

24a. For All Wells: Submit this form within 30 days of completion of well construction to the following:


Division of Water Resources, Information Processing Unit,
1617 Mail Service Center, Raleigh, NC 27699-1617

24b. For Injection Wells ONLY: In addition to sending the form to the address in 24a above, also submit a copy of this form within 30 days of completion of well construction to the following:

Division of Water Resources, Underground Injection Control Program,
1636 Mail Service Center, Raleigh, NC 27699-1636

24c. For Water Supply & Injection Wells:

Also submit one copy of this form within 30 days of completion of well construction to the county health department of the county where constructed.



MP5-6

WELL CONSTRUCTION RECORD

This form can be used for single or multiple wells

1. Well Contractor Information:

Steve Thompson

Well Contractor Name

3579-A

NC Well Contractor Certification Number

Akers Environmental

Company Name

2. Well Construction Permit #: pre-approved by SWS DIN:19613

List all applicable well permits (i.e. County, State, Variance, Injection, etc.)

3. Well Use (check well use):

Water Supply Well:

- Agricultural Municipal/Public
- Geothermal (Heating/Cooling Supply) Residential Water Supply (single)
- Industrial/Commercial Residential Water Supply (shared)
- Irrigation

Non-Water Supply Well:

- Monitoring LFG Migration Monitoring Recovery

Injection Well:

- Aquifer Recharge Groundwater Remediation
- Aquifer Storage and Recovery Salinity Barrier
- Aquifer Test Stormwater Drainage
- Experimental Technology Subsidence Control
- Geothermal (Closed Loop) Tracer
- Geothermal (Heating/Cooling Return) Other (explain under #21 Remarks)

4. Date Well(s) Completed: 10/6/14 Well ID# MP5-6

5a. Well Location:

Iredell Co. MSWLF Ph 5

49-03

Facility/Owner Name

Facility ID# (if applicable)

354 Twin Oaks Road

Physical Address, City, and Zip

Statesville NC 28625

4753697097

County

Parcel Identification No. (PIN)

5b. Latitude and Longitude in degrees/minutes/seconds or decimal degrees: (if well field, one lat/long is sufficient)

35.76274

N

80.83358

W

6. Is (are) the well(s): Permanent or Temporary

7. Is this a repair to an existing well: Yes or No

If this is a repair, fill out known well construction information and explain the nature of the repair under #21 remarks section or on the back of this form.

8. Number of wells constructed: 1

For multiple injection or non-water supply wells ONLY with the same construction, you can submit one form.

9. Total well depth below land surface: 15.5 (ft.)

For multiple wells list all depths if different (example- 3@200' and 2@100')

10. Static water level below top of casing: well dry but 15.5' bgs (ft.)

If water level is above casing, use "+"

11. Borehole diameter: 3.1 (in.)

12. Well construction method: direct push

(i.e. auger, rotary, cable, direct push, etc.)

FOR WATER SUPPLY WELLS ONLY:

13a. Yield (gpm) _____ Method of test: _____

13b. Disinfection type: _____ Amount: _____

For Internal Use ONLY:

14. WATER ZONES					
FROM	TO	DESCRIPTION			
15.5 ft.	ft.	Measured at adjacent MW-32			
ft.	ft.				
15. OUTER CASING (for multi-cased wells) OR LINER (if applicable)					
FROM	TO	DIAMETER	THICKNESS	MATERIAL	
ft.	ft.	in.			
16. INNER CASING OR TUBING (geothermal closed-loop)					
FROM	TO	DIAMETER	THICKNESS	MATERIAL	
ft.	ft.	in.			
ft.	ft.	in.			
17. SCREEN					
FROM	TO	DIAMETER	SLOT SIZE	THICKNESS	MATERIAL
3.5 ft.	15.18 ft.	1 in.	0.01"	sch40	PVC
ft.	ft.	in.			
18. GROUT					
FROM	TO	MATERIAL	EMPLACEMENT METHOD & AMOUNT		
0 ft.	2.5 ft.	Concrete	Mix & pour 400 lbs		
2.5 ft.	3.0 ft.	Bent. Chips	Pour 15 lbs than hydrated		
ft.	ft.				
19. SAND/GRAVEL PACK (if applicable)					
FROM	TO	MATERIAL	EMPLACEMENT METHOD		
3.0 ft.	15.5 ft.	#3 Filter Sand	Gravity Pour		
ft.	ft.				
20. DRILLING LOG (attach additional sheets if necessary)					
FROM	TO	DESCRIPTION (color, hardness, soil/rock type, grain size, etc.)			
0 ft.	8 ft.	Clayey Silt w/ Sand; Reddish Brown			
8 ft.	13 ft.	Silty Sand; Dark Brown			
13 ft.	15.5 ft.	Sandy Silt; Olive Gray			
ft.	ft.				
ft.	ft.	Quick connect stopcock valve			
ft.	ft.	No Rock			
21. REMARKS					
LFG Migration Monitoring Well next to MW-32.					
Locked steel above ground case & pad installed.					

22. Certification:

John S. Thompson
Signature of Certified Well Contractor

10/10/14
Date

By signing this form, I hereby certify that the well(s) was (were) constructed in accordance with 15A NCAC 02C .0100 or 15A NCAC 02C .0200 Well Construction Standards and that a copy of this record has been provided to the well owner.

23. Site diagram or additional well details:

You may use the back of this page to provide additional well site details or well construction details. You may also attach additional pages if necessary.

SUBMITTAL INSTRUCTIONS

24a. **For All Wells:** Submit this form within 30 days of completion of well construction to the following:


Division of Water Resources, Information Processing Unit,
1617 Mail Service Center, Raleigh, NC 27699-1617

24b. **For Injection Wells ONLY:** In addition to sending the form to the address in 24a above, also submit a copy of this form within 30 days of completion of well construction to the following:

Division of Water Resources, Underground Injection Control Program,
1636 Mail Service Center, Raleigh, NC 27699-1636

24c. For Water Supply & Injection Wells:

Also submit one copy of this form within 30 days of completion of well construction to the county health department of the county where constructed.



MP5-7

WELL CONSTRUCTION RECORD

This form can be used for single or multiple wells

1. Well Contractor Information:

Steve Thompson

Well Contractor Name

3579-A

NC Well Contractor Certification Number

Akers Environmental

Company Name

2. Well Construction Permit #: pre-approved by SWS DIN:19613

List all applicable well permits (i.e. County, State, Variance, Injection, etc.)

3. Well Use (check well use):

Water Supply Well:

- Agricultural, Geothermal (Heating/Cooling Supply), Industrial/Commercial, Irrigation, Municipal/Public, Residential Water Supply (single/shared)

Non-Water Supply Well:

- Monitoring LFG Migration Monitoring, Recovery

Injection Well:

- Aquifer Recharge, Storage and Recovery, Test, Experimental Technology, Geothermal (Closed Loop/Return), Groundwater Remediation, Salinity Barrier, Stormwater Drainage, Subsidence Control, Tracer, Other

4. Date Well(s) Completed: 10/6/14 Well ID# MP5-7

5a. Well Location:

Iredell Co. MSWLF Ph 5

49-03

Facility/Owner Name

Facility ID# (if applicable)

354 Twin Oaks Road

Physical Address, City, and Zip

Statesville NC 28625

4753697097

County

Parcel Identification No. (PIN)

5b. Latitude and Longitude in degrees/minutes/seconds or decimal degrees: (if well field, one lat/long is sufficient)

35.763826

N

80.834307

W

6. Is (are) the well(s): Permanent or Temporary

7. Is this a repair to an existing well: Yes or No

If this is a repair, fill out known well construction information and explain the nature of the repair under #21 remarks section or on the back of this form.

8. Number of wells constructed: 1 For multiple injection or non-water supply wells ONLY with the same construction, you can submit one form.

9. Total well depth below land surface: 20 (ft.) For multiple wells list all depths if different (example- 3@200' and 2@100')

10. Static water level below top of casing: well dry but 20' BGS (ft.) If water level is above casing, use "+"

11. Borehole diameter: 3.1 (in.)

12. Well construction method: direct push (i.e. auger, rotary, cable, direct push, etc.)

FOR WATER SUPPLY WELLS ONLY:

13a. Yield (gpm) Method of test:

13b. Disinfection type: Amount:

For Internal Use ONLY:

Table with 3 columns: FROM, TO, DESCRIPTION. Row 1: 20 ft. to ft. Terminated at water.

Table with 5 columns: FROM, TO, DIAMETER, THICKNESS, MATERIAL. Row 1: ft. to ft. in. in.

Table with 5 columns: FROM, TO, DIAMETER, THICKNESS, MATERIAL. Row 1: ft. to ft. in. in.

Table with 6 columns: FROM, TO, DIAMETER, SLOT SIZE, THICKNESS, MATERIAL. Row 1: 3.5 ft. to 20 ft. 1 in. 0.01" sch40 PVC.

Table with 4 columns: FROM, TO, MATERIAL, EMPLACEMENT METHOD & AMOUNT. Row 1: 0 ft. to 2.5 ft. Concrete Mix & pour 400 lbs.

Table with 4 columns: FROM, TO, MATERIAL, EMPLACEMENT METHOD. Row 1: 3.0 ft. to 20 ft. #3 Filter Sand Gravity Pour.

Table with 3 columns: FROM, TO, DESCRIPTION (color, hardness, soil/rock type, grain size, etc.). Rows include Clayey Silt w/ Sand; Reddish Brown and Sandy Silt; Olive Gray.

21. REMARKS: LFG Migration Monitoring Well. Locked steel above ground case & pad installed.

22. Certification:

Signature of Certified Well Contractor: John S. Thompson Date: 10/10/14

By signing this form, I hereby certify that the well(s) was (were) constructed in accordance with 15A NCAC 02C.0100 or 15A NCAC 02C.0200 Well Construction Standards and that a copy of this record has been provided to the well owner.

23. Site diagram or additional well details:

You may use the back of this page to provide additional well site details or well construction details. You may also attach additional pages if necessary.

SUBMITTAL INSTRUCTIONS

24a. For All Wells: Submit this form within 30 days of completion of well construction to the following:

Division of Water Resources, Information Processing Unit, 1617 Mail Service Center, Raleigh, NC 27699-1617

24b. For Injection Wells ONLY: In addition to sending the form to the address in 24a above, also submit a copy of this form within 30 days of completion of well construction to the following:

Division of Water Resources, Underground Injection Control Program, 1636 Mail Service Center, Raleigh, NC 27699-1636

24c. For Water Supply & Injection Wells:

Also submit one copy of this form within 30 days of completion of well construction to the county health department of the county where constructed.

