



revised 3/13/2015 3:06:00 PM

FACILITY COMPLIANCE AUDIT REPORT
Division of Waste Management
Solid Waste Section

UNIT TYPE:												
Lined MSWLF		LCID		YW		Transfer		Compost		SLAS	X	COUNTY: Wake PERMIT NO.: SLAS 92-01 FILE TYPE: COMPLIANCE
Closed MSWLF		HHW		White goods		Incin		T&P		FIRM		
CDLF		Tire T&P / Collection		Tire Monofill		Industrial Landfill		DEMO		SDTF		

Date of Audit: 3/13/2015

Date of Last Audit: 10/9/2014

FACILITY NAME AND ADDRESS:

Eastside Septic Cleaning Service
 PO Box 365
 Garner, NC 27529

GPS COORDINATES: N: 35.6491 W: -78.6008

FACILITY CONTACT NAME AND PHONE NUMBER:

B.C. Raynor (919) 772-6145

FACILITY CONTACT ADDRESS:

N/A

AUDIT PARTICIPANTS:

Everett Coates

STATUS OF PERMIT:

Active

PURPOSE OF AUDIT:

Routine

NOTICE OF VIOLATION(S):

None noted.

STATUS OF PAST NOTED VIOLATIONS:

none

AREAS OF CONCERN AND COMMENTS:

The vegetation stand quality is good. The approved setbacks are being met. The required signs are posted at the site entrance. No vectors or excessive odors noted.

FACILITY COMPLIANCE AUDIT REPORT
Division of Waste Management
Solid Waste Section

Page 2 of 2

Please contact me if you have any questions or concerns regarding this audit report.

Everett L. Coates
Everett Coates
WCDES Representative

Phone: (919) 856-5380.

Delivered on : _____ by		Hand delivery		US Mail	X	Certified No. []
-------------------------	--	---------------	--	---------	---	-------------------