

4

RECEIVED
N.C. Dept. of EHNR

FEB 22 1994

Winston-Salem
Regional Office

EXXON COMPANY, U.S.A.

POST OFFICE BOX 30451 • CHARLOTTE, NORTH CAROLINA 28230-0451

MARKETING DEPARTMENT
ENVIRONMENTAL ENGINEERING
J. F. (Frank) Medlin
Senior Staff Engineer

February 18, 1994

Re: Proposed Corrective Action
Activities and Schedule
Exxon RAS # 4-3998
4701 Market Street
Greensboro , North Carolina
Groundwater Incident # 1001

Mr. Larry Coble
NCDEHNR
Winston-Salem Regional Office
8025 North Point Boulevard
Winston-Salem, North Carolina 27106

Dear Mr. Coble:

Exxon is in receipt of your letter dated January 28, 1994, outlining legal requirements for corrective action at the above referenced site.

Exxon's consultant on this site, ERM-Southeast, Inc. of Charlotte, North Carolina, plans to conduct additional soil and ground water evaluation activities in order to refine the scope of the corrective action required at the site. The proposed activities and target dates for their completion are given below:

| <u>Activity</u> | <u>Target Completion Date</u> |
|---|-------------------------------|
| Additional Soil Evaluation | March 1994 |
| Additional Ground Water Assessment | April 1994 |
| Soil Vapor Extraction/Air Sparging Pilot Test | May 1994 |
| Corrective Action Plan Preparation | July 29, 1994 |

Due to Concern that an upgradient source may exist adjacent to the site, Exxon will again attempt to gain access to the upgradient property currently occupied by John's Plumbing. Although a monitor well exists on the John's plumbing property, it is not



Mr. Coble - RAS#4-3998
February 18, 1994
Page - 2

optimally located to indicate the existence of an upgradient source. Previous access requests to sample the existing well, or install another monitor well, on John's Plumbing property have been denied. If access to the John's Plumbing property can not be obtained, Exxon will request your assistance in writing.

Exxon will work toward a Corrective Action Plan submittal date of July 29, 1994, via the "Activity" scheduled stated above unless instructed to do otherwise by your office.

You can reach me at the letterhead address or call (704) 529 - 4263 on any questions or comments.

Sincerely,

FOR EXXON COMPANY, U.S.A.



James F. Medlin

JFM:jfm

Attachment

c: File
ERM Southeast, Inc.