

October 21, 1993

Guilford County Emergency Services  
P.O. Box 18807  
Greensboro, North Carolina 27419

Attention: Kelly Gage

Subject: Report of Ground-Water Sampling  
3742 Battleground Avenue  
Greensboro, North Carolina  
Law Engineering Job No. 259-00194-03

Dear Ms. Gage:

On behalf of Reggie Norman, Law Engineering is submitting the attached Report of Ground-Water Sampling. This report outlines the results of our ground-water sampling at 3742 Battleground Avenue in Greensboro, North Carolina. Based on the results obtained, we feel that no further assessment is necessary. We ask that you consider this site closed and please issue a closure letter.

We trust that the enclosed information adequately describes the activities at the subject site. If you have any questions or comments, please do not hesitate to call me at 294-4221. Thank you.

Sincerely,

LAW ENGINEERING



Sania V. Diamond  
Environmental Scientist



## **REPORT OF GROUND-WATER SAMPLING**

**TACO BELL SITE  
3742 BATTLEGROUND AVENUE  
GREENSBORO, NORTH CAROLINA**

**Prepared For**

**TACO BELL CORPORATION  
2303 W. MEADOWVIEW ROAD  
SUITE 41  
GREENSBORO, NORTH CAROLINA**

**Prepared By**

**LAW ENGINEERING  
7347-F WEST FRIENDLY AVENUE  
GREENSBORO, NORTH CAROLINA 27410**

**LAW Job No. 259-00194-03**

**October 1993**



**LAW**

ENGINEERING AND ENVIRONMENTAL SERVICES

October 21, 1993

Mr. Reggie Norman  
Taco Bell Corporation  
2303 W. Meadowview Road, Suite 41  
Greensboro, North Carolina

Subject: **REPORT OF GROUND-WATER SAMPLING**  
Taco Bell Site  
3742 Battleground Avenue  
Greensboro, North Carolina  
LAW Job No. 259-00194-03

Dear Mr. Norman:

Law Engineering is pleased to submit this report of our ground-water sampling for the site as authorized by your acceptance of our Proposal No. PGB-446E. The purpose of our services was to assess the subject site for evidence of environmental contamination caused by a former underground storage tank (UST) system. This report includes a description of the site activities, the results obtained, and our conclusions and recommendations.

This report is intended only for the use of Taco Bell Corporation. The contents should not be relied upon by any other parties without the express written consent of Law Engineering. The findings are relevant to the dates of our site work and should not be relied upon to represent site conditions on other dates.

We appreciate this opportunity to provide our environmental related service on this project. Please contact us if we may be of further service.

Sincerely,  
LAW ENGINEERING

Sania V. Diamond  
Environmental Scientist

Stephen J. Gosselin  
Project Geologist

Robert E. Smith, Jr., P.G.  
Chief Engineer

LAW ENGINEERING, INC.  
7347-F WEST FRIENDLY AVENUE  
GREENSBORO, NC 27410

919-294-4221  
FAX 919-294-4227

ONE OF THE LAW COMPANIES





## TABLE OF CONTENTS

<b>1.0 INTRODUCTION</b>	1
<b>2.0 CONTRACTED SCOPE OF SERVICES</b>	1
<b>3.0 FIELD ACTIVITIES</b>	2
<b>4.0 ANALYTICAL RESULTS</b>	3
<b>5.0 CONCLUSIONS</b>	3
<b>6.0 RECOMMENDATIONS</b>	4
<b>7.0 QUALIFICATION OF REPORT</b>	4

**FIGURES**

**APPENDIX**



*Taco Bell Corporation*

*October 21, 1993*

## **1.0 INTRODUCTION**

The subject site is located at 3742 Battleground Avenue in Greensboro, North Carolina. Richardson Turner Construction Company (RTC) was previously contracted by Taco Bell to construct a Taco Bell restaurant on the site. During construction of an on-site retention pond three underground storage tanks (USTs) were discovered. These USTs were subsequently removed from their original locations by a subcontractor to RTC in the early part of 1992.

Taco Bell Corporation retained Barrow Backhoe Company to dispose of the USTs, excavate petroleum hydrocarbon-containing soil associated with the USTs, and temporarily stockpile the excavated soil on site. Taco Bell contracted Law Engineering to monitor the excavation activities, perform soil sampling, and perform a preliminary ground-water assessment (LAW Job No. 259-00194-02). This work was performed in April 1992.

Based on the detected concentrations of benzene in the ground water beneath the site, the Guilford County Department of Emergency Services had requested that Taco Bell conduct one additional quarterly sample of the ground water.

The project information has been provided from discussions between Mr. James Koutris and Mr. Reggie Norman of Taco Bell and Mr. Steve Gosselin and Mr. Brian Maas of Law Engineering.

## **2.0 CONTRACTED SCOPE OF SERVICES**

Law Engineering was contracted to complete the following scope of services:

- Collect an additional sample from the existing monitoring well. This sampling



*Taco Bell Corporation*

*October 21, 1993*

would consist of developing, purging and sampling the monitoring well. The ground-water sample collected would be shipped to Law Environmental National Laboratories (LENL) for analysis for benzene, toluene, ethylbenzene, and xylenes (BTEX) using the EPA Method 602.

- Prepare a written report for the second sampling event, describing our activities, the results obtained, and our conclusions and recommendations.

We implemented the above scope of services on September 30, 1993.

### **3.0 FIELD ACTIVITIES**

On September 30, 1993 Law Engineering personnel began monitoring well purging and sampling activities. The depth to water was measured with a Sample Pro Model 6000 water level meter and recorded to be 7.6 feet from the top of the casing. Immediately after recording the depth to water, purging activities were initiated. Purging was accomplished using one new disposable one-liter capacity teflon bailer. During purging, pH and specific conductance was monitored. The well was purged until the pH and specific conductance stabilized at 7.1 standard units and 149 mV, respectively. This was accomplished by removing five well volumes from the well. A ground-water sample was collected from the well immediately after the well was purged.

Immediately after collection, the ground-water sample was transferred from the teflon bailer into three 40 milliliter (ml) clean, glass containers equipped with teflon lined screw-caps. New disposable vinyl gloves were utilized in the sample transfer. The sample containers were completely filled with sample to eliminate headspace.



*Taco Bell Corporation*

*October 21, 1993*

After being filled, each sample container was labeled with the job name and number, the time and date of sample collection, the analyses to be performed, and the presence or absence of preservative. The filled sample containers were placed into a new one-quart capacity zip-lock baggy. The baggy containing the filled sample containers was then placed into a cooler containing ice and cooled to approximately 4° Centigrade. The Chain of Custody was initiated. At the end of the sampling day the cooler containing samples was shipped via overnight express delivery to LENL in Kennesaw, Georgia. The Chain of Custody was maintained as documented in the Appendix.

#### **4.0 ANALYTICAL RESULTS**

The ground-water sample was analyzed for BTEX using the EPA Method 602. Laboratory analysis of the ground-water sample collected from the monitoring well did not detect BTEX concentrations in excess of the laboratory practical quantification limits of one part per billion (ppb) for benzene, ethylbenzene, toluene and two ppb for xylenes.

#### **5.0 CONCLUSIONS**

The ground-water sample collected from monitoring well MW-1 did not contain detectable concentrations of BTEX in excess of the analytical method practical quantification limits. Based on the analytical results, it does not appear that the former USTs at the Taco Bell location have released petroleum hydrocarbons into the subsurface which have impacted the ground water.



*Taco Bell Corporation*

*October 21, 1993*


## **6.0 RECOMMENDATIONS**

Since BTEX concentrations were not detected in the collected ground-water sample, Law Engineering recommends that this site be closed and that monitoring well MW-1 be abandoned according to state regulations. We recommend a copy of this report along with a letter requesting the issuance of a closure letter be sent to the Guilford County Emergency Services.


## **7.0 QUALIFICATION OF REPORT**

The activities and evaluative approaches used in this assessment are consistent with those normally employed in hydrogeological assessments and waste management projects of this type. Our evaluation of site conditions has been based on our understanding of the site and project information, and the data at the subject site. The primary objective was to perform sufficient work to determine if ground-water contamination exists at the subject site.

**FIGURES**



ALL LOCATIONS ARE APPROXIMATE.



REF: 1992 COPYRIGHT BY:  
 THE SEEGER MAP CO., INC. BY  
 401 MAIN STREET  
 RACINE, WISCONSIN 53403  
 (414)632-2021

**LAW ENGINEERING, INC.**  
 GREENSBORO, NORTH CAROLINA


**SITE LOCATION**  
 TACO BELL  
 GREENSBORO, NORTH CAROLINA

JOB NO. 259-00194-03      FIGURE 1


HANDY PANTRY PARKING LOT

MW-1

BATTLEGROUND AVENUE



LEGEND

-  MONITORING WELL
-  FORMER UST LOCATION

DRAWING NOT TO SCALE

ALL LOCATIONS ARE APPROXIMATE.



**LAW ENGINEERING, INC.**

GREENSBORO, NORTH CAROLINA

**MONITORING WELL LOCATION PLAN**

TACO BELL

GREENSBORO, NORTH CAROLINA

REF: FIELD NOTES BY  
LAW ENGINEERING PERSONNEL

ACAD FILE TAC0194/8/AR

JOB NO. 259-00194-03

FIGURE 2

**APPENDIX**

**LABORATORY DATA REPORT**



**LAW**

ENGINEERING AND ENVIRONMENTAL SERVICES

October 5, 1993

Law Engineering, Inc.  
7347 J. West Friendly Ave.  
Greensboro, NC 27410

Attention: Denise Poulos

LE Job Number: 259-00194-04

Subject: Chemical analysis of samples received on 10/01/93.

Dear Ms. Poulos:

Law Environmental National Laboratories has completed its analysis of your samples and reports the results on the following pages. These results related only to the contents of the samples as submitted. This report shall not be reproduced except in full without the approval of Law Environmental National Laboratories.

If there are any questions, please do not hesitate to contact us.

Sincerely,

LAW ENVIRONMENTAL NATL LABS

Linda Harris  
Hydrocarbon Laboratory Supervisor

Attachment: Data Report  
Invoice

LAW ENVIRONMENTAL NATIONAL LABORATORIES  
TEST DATA REPORT

Date 10/08/93  
Page 1

--- Project Information ---

Lab Number : 63-7481-01  
Project No. : 259-00194-04  
Project Name : TACO BELL

Cust. No. :

Manager: DENISE POULOS

--- Sample Information ---

Station ID : MW-1  
Matrix : W  
Type : GRAB  
Collector : DP


Sampled Date/Time : 09/30/93 10:10  
Received Date/Time : 10/01/93 10:05  
Received From/By : DP/SO  
Chain of Custody : 21710  
Number of Containers : 3

Remarks :

--- Test Data ---

Parameter.....	Method....	Units	PQL.....	Results...	Test Date	Analy
-- GC ANALYSIS (BTEX) RESULTS --						
Benzene	EPA 602	ug/l	1.0	ND	10/05/93	OR
Toluene	EPA 602	ug/l	1.0	ND	10/05/93	OR
Ethylbenzene	EPA 602	ug/l	1.0	ND	10/05/93	OR
Xylene, Total	EPA 602	ug/l	2.0	ND	10/05/93	OR

Signed





LAW ENVIRONMENTAL, INC.  
 NATIONAL LABORATORY  
 300 CHASTAIN CENTER BLVD.  
 SUITE 315  
 KENNESAW, GEORGIA 30144  
 (404) 426-4309

## LAW ENVIRONMENTAL NATIONAL LABORATORIES

### KENNESAW REQUEST FOR ANALYSIS HYDROCARBON LAB

PROJECT NAME: TACO Bell COC#: 21710

PROJECT #: 00194 TASK #: 04 PROJECT MGR: Denise Poulos

HYDROCARBON (CIRCLE ANALYSES REQUESTED)

TURNAROUND TIME: STANDARD (1 WEEK)  RUSH  (INCURS RUSH FEE)  
 days

SAMPLE I.D.: MW-1

	<u>Water</u>	<u>Water/Soil</u>
<u>BTEX</u>	<u>602</u>	8020
BTEX + MTBE	602	8020
IPE	602	8020
Petroleum Hydrocarbons, IR - EPA 418.1 Oil & Grease	9070	9071 (Soil Only)
Polynuclear Aromatic Hydrocarbons (PAH)	610	8100
Petroleum Hydrocarbons, Volatile - CAL-DHS Petroleum Hydrocarbons, Semi-Volatile - CAL-DHS		
Petroleum Hydrocarbons, Volatile - EPA 5030/8015M Petroleum Hydrocarbons, Volatile - 5030/SF BAY Petroleum Hydrocarbons, Semi-Volatile - 3550/SF BAY		
Petroleum Hydrocarbons, GRO - TENN/5030 Petroleum Hydrocarbons, DRO - TENN		
Petroleum Hydrocarbons, Volatile - IOWA/5030 Petroleum Hydrocarbons, Semi-Volatile - IOWA		
Petroleum Hydrocarbons, Gas/Diesel - EPA 8015M/VA		
Petroleum Hydrocarbons, IR - WTPH-418.1M/WA Petroleum Hydrocarbons, Volatile - WTPH-G/WA Petroleum Hydrocarbons, Semi-Volatile - WTPH-D/WA		

FORM COMPLETED BY: Denise Poulos DATE: 9/30/93



LAW ENVIRONMENTAL, INC.  
 NATIONAL LABORATORY  
 112 TOWNPARK DRIVE  
 KENNESAW, GEORGIA 30144  
 (404) 421-3306

# CHAIN OF CUSTODY RECORD

No 21710

SAMPLING INFORMATION  
 NAME OF FACILITY: TACO BELL  
 STREET ADDRESS: BATTLEGROUNND AVENUE  
 CITY / STATE: GREENSBORO NC ZIP: \_\_\_\_\_

PROJECT NAME	JOB NO.	TOTAL NO. OF CONTAINERS	CONTAINER TYPE	DATE / TIME	RECEIVED BY	RELINQUISHED BY	DATE / TIME	RECEIVED BY	DATE / TIME
TACO BELL	255-00194-04	3	40 ml G VOA Vial (HCl)	9/30/93	<i>[Signature]</i>			<i>[Signature]</i>	10/1/93 10:00
SAMPLERS (SIGNATURE) <i>[Signature]</i>	SAMPLERS INITIALS (PRINT) DP		40 ml G VOA Vial (HCl)						
SAMPLING DATE 9/30/93			500 ml G Amber Bottle (H <sub>2</sub> SO <sub>4</sub> )						
TIME	MATRIX	SAMPLE STATION DESCRIPTION	1 L PL Amber Bottle						
10:10	W	MW-1	1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub> )						
			1 L PL Bottle (H <sub>2</sub> SO <sub>4</sub> )						
			1 L PL Bottle (HNO <sub>3</sub>						