(GW/UST-2) Site Investigation Report For Permanent Closure or Change-in-Service of U.S.T.

FOR TANKS IN **NC**

Return Completed Form To:
The appropriate DEM Regional Office according to the county of the facility's location. [SEE MAP ON REVERSE SIDE OF OWNER'S COPY (PINK) FOR REGIONAL OFFICE ADDRESS].

State Use Only
I.D. Number
Date Received

INSTRUCTIONS

Complete and return within (30) days following completion of site investigation.

I. Ownership of Tank(s)

Owner Name (Corporation, Individual, Public Agency, or Other Entity): PARRISH TIRE COMPANY
Street Address: 8800 NORTH POINT BLVD.
County: FORSYTH
City: WINSTON-SALEM, N.C. State: 27106
Area Code: (919) Telephone Number: 759-0202

II. Location of Tank(s)

Facility Name or Company: PARRISH TIRE COMPANY
Facility ID # (if available):
Street Address or State Road: 8800 NORTH POINT BLVD.
County: FORSYTH, City: WINSTON-SALEM Zip Code: 2710
Area Code: (919) Telephone Number: 759-0202

III. Contact Person

Closure Contractor: Name: BODFORD BROTHERS Job Title: 1001 MAR DON DRIVE, WINSTON-SALEM Telephone No. (Area Code): 765-196
Lab: (Name) RESEARCH & ANALYTICAL, (Address) KERNERSVILLE, N.C. Telephone No. (Area Code): (919) 996-2441
Telephone No. (Area Code):

IV. U.S.T. Information / **V. Excavation Condition**

Tank No.	Size in Gallons	Tank Dimensions	Last Contents	Water in Excavation Yes	Water in Excavation No	Free Product Yes	Free Product No	Notable Odor or Visible Soil Contamination Yes	Notable Odor or Visible Soil Contamination No
1	10,000	8' x 27'	DIESEL FUEL		X		X		X

VI. Additional Information Required

See reverse side of pink copy (owner's copy) for additional information required by N.C. - DEM in the written report and sketch.

VII. Check List

Check the activities completed.

- [ ] Contact local fire marshall
- [x] Notify DEM Regional Office before abandonment.
- [x] Drain & flush piping into tank.
- [x] Remove all product and residuals from tank
- [x] Excavate down to tank.
- [x] Clean and inspect tank.
- [x] Remove drop tube, fill pipe, gauge pipe, vapor recovery tank connections, submersible pumps and other tank fixtures.
- [x] Cap or plug all lines except the vent and fill lines.
- [ ] Purge tank of all product & flammable vapors. N/A
- [ ] Cut one or more large holes in the tanks. N/A
- [x] Backfill the area.

Date Tank(s) Permanently closed: 3-9-92
Date of Change-in-Service:

ABANDONMENT IN PLACE
- [ ] Fill tank until material overflows tank opening:
- [ ] Plug or cap all openings:
- [ ] Disconnect and cap or remove vent line
- [ ] Solid inert material used - specify:

REMOVAL
- [ ] Create vent hole
- [x] Label tank
- [x] Dispose of tank in approved manner

Final tank destination: SAFEWAY TANK DISPOSAL, INC., GOLFAX, N.C.

VIII. Certification (Read and Sign)

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete.

Print name and official title of owner or owner's authorized representative	Signature	Date Signed
JIM BRYAN, CONSULTANT	Jim Bryan	3-23-92

ENVIRONMENTAL MANAGEMENT & TECHNOLOGIES

UST Closure Report For

Parrish Tire Company

8800 North Point Blvd.

Winston Salem, N.C. 27106

March 23, 1992

RESEARCH & ANALYTICAL LABORATORIES, INC.

Analytical/Process Consultations

NC CERT #34

Environmental Management & Tech.
556 G Arbor Hill Rd.
Kernersville, NC 27284
Attn: Jim Bryan

Date Sample Collected : 03/09/92
Date Sample Received : 03/10/92
Date Sample Analyzed : 03/11/92
Date of Report : 03/17/92

Analyses Performed by : LC

Job Number : 3867

Lab Sample Number
130833

Parameter	Storet #	Results
Hydrocarbons/Gasoline		<10 PPM *
Hydrocarbons, Diesel		<10 PPM **

*EPA METHOD 5030

**EPA METHOD 3550

Clients Sample Source/Number : SS1
Time Collected : 16:38

rec'd 3-20-92

ENVIRONMENTAL MANAGEMENT & TECHNOLOGIES

Mr. Clint Bodford
1001 Mar Don Drive
Winston Salem, N.C. 27106

Re: Closure of Underground Storage Tank at Parrish Tire Company located at 8800 North Point Blvd. - project job # 532.
Environmental Management & Technologies, Inc. project # 349205

Dear Sir:

Please find enclosed three copies of the UST closure report prepared by EMT, Inc. One copy is for your files the other two should be sent to Parrish Tire Comopany.

Parrish Tire Company is required to keep on file for three years the closure report for this UST. Parrish Tire should also send the remaining copy to Sherri Knight's office, Division of Environmental Management, Groundwater Section, Suite 100, 8025 North Point Blvd., Winston Salem N.C. 27106.

If you have any questions regarding EMT's findings please call.

Sincerely,

Environmental Management & Technologies, Inc.

Jim Bryan, Environmental Scientist

John Beeson, Professional Engineer

ENVIRONMENTAL MANAGEMENT & TECHNOLOGIES, INC.

556-G ARBOR HILL RD.
KERNERSVILLE, NC 27284

(919) 996-8002

Chain of Custody Record

JOB NO. 532

PROJECT PARRISH TIRE COMPANY UST CLOSURE BY CLINT BODFORD

SITE 8800 N. POINT BLVD, WINSTON SALEM N.C.

COLLECTOR Jim BRYAN

SAMPLE I.D.	TYPE	DATE/TIME	Analyses	REMARKS
SS1	soil	3/9/92 4:38	assay By SW-846 Method 3550 and Method 5030 for Diesel fuel	
SS2	soil	3/9/92 4:44	assay by SW-846 Method 3550 and Method 5030 for Diesel fuel	
SS3	soil	3/9/92 4:59	assay by SW-846 Method 3550 and Method 5030 for Diesel fuel	

RELINQUISHED BY:	DATE	TIME	RECEIVED BY:	RELINQUISHED BY:	DATE	TIME	RECEIVED BY:
Jim Bryan	3-10-92	7:33	Sharon Bryan				
Sharon Bryan	3-10-92	11:00	Mary Woodard				

RECEIVED FOR LABORATORY BY:	DATE	TIME	REMARKS

RESEARCH & ANALYTICAL LABORATORIES, INC.

Analytical/Process Consultations

ISO COURT #34

Environmental Management & Tech.
556 G Arbor Hill Rd.
Kernersville, NC 27284
Attn: Jim Bryan

Date Sample Collected : 03/09/92
Date Sample Received : 03/10/92
Date Sample Analyzed : 03/11/92
Date of Report : 03/17/92

Analyses Performed by : LC

Job Number : 3867

Lab Sample Number
130233

Parameter	Storet #	Results
Hydrocarbons/Gasoline		<10 PPM *
Hydrocarbons, Diesel		<10 PPM **

*EPA METHOD 5030

**EPA METHOD 3550

Other Imformation

Parrish Tire Company's general offices will continue to function at this location.

The tankhold evaluation revealed the soil(s) around the UST was fill dirt. The fill dirt was encountered to a depth of 14 feet. At 14-15 feet vegetative matter was encountered probably indicative of the original elevation at this site. Within the fill, debris consisting of sheet metal, brick etc. were observed frequently throughout the extent of the fill layer.

Safeway Tank Disposal, Inc., Colfax, N.C. disposed of the UST for Bodford Brothers. The tank was in good to very good condition with no holes detected during a visual inspection of the UST.

Free Product Determination & Management

All free product had been removed from the diesel fuel tank prior to excavation. No free product or petroleum odor(s) were encountered in any soils evaluated below or around this underground storage tank (UST).

Sample Collection

Soils collected 2.0' below the UST on the floor of the excavation were assayed for petroleum fuel(s) by SW-846 Methods 3550 and 5030. See attached map included in this report for sample locations. Dedicated stainless steel scoops were used to collect each sample. Each soil sample was placed in a 1 gallon zip loc baggy and held for 15 minutes then screened for hydrocarbon vapor. The results were recorded and appropriate samples were then placed in laboratory cleaned glassware. An aluminum septum was used for each sample to separate the soil from the components of the lid. Each sample was then labeled and placed on ice for transportation to the laboratory. Chain of Custody was maintained for all samples collected.

Introduction

Parrish Tire Company's general offices are located at 8800 North Point Blvd., Winston Salem, N.C. Bodford Brothers, Mr. Clint Bodford, requested that Environmental Management and Technologies, Inc. provide evaluative assistance during the closure of a 10,000 gallon diesel fuel tank. The 10,000 gallon diesel fuel tank (underground storage tank) was used to fuel trucks at 8800 North Point Blvd., Winston-Salem, N.C.

Site Check

The 10,000 gallon tank and associated plumbing was all removed by Bodford Brothers whose office is located at 1001 Mar Don Drive, Winston Salem, N.C. Plumbing and pumphead were located within the tankhold area. Soils in the tankhold area were screened with a Trace Techtor (Gas Tech) hydrocarbon vapor detector. Field readings are depicted below:

Tankhold Location	Depth	Hydrocarbon Reading
sidewall east	7.0'	1.0 ppm
sidewall west	7.5'	0.0
sidewall north	9.0'	0.0
sidewall south	7.0'	2.0 ppm
floor south tank end	14.0'	8.0 ppm
floor middle of tank	14.0'	3.0 ppm
floor north tank end	14.0'	3.0 ppm



8800 N. Point Blvd.

COPY

Safeway Tank Disposal, Inc.

Page 1 of 1

RECEIVED MAR 1 1992

CERTIFICATE OF TANK DISPOSAL

Customer
Bedford Bros. Const.
1000 Mar-Don Dr.
Winston-Salem, N.C. 27104

Date 3/16/92

Transported by:

Tank Disposal Number	Size	Weight	Product	Residue Amount	Origin
5500	10,000 gal	8335#	Disabled	319 gal	Parrish Tire
					8800 North Point Blvd.
					Winston-Salem, N.C.

Total Residue 319 gal.

Tanks were disposed in accordance with API 1604, 1987 Removal and Disposal of Used Underground Petroleum Storage Tanks. Residue was disposed in accordance with U.S. EPA Regulations by licensed subcontractor. Lead free scrap steel was recycled by United Metal Recyclers on 3/13/92.

Sharon W. Young
SAFEWAY TANK DISPOSAL, INC.