

State of North Carolina
Department of Environment,
Health and Natural Resources
Division of Waste Management

James B. Hunt, Jr., Governor
Wayne McDevitt, Secretary
William L. Meyer, Director



September 3, 1997

NC DEPT OF CORRECTION PRINT PLANT
ALTERNATE 64 W PO BOX 600
NASHVILLE, NC 27856-

RE EPA ID NO.: NCR000000984


Dear Sir/Madam:

Based on information received by this office for the site identified with the EPA ID number, the state has accepted and processed the change in RCRA classification or information for the above site.

Please verify the computer generated information on the attached report and notify us of any corrections. We are advising EPA of the changes.

Enclosed you will find some information we hope will be helpful. If you have any questions or if I can be of any further assistance, please call me at (919)733-2178 ext.209.

Sincerely,


R. J. Edwards, Administrative Assistant
Division of Waste Management

cc: MIKE WILLIFORD

State of North Carolina
Department of Environment,
Health and Natural Resources
Division of Solid Waste Management

James B. Hunt, Jr., Governor
Jonathan B. Howes, Secretary
William L. Meyer, Director



May 19, 1995

NC DEPT OF CORRECTION PRNT PLT
ALTERNATE 64 W PO BOX 600
NASHVILLE NC 27856

RE: EPA ID No.: NCR000000984

Dear Sir:

Based on information received by this office for the site identified with the above EPA ID number, the State has accepted and processed the change in RCRA classification or information for the above listed site.

Your EPA ID number is active.

Current computer record of your facility contains following information:

(X Indicates Operational Status of Your Facility)

- | | |
|-------------------|-------------------------|
| - LARGE GENERATOR | X SMALL QNTY. GENERATOR |
| - TRANSPORTER | - TREATER |
| - STORER | - DISPOSER |

Company Name:	NC DEPT OF CORRECTION PRNT PLT
Owner:	NC DEPT OF CORRECTION ENTRPRSE
Owner Address:	322 CHAPANOKE RD
City, St.& ZIP:	RALEIGH NC 27626
Contact:	MERRITT DAVID
Phone Number:	(919)459-9100
Location Addr.:	ALTERNATE 64 W
City, St.& ZIP:	NASHVILLE NC 27856

Please verify the above computer information. Please notify us of any corrections.

We are advising EPA of the change. Please notify us if there is any further change in your operations which would affect your status, namely Company's Name, Ownership, Address, Contact, or Telephone.
Your EPA ID number is currently active.

Sincerely,

R.J. Edwards, Administrative Officer

P.O. Box 27687, Raleigh, North Carolina 27611-7687 Division of Solid Waste Management-3605

An Equal Opportunity Affirmative Action Employer

50% recycled/ 10% post-consumer paper

CC: MIKE WILLIFORD

State of North Carolina
Department of Environment,
Health and Natural Resources
Division of Solid Waste Management

James B. Hunt, Jr., Governor
Jonathan B. Howes, Secretary
William L. Meyer, Director



May 19, 1995

NC DEPT OF CORRECTION PRNT PLT
ALTERNATE 64 W PO BOX 600
NASHVILLE, NC 27856

RE: EPA ID No. NCR000000984

Dear Sir:

Listed above is your EPA ID number which has been assigned by the EPA. As a Small Generator, you should be familiar with N.C. Hazardous Waste Management Regulations 15A NCAC 13A .0002 Definitions; contained in 40 CFR 260.10 (Subpart B), 15A NCAC 13A .0006 Identification and Listings of Hazardous Waste; contained in 40 CFR 261.1 (Subpart A-D) and 15A NCAC 13A .0007 Standards for Hazardous Waste Generations; contained in 40 CFR 262.10 - 262.40 (Subpart A-D).

Effective January 1, 1986, all handlers of hazardous waste were required by G.S. 130A-294.1 to pay an annual fee. The above rules were adopted November 13, 1985 as authorized by G.S. 130A-294(a)(7) which was ratified July 3, 1985. Revised by House Bill 2623, ratified on the 29th day of June, 1988 by the General Assembly of the State of North Carolina. You will be billed for the Annual Fee at the beginning of the State fiscal year in July.

You can contact the Hazardous Waste Management Section at (919) 733-2178 for information.

NCSU provides a training program for generators which you may want to attend. Call Mac McKenzie or Kathryn Murray at 919-515-2261 or write to the Office of Continuing Education and Professional Development, P.O. Box 7401, Mckimmon Center, N. C. State University, Raleigh, NC 27695-7401.

You will be inspected at a future date to insure compliance with the above rules. To obtain a complete copy of rules contact the Hazardous Waste Management Section, Division of Solid Waste Management, Box 27687, Raleigh, 27611-7687. There is a 16.00 printing charge for complete copy of the rules.

Sincerely

R.J. Edwards, Administrative Officer
Division of Solid Waste Management

cc: MIKE WILLIFORD

EPA Notification of Regulated Waste Activity

Date Received
(For Official Use Only)
MAY 16 1995
MANAGER

①

NCR0000000984

NC/DEPT/OF CORRECTION PRINT/PLANT

ALTERNATE 64 WEST

NASHVILLE NC 27856-

FRANKLIN

ALTERNATE 64 WEST PO BOX 600

NASHVILLE NC 27856-

MERRITT DAVID

PLANT MANAGER 719-459-9100

Contact Address Street or P.O. Box

CITY/TOWN STATE ZIP CODE

Name of Installation's Legal Owner

NC DEPT OF CORRECTION ENTERPRISE

322 CLAPANOKE ROAD

RALEIGH NC 27626-0540

Phone Number (area code and number) Land Type Owner Type Change of Owner Indicator (Date Changed) Month Day Year
919-662-4400 S S Yes No X

MEAST POST

MATERIAL SAFETY DATA SHEET

PRINTERS' SERVICE 26 Blanchard St. Newark, NJ 07105
Emergency Telephone No. (201) 549-7800
For Chemical Emergency -Day or Night- Call CHEMTREC (800) 424-9300
First Release: 01/04/89 Latest Release: 05/15/89

Rating	HMIS	NFPA
Health	1	2
Flammability	2	2
Reactivity	0	0
Protection	B	B

Section I - PRODUCT INFORMATION

Product Name: **POWERKLENE LMS** Chemical Name: Blanket and Roller Wash Code No.: A768
Chemical Family: Aliphatic, aromatic, surfactant solution
DOT Hazard Classification: Compound, Cleaning liquid - Combustible liquid UN No.: NA 1993

Section II - HAZARDOUS INGREDIENTS

Ingredients	CAS No.	%	PEL	TLV
Aliphatic Petroleum Distillates (C8-12)	64741-21-9	45-55	500 ppm	100 ppm
Aromatic Petroleum Distillates (C8-11)**	64742-98-4	45-55	100 ppm	NL
**27% of ingredient 1,2,4 Trimethylbenzene*	95-83-6		25 ppm	NL
Nonylphenoxypoly (Ethyleneoxy) Ethanol	9016-45-9	1-3	NL	NL
Diisononyl Phthalate	28553-12-0	0-5	NL	NL
2,6-Di-Tert-Butyl-p-Cresol	128-37-0	0-5	NL	NL

*Regulated as a toxic chemical under section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1980 and 40 CFR part 372.

Section III - PHYSICAL DATA

Boiling Point (Degrees F): 315	Specific Gravity: 0.833	Vapor Pressure (mmHg): 1.85
Vapor Density (Air = 1): 4.5	Percent Volatile: 98	Evaporation Rate: 0.11
VOC (#/gal): 7.05	Photoreactive: Yes	(n-Butyl Acetate = 1)
Appearance and Odor: Clear liquid - moderate solvent odor		
Solubility in Water: 2%		

Section IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Degree F. TCC): 105 LEL: 0.5 UEL: 6

Ex. Quishing Media: Carbon dioxide, foam or dry powder. Water may be ineffective.

Special Fire Fighting Procedures: Keep container cool. Control cooling water since it may tend to spread burning material.

Unusual Fire and Explosion Hazards: If boiling point of solvent is reached, the container may rupture explosively and if ignited, generate a fire ball.

Section V - HEALTH HAZARD DATA

Acute: None Chronic: Prolonged high vapor exposure may cause liver and/or kidney ailments.

Medical Conditions Generally Aggravated by Exposure: Dermatitis

Indications of Exposure: **INHALATION:** Headache, dizziness, nausea. Very high levels of vapors could cause unconsciousness. Slight irritation of the mucous membrane.
EYES: Redness or burning sensation.
SKIN: Redness, itching, irritation on overexposure.
INGESTION: Severe gastrointestinal irritation, nausea, vomiting and diarrhea.

Emergency and First Aid: **INHALATION:** Remove to fresh air. If unconscious, use artificial respiration.
EYES: Flush eyes with water for 15 minutes. Lift upper and lower lids. See doctor.
SKIN: Wash with soap and water.
INGESTION: Do not induce vomiting. See doctor immediately to pump stomach.

IN ALL CASES OF EMERGENCY AND FIRST AID, IT IS STRONGLY RECOMMENDED A DOCTOR BE SEEN.

Chemical Listed as Carcinogen or Potential Carcinogen: None

NTP: None IARC: None OSHA: None

Section VI - REACTIVITY DATA

Stability: Stable
Hazardous Polymerizations: None
Incompatibility: Strong oxidizers
Hazardous Decomposition Products: Carbon dioxide, carbon monoxide on ignition

Section VII - SPILL OR LEAK PROCEDURES

Steps To Be Taken In Case Material Is Released or Spilled: Ventilate area. Keep away from strong oxidizers, heat, sparks or open flames. Prevent spill from spreading by using an inert material, such as sand, as a dam. Keep out of all waterways or water drains. DO NOT flush area with water. For small spills use absorbent pads. For large spills, call a Spill Response Team. If required contact state/local agencies.

Waste Disposal Method: Product soaked absorbent should be placed in sealed metal drums for disposal in accordance with local, state and federal regulations.

Section VIII - SPECIAL PROTECTION INFORMATION

Storage and Handling: Keep away from strong oxidizers, heat, sparks and open flames. Do not cut or drill into an empty container in any way that might generate a spark. Solvent residue in the container could ignite and cause an explosion. Keep container tightly closed and out of the weather.

Respiration Protection: If TLV is exceeded use a gas mask with appropriate cartridges, canisters or supplied air equipment.

Ventilation: If normal ventilation is inadequate use additional systems. Especially local ventilation. If the vapor level can approach the LEL, lower explosion limit, use explosion proof systems.

Protective Gloves: Solvent resistant.

Eye Protection: Safety goggles.

Other Protective Equipment: None

Work/Hygiene Practices: Wash skin/clothes if they come in contact with the product, do not wear clothing wet with the product.

ADDITIONAL COMMENTS

We recommend that containers be either professionally reconditioned for reuse by certified firms or properly disposed of by certified firms to help reduce the possibility of an accident. Disposal of containers should be in accordance with applicable laws and regulations. "Empty" drums should not be given to individuals.

The information and recommendations herein have been compiled from our records and other sources believed to be reliable. No warranty, guaranty, or representation is made by Printers' Service as to the sufficiency of any representation. The absence of data indicates only that the data is not readily available to us. Additional safety measures may be required under particular or exceptional conditions of use. With regard to the materials themselves, Printers' Service makes no warranty of any kind whatever, expressed or implied, and all implied warranties of merchantability and fitness for a particular purpose are hereby disclaimed.