Limited Site Investigation Report

Pitt County School Bus Garage

901 Mall Dr.

Greenville, Pitt County, North Carolina

August 17, 2010

Terracon Project No. 72107040

Prepared for:

Pitt County Schools

Greenville, North Carolina

Prepared by:

Terracon Consultants, Inc.

Greenville, North Carolina

Offices Nationwide Established in 1965
Employee-Owned terracon.com

Terracon

Geotechnical • Environmental • Construction Materials • Facilities

NCDENR

North Carolina Department of Environment and Natural Resources

Beverly Eaves Perdue, Governor
Dee Freeman, Secretary

Division of Waste Management
Underground Storage Tank Section

Dexter R. Matthews, Director

RECEIVED
DEC 2 2011
SUPERFUND SECTION

TO: Charlotte Jesneck

FROM: Scott Bullock JSB

COPY: Bob Davies

DATE: November 28, 2011

RE: Referral of Solvent Groundwater Contamination
Pitt County School Bus Garage
901 Mall Drive, Greenville, NC
Pitt County
UST Incident Number: 38140
Risk Classification: Low
Ranking: 130D

The Washington Regional Office (WaRO) Underground Storage Tank (UST) Section received a Limited Site Investigation Report (Report) that included information for a petroleum release and a release of solvents to groundwater. The UST Section has ranked the petroleum release as Low 130D and we issued a Notice of Residual Petroleum Contamination for soil and groundwater on November 23, 2011 and once that is completed we will issue a "No Further Action" letter for only the petroleum release. **Therefore, the UST Section is referring the solvent groundwater contamination to the Inactive Hazardous Waste Branch**. Please find attached a copy of the Report.

If you have any questions or need additional information, please contact me at 252-948-3906.

Terracon

August 17, 2010

Pitt County Schools
c/o Hite Associates, PC
2600 Meridian Drive
Greenville, North Carolina 27858

Attention: Mr. James G. Hite, AIA

Subject: Limited Site Investigation Report
Pitt County School Bus Garage
901 Mall Drive
Greenville, Pitt County, NC
Terracon Project No. 72107040

Dear Mr. Hite:

Terracon Consultants, Inc. has completed the environmental engineering services for the Limited Site Investigation (LSI) for the above referenced site. The investigation was performed in accordance with Terracon's Proposal Number P-0-167-72 dated July 7, 2010.

Analytical results indicated that soil contamination above the North Carolina Department of Natural Resources (NCDENR) Total Petroleum Hydrocarbon (TPH) Action Level is associated with the underground gasoline storage tank and the product line of the aboveground diesel storage tank. In addition, analytical results of several of the groundwater samples indicated contamination above NCDENR's Groundwater Quality Standards.

We appreciate the opportunity to perform these services for Pitt County Schools. Please contact either of the undersigned at (252) 353-1600 if you have questions regarding the information provided in the report.

Sincerely,
Terracon Consultants, Inc.

Prepared by:

Allen McColl
Staff Professional
Environmental Services

Reviewed by:

Carl F. Bonner, PE.
Greenville Office Manager
Registered, NC 16252

NORTH CAROLINA PROFESSIONAL SEAL 16252 ENGINEER CARL F. BONNER

8-17-2010

Attachments

Terracon

TABLE OF CONTENTS

Page No.

1.0 INTRODUCTION 1

2.0 FIELD ACTIVITIES 3

3.0 LABORATORY ANALYTICAL METHODS 5

4.0 DATA EVALUATION 5

5.0 FINDINGS AD RECOMMENDATIONS 8

TABLES

Table 1 – Soil Sampling Summary – Page 6
Table 2 – Groundwater Sampling Summary for Volatiles – Page 7
Table 3 – Groundwater Sampling Summary for Semi-Volatiles – Page 8
Table 4 – PID Readings and Soil Descriptions – Appendix B

LIST OF APPENDICES

Appendix A: FIGURES
Figure 1 – Topographic Map
Figure 2 – Site Diagram w/ Sample Locations

Appendix B: PID Readings and Soil Descriptions

Appendix C: Laboratory Data Sheets and Chain of Custodies

Terracon

LIMITED SITE INVESTIGATION

Pitt County School Bus Garage
901 Mall Dr.
Greenville, Pitt County, NC

Terracon Project No. 72107040
August 17, 2010

1.0 INTRODUCTION

1.1 Site Description

Site Name	Pitt County School Bus Garage
Site Location/Address	901 Mall Dr., Greenville, NC
General Site Description	The site is currently developed with multiple buildings that are used as bus repair shops, offices and vehicle wash bays.

A topographic map is included as Figure 1 in Appendix A and a site diagram indicating the site features and sample locations is included as Figure 2 in Appendix A.

1.2 Project Information/Scope of Work

Project Information

Project information was obtained from our conversations with school personnel during a site visit on July 2, 2010, our conversations with Mr. Hite and a review of the environmental databases and tax information for the site.

We understand that an environmental assessment of the school bus garage property is required due to a potential sale of the site. The site contains approximately 15.8 acres and was originally developed in 1967 according to the tax information reviewed. The site is a former Leaking Underground Storage Tank (LUST) site that was closed out in 1999. The LUST listing was the result of a tank closure project in 1993 that encountered soil and groundwater contamination. The site is also on the RCRA list as a Conditionally Exempt Small Quantity Generator of hazardous waste. This hazardous waste is from the maintenance operations and includes solvents, waste oil and fluids. According to the database, the site contains an active gasoline underground storage tank.

During our site visit, we observed an above ground diesel tank with underground piping to a dispenser rack. A fill port and vent pipe were observed for an existing gasoline underground storage tank (UST). This gasoline UST also has underground piping to the adjacent dispenser rack. An exterior bulk oil tank in secondary containment, an oil filter dumpster and a lubricant barn near the diesel tank were also observed. We also observed three groundwater monitoring wells from the LUST investigation.

The bus wash building has an oil/water separator that is connected to the municipal sewer.

Inside the garage, we observed two automobile lifts with underground hydraulic reservoirs. One of these lifts had been abandoned and replaced with an aboveground model. We also observed a parts washer and a parts elevator with an above ground hydraulic reservoir.

Scope of Services

Based on our conversations with Pitt County personnel and our observations during site visit, Terracon recommended that a LSI be performed to evaluate the presence of volatile organic compounds (VOCs) and semi-volatile organic compounds (SVOCs) in the on-site soils and groundwater as a result of releases from the site's operations. Terracon's LSI was conducted in accordance with Terracon's proposal (Terracon Proposal No. P-0-167-72) dated July 7, 2010 as authorized by Mr. Jimmy Hite, agent for Pitt County Schools, on July 8, 2010.

In order to perform the Limited Site Investigation Services, Terracon performed the following tasks:

- Contacted NC One Call in order to have the underground utilities located prior to our arrival on site.
- Mobilized to the site with a drilling subcontractor to utilize a geoprobe unit to advance borings in select areas around the site. Two borings were advanced adjacent to the existing gasoline UST, three borings were advanced along the alignment of the diesel fuel underground piping, one boring was advanced adjacent to the used oil tank and former bus washing pad, one boring was advanced near the fueling rack and one boring each was advanced adjacent to the car lifts.
- Advanced each boring to approximately 15 feet below land surface or until the groundwater saturation zone was encountered.
- Screened the soils during the geoprobe operation using a photo ionization detector (PID) in order to ascertain possible soil contamination locations.
- Collected a soil sample from each geoprobe boring from soils field screened with the highest PID readings. One soil sample was collected at varying depths to just above the saturation zone from each boring location.
- Advanced the gasoline UST, underground piping and fuel rack borings into the groundwater. A peristaltic pump was used to collect one groundwater sample from each of the borings.
- Sampled the three existing groundwater monitoring wells.
- Analyzed the soil samples for Total Petroleum Hydrocarbons (TPH) using EPA Method 5030 for Gasoline Range Organics (GRO) and EPA Method 3550 for Diesel Range Organics (DRO). The soil sample for the boring near the used oil tank was also analyzed for Oil and Grease using EPA Method 9071.
- Analyzed the groundwater samples for volatiles using EPA Method 8260 and semi-volatiles using EPA Method 8270.
- Analyzed the samples using a standard turnaround time.
- Issued this LSI report of our findings.

1.3 Standard of Care

Terracon's services were performed in a manner consistent with generally accepted practices of the profession undertaken in similar studies in the same geographical area during the same time period. Terracon makes no warranties, either express or implied, regarding the findings, conclusions or recommendations. Please note that Terracon does not warrant the work of laboratories, regulatory agencies or other third parties supplying information used in the preparation of the report. These LSI services were performed in accordance with the scope of work agreed with you, our client, as reflected in our proposal and were not restricted by ASTM E1903-97.

1.4 Additional Scope Limitations

Findings, conclusions and recommendations resulting from these services are based upon information derived from the on-site activities and other services performed under this scope of work; such information is subject to change over time. Certain indicators of the presence of hazardous substances, petroleum products, or other constituents may have been latent, inaccessible, unobservable, nondetectable or not present during these services, and we cannot represent that the site contains no hazardous substances, toxic materials, petroleum products, or other latent conditions beyond those identified during this LSI. Subsurface conditions may vary from those encountered at specific borings or wells or during other surveys, tests, assessments, investigations or exploratory services; the data, interpretations, findings, and our recommendations are based solely upon data obtained at the time and within the scope of these services.

1.5 Reliance

This report has been prepared for the exclusive use of Pitt County Schools, and any authorization for use or reliance by any other party (except a governmental entity having jurisdiction over the site) is prohibited without the express written authorization of Pitt County Schools and Terracon. Any unauthorized distribution or reuse is at the client's sole risk. Notwithstanding the foregoing, reliance by authorized parties will be subject to the terms, conditions and limitations stated in the proposal, LSI Report and Terracon's terms and conditions is the aggregate limit of Terracon's liability to the client and all relying parties unless otherwise agreed in writing.

2.0 FIELD ACTIVITIES

Terracon's field activities were conducted on July 20 and July 21, 2010 under the supervision of Mr. Allen McColl, Staff Professional of Environmental Services with Terracon. Field activities included advancing nine soil borings using a geoprobe unit, collecting nine soil samples, collecting groundwater samples from five temporary monitoring wells and collecting groundwater samples from three permanent groundwater monitoring wells. These field activities are further discussed below.

Soil Borings

Drilling services were performed by a State of North Carolina licensed driller using a track-mounted geoprobe unit under the supervision of a Terracon Environmental Professional. Soil samples were collected using five-foot core barrel samplers. A disposable clear plastic liner in the Geoprobe soil sampler was changed between each boring interval and location. Drilling equipment was cleaned using a high pressure washer prior to beginning the project and before beginning each soil boring.

Soil samples were collected continuously and observed to document soil lithology, color, moisture content and sensory evidence of impairment. The soil samples were field-screened using a MiniRAE 2000 photoionization detector (PID) to indicate the presence of VOCs. Each soil boring was divided into Zip-lock bags at approximately 2.5 feet intervals prior to PID analysis. Please note that the PID field screenings readings ranged between 0.0 parts per million (ppm) to 6.9 ppm.

Detailed lithologic descriptions and PID readings are presented in the soil boring logs as Table 4 and are included in Appendix B of this report.

Based on PID readings, Terracon collected soil samples from borings from the following locations and intervals: SB-1 (5'-7.5') near the diesel AST where the product line initially extends into the ground, SB-2 (2.5'-5') near the middle alignment of the product line , SB-3 (7.5'-10') along the alignment of the product line closest to the fueling rack, SB-4 (5'-7.5') on the west side of the fueling rack, SB-5 (2.5'-5') on the south side of the gasoline UST location, SB-6 (7.5'-10') on the east side of the gasoline UST, SB-7 (5'-7.5') on the west side of the waste oil AST, SB-8 (7.5'-10') inside the shop near one of the hydraulic lifts and SB-9 (5'-7.5') inside the shop near the second hydraulic lift.

Each soil sample was collected using gloved hands. Gloves were changed at each sample collection point. The soil samples for laboratory analysis were then placed in laboratory prepared containers and placed in a cooler with ice.

Groundwater Sampling

A total of five groundwater samples were obtained from select borings across the site. Groundwater samples were obtained from the following locations: B1(GW) was collected near the diesel AST where the product line initially extends into the ground, B4(GW) was collected on the west side of the fueling rack, B6(GW) was collected on the east side of the gasoline UST, B7(GW) was collected on the west side of the waste oil AST and B8(GW) was collected inside the shop near one of the hydraulic lifts.

Groundwater samples were collected using a peristaltic pump and disposable tubing from temporary wells installed by a direct push method using the geoprobe. The temporary groundwater monitoring wells were 1-inch diameter wells installed to a depth of 15 foot. Each temporary well consisted of a five foot section of 0.010-inch machine slotted PVC well screen with a 10 foot flush joint PVC riser. The temporary wells were backfilled with pre-sieved silica

sand pack from the bottom of the boring to approximately 2 feet above the top of the well screen.

Prior to groundwater sample collection, each temporary well was purged using new disposable tubing until the groundwater was relatively clear.

The three existing groundwater monitoring wells (MW-A, MW-B and MW-C) that were observed on site were sampled using plastic disposable hand bailers until the groundwater was relatively clear.

Groundwater samples were then collected using disposable tubing/disposable bailers and disposable gloves and placed into laboratory prepared jars. The groundwater samples were then placed in laboratory prepared containers and placed in a cooler with ice.

The sample cooler containing both soil and groundwater samples and completed chain-of-custody form was relinquished to Environmental Science Corporation analytical laboratory in Mt. Juliet, TN for standard turnaround.

Following sample collection, each of the borings were properly abandoned using boring cuttings and bentonite pellets from the bottom of the boring to within a foot of the land surface, topped with sand backfill and capped using a concrete slurry.

Soil cuttings, groundwater and equipment cleaning water generated during the field activities are not required to be containerized by NCDENR. These materials were spread out on-site around the general boring location or used as fill for the borings during their closure.

3.0 LABORATORY ANALYTICAL METHODS

Soil samples SB-1 (5'-7.5'), SB-2 (2.5'-5'), SB-3 (7.5'-10'), SB-4 (5'-7.5'), SB-5 (2.5'-5'), SB-6 (7.5'-10'), SB-8 (7.5'-10') and SB-9 (5'-7.5') were analyzed for GRO using EPA Method 5030 and DRO using EPA Method 3550.

Soil sample SB-7 (5'-7.5') was analyzed for GRO using EPA Method 5030, DRO using EPA Method 3550 and Oil and Grease using EPA Method 9071.

The eight groundwater samples (B1(GW), B4(GW), B6(GW), B7(GW), B8(GW), MW-A, MW-B and MW-C) were analyzed for VOCs using EPA Method 8260 w/ BTEX and SVOCs using EPA Method 8270.

Laboratory results are summarized in the tables included in Section 4.0 of this report. The executed chain-of-custody form and laboratory data sheets are provided in Appendix C.

4.0 DATA EVALUATION

4.1 Soil Samples

The following summarizes the results of our sampling and analysis:

- The soil sample collected from SB-3 (7.5'-10') exhibited soil contamination above NCDENR's Total Petroleum Hydrocarbon (TPH) Action Levels for DRO for AST related releases.

- The soil sample collected from SB-6 (7.5'-10') exhibited soil contamination above NCDENR's TPH Action Levels for DRO and GRO for UST related releases.

- The soil sample collected from SB-1 (5'-7.5') was analyzed to contain DRO at 14.5 mg/kg and the soil sample collected from SB-9 (5'-7.5') was analyzed to contain DRO at 8 mg/kg.

  Please note that these DRO levels are below NCDENR's TPH Action Level for AST releases. The other soil samples collected were analyzed to be Non Detect (below the laboratory's method detection limit).

The laboratory results compared to NCENR's applicable reportable limits for TPH Action Levels for soil are summarized Table 1 below.

Table 1 – Soil Sampling Summary (mg/kg)

Sample ID	Sample Area	DRO	GRO	Oil and Grease
SB-1 (5'-7.5')	Near Diesel AST	**14.5**	ND	NA
SB-2 (2.5'-5')	AST Product Line	ND	ND	NA
SB-3 (7.5'-10')	AST Product Line	45.4	ND	NA
SB-4 (5'-7.5')	Near Fueling Rack	ND	ND	NA
SB-5 (2.5'-5')	Near Gas UST	ND	ND	NA
SB-6 (7.5'-10')	Near Gas UST	**538**	**15.6**	NA
SB-7 (5'-7.5')	Near Waste Oil AST	ND	ND	ND
SB-8 (7.5'-10')	Hydraulic Lift 1	ND	ND	NA
SB-9 (5'-7.5')	Hydraulic Lift 2	**8**	ND	NA
TPH Action Levels for USTs		**10**	**10**	**250**
TPH Action Levels for Non-USTs		40	10	250

ND = Non Detect (sample not analyzed above laboratory's method detection limit)
NA = Not Analyzed (sample not analyzed for the parameter)
Shaded constituents are above the applicable NCDENR reportable limits for soil.
Results are presented in mg/kg (parts per million)

4.2 Groundwater Samples

Groundwater sample B1(GW) was analyzed to be above NCDENRs Groundwater Quality Standards (GQS) for Benzene. No other constituents were analyzed above the GQS in sample B1(GW).

Groundwater sample B4(GW) was analyzed to be above NCDENR's GQS for Benzene, MTBE and Naphthalene. Other constituents that were analyzed in sample B4(GW) above detection limits were below NCDENR's Groundwater Quality Standards.

Groundwater sample B6(GW) was analyzed to be above NCDERN's GQS for Benzene and Naphthalene. Other constituents that were analyzed above detection limits in sample B6(GW) were either below NCDENR's Groundwater Quality Standards or the analyzed constituent has not currently had a risk level established by NCDENR.

Groundwater sample B8(GW) was analyzed to be above NCDENR's GQS for Vinyl Chloride. Other constituents that were analyzed above method detection limits in sample B8(GW) were below NCDENR's Groundwater Quality Standards.

Groundwater sample MWA was analyzed to be above NCDENR's GQS for Benzene, Chloromethane, Phenol and Vinyl Chloride. Other constituents that were analyzed above method detection limits in sample MWA were either below NCDENR's Groundwater Quality Standards or the analyzed constituent has not currently had a risk level established by NCDENR.

Groundwater sample B7(GW), MWB and MWC were analyzed to be non detect (ND), below laboratory detection limits, for each target constituent.

Please note that Vinyl Chloride that was analyzed in B8(GW) and MWA above NCDENR's GQS. According to the Environmental Protection Agency's website, the major use of Vinyl Chloride is in the production of PVC. This constituent could be released from the degradation of the PVC well casings and does not appear to be associated with the petroleum releases onsite.

Groundwater laboratory results compared to NCDENRs Groundwater Quality Standards and NCDENR's Gross Contamination Levels for Groundwater are summarized in Table 2 and 3 below. Please note that no constituents were analyzed to be above NCDENR's Gross Contamination Levels for groundwater.

Table 2 – Groundwater Sampling Summary for Volatiles

EPA 8260 Sample Results (ug/l)													
Sample ID	Benzene	2-Butanone (MEK)	Chloromethane	Cis-1,2-Dichloroethene	Ethylbeneze	p-Isopropyltoluene	MTBE	Naphthalene	Toluene	Trichloroethene	Vinyl Chloride	m&p Xylene	o-xylene
B1(GW)	**1.1**	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
B4(GW)	**106**	ND	ND	**8.5**	**275**	ND	**88.4**	**76.2**	**3.6**	ND	ND	**16.6**	ND
B6(GW)	**3.7**	ND	ND	ND	**61.9**	**3.2**	ND	**36.3**	ND	ND	ND	**11.2**	**1.3**
B7(GW)	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
B8(GW)	ND	ND	ND	**2.4**	ND	ND	**3.4**	ND	ND	**2.7**	**1**	ND	ND
MWA	**994**	**18.3**	**21.8**	ND	**14.7**	ND	**1.3**	**3.5**	**137**	ND	**1.9**	**28.8**	**4.3**
MWB	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MWC	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
NC 2L Groundwater Quality Standards (ug/l)	**1**	**4000**	**3**	**70**	**600**	**NE**	**20**	**6**	**600**	**3**	**0.03**	**500**	**500**
Gross Contamination Levels for Groundwater (ug/l)	**5000**	**4,000,000**	**3000**	**70,000**	**84,500**	**NE**	**20,000**	**6000**	**260,00**	**3000**	**30**	**85,500**	**85,500**

NE = not established (an action level for this constituent has not been established by NCDENR); Constituents shaded are above NCDENRs Groundwater Quality Standards. Quantities are reported in ug/l (parts per million); ND = Non Detect (constituent was analyzed to be below the laboratory's method detection limit); Some constituents analyzed in the groundwater samples that were analyzed to be below NCDENR's Groundwater Quality Standards are not listed in the above table.

Table 3 – Groundwater Sampling Summary for Semi-Volatiles

EPA 8270 Sample Results (ug/l)						
Sample ID	Benzoic Acid	Diethylphthalate	2,4-Dimethylphenol	2-Methylphenol (o-cresol)	3-4,Methylphenol (m&p-cresol)	Phenol
B1(GW)	ND	ND	ND	ND	ND	ND
B4(GW)	ND	ND	ND	ND	ND	ND
B6(GW)	ND	ND	ND	ND	ND	ND
B7(GW)	ND	ND	ND	ND	ND	ND
B8(GW)	ND	ND	ND	ND	ND	ND
MWA	**233**	**18.3**	**27.1**	**70.1**	**38.1**	**184**
MWB	ND	ND	ND	ND	ND	ND
MWC	ND	ND	ND	ND	ND	ND
NC 2L Groundwater Quality Standards (ug/l)	**3000**	**NE**	**100**	**NE**	**NE**	**30**
Gross Contamination Levels for Groundwater (ug/l)	**1,700,000**	**NE**	**100,000**	**NE**	**NE**	**30,000**

NE = not established (an action level for this constituent has not been established by NCDENR); Constituents shaded are above NCDENRs Groundwater Quality Standards. Quantities are reported in ug/l (parts per million); ND = Non Detect (constituent was analyzed to be below the laboratory's method detection limit).

5.0 FINDINGS AND RECOMMENDATIONS

Based on the analytical results for soil being above NCDENR TPH Action Levels and groundwater being above NCDENR's Groundwater Quality Standards, Terracon recommends that a copy of this report be forwarded to the NCDENR Washington Regional Office for their review.

It is likely that NCDENR will require additional environmental investigations including additional soil and groundwater assessments for the areas where contamination was detected.

APPENDICES

Appendix A
Figures

UNITED STATES – DEPARTMENT OF THE INTERIOR – GEOLOGICAL SURVEY

SCALE 1:24 000

1 .5 0 KILOMETERS 1 2

1000 0 METERS 1000 2000

1 .5 0 1

MILES

1000 0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10 000

FEET

CONTOUR INTERVAL 2 METERS

NATIONAL GEODETIC VERTICAL DATUM OF 1929

N

QUADRANGLE

GREENVILLE SW, NC

1998

7.5 MINUTE SERIES (TOPOGRAPHIC)

Project Mngr: KAM	Project No. 72107040	Terracon Consulting Engineers and Scientists	TOPOGRAPHIC VICINITY MAP	FIG. No.
Drawn By: DWD	Scale: AS SHOWN		LIMITED SITE INVESTIGATION PITT COUNTY SCHOOL BUS GARAGE 901 MALL DRIVE GREENVILLE, NC	1
Checked By: KAM/MRF	File No. LSI72107040-1			
Approved By: CB	Date: AUGUST 2010	314 Beacon Drive Winterville, NC 28590 (252) 353-1600 (252) 353-0002		



LEGEND

- SUBJECT SITE
- UNDERGROUND DIESEL PRODUCT LINE
- APPROXIMATE BORING LOCATION
- APPROXIMATE MONITORING WELL LOCATION

0 160
Approximate Scale (Feet)

THIS DIAGRAM IS FOR GENERAL LOCATION ONLY, AND IS NOT INTENDED FOR CONSTRUCTION PURPOSES

Project Mngr: KAM	Project No. 72107040	Terracon Consulting Engineers and Scientists	SITE DIAGRAM
Drawn By: DWD	Scale: AS SHOWN	314 Beacon Drive Winterville, NC 28590	LIMITED SITE INVESTIGATION
Checked By: KAM/MRF	File No. LSI72107040-2	(252) 353-1600 (252) 353-0002	PITT COUNTY SCHOOL BUS GARAGE
Approved By: CB	Date: AUGUST 2010		901 MALL DRIVE
			GREENVILLE, NC

FIG. No. 2

Appendix B
Table of Soil Descriptions and PID Readings

Table 4 PID Readings and Soil Descriptions

Sample ID	PID Reading in Part Per Million (ppm)	Soil Description
SB-1 (0-2.5')	0.2	Gray/Tan-orange silty clayey fine sand
SB-1 (2.5'-5')	0.0	Gray/Tan-orange silty clayey fine sand
SB-1 (5'-7.5')	0.4	Gray/Tan-orange silty clayey fine sand
SB-1 (7.5'-10')	0.0	Light gray/orange silty clay
SB-1 (10'-12.5')	0.0	Light gray/orange silty clay
SB-1 (12.5'-15')	0.0	Light gray/orange silty clay
SB-2 (0-2.5')	0.0	Gray/tan-orange silty fine sandy clay
SB-2 (2.5'-5')	0.0	Dark gray/light gray/tan-brown silty clayey fine sand
SB-2 (5'-7.5')	0.0	Dark gray/light gray/tan-brown silty clayey fine sand
SB-2 (7.5'-10')	0.0	Light gray/orange silty fine sandy clay
SB-2 (10'-12.5')	0.0	Light gray/silty clayey fine to medium sand
SB-2 (12.5'-15')	0.0	Light gray/silty fine to medium sand
SB-3 (0-2.5')	0.0	Dark gray/light gray/tan orange silty clayey fine to medium sand
SB-3 (2.5'-5')	0.0	Dark gray/light gray/tan orange silty clayey fine to medium sand
SB-3 (5'-7.5')	0.0	Dark gray/light gray/tan orange silty clayey fine to medium sand
SB-3 (7.5'-10')	4.6	Dark gray/light gray/tan orange silty clayey fine to medium sand
SB-3 (10'-12.5')	0.0	Dark gray/light gray/tan orange silty clayey fine to medium sand
SB-3 (12.5'-15')	0.0	Dark gray/light gray/tan orange silty clayey fine to medium sand
SB-4 (0-2.5')	0.0	Dark gray/light gray silty fine sandy clay
SB-4 (2.5'-5')	0.0	Dark gray silty clayey fine to medium sand
SB-4 (5'-7.5')	0.6	Light gray/tan-brown silty fine sandy clay
SB-4 (7.5'-10')	0.0	Gray/tan-brown silty clayey fine to medium sand
SB-4 (10'-12.5')	0.4	Light gray/orange/dark gray silty fine sand clay
SB-4 (12.5'-15')	0.4	Light gray/orange/dark gray silty fine sand clay
SB-5 (0-2.5')	0.0	Dark brown/dark gray silty fine to medium sand
SB-5 (2.5'-5')	1.3	Dark brown/dark gray silty fine to medium sand
SB-5 (5'-7.5')	0.0	Dark gray/light gray silty clayey fine to medium sand
SB-5 (7.5'-10')	0.0	Dark gray/light gray silty clayey fine to medium sand
SB-5 (10'-12.5')	0.0	Light gray/dark gray/orange silty fine sandy caly
SB-5 (12.5'-15')	0.0	Dark brown/gray silty clay
SB-6 (0-2.5')	0.0	Dark gray silty clayey fine to medium sand
SB-6 (2.5'-5')	0.0	Dark gray/tan-brown silty fine sandy clay
SB-6 (5'-7.5')	0.5	Dark gray/tan-brown silty fine sandy clay
SB-6 (7.5'-10')	6.9	Light gray/dark gray silty clayey fine to medium sand
SB-6 (10'-12.5')	1.4	Light gray/orange silty clay
SB-6 (12.5'-15')	1.8	Light gray/orange/dark gray silty fine sandy clay

Table 4 PID Readings and Soil Descriptions (continued)

Sample ID	PID Reading in Part Per Million (ppm)	Soil Description
SB-7 (0-2.5')	0.0	Gray/tan-brown/orange silty fine sandy clay
SB-7 (2.5'-5')	0.0	Gray/tan-brown/orange silty fine sandy clay
SB-7 (5'-7.5')	1.3	Light gray/orange silty clay
SB-7 (7.5'-10')	0.0	Light gray/tan-orange silty fine sandy clay
SB-7 (10'-12.5')	0.0	Gray/orange silty clay
SB-7 (12.5'-15')	0.0	Dark brown/gray/orange silty fine sandy clay
SB-8 (0-2.5')	0.0	Dark gray/black slightly clayey silty fine to medium sand
SB-8 (2.5'-5')	0.0	Gray/orange silty fine sandy clay
SB-8 (5'-7.5')	0.3	Light gray/tan-brown silty clayey fine to medium sand
SB-8 (7.5'-10')	0.5	Light gray/tan-brown silty clayey fine to medium sand
SB-8 (10'-12.5')	0.0	Light gray/orange silty fine sandy clay
SB-8 (12.5'-15')	0.0	Light gray/orange silty fine sandy clay
SB-9 (0-2.5')	0.0	Dark gray/light gray silty clayey fine sand
SB-9 (2.5'-5')	0.0	Gray silty fine sandy clay
SB-9 (5'-7.5')	0.4	Light gray/tan-orange silty claey fine to medium sand
SB-9 (7.5'-10')	0.0	Light gray/tan-orange silty claey fine to medium sand
SB-9 (10'-12.5')	0.0	Light gray/orange silty clay
SB-9 (12.5'-15')	0.0	Gray/orange silty fine sandy clay

Appendix C
Laboratory Reports and Chain-of-Custody

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

July 28, 2010

Mr. Allen McColl
Terracon
314 Beacon Drive
Winterville, NC 28590

RE: Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Dear Mr. McColl:
Enclosed are the analytical results for sample(s) received by the laboratory on July 22, 2010. The results relate only to the samples included in this report. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

Inorganic Wet Chemistry and Metals analyses were performed at our Pace Asheville laboratory and Organic testing was performed at our Pace Huntersville laboratory unless otherwise footnoted. All Microbiological analyses were performed at the laboratory where the samples were received.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Kevin Herring

kevin.herring@pacelabs.com
Project Manager

Enclosures

cc: Mr. Chris Corbitt, Terracon

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

CERTIFICATIONS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Charlotte Certification IDs
9800 Kincey Ave. Ste 100, Huntersville, NC 28078
Louisiana/LELAP Certification #: 04034
New Jersey Certification #: NC012
North Carolina Drinking Water Certification #: 37706
North Carolina Field Services Certification #: 5342
North Carolina Wastewater Certification #: 12
Pennsylvania Certification #: 68-00784
South Carolina Certification #: 99006001
South Carolina Drinking Water Cert. #: 99006003
Virginia Certification #: 00213
Connecticut Certification #: PH-0104
Florida/NELAP Certification #: E87627
Kentucky UST Certification #: 84
Louisiana DHH Drinking Water # LA 100031

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE ANALYTE COUNT

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
9273962001	SB-1 (5-7.5)	EPA 8015 Modified	RES	2	PASI-C
		EPA 8015 Modified	AW	2	PASI-C
		ASTM D2974-87	JEA	1	PASI-C
9273962002	SB-2 (2.5-5)	EPA 8015 Modified	RES	2	PASI-C
		EPA 8015 Modified	AW	2	PASI-C
		ASTM D2974-87	JEA	1	PASI-C
9273962003	SB-3 (7.5-10)	EPA 8015 Modified	RES	2	PASI-C
		EPA 8015 Modified	AW	2	PASI-C
		ASTM D2974-87	JEA	1	PASI-C
9273962004	SB-4 (5-7.5)	EPA 8015 Modified	RES	2	PASI-C
		EPA 8015 Modified	AW	2	PASI-C
		ASTM D2974-87	JEA	1	PASI-C
9273962005	SB-5 (2.5-5)	EPA 8015 Modified	RES	2	PASI-C
		EPA 8015 Modified	AW	2	PASI-C
		ASTM D2974-87	JEA	1	PASI-C
9273962006	SB-6 (7.5-10)	EPA 8015 Modified	RES	2	PASI-C
		EPA 8015 Modified	AW	2	PASI-C
		ASTM D2974-87	JEA	1	PASI-C
9273962007	SB-7 (5-7.5)	EPA 8015 Modified	RES	2	PASI-C
		9071B ASE	EAJ	1	PASI-C
		EPA 8015 Modified	AW	2	PASI-C
		ASTM D2974-87	JEA	1	PASI-C
9273962008	SB-8 (7.5-10)	EPA 8015 Modified	RES	2	PASI-C
		EPA 8015 Modified	AW	2	PASI-C
		ASTM D2974-87	TNM	1	PASI-C
9273962009	SB-9 (5-5.7)	EPA 8015 Modified	RES	2	PASI-C
		EPA 8015 Modified	AW	2	PASI-C
		ASTM D2974-87	TNM	1	PASI-C
9273962010	B-8	EPA 8270	BPJ	74	PASI-C
		EPA 8260	MCK	63	PASI-C
9273962011	B-4	EPA 8270	BPJ	74	PASI-C
		EPA 8260	MCK	63	PASI-C
9273962012	B-6	EPA 8270	BPJ	74	PASI-C
		EPA 8260	MCK	63	PASI-C
9273962013	MWA	EPA 8270	PPM	74	PASI-C
		EPA 8260	MCK	63	PASI-C
9273962014	MWB	EPA 8270	PPM	74	PASI-C

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE ANALYTE COUNT

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
		EPA 8260	MCK	63	PASI-C
9273962015	**MWC**	EPA 8270	PPM	74	PASI-C
		EPA 8260	MCK	63	PASI-C
9273962016	**B7**	EPA 8270	PPM	74	PASI-C
		EPA 8260	MCK	63	PASI-C
9273962017	**B1**	EPA 8270	PPM	74	PASI-C
		EPA 8260	MCK	63	PASI-C

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: SB-1 (5-7.5) **Lab ID: 9273962001** Collected: 07/20/10 09:00 Received: 07/22/10 09:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel	Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546							
Diesel Components	**14.5**	mg/kg	6.2	1	07/22/10 14:00	07/26/10 17:06	68334-30-5	
n-Pentacosane (S)	96	%	41-119	1	07/22/10 14:00	07/26/10 17:06	629-99-2	
Gasoline Range Organics	Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B							
Gasoline Range Organics	ND	mg/kg	6.4	1	07/22/10 18:29	07/23/10 22:24	8006-61-9	
4-Bromofluorobenzene (S)	110	%	70-167	1	07/22/10 18:29	07/23/10 22:24	460-00-4	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	**19.2**	%	0.10	1		07/23/10 08:52		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: SB-2 (2.5-5) **Lab ID: 9273962002** Collected: 07/20/10 09:30 Received: 07/22/10 09:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel	Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546							
Diesel Components	ND	mg/kg	6.0	1	07/22/10 14:00	07/26/10 17:35	68334-30-5	
n-Pentacosane (S)	82	%	41-119	1	07/22/10 14:00	07/26/10 17:35	629-99-2	
Gasoline Range Organics	Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B							
Gasoline Range Organics	ND	mg/kg	4.9	1	07/22/10 18:29	07/23/10 22:49	8006-61-9	
4-Bromofluorobenzene (S)	111	%	70-167	1	07/22/10 18:29	07/23/10 22:49	460-00-4	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	**16.1**	%	0.10	1		07/23/10 08:53		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: SB-3 (7.5-10) **Lab ID: 9273962003** Collected: 07/20/10 10:00 Received: 07/22/10 09:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel	Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546							
Diesel Components	**45.4**	mg/kg	6.1	1	07/22/10 14:00	07/26/10 18:04	68334-30-5	
n-Pentacosane (S)	125	%	41-119	1	07/22/10 14:00	07/26/10 18:04	629-99-2	S5
Gasoline Range Organics	Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B							
Gasoline Range Organics	ND	mg/kg	5.3	1	07/22/10 18:29	07/23/10 23:14	8006-61-9	
4-Bromofluorobenzene (S)	120	%	70-167	1	07/22/10 18:29	07/23/10 23:14	460-00-4	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	**18.2**	%	0.10	1		07/23/10 08:53		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: SB-4 (5-7.5) **Lab ID: 9273962004** Collected: 07/20/10 12:30 Received: 07/22/10 09:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel	Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546							
Diesel Components	ND	mg/kg	7.1	1	07/22/10 14:00	07/26/10 18:32	68334-30-5	
n-Pentacosane (S)	87	%	41-119	1	07/22/10 14:00	07/26/10 18:32	629-99-2	
Gasoline Range Organics	Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B							
Gasoline Range Organics	ND	mg/kg	6.3	1	07/22/10 18:29	07/23/10 23:39	8006-61-9	
4-Bromofluorobenzene (S)	103	%	70-167	1	07/22/10 18:29	07/23/10 23:39	460-00-4	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	**29.9**	%	0.10	1		07/23/10 08:54		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: SB-5 (2.5-5) **Lab ID: 9273962005** Collected: 07/20/10 13:00 Received: 07/22/10 09:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel	Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546							
Diesel Components	ND	mg/kg	5.9	1	07/22/10 14:00	07/26/10 19:01	68334-30-5	
n-Pentacosane (S)	88	%	41-119	1	07/22/10 14:00	07/26/10 19:01	629-99-2	
Gasoline Range Organics	Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B							
Gasoline Range Organics	ND	mg/kg	4.7	1	07/22/10 18:29	07/24/10 00:03	8006-61-9	
4-Bromofluorobenzene (S)	112	%	70-167	1	07/22/10 18:29	07/24/10 00:03	460-00-4	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	**15.3**	%	0.10	1		07/23/10 08:54		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: SB-6 (7.5-10) **Lab ID: 9273962006** Collected: 07/20/10 13:45 Received: 07/22/10 09:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel	Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546							
Diesel Components	**538**	mg/kg	11.9	2	07/22/10 14:00	07/27/10 12:11	68334-30-5	
n-Pentacosane (S)	92	%	41-119	2	07/22/10 14:00	07/27/10 12:11	629-99-2	
Gasoline Range Organics	Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B							
Gasoline Range Organics	**15.6**	mg/kg	5.5	1	07/22/10 18:29	07/27/10 17:50	8006-61-9	
4-Bromofluorobenzene (S)	158	%	70-167	1	07/22/10 18:29	07/27/10 17:50	460-00-4	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	**16.1**	%	0.10	1		07/23/10 08:55		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: SB-7 (5-7.5) **Lab ID: 9273962007** Collected: 07/20/10 14:30 Received: 07/22/10 09:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel	Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546							
Diesel Components	ND	mg/kg	6.9	1	07/22/10 14:00	07/26/10 19:59	68334-30-5	
n-Pentacosane (S)	60	%	41-119	1	07/22/10 14:00	07/26/10 19:59	629-99-2	
9071 Oil and Grease	Analytical Method: 9071B ASE Preparation Method: 9071B ASE							
Oil and Grease	ND	mg/kg	96.8	1	07/27/10 11:13	07/27/10 12:06		
Gasoline Range Organics	Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B							
Gasoline Range Organics	ND	mg/kg	7.1	1	07/22/10 18:29	07/24/10 00:53	8006-61-9	
4-Bromofluorobenzene (S)	104	%	70-167	1	07/22/10 18:29	07/24/10 00:53	460-00-4	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	**27.7**	%	0.10	1		07/23/10 08:55		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: SB-8 (7.5-10) **Lab ID: 9273962008** Collected: 07/20/10 10:45 Received: 07/22/10 09:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel	Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546							
Diesel Components	ND	mg/kg	6.2	1	07/22/10 14:00	07/26/10 20:27	68334-30-5	
n-Pentacosane (S)	83	%	41-119	1	07/22/10 14:00	07/26/10 20:27	629-99-2	
Gasoline Range Organics	Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B							
Gasoline Range Organics	ND	mg/kg	5.8	1	07/22/10 18:29	07/24/10 01:18	8006-61-9	
4-Bromofluorobenzene (S)	106	%	70-167	1	07/22/10 18:29	07/24/10 01:18	460-00-4	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	**19.5**	%	0.10	1		07/23/10 13:49		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: SB-9 (5-5.7) **Lab ID: 9273962009** Collected: 07/20/10 15:30 Received: 07/22/10 09:00 Matrix: Solid

Results reported on a "dry-weight" basis

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8015 GCS THC-Diesel	Analytical Method: EPA 8015 Modified Preparation Method: EPA 3546							
Diesel Components	**8.0**	mg/kg	5.9	1	07/22/10 14:00	07/26/10 20:56	68334-30-5	
n-Pentacosane (S)	101	%	41-119	1	07/22/10 14:00	07/26/10 20:56	629-99-2	
Gasoline Range Organics	Analytical Method: EPA 8015 Modified Preparation Method: EPA 5035A/5030B							
Gasoline Range Organics	ND	mg/kg	7.4	1	07/22/10 18:29	07/24/10 01:43	8006-61-9	
4-Bromofluorobenzene (S)	93	%	70-167	1	07/22/10 18:29	07/24/10 01:43	460-00-4	
Percent Moisture	Analytical Method: ASTM D2974-87							
Percent Moisture	**15.2**	%	0.10	1		07/23/10 13:49		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: B-8 **Lab ID: 9273962010** Collected: 07/20/10 11:30 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
Acenaphthene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	83-32-9	
Acenaphthylene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	208-96-8	
Aniline	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	62-53-3	
Anthracene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	120-12-7	
Benzo(a)anthracene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	56-55-3	
Benzo(a)pyrene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	207-08-9	
Benzoic Acid	ND	ug/L	58.8	1	07/23/10 07:30	07/23/10 18:36	65-85-0	
Benzyl alcohol	ND	ug/L	23.5	1	07/23/10 07:30	07/23/10 18:36	100-51-6	
4-Bromophenylphenyl ether	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	101-55-3	
Butylbenzylphthalate	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	85-68-7	
4-Chloro-3-methylphenol	ND	ug/L	23.5	1	07/23/10 07:30	07/23/10 18:36	59-50-7	
4-Chloroaniline	ND	ug/L	58.8	1	07/23/10 07:30	07/23/10 18:36	106-47-8	
bis(2-Chloroethoxy)methane	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	111-91-1	
bis(2-Chloroethyl) ether	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	111-44-4	
bis(2-Chloroisopropyl) ether	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	108-60-1	
2-Chloronaphthalene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	91-58-7	
2-Chlorophenol	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	95-57-8	
4-Chlorophenylphenyl ether	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	7005-72-3	
Chrysene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	53-70-3	
Dibenzofuran	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	132-64-9	
1,2-Dichlorobenzene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	106-46-7	
3,3'-Dichlorobenzidine	ND	ug/L	58.8	1	07/23/10 07:30	07/23/10 18:36	91-94-1	
2,4-Dichlorophenol	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	120-83-2	
Diethylphthalate	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	84-66-2	
2,4-Dimethylphenol	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	105-67-9	
Dimethylphthalate	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	131-11-3	
Di-n-butylphthalate	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	84-74-2	
4,6-Dinitro-2-methylphenol	ND	ug/L	23.5	1	07/23/10 07:30	07/23/10 18:36	534-52-1	
2,4-Dinitrophenol	ND	ug/L	58.8	1	07/23/10 07:30	07/23/10 18:36	51-28-5	
2,4-Dinitrotoluene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	121-14-2	
2,6-Dinitrotoluene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	606-20-2	
Di-n-octylphthalate	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	117-84-0	
bis(2-Ethylhexyl)phthalate	ND	ug/L	7.1	1	07/23/10 07:30	07/23/10 18:36	117-81-7	
Fluoranthene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	206-44-0	
Fluorene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	86-73-7	
Hexachloro-1,3-butadiene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	87-68-3	
Hexachlorobenzene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	118-74-1	
Hexachlorocyclopentadiene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	77-47-4	
Hexachloroethane	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	67-72-1	
Indeno(1,2,3-cd)pyrene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	193-39-5	
Isophorone	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	78-59-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: B-8 **Lab ID: 9273962010** Collected: 07/20/10 11:30 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
1-Methylnaphthalene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	90-12-0	
2-Methylnaphthalene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	91-57-6	
2-Methylphenol(o-Cresol)	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36		
Naphthalene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	91-20-3	
2-Nitroaniline	ND	ug/L	58.8	1	07/23/10 07:30	07/23/10 18:36	88-74-4	
3-Nitroaniline	ND	ug/L	58.8	1	07/23/10 07:30	07/23/10 18:36	99-09-2	
4-Nitroaniline	ND	ug/L	58.8	1	07/23/10 07:30	07/23/10 18:36	100-01-6	
Nitrobenzene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	98-95-3	
2-Nitrophenol	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	88-75-5	
4-Nitrophenol	ND	ug/L	58.8	1	07/23/10 07:30	07/23/10 18:36	100-02-7	
N-Nitrosodimethylamine	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	62-75-9	
N-Nitroso-di-n-propylamine	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	621-64-7	
N-Nitrosodiphenylamine	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	86-30-6	
Pentachlorophenol	ND	ug/L	58.8	1	07/23/10 07:30	07/23/10 18:36	87-86-5	
Phenanthrene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	85-01-8	
Phenol	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	108-95-2	
Pyrene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	129-00-0	
1,2,4-Trichlorobenzene	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	120-82-1	
2,4,5-Trichlorophenol	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	95-95-4	
2,4,6-Trichlorophenol	ND	ug/L	11.8	1	07/23/10 07:30	07/23/10 18:36	88-06-2	
Nitrobenzene-d5 (S)	46	%	21-110	1	07/23/10 07:30	07/23/10 18:36	4165-60-0	
2-Fluorobiphenyl (S)	43	%	27-110	1	07/23/10 07:30	07/23/10 18:36	321-60-8	
Terphenyl-d14 (S)	60	%	31-107	1	07/23/10 07:30	07/23/10 18:36	1718-51-0	
Phenol-d6 (S)	24	%	10-110	1	07/23/10 07:30	07/23/10 18:36	13127-88-3	
2-Fluorophenol (S)	33	%	12-110	1	07/23/10 07:30	07/23/10 18:36	367-12-4	
2,4,6-Tribromophenol (S)	51	%	27-110	1	07/23/10 07:30	07/23/10 18:36	118-79-6	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND	ug/L	25.0	1		07/23/10 16:13	67-64-1	
Benzene	ND	ug/L	1.0	1		07/23/10 16:13	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		07/23/10 16:13	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		07/23/10 16:13	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		07/23/10 16:13	75-27-4	
Bromoform	ND	ug/L	1.0	1		07/23/10 16:13	75-25-2	
Bromomethane	ND	ug/L	2.0	1		07/23/10 16:13	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		07/23/10 16:13	78-93-3	
Carbon tetrachloride	ND	ug/L	1.0	1		07/23/10 16:13	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		07/23/10 16:13	108-90-7	
Chloroethane	ND	ug/L	1.0	1		07/23/10 16:13	75-00-3	
Chloroform	ND	ug/L	1.0	1		07/23/10 16:13	67-66-3	
Chloromethane	ND	ug/L	1.0	1		07/23/10 16:13	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		07/23/10 16:13	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		07/23/10 16:13	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		07/23/10 16:13	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		07/23/10 16:13	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		07/23/10 16:13	106-93-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: B-8 **Lab ID: 9273962010** Collected: 07/20/10 11:30 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
Dibromomethane	ND	ug/L	1.0	1		07/23/10 16:13	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 16:13	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 16:13	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 16:13	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		07/23/10 16:13	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		07/23/10 16:13	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		07/23/10 16:13	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		07/23/10 16:13	75-35-4	
cis-1,2-Dichloroethene	**2.4**	ug/L	1.0	1		07/23/10 16:13	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		07/23/10 16:13	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		07/23/10 16:13	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		07/23/10 16:13	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	1		07/23/10 16:13	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		07/23/10 16:13	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		07/23/10 16:13	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		07/23/10 16:13	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	1		07/23/10 16:13	108-20-3	
Ethylbenzene	ND	ug/L	1.0	1		07/23/10 16:13	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		07/23/10 16:13	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		07/23/10 16:13	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	1		07/23/10 16:13	99-87-6	
Methylene Chloride	ND	ug/L	2.0	1		07/23/10 16:13	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		07/23/10 16:13	108-10-1	
Methyl-tert-butyl ether	**3.4**	ug/L	1.0	1		07/23/10 16:13	1634-04-4	
Naphthalene	ND	ug/L	1.0	1		07/23/10 16:13	91-20-3	
Styrene	ND	ug/L	1.0	1		07/23/10 16:13	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		07/23/10 16:13	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		07/23/10 16:13	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		07/23/10 16:13	127-18-4	
Toluene	ND	ug/L	1.0	1		07/23/10 16:13	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		07/23/10 16:13	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	1		07/23/10 16:13	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		07/23/10 16:13	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		07/23/10 16:13	79-00-5	
Trichloroethene	**2.7**	ug/L	1.0	1		07/23/10 16:13	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		07/23/10 16:13	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		07/23/10 16:13	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		07/23/10 16:13	108-05-4	
Vinyl chloride	**1.0**	ug/L	1.0	1		07/23/10 16:13	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		07/23/10 16:13	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		07/23/10 16:13	95-47-6	
4-Bromofluorobenzene (S)	98	%	70-130	1		07/23/10 16:13	460-00-4	
Dibromofluoromethane (S)	109	%	70-130	1		07/23/10 16:13	1868-53-7	
1,2-Dichloroethane-d4 (S)	112	%	70-130	1		07/23/10 16:13	17060-07-0	
Toluene-d8 (S)	100	%	70-130	1		07/23/10 16:13	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: B-4 **Lab ID: 9273962011** Collected: 07/20/10 13:30 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
Acenaphthene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	83-32-9	
Acenaphthylene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	208-96-8	
Aniline	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	62-53-3	
Anthracene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	120-12-7	
Benzo(a)anthracene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	56-55-3	
Benzo(a)pyrene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	207-08-9	
Benzoic Acid	ND	ug/L	125	1	07/23/10 07:30	07/23/10 20:07	65-85-0	
Benzyl alcohol	ND	ug/L	50.0	1	07/23/10 07:30	07/23/10 20:07	100-51-6	
4-Bromophenylphenyl ether	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	101-55-3	
Butylbenzylphthalate	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	85-68-7	
4-Chloro-3-methylphenol	ND	ug/L	50.0	1	07/23/10 07:30	07/23/10 20:07	59-50-7	
4-Chloroaniline	ND	ug/L	125	1	07/23/10 07:30	07/23/10 20:07	106-47-8	
bis(2-Chloroethoxy)methane	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	111-91-1	
bis(2-Chloroethyl) ether	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	111-44-4	
bis(2-Chloroisopropyl) ether	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	108-60-1	
2-Chloronaphthalene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	91-58-7	
2-Chlorophenol	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	95-57-8	
4-Chlorophenylphenyl ether	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	7005-72-3	
Chrysene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	53-70-3	
Dibenzofuran	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	132-64-9	
1,2-Dichlorobenzene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	106-46-7	
3,3'-Dichlorobenzidine	ND	ug/L	125	1	07/23/10 07:30	07/23/10 20:07	91-94-1	
2,4-Dichlorophenol	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	120-83-2	
Diethylphthalate	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	84-66-2	
2,4-Dimethylphenol	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	105-67-9	
Dimethylphthalate	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	131-11-3	
Di-n-butylphthalate	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	84-74-2	
4,6-Dinitro-2-methylphenol	ND	ug/L	50.0	1	07/23/10 07:30	07/23/10 20:07	534-52-1	
2,4-Dinitrophenol	ND	ug/L	125	1	07/23/10 07:30	07/23/10 20:07	51-28-5	
2,4-Dinitrotoluene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	121-14-2	
2,6-Dinitrotoluene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	606-20-2	
Di-n-octylphthalate	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	117-84-0	
bis(2-Ethylhexyl)phthalate	ND	ug/L	15.0	1	07/23/10 07:30	07/23/10 20:07	117-81-7	
Fluoranthene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	206-44-0	
Fluorene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	86-73-7	
Hexachloro-1,3-butadiene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	87-68-3	
Hexachlorobenzene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	118-74-1	
Hexachlorocyclopentadiene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	77-47-4	
Hexachloroethane	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	67-72-1	
Indeno(1,2,3-cd)pyrene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	193-39-5	
Isophorone	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	78-59-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: B-4 **Lab ID: 9273962011** Collected: 07/20/10 13:30 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
1-Methylnaphthalene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	90-12-0	
2-Methylnaphthalene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	91-57-6	
2-Methylphenol(o-Cresol)	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07		
Naphthalene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	91-20-3	
2-Nitroaniline	ND	ug/L	125	1	07/23/10 07:30	07/23/10 20:07	88-74-4	
3-Nitroaniline	ND	ug/L	125	1	07/23/10 07:30	07/23/10 20:07	99-09-2	
4-Nitroaniline	ND	ug/L	125	1	07/23/10 07:30	07/23/10 20:07	100-01-6	
Nitrobenzene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	98-95-3	
2-Nitrophenol	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	88-75-5	
4-Nitrophenol	ND	ug/L	125	1	07/23/10 07:30	07/23/10 20:07	100-02-7	
N-Nitrosodimethylamine	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	62-75-9	
N-Nitroso-di-n-propylamine	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	621-64-7	
N-Nitrosodiphenylamine	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	86-30-6	
Pentachlorophenol	ND	ug/L	125	1	07/23/10 07:30	07/23/10 20:07	87-86-5	
Phenanthrene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	85-01-8	
Phenol	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	108-95-2	
Pyrene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	129-00-0	
1,2,4-Trichlorobenzene	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	120-82-1	
2,4,5-Trichlorophenol	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	95-95-4	
2,4,6-Trichlorophenol	ND	ug/L	25.0	1	07/23/10 07:30	07/23/10 20:07	88-06-2	
Nitrobenzene-d5 (S)	32	%	21-110	1	07/23/10 07:30	07/23/10 20:07	4165-60-0	
2-Fluorobiphenyl (S)	33	%	27-110	1	07/23/10 07:30	07/23/10 20:07	321-60-8	
Terphenyl-d14 (S)	65	%	31-107	1	07/23/10 07:30	07/23/10 20:07	1718-51-0	
Phenol-d6 (S)	17	%	10-110	1	07/23/10 07:30	07/23/10 20:07	13127-88-3	
2-Fluorophenol (S)	22	%	12-110	1	07/23/10 07:30	07/23/10 20:07	367-12-4	
2,4,6-Tribromophenol (S)	61	%	27-110	1	07/23/10 07:30	07/23/10 20:07	118-79-6	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND	ug/L	25.0	1		07/23/10 16:39	67-64-1	
Benzene	**106**	ug/L	1.0	1		07/23/10 16:39	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		07/23/10 16:39	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		07/23/10 16:39	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		07/23/10 16:39	75-27-4	
Bromoform	ND	ug/L	1.0	1		07/23/10 16:39	75-25-2	
Bromomethane	ND	ug/L	2.0	1		07/23/10 16:39	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		07/23/10 16:39	78-93-3	
Carbon tetrachloride	ND	ug/L	1.0	1		07/23/10 16:39	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		07/23/10 16:39	108-90-7	
Chloroethane	ND	ug/L	1.0	1		07/23/10 16:39	75-00-3	
Chloroform	ND	ug/L	1.0	1		07/23/10 16:39	67-66-3	
Chloromethane	ND	ug/L	1.0	1		07/23/10 16:39	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		07/23/10 16:39	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		07/23/10 16:39	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		07/23/10 16:39	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		07/23/10 16:39	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		07/23/10 16:39	106-93-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: B-4 **Lab ID: 9273962011** Collected: 07/20/10 13:30 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
Dibromomethane	ND	ug/L	1.0	1		07/23/10 16:39	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 16:39	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 16:39	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 16:39	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		07/23/10 16:39	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		07/23/10 16:39	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		07/23/10 16:39	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		07/23/10 16:39	75-35-4	
cis-1,2-Dichloroethene	**8.5**	ug/L	1.0	1		07/23/10 16:39	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		07/23/10 16:39	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		07/23/10 16:39	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		07/23/10 16:39	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	1		07/23/10 16:39	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		07/23/10 16:39	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		07/23/10 16:39	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		07/23/10 16:39	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	1		07/23/10 16:39	108-20-3	
Ethylbenzene	**275**	ug/L	10.0	10		07/24/10 21:26	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		07/23/10 16:39	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		07/23/10 16:39	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	1		07/23/10 16:39	99-87-6	
Methylene Chloride	ND	ug/L	2.0	1		07/23/10 16:39	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		07/23/10 16:39	108-10-1	
Methyl-tert-butyl ether	**88.4**	ug/L	1.0	1		07/23/10 16:39	1634-04-4	
Naphthalene	**76.2**	ug/L	1.0	1		07/23/10 16:39	91-20-3	
Styrene	ND	ug/L	1.0	1		07/23/10 16:39	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		07/23/10 16:39	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		07/23/10 16:39	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		07/23/10 16:39	127-18-4	
Toluene	**3.6**	ug/L	1.0	1		07/23/10 16:39	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		07/23/10 16:39	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	1		07/23/10 16:39	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		07/23/10 16:39	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		07/23/10 16:39	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		07/23/10 16:39	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		07/23/10 16:39	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		07/23/10 16:39	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		07/23/10 16:39	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		07/23/10 16:39	75-01-4	
m&p-Xylene	**16.6**	ug/L	2.0	1		07/23/10 16:39	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		07/23/10 16:39	95-47-6	
4-Bromofluorobenzene (S)	106	%	70-130	1		07/23/10 16:39	460-00-4	
Dibromofluoromethane (S)	105	%	70-130	1		07/23/10 16:39	1868-53-7	
1,2-Dichloroethane-d4 (S)	108	%	70-130	1		07/23/10 16:39	17060-07-0	
Toluene-d8 (S)	100	%	70-130	1		07/23/10 16:39	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: B-6 **Lab ID: 9273962012** Collected: 07/20/10 14:00 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
Acenaphthene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	83-32-9	
Acenaphthylene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	208-96-8	
Aniline	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	62-53-3	
Anthracene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	120-12-7	
Benzo(a)anthracene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	56-55-3	
Benzo(a)pyrene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	207-08-9	
Benzoic Acid	ND	ug/L	167	1	07/23/10 07:30	07/23/10 20:36	65-85-0	
Benzyl alcohol	ND	ug/L	66.7	1	07/23/10 07:30	07/23/10 20:36	100-51-6	
4-Bromophenylphenyl ether	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	101-55-3	
Butylbenzylphthalate	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	85-68-7	
4-Chloro-3-methylphenol	ND	ug/L	66.7	1	07/23/10 07:30	07/23/10 20:36	59-50-7	
4-Chloroaniline	ND	ug/L	167	1	07/23/10 07:30	07/23/10 20:36	106-47-8	
bis(2-Chloroethoxy)methane	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	111-91-1	
bis(2-Chloroethyl) ether	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	111-44-4	
bis(2-Chloroisopropyl) ether	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	108-60-1	
2-Chloronaphthalene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	91-58-7	
2-Chlorophenol	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	95-57-8	
4-Chlorophenylphenyl ether	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	7005-72-3	
Chrysene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	53-70-3	
Dibenzofuran	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	132-64-9	
1,2-Dichlorobenzene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	106-46-7	
3,3'-Dichlorobenzidine	ND	ug/L	167	1	07/23/10 07:30	07/23/10 20:36	91-94-1	
2,4-Dichlorophenol	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	120-83-2	
Diethylphthalate	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	84-66-2	
2,4-Dimethylphenol	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	105-67-9	
Dimethylphthalate	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	131-11-3	
Di-n-butylphthalate	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	84-74-2	
4,6-Dinitro-2-methylphenol	ND	ug/L	66.7	1	07/23/10 07:30	07/23/10 20:36	534-52-1	
2,4-Dinitrophenol	ND	ug/L	167	1	07/23/10 07:30	07/23/10 20:36	51-28-5	
2,4-Dinitrotoluene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	121-14-2	
2,6-Dinitrotoluene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	606-20-2	
Di-n-octylphthalate	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	117-84-0	
bis(2-Ethylhexyl)phthalate	ND	ug/L	20.0	1	07/23/10 07:30	07/23/10 20:36	117-81-7	
Fluoranthene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	206-44-0	
Fluorene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	86-73-7	
Hexachloro-1,3-butadiene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	87-68-3	
Hexachlorobenzene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	118-74-1	
Hexachlorocyclopentadiene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	77-47-4	
Hexachloroethane	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	67-72-1	
Indeno(1,2,3-cd)pyrene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	193-39-5	
Isophorone	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	78-59-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: B-6 **Lab ID: 9273962012** Collected: 07/20/10 14:00 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
1-Methylnaphthalene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	90-12-0	
2-Methylnaphthalene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	91-57-6	
2-Methylphenol(o-Cresol)	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36		
Naphthalene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	91-20-3	
2-Nitroaniline	ND	ug/L	167	1	07/23/10 07:30	07/23/10 20:36	88-74-4	
3-Nitroaniline	ND	ug/L	167	1	07/23/10 07:30	07/23/10 20:36	99-09-2	
4-Nitroaniline	ND	ug/L	167	1	07/23/10 07:30	07/23/10 20:36	100-01-6	
Nitrobenzene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	98-95-3	
2-Nitrophenol	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	88-75-5	
4-Nitrophenol	ND	ug/L	167	1	07/23/10 07:30	07/23/10 20:36	100-02-7	
N-Nitrosodimethylamine	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	62-75-9	
N-Nitroso-di-n-propylamine	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	621-64-7	
N-Nitrosodiphenylamine	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	86-30-6	
Pentachlorophenol	ND	ug/L	167	1	07/23/10 07:30	07/23/10 20:36	87-86-5	
Phenanthrene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	85-01-8	
Phenol	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	108-95-2	
Pyrene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	129-00-0	
1,2,4-Trichlorobenzene	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	120-82-1	
2,4,5-Trichlorophenol	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	95-95-4	
2,4,6-Trichlorophenol	ND	ug/L	33.3	1	07/23/10 07:30	07/23/10 20:36	88-06-2	
Nitrobenzene-d5 (S)	43	%	21-110	1	07/23/10 07:30	07/23/10 20:36	4165-60-0	
2-Fluorobiphenyl (S)	40	%	27-110	1	07/23/10 07:30	07/23/10 20:36	321-60-8	
Terphenyl-d14 (S)	65	%	31-107	1	07/23/10 07:30	07/23/10 20:36	1718-51-0	
Phenol-d6 (S)	22	%	10-110	1	07/23/10 07:30	07/23/10 20:36	13127-88-3	
2-Fluorophenol (S)	31	%	12-110	1	07/23/10 07:30	07/23/10 20:36	367-12-4	
2,4,6-Tribromophenol (S)	56	%	27-110	1	07/23/10 07:30	07/23/10 20:36	118-79-6	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND	ug/L	25.0	1		07/23/10 17:04	67-64-1	
Benzene	**3.7**	ug/L	1.0	1		07/23/10 17:04	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		07/23/10 17:04	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		07/23/10 17:04	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		07/23/10 17:04	75-27-4	
Bromoform	ND	ug/L	1.0	1		07/23/10 17:04	75-25-2	
Bromomethane	ND	ug/L	2.0	1		07/23/10 17:04	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		07/23/10 17:04	78-93-3	
Carbon tetrachloride	ND	ug/L	1.0	1		07/23/10 17:04	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		07/23/10 17:04	108-90-7	
Chloroethane	ND	ug/L	1.0	1		07/23/10 17:04	75-00-3	
Chloroform	ND	ug/L	1.0	1		07/23/10 17:04	67-66-3	
Chloromethane	ND	ug/L	1.0	1		07/23/10 17:04	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		07/23/10 17:04	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		07/23/10 17:04	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		07/23/10 17:04	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		07/23/10 17:04	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		07/23/10 17:04	106-93-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: B-6 **Lab ID: 9273962012** Collected: 07/20/10 14:00 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
Dibromomethane	ND	ug/L	1.0	1		07/23/10 17:04	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 17:04	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 17:04	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 17:04	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		07/23/10 17:04	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		07/23/10 17:04	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		07/23/10 17:04	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		07/23/10 17:04	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		07/23/10 17:04	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		07/23/10 17:04	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		07/23/10 17:04	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		07/23/10 17:04	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	1		07/23/10 17:04	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		07/23/10 17:04	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		07/23/10 17:04	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		07/23/10 17:04	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	1		07/23/10 17:04	108-20-3	
Ethylbenzene	**61.9**	ug/L	1.0	1		07/23/10 17:04	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		07/23/10 17:04	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		07/23/10 17:04	591-78-6	
p-Isopropyltoluene	**3.2**	ug/L	1.0	1		07/23/10 17:04	99-87-6	
Methylene Chloride	ND	ug/L	2.0	1		07/23/10 17:04	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		07/23/10 17:04	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		07/23/10 17:04	1634-04-4	
Naphthalene	**36.3**	ug/L	1.0	1		07/23/10 17:04	91-20-3	
Styrene	ND	ug/L	1.0	1		07/23/10 17:04	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		07/23/10 17:04	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		07/23/10 17:04	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		07/23/10 17:04	127-18-4	
Toluene	ND	ug/L	1.0	1		07/23/10 17:04	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		07/23/10 17:04	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	1		07/23/10 17:04	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		07/23/10 17:04	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		07/23/10 17:04	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		07/23/10 17:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		07/23/10 17:04	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		07/23/10 17:04	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		07/23/10 17:04	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		07/23/10 17:04	75-01-4	
m&p-Xylene	**11.2**	ug/L	2.0	1		07/23/10 17:04	179601-23-1	
o-Xylene	**1.3**	ug/L	1.0	1		07/23/10 17:04	95-47-6	
4-Bromofluorobenzene (S)	102	%	70-130	1		07/23/10 17:04	460-00-4	
Dibromofluoromethane (S)	109	%	70-130	1		07/23/10 17:04	1868-53-7	
1,2-Dichloroethane-d4 (S)	111	%	70-130	1		07/23/10 17:04	17060-07-0	
Toluene-d8 (S)	101	%	70-130	1		07/23/10 17:04	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: MWA **Lab ID: 9273962013** Collected: 07/21/10 08:30 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
Acenaphthene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	83-32-9	
Acenaphthylene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	208-96-8	
Aniline	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	62-53-3	
Anthracene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	120-12-7	
Benzo(a)anthracene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	56-55-3	
Benzo(a)pyrene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	207-08-9	
Benzoic Acid	**233**	ug/L	62.5	1	07/23/10 07:30	07/26/10 16:21	65-85-0	
Benzyl alcohol	ND	ug/L	25.0	1	07/23/10 07:30	07/26/10 16:21	100-51-6	
4-Bromophenylphenyl ether	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	101-55-3	
Butylbenzylphthalate	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	85-68-7	
4-Chloro-3-methylphenol	ND	ug/L	25.0	1	07/23/10 07:30	07/26/10 16:21	59-50-7	
4-Chloroaniline	ND	ug/L	62.5	1	07/23/10 07:30	07/26/10 16:21	106-47-8	
bis(2-Chloroethoxy)methane	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	111-91-1	
bis(2-Chloroethyl) ether	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	111-44-4	
bis(2-Chloroisopropyl) ether	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	108-60-1	
2-Chloronaphthalene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	91-58-7	
2-Chlorophenol	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	95-57-8	
4-Chlorophenylphenyl ether	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	7005-72-3	
Chrysene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	53-70-3	
Dibenzofuran	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	132-64-9	
1,2-Dichlorobenzene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	106-46-7	
3,3'-Dichlorobenzidine	ND	ug/L	62.5	1	07/23/10 07:30	07/26/10 16:21	91-94-1	
2,4-Dichlorophenol	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	120-83-2	
Diethylphthalate	**18.3**	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	84-66-2	
2,4-Dimethylphenol	**27.1**	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	105-67-9	
Dimethylphthalate	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	131-11-3	
Di-n-butylphthalate	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	84-74-2	
4,6-Dinitro-2-methylphenol	ND	ug/L	25.0	1	07/23/10 07:30	07/26/10 16:21	534-52-1	
2,4-Dinitrophenol	ND	ug/L	62.5	1	07/23/10 07:30	07/26/10 16:21	51-28-5	
2,4-Dinitrotoluene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	121-14-2	
2,6-Dinitrotoluene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	606-20-2	
Di-n-octylphthalate	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	117-84-0	
bis(2-Ethylhexyl)phthalate	ND	ug/L	7.5	1	07/23/10 07:30	07/26/10 16:21	117-81-7	
Fluoranthene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	206-44-0	
Fluorene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	86-73-7	
Hexachloro-1,3-butadiene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	87-68-3	
Hexachlorobenzene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	118-74-1	
Hexachlorocyclopentadiene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	77-47-4	
Hexachloroethane	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	67-72-1	
Indeno(1,2,3-cd)pyrene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	193-39-5	
Isophorone	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	78-59-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: MWA **Lab ID: 9273962013** Collected: 07/21/10 08:30 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
1-Methylnaphthalene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	90-12-0	
2-Methylnaphthalene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	91-57-6	
2-Methylphenol(o-Cresol)	**70.1**	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	95-48-7	
3&4-Methylphenol(m&p Cresol)	**38.1**	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21		
Naphthalene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	91-20-3	
2-Nitroaniline	ND	ug/L	62.5	1	07/23/10 07:30	07/26/10 16:21	88-74-4	
3-Nitroaniline	ND	ug/L	62.5	1	07/23/10 07:30	07/26/10 16:21	99-09-2	
4-Nitroaniline	ND	ug/L	62.5	1	07/23/10 07:30	07/26/10 16:21	100-01-6	
Nitrobenzene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	98-95-3	
2-Nitrophenol	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	88-75-5	
4-Nitrophenol	ND	ug/L	62.5	1	07/23/10 07:30	07/26/10 16:21	100-02-7	
N-Nitrosodimethylamine	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	62-75-9	
N-Nitroso-di-n-propylamine	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	621-64-7	
N-Nitrosodiphenylamine	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	86-30-6	
Pentachlorophenol	ND	ug/L	62.5	1	07/23/10 07:30	07/26/10 16:21	87-86-5	
Phenanthrene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	85-01-8	
Phenol	**184**	ug/L	62.5	5	07/23/10 07:30	07/26/10 18:48	108-95-2	
Pyrene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	129-00-0	
1,2,4-Trichlorobenzene	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	120-82-1	
2,4,5-Trichlorophenol	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	95-95-4	
2,4,6-Trichlorophenol	ND	ug/L	12.5	1	07/23/10 07:30	07/26/10 16:21	88-06-2	
Nitrobenzene-d5 (S)	25	%	21-110	1	07/23/10 07:30	07/26/10 16:21	4165-60-0	
2-Fluorobiphenyl (S)	24	%	27-110	1	07/23/10 07:30	07/26/10 16:21	321-60-8	S0
Terphenyl-d14 (S)	46	%	31-107	1	07/23/10 07:30	07/26/10 16:21	1718-51-0	
Phenol-d6 (S)	17	%	10-110	1	07/23/10 07:30	07/26/10 16:21	13127-88-3	
2-Fluorophenol (S)	20	%	12-110	1	07/23/10 07:30	07/26/10 16:21	367-12-4	
2,4,6-Tribromophenol (S)	42	%	27-110	1	07/23/10 07:30	07/26/10 16:21	118-79-6	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	**399**	ug/L	250	10		07/24/10 21:54	67-64-1	
Benzene	**994**	ug/L	10.0	10		07/24/10 21:54	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		07/23/10 17:30	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		07/23/10 17:30	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		07/23/10 17:30	75-27-4	
Bromoform	ND	ug/L	1.0	1		07/23/10 17:30	75-25-2	
Bromomethane	ND	ug/L	2.0	1		07/23/10 17:30	74-83-9	
2-Butanone (MEK)	**18.3**	ug/L	5.0	1		07/23/10 17:30	78-93-3	
Carbon tetrachloride	ND	ug/L	1.0	1		07/23/10 17:30	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		07/23/10 17:30	108-90-7	
Chloroethane	**5.2**	ug/L	1.0	1		07/23/10 17:30	75-00-3	
Chloroform	ND	ug/L	1.0	1		07/23/10 17:30	67-66-3	
Chloromethane	**21.8**	ug/L	1.0	1		07/23/10 17:30	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		07/23/10 17:30	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		07/23/10 17:30	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		07/23/10 17:30	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		07/23/10 17:30	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		07/23/10 17:30	106-93-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: MWA **Lab ID: 9273962013** Collected: 07/21/10 08:30 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
Dibromomethane	ND	ug/L	1.0	1		07/23/10 17:30	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 17:30	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 17:30	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 17:30	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		07/23/10 17:30	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		07/23/10 17:30	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		07/23/10 17:30	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		07/23/10 17:30	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		07/23/10 17:30	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		07/23/10 17:30	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		07/23/10 17:30	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		07/23/10 17:30	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	1		07/23/10 17:30	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		07/23/10 17:30	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		07/23/10 17:30	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		07/23/10 17:30	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	1		07/23/10 17:30	108-20-3	
Ethylbenzene	**14.7**	ug/L	1.0	1		07/23/10 17:30	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		07/23/10 17:30	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		07/23/10 17:30	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	1		07/23/10 17:30	99-87-6	
Methylene Chloride	ND	ug/L	2.0	1		07/23/10 17:30	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		07/23/10 17:30	108-10-1	
Methyl-tert-butyl ether	**1.3**	ug/L	1.0	1		07/23/10 17:30	1634-04-4	
Naphthalene	**3.5**	ug/L	1.0	1		07/23/10 17:30	91-20-3	
Styrene	ND	ug/L	1.0	1		07/23/10 17:30	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		07/23/10 17:30	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		07/23/10 17:30	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		07/23/10 17:30	127-18-4	
Toluene	**137**	ug/L	1.0	1		07/23/10 17:30	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		07/23/10 17:30	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	1		07/23/10 17:30	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		07/23/10 17:30	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		07/23/10 17:30	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		07/23/10 17:30	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		07/23/10 17:30	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		07/23/10 17:30	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		07/23/10 17:30	108-05-4	
Vinyl chloride	**1.9**	ug/L	1.0	1		07/23/10 17:30	75-01-4	
m&p-Xylene	**28.8**	ug/L	2.0	1		07/23/10 17:30	179601-23-1	
o-Xylene	**4.3**	ug/L	1.0	1		07/23/10 17:30	95-47-6	
4-Bromofluorobenzene (S)	103	%	70-130	1		07/23/10 17:30	460-00-4	
Dibromofluoromethane (S)	97	%	70-130	1		07/23/10 17:30	1868-53-7	
1,2-Dichloroethane-d4 (S)	102	%	70-130	1		07/23/10 17:30	17060-07-0	
Toluene-d8 (S)	104	%	70-130	1		07/23/10 17:30	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: MWB **Lab ID: 9273962014** Collected: 07/21/10 09:30 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
Acenaphthene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	83-32-9	
Acenaphthylene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	208-96-8	
Aniline	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	62-53-3	
Anthracene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	120-12-7	
Benzo(a)anthracene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	56-55-3	
Benzo(a)pyrene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	207-08-9	
Benzoic Acid	ND	ug/L	56.8	1	07/23/10 07:30	07/26/10 16:50	65-85-0	
Benzyl alcohol	ND	ug/L	22.7	1	07/23/10 07:30	07/26/10 16:50	100-51-6	
4-Bromophenylphenyl ether	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	101-55-3	
Butylbenzylphthalate	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	85-68-7	
4-Chloro-3-methylphenol	ND	ug/L	22.7	1	07/23/10 07:30	07/26/10 16:50	59-50-7	
4-Chloroaniline	ND	ug/L	56.8	1	07/23/10 07:30	07/26/10 16:50	106-47-8	
bis(2-Chloroethoxy)methane	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	111-91-1	
bis(2-Chloroethyl) ether	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	111-44-4	
bis(2-Chloroisopropyl) ether	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	108-60-1	
2-Chloronaphthalene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	91-58-7	
2-Chlorophenol	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	95-57-8	
4-Chlorophenylphenyl ether	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	7005-72-3	
Chrysene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	53-70-3	
Dibenzofuran	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	132-64-9	
1,2-Dichlorobenzene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	106-46-7	
3,3'-Dichlorobenzidine	ND	ug/L	56.8	1	07/23/10 07:30	07/26/10 16:50	91-94-1	
2,4-Dichlorophenol	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	120-83-2	
Diethylphthalate	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	84-66-2	
2,4-Dimethylphenol	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	105-67-9	
Dimethylphthalate	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	131-11-3	
Di-n-butylphthalate	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	84-74-2	
4,6-Dinitro-2-methylphenol	ND	ug/L	22.7	1	07/23/10 07:30	07/26/10 16:50	534-52-1	
2,4-Dinitrophenol	ND	ug/L	56.8	1	07/23/10 07:30	07/26/10 16:50	51-28-5	
2,4-Dinitrotoluene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	121-14-2	
2,6-Dinitrotoluene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	606-20-2	
Di-n-octylphthalate	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	117-84-0	
bis(2-Ethylhexyl)phthalate	ND	ug/L	6.8	1	07/23/10 07:30	07/26/10 16:50	117-81-7	
Fluoranthene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	206-44-0	
Fluorene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	86-73-7	
Hexachloro-1,3-butadiene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	87-68-3	
Hexachlorobenzene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	118-74-1	
Hexachlorocyclopentadiene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	77-47-4	
Hexachloroethane	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	67-72-1	
Indeno(1,2,3-cd)pyrene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	193-39-5	
Isophorone	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	78-59-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: MWB **Lab ID: 9273962014** Collected: 07/21/10 09:30 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
1-Methylnaphthalene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	90-12-0	
2-Methylnaphthalene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	91-57-6	
2-Methylphenol(o-Cresol)	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50		
Naphthalene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	91-20-3	
2-Nitroaniline	ND	ug/L	56.8	1	07/23/10 07:30	07/26/10 16:50	88-74-4	
3-Nitroaniline	ND	ug/L	56.8	1	07/23/10 07:30	07/26/10 16:50	99-09-2	
4-Nitroaniline	ND	ug/L	56.8	1	07/23/10 07:30	07/26/10 16:50	100-01-6	
Nitrobenzene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	98-95-3	
2-Nitrophenol	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	88-75-5	
4-Nitrophenol	ND	ug/L	56.8	1	07/23/10 07:30	07/26/10 16:50	100-02-7	
N-Nitrosodimethylamine	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	62-75-9	
N-Nitroso-di-n-propylamine	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	621-64-7	
N-Nitrosodiphenylamine	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	86-30-6	
Pentachlorophenol	ND	ug/L	56.8	1	07/23/10 07:30	07/26/10 16:50	87-86-5	
Phenanthrene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	85-01-8	
Phenol	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	108-95-2	
Pyrene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	129-00-0	
1,2,4-Trichlorobenzene	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	120-82-1	
2,4,5-Trichlorophenol	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	95-95-4	
2,4,6-Trichlorophenol	ND	ug/L	11.4	1	07/23/10 07:30	07/26/10 16:50	88-06-2	
Nitrobenzene-d5 (S)	71	%	21-110	1	07/23/10 07:30	07/26/10 16:50	4165-60-0	
2-Fluorobiphenyl (S)	68	%	27-110	1	07/23/10 07:30	07/26/10 16:50	321-60-8	
Terphenyl-d14 (S)	81	%	31-107	1	07/23/10 07:30	07/26/10 16:50	1718-51-0	
Phenol-d6 (S)	30	%	10-110	1	07/23/10 07:30	07/26/10 16:50	13127-88-3	
2-Fluorophenol (S)	50	%	12-110	1	07/23/10 07:30	07/26/10 16:50	367-12-4	
2,4,6-Tribromophenol (S)	69	%	27-110	1	07/23/10 07:30	07/26/10 16:50	118-79-6	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND	ug/L	25.0	1		07/23/10 17:55	67-64-1	
Benzene	ND	ug/L	1.0	1		07/23/10 17:55	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		07/23/10 17:55	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		07/23/10 17:55	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		07/23/10 17:55	75-27-4	
Bromoform	ND	ug/L	1.0	1		07/23/10 17:55	75-25-2	
Bromomethane	ND	ug/L	2.0	1		07/23/10 17:55	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		07/23/10 17:55	78-93-3	
Carbon tetrachloride	ND	ug/L	1.0	1		07/23/10 17:55	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		07/23/10 17:55	108-90-7	
Chloroethane	ND	ug/L	1.0	1		07/23/10 17:55	75-00-3	
Chloroform	ND	ug/L	1.0	1		07/23/10 17:55	67-66-3	
Chloromethane	ND	ug/L	1.0	1		07/23/10 17:55	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		07/23/10 17:55	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		07/23/10 17:55	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		07/23/10 17:55	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		07/23/10 17:55	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		07/23/10 17:55	106-93-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: MWB **Lab ID: 9273962014** Collected: 07/21/10 09:30 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
Dibromomethane	ND	ug/L	1.0	1		07/23/10 17:55	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 17:55	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 17:55	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 17:55	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		07/23/10 17:55	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		07/23/10 17:55	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		07/23/10 17:55	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		07/23/10 17:55	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		07/23/10 17:55	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		07/23/10 17:55	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		07/23/10 17:55	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		07/23/10 17:55	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	1		07/23/10 17:55	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		07/23/10 17:55	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		07/23/10 17:55	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		07/23/10 17:55	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	1		07/23/10 17:55	108-20-3	
Ethylbenzene	ND	ug/L	1.0	1		07/23/10 17:55	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		07/23/10 17:55	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		07/23/10 17:55	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	1		07/23/10 17:55	99-87-6	
Methylene Chloride	ND	ug/L	2.0	1		07/23/10 17:55	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		07/23/10 17:55	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		07/23/10 17:55	1634-04-4	
Naphthalene	ND	ug/L	1.0	1		07/23/10 17:55	91-20-3	
Styrene	ND	ug/L	1.0	1		07/23/10 17:55	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		07/23/10 17:55	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		07/23/10 17:55	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		07/23/10 17:55	127-18-4	
Toluene	ND	ug/L	1.0	1		07/23/10 17:55	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		07/23/10 17:55	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	1		07/23/10 17:55	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		07/23/10 17:55	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		07/23/10 17:55	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		07/23/10 17:55	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		07/23/10 17:55	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		07/23/10 17:55	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		07/23/10 17:55	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		07/23/10 17:55	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		07/23/10 17:55	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		07/23/10 17:55	95-47-6	
4-Bromofluorobenzene (S)	102	%	70-130	1		07/23/10 17:55	460-00-4	
Dibromofluoromethane (S)	108	%	70-130	1		07/23/10 17:55	1868-53-7	
1,2-Dichloroethane-d4 (S)	106	%	70-130	1		07/23/10 17:55	17060-07-0	
Toluene-d8 (S)	101	%	70-130	1		07/23/10 17:55	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: MWC **Lab ID: 9273962015** Collected: 07/21/10 10:00 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
Acenaphthene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	83-32-9	
Acenaphthylene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	208-96-8	
Aniline	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	62-53-3	
Anthracene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	120-12-7	
Benzo(a)anthracene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	56-55-3	
Benzo(a)pyrene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	207-08-9	
Benzoic Acid	ND	ug/L	57.5	1	07/23/10 07:30	07/26/10 17:20	65-85-0	
Benzyl alcohol	ND	ug/L	23.0	1	07/23/10 07:30	07/26/10 17:20	100-51-6	
4-Bromophenylphenyl ether	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	101-55-3	
Butylbenzylphthalate	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	85-68-7	
4-Chloro-3-methylphenol	ND	ug/L	23.0	1	07/23/10 07:30	07/26/10 17:20	59-50-7	
4-Chloroaniline	ND	ug/L	57.5	1	07/23/10 07:30	07/26/10 17:20	106-47-8	
bis(2-Chloroethoxy)methane	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	111-91-1	
bis(2-Chloroethyl) ether	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	111-44-4	
bis(2-Chloroisopropyl) ether	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	108-60-1	
2-Chloronaphthalene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	91-58-7	
2-Chlorophenol	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	95-57-8	
4-Chlorophenylphenyl ether	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	7005-72-3	
Chrysene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	53-70-3	
Dibenzofuran	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	132-64-9	
1,2-Dichlorobenzene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	106-46-7	
3,3'-Dichlorobenzidine	ND	ug/L	57.5	1	07/23/10 07:30	07/26/10 17:20	91-94-1	
2,4-Dichlorophenol	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	120-83-2	
Diethylphthalate	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	84-66-2	
2,4-Dimethylphenol	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	105-67-9	
Dimethylphthalate	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	131-11-3	
Di-n-butylphthalate	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	84-74-2	
4,6-Dinitro-2-methylphenol	ND	ug/L	23.0	1	07/23/10 07:30	07/26/10 17:20	534-52-1	
2,4-Dinitrophenol	ND	ug/L	57.5	1	07/23/10 07:30	07/26/10 17:20	51-28-5	
2,4-Dinitrotoluene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	121-14-2	
2,6-Dinitrotoluene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	606-20-2	
Di-n-octylphthalate	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	117-84-0	
bis(2-Ethylhexyl)phthalate	ND	ug/L	6.9	1	07/23/10 07:30	07/26/10 17:20	117-81-7	
Fluoranthene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	206-44-0	
Fluorene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	86-73-7	
Hexachloro-1,3-butadiene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	87-68-3	
Hexachlorobenzene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	118-74-1	
Hexachlorocyclopentadiene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	77-47-4	
Hexachloroethane	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	67-72-1	
Indeno(1,2,3-cd)pyrene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	193-39-5	
Isophorone	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	78-59-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: MWC **Lab ID: 9273962015** Collected: 07/21/10 10:00 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
1-Methylnaphthalene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	90-12-0	
2-Methylnaphthalene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	91-57-6	
2-Methylphenol(o-Cresol)	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20		
Naphthalene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	91-20-3	
2-Nitroaniline	ND	ug/L	57.5	1	07/23/10 07:30	07/26/10 17:20	88-74-4	
3-Nitroaniline	ND	ug/L	57.5	1	07/23/10 07:30	07/26/10 17:20	99-09-2	
4-Nitroaniline	ND	ug/L	57.5	1	07/23/10 07:30	07/26/10 17:20	100-01-6	
Nitrobenzene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	98-95-3	
2-Nitrophenol	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	88-75-5	
4-Nitrophenol	ND	ug/L	57.5	1	07/23/10 07:30	07/26/10 17:20	100-02-7	
N-Nitrosodimethylamine	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	62-75-9	
N-Nitroso-di-n-propylamine	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	621-64-7	
N-Nitrosodiphenylamine	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	86-30-6	
Pentachlorophenol	ND	ug/L	57.5	1	07/23/10 07:30	07/26/10 17:20	87-86-5	
Phenanthrene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	85-01-8	
Phenol	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	108-95-2	
Pyrene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	129-00-0	
1,2,4-Trichlorobenzene	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	120-82-1	
2,4,5-Trichlorophenol	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	95-95-4	
2,4,6-Trichlorophenol	ND	ug/L	11.5	1	07/23/10 07:30	07/26/10 17:20	88-06-2	
Nitrobenzene-d5 (S)	72	%	21-110	1	07/23/10 07:30	07/26/10 17:20	4165-60-0	
2-Fluorobiphenyl (S)	68	%	27-110	1	07/23/10 07:30	07/26/10 17:20	321-60-8	
Terphenyl-d14 (S)	74	%	31-107	1	07/23/10 07:30	07/26/10 17:20	1718-51-0	
Phenol-d6 (S)	44	%	10-110	1	07/23/10 07:30	07/26/10 17:20	13127-88-3	
2-Fluorophenol (S)	56	%	12-110	1	07/23/10 07:30	07/26/10 17:20	367-12-4	
2,4,6-Tribromophenol (S)	68	%	27-110	1	07/23/10 07:30	07/26/10 17:20	118-79-6	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND	ug/L	25.0	1		07/23/10 18:21	67-64-1	
Benzene	ND	ug/L	1.0	1		07/23/10 18:21	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		07/23/10 18:21	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		07/23/10 18:21	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		07/23/10 18:21	75-27-4	
Bromoform	ND	ug/L	1.0	1		07/23/10 18:21	75-25-2	
Bromomethane	ND	ug/L	2.0	1		07/23/10 18:21	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		07/23/10 18:21	78-93-3	
Carbon tetrachloride	ND	ug/L	1.0	1		07/23/10 18:21	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		07/23/10 18:21	108-90-7	
Chloroethane	ND	ug/L	1.0	1		07/23/10 18:21	75-00-3	
Chloroform	ND	ug/L	1.0	1		07/23/10 18:21	67-66-3	
Chloromethane	ND	ug/L	1.0	1		07/23/10 18:21	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		07/23/10 18:21	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		07/23/10 18:21	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		07/23/10 18:21	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		07/23/10 18:21	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		07/23/10 18:21	106-93-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: MWC **Lab ID: 9273962015** Collected: 07/21/10 10:00 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
Dibromomethane	ND	ug/L	1.0	1		07/23/10 18:21	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 18:21	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 18:21	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 18:21	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		07/23/10 18:21	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		07/23/10 18:21	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		07/23/10 18:21	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		07/23/10 18:21	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		07/23/10 18:21	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		07/23/10 18:21	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		07/23/10 18:21	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		07/23/10 18:21	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	1		07/23/10 18:21	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		07/23/10 18:21	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		07/23/10 18:21	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		07/23/10 18:21	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	1		07/23/10 18:21	108-20-3	
Ethylbenzene	ND	ug/L	1.0	1		07/23/10 18:21	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		07/23/10 18:21	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		07/23/10 18:21	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	1		07/23/10 18:21	99-87-6	
Methylene Chloride	ND	ug/L	2.0	1		07/23/10 18:21	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		07/23/10 18:21	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		07/23/10 18:21	1634-04-4	
Naphthalene	ND	ug/L	1.0	1		07/23/10 18:21	91-20-3	
Styrene	ND	ug/L	1.0	1		07/23/10 18:21	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		07/23/10 18:21	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		07/23/10 18:21	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		07/23/10 18:21	127-18-4	
Toluene	ND	ug/L	1.0	1		07/23/10 18:21	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		07/23/10 18:21	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	1		07/23/10 18:21	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		07/23/10 18:21	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		07/23/10 18:21	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		07/23/10 18:21	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		07/23/10 18:21	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		07/23/10 18:21	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		07/23/10 18:21	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		07/23/10 18:21	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		07/23/10 18:21	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		07/23/10 18:21	95-47-6	
4-Bromofluorobenzene (S)	99	%	70-130	1		07/23/10 18:21	460-00-4	
Dibromofluoromethane (S)	105	%	70-130	1		07/23/10 18:21	1868-53-7	
1,2-Dichloroethane-d4 (S)	106	%	70-130	1		07/23/10 18:21	17060-07-0	
Toluene-d8 (S)	101	%	70-130	1		07/23/10 18:21	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: B7 **Lab ID: 9273962016** Collected: 07/21/10 10:30 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
Acenaphthene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	83-32-9	
Acenaphthylene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	208-96-8	
Aniline	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	62-53-3	
Anthracene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	120-12-7	
Benzo(a)anthracene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	56-55-3	
Benzo(a)pyrene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	207-08-9	
Benzoic Acid	ND	ug/L	66.7	1	07/23/10 07:30	07/26/10 17:49	65-85-0	
Benzyl alcohol	ND	ug/L	26.7	1	07/23/10 07:30	07/26/10 17:49	100-51-6	
4-Bromophenylphenyl ether	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	101-55-3	
Butylbenzylphthalate	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	85-68-7	
4-Chloro-3-methylphenol	ND	ug/L	26.7	1	07/23/10 07:30	07/26/10 17:49	59-50-7	
4-Chloroaniline	ND	ug/L	66.7	1	07/23/10 07:30	07/26/10 17:49	106-47-8	
bis(2-Chloroethoxy)methane	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	111-91-1	
bis(2-Chloroethyl) ether	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	111-44-4	
bis(2-Chloroisopropyl) ether	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	108-60-1	
2-Chloronaphthalene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	91-58-7	
2-Chlorophenol	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	95-57-8	
4-Chlorophenylphenyl ether	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	7005-72-3	
Chrysene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	53-70-3	
Dibenzofuran	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	132-64-9	
1,2-Dichlorobenzene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	106-46-7	
3,3'-Dichlorobenzidine	ND	ug/L	66.7	1	07/23/10 07:30	07/26/10 17:49	91-94-1	
2,4-Dichlorophenol	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	120-83-2	
Diethylphthalate	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	84-66-2	
2,4-Dimethylphenol	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	105-67-9	
Dimethylphthalate	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	131-11-3	
Di-n-butylphthalate	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	84-74-2	
4,6-Dinitro-2-methylphenol	ND	ug/L	26.7	1	07/23/10 07:30	07/26/10 17:49	534-52-1	
2,4-Dinitrophenol	ND	ug/L	66.7	1	07/23/10 07:30	07/26/10 17:49	51-28-5	
2,4-Dinitrotoluene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	121-14-2	
2,6-Dinitrotoluene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	606-20-2	
Di-n-octylphthalate	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	117-84-0	
bis(2-Ethylhexyl)phthalate	ND	ug/L	8.0	1	07/23/10 07:30	07/26/10 17:49	117-81-7	
Fluoranthene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	206-44-0	
Fluorene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	86-73-7	
Hexachloro-1,3-butadiene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	87-68-3	
Hexachlorobenzene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	118-74-1	
Hexachlorocyclopentadiene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	77-47-4	
Hexachloroethane	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	67-72-1	
Indeno(1,2,3-cd)pyrene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	193-39-5	
Isophorone	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	78-59-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: B7 **Lab ID: 9273962016** Collected: 07/21/10 10:30 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
1-Methylnaphthalene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	90-12-0	
2-Methylnaphthalene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	91-57-6	
2-Methylphenol(o-Cresol)	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49		
Naphthalene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	91-20-3	
2-Nitroaniline	ND	ug/L	66.7	1	07/23/10 07:30	07/26/10 17:49	88-74-4	
3-Nitroaniline	ND	ug/L	66.7	1	07/23/10 07:30	07/26/10 17:49	99-09-2	
4-Nitroaniline	ND	ug/L	66.7	1	07/23/10 07:30	07/26/10 17:49	100-01-6	
Nitrobenzene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	98-95-3	
2-Nitrophenol	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	88-75-5	
4-Nitrophenol	ND	ug/L	66.7	1	07/23/10 07:30	07/26/10 17:49	100-02-7	
N-Nitrosodimethylamine	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	62-75-9	
N-Nitroso-di-n-propylamine	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	621-64-7	
N-Nitrosodiphenylamine	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	86-30-6	
Pentachlorophenol	ND	ug/L	66.7	1	07/23/10 07:30	07/26/10 17:49	87-86-5	
Phenanthrene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	85-01-8	
Phenol	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	108-95-2	
Pyrene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	129-00-0	
1,2,4-Trichlorobenzene	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	120-82-1	
2,4,5-Trichlorophenol	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	95-95-4	
2,4,6-Trichlorophenol	ND	ug/L	13.3	1	07/23/10 07:30	07/26/10 17:49	88-06-2	
Nitrobenzene-d5 (S)	56	%	21-110	1	07/23/10 07:30	07/26/10 17:49	4165-60-0	
2-Fluorobiphenyl (S)	55	%	27-110	1	07/23/10 07:30	07/26/10 17:49	321-60-8	
Terphenyl-d14 (S)	71	%	31-107	1	07/23/10 07:30	07/26/10 17:49	1718-51-0	
Phenol-d6 (S)	26	%	10-110	1	07/23/10 07:30	07/26/10 17:49	13127-88-3	
2-Fluorophenol (S)	41	%	12-110	1	07/23/10 07:30	07/26/10 17:49	367-12-4	
2,4,6-Tribromophenol (S)	59	%	27-110	1	07/23/10 07:30	07/26/10 17:49	118-79-6	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND	ug/L	25.0	1		07/23/10 18:46	67-64-1	
Benzene	ND	ug/L	1.0	1		07/23/10 18:46	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		07/23/10 18:46	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		07/23/10 18:46	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		07/23/10 18:46	75-27-4	
Bromoform	ND	ug/L	1.0	1		07/23/10 18:46	75-25-2	
Bromomethane	ND	ug/L	2.0	1		07/23/10 18:46	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		07/23/10 18:46	78-93-3	
Carbon tetrachloride	ND	ug/L	1.0	1		07/23/10 18:46	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		07/23/10 18:46	108-90-7	
Chloroethane	ND	ug/L	1.0	1		07/23/10 18:46	75-00-3	
Chloroform	ND	ug/L	1.0	1		07/23/10 18:46	67-66-3	
Chloromethane	ND	ug/L	1.0	1		07/23/10 18:46	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		07/23/10 18:46	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		07/23/10 18:46	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		07/23/10 18:46	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		07/23/10 18:46	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		07/23/10 18:46	106-93-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: B7 **Lab ID: 9273962016** Collected: 07/21/10 10:30 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
Dibromomethane	ND	ug/L	1.0	1		07/23/10 18:46	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 18:46	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 18:46	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 18:46	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		07/23/10 18:46	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		07/23/10 18:46	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		07/23/10 18:46	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		07/23/10 18:46	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		07/23/10 18:46	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		07/23/10 18:46	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		07/23/10 18:46	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		07/23/10 18:46	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	1		07/23/10 18:46	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		07/23/10 18:46	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		07/23/10 18:46	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		07/23/10 18:46	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	1		07/23/10 18:46	108-20-3	
Ethylbenzene	ND	ug/L	1.0	1		07/23/10 18:46	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		07/23/10 18:46	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		07/23/10 18:46	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	1		07/23/10 18:46	99-87-6	
Methylene Chloride	ND	ug/L	2.0	1		07/23/10 18:46	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		07/23/10 18:46	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		07/23/10 18:46	1634-04-4	
Naphthalene	ND	ug/L	1.0	1		07/23/10 18:46	91-20-3	
Styrene	ND	ug/L	1.0	1		07/23/10 18:46	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		07/23/10 18:46	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		07/23/10 18:46	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		07/23/10 18:46	127-18-4	
Toluene	ND	ug/L	1.0	1		07/23/10 18:46	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		07/23/10 18:46	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	1		07/23/10 18:46	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		07/23/10 18:46	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		07/23/10 18:46	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		07/23/10 18:46	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		07/23/10 18:46	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		07/23/10 18:46	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		07/23/10 18:46	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		07/23/10 18:46	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		07/23/10 18:46	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		07/23/10 18:46	95-47-6	
4-Bromofluorobenzene (S)	98	%	70-130	1		07/23/10 18:46	460-00-4	
Dibromofluoromethane (S)	111	%	70-130	1		07/23/10 18:46	1868-53-7	
1,2-Dichloroethane-d4 (S)	107	%	70-130	1		07/23/10 18:46	17060-07-0	
Toluene-d8 (S)	100	%	70-130	1		07/23/10 18:46	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: B1 **Lab ID: 9273962017** Collected: 07/21/10 11:00 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
Acenaphthene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	83-32-9	
Acenaphthylene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	208-96-8	
Aniline	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	62-53-3	
Anthracene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	120-12-7	
Benzo(a)anthracene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	56-55-3	
Benzo(a)pyrene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	207-08-9	
Benzoic Acid	ND	ug/L	59.5	1	07/23/10 07:30	07/26/10 18:19	65-85-0	
Benzyl alcohol	ND	ug/L	23.8	1	07/23/10 07:30	07/26/10 18:19	100-51-6	
4-Bromophenylphenyl ether	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	101-55-3	
Butylbenzylphthalate	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	85-68-7	
4-Chloro-3-methylphenol	ND	ug/L	23.8	1	07/23/10 07:30	07/26/10 18:19	59-50-7	
4-Chloroaniline	ND	ug/L	59.5	1	07/23/10 07:30	07/26/10 18:19	106-47-8	
bis(2-Chloroethoxy)methane	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	111-91-1	
bis(2-Chloroethyl) ether	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	111-44-4	
bis(2-Chloroisopropyl) ether	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	108-60-1	
2-Chloronaphthalene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	91-58-7	
2-Chlorophenol	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	95-57-8	
4-Chlorophenylphenyl ether	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	7005-72-3	
Chrysene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	53-70-3	
Dibenzofuran	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	132-64-9	
1,2-Dichlorobenzene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	106-46-7	
3,3'-Dichlorobenzidine	ND	ug/L	59.5	1	07/23/10 07:30	07/26/10 18:19	91-94-1	
2,4-Dichlorophenol	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	120-83-2	
Diethylphthalate	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	84-66-2	
2,4-Dimethylphenol	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	105-67-9	
Dimethylphthalate	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	131-11-3	
Di-n-butylphthalate	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	84-74-2	
4,6-Dinitro-2-methylphenol	ND	ug/L	23.8	1	07/23/10 07:30	07/26/10 18:19	534-52-1	
2,4-Dinitrophenol	ND	ug/L	59.5	1	07/23/10 07:30	07/26/10 18:19	51-28-5	
2,4-Dinitrotoluene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	121-14-2	
2,6-Dinitrotoluene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	606-20-2	
Di-n-octylphthalate	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	117-84-0	
bis(2-Ethylhexyl)phthalate	ND	ug/L	7.1	1	07/23/10 07:30	07/26/10 18:19	117-81-7	
Fluoranthene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	206-44-0	
Fluorene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	86-73-7	
Hexachloro-1,3-butadiene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	87-68-3	
Hexachlorobenzene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	118-74-1	
Hexachlorocyclopentadiene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	77-47-4	
Hexachloroethane	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	67-72-1	
Indeno(1,2,3-cd)pyrene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	193-39-5	
Isophorone	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	78-59-1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: B1 **Lab ID: 9273962017** Collected: 07/21/10 11:00 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic	Analytical Method: EPA 8270 Preparation Method: EPA 3510							
1-Methylnaphthalene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	90-12-0	
2-Methylnaphthalene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	91-57-6	
2-Methylphenol(o-Cresol)	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19		
Naphthalene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	91-20-3	
2-Nitroaniline	ND	ug/L	59.5	1	07/23/10 07:30	07/26/10 18:19	88-74-4	
3-Nitroaniline	ND	ug/L	59.5	1	07/23/10 07:30	07/26/10 18:19	99-09-2	
4-Nitroaniline	ND	ug/L	59.5	1	07/23/10 07:30	07/26/10 18:19	100-01-6	
Nitrobenzene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	98-95-3	
2-Nitrophenol	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	88-75-5	
4-Nitrophenol	ND	ug/L	59.5	1	07/23/10 07:30	07/26/10 18:19	100-02-7	
N-Nitrosodimethylamine	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	62-75-9	
N-Nitroso-di-n-propylamine	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	621-64-7	
N-Nitrosodiphenylamine	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	86-30-6	
Pentachlorophenol	ND	ug/L	59.5	1	07/23/10 07:30	07/26/10 18:19	87-86-5	
Phenanthrene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	85-01-8	
Phenol	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	108-95-2	
Pyrene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	129-00-0	
1,2,4-Trichlorobenzene	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	120-82-1	
2,4,5-Trichlorophenol	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	95-95-4	
2,4,6-Trichlorophenol	ND	ug/L	11.9	1	07/23/10 07:30	07/26/10 18:19	88-06-2	
Nitrobenzene-d5 (S)	47	%	21-110	1	07/23/10 07:30	07/26/10 18:19	4165-60-0	
2-Fluorobiphenyl (S)	46	%	27-110	1	07/23/10 07:30	07/26/10 18:19	321-60-8	
Terphenyl-d14 (S)	73	%	31-107	1	07/23/10 07:30	07/26/10 18:19	1718-51-0	
Phenol-d6 (S)	31	%	10-110	1	07/23/10 07:30	07/26/10 18:19	13127-88-3	
2-Fluorophenol (S)	38	%	12-110	1	07/23/10 07:30	07/26/10 18:19	367-12-4	
2,4,6-Tribromophenol (S)	68	%	27-110	1	07/23/10 07:30	07/26/10 18:19	118-79-6	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND	ug/L	25.0	1		07/23/10 19:12	67-64-1	
Benzene	**1.1**	ug/L	1.0	1		07/23/10 19:12	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		07/23/10 19:12	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		07/23/10 19:12	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		07/23/10 19:12	75-27-4	
Bromoform	ND	ug/L	1.0	1		07/23/10 19:12	75-25-2	
Bromomethane	ND	ug/L	2.0	1		07/23/10 19:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		07/23/10 19:12	78-93-3	
Carbon tetrachloride	ND	ug/L	1.0	1		07/23/10 19:12	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		07/23/10 19:12	108-90-7	
Chloroethane	ND	ug/L	1.0	1		07/23/10 19:12	75-00-3	
Chloroform	ND	ug/L	1.0	1		07/23/10 19:12	67-66-3	
Chloromethane	ND	ug/L	1.0	1		07/23/10 19:12	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		07/23/10 19:12	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		07/23/10 19:12	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		07/23/10 19:12	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		07/23/10 19:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		07/23/10 19:12	106-93-4	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Sample: B1 **Lab ID: 9273962017** Collected: 07/21/10 11:00 Received: 07/22/10 09:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
Dibromomethane	ND	ug/L	1.0	1		07/23/10 19:12	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 19:12	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 19:12	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		07/23/10 19:12	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		07/23/10 19:12	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		07/23/10 19:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		07/23/10 19:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		07/23/10 19:12	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		07/23/10 19:12	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		07/23/10 19:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		07/23/10 19:12	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		07/23/10 19:12	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	1		07/23/10 19:12	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		07/23/10 19:12	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		07/23/10 19:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		07/23/10 19:12	10061-02-6	
Diisopropyl ether	ND	ug/L	1.0	1		07/23/10 19:12	108-20-3	
Ethylbenzene	ND	ug/L	1.0	1		07/23/10 19:12	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		07/23/10 19:12	87-68-3	
2-Hexanone	ND	ug/L	5.0	1		07/23/10 19:12	591-78-6	
p-Isopropyltoluene	ND	ug/L	1.0	1		07/23/10 19:12	99-87-6	
Methylene Chloride	ND	ug/L	2.0	1		07/23/10 19:12	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		07/23/10 19:12	108-10-1	
Methyl-tert-butyl ether	ND	ug/L	1.0	1		07/23/10 19:12	1634-04-4	
Naphthalene	ND	ug/L	1.0	1		07/23/10 19:12	91-20-3	
Styrene	ND	ug/L	1.0	1		07/23/10 19:12	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		07/23/10 19:12	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		07/23/10 19:12	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		07/23/10 19:12	127-18-4	
Toluene	ND	ug/L	1.0	1		07/23/10 19:12	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		07/23/10 19:12	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	1		07/23/10 19:12	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		07/23/10 19:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		07/23/10 19:12	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		07/23/10 19:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		07/23/10 19:12	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		07/23/10 19:12	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		07/23/10 19:12	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		07/23/10 19:12	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		07/23/10 19:12	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		07/23/10 19:12	95-47-6	
4-Bromofluorobenzene (S)	102	%	70-130	1		07/23/10 19:12	460-00-4	
Dibromofluoromethane (S)	108	%	70-130	1		07/23/10 19:12	1868-53-7	
1,2-Dichloroethane-d4 (S)	111	%	70-130	1		07/23/10 19:12	17060-07-0	
Toluene-d8 (S)	101	%	70-130	1		07/23/10 19:12	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

QC Batch: OEXT/10613 — Analysis Method: EPA 8015 Modified
QC Batch Method: EPA 3546 — Analysis Description: 8015 Solid GCSV
Associated Lab Samples: 9273962001, 9273962002, 9273962003, 9273962004, 9273962005, 9273962006, 9273962007, 9273962008, 9273962009

METHOD BLANK: 472613 — Matrix: Solid
Associated Lab Samples: 9273962001, 9273962002, 9273962003, 9273962004, 9273962005, 9273962006, 9273962007, 9273962008, 9273962009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Diesel Components	mg/kg	ND	5.0	07/26/10 14:13	
n-Pentacosane (S)	%	65	41-119	07/26/10 14:13	

LABORATORY CONTROL SAMPLE: 472614

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Diesel Components	mg/kg	167	99.1	59	49-113	
n-Pentacosane (S)	%			68	41-119	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 472615 472616

Parameter	Units	9273880001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Diesel Components	mg/kg	ND	214	214	176	175	82	82	10-146	1	
n-Pentacosane (S)	%						95	92	41-119		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

QC Batch: GCSV/8079
QC Batch Method: 9071B ASE
Analysis Method: 9071B ASE
Analysis Description: 9071 ASE, Oil and Grease
Associated Lab Samples: 9273962007

METHOD BLANK: 473870
Matrix: Solid
Associated Lab Samples: 9273962007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Oil and Grease	mg/kg	ND	70.0	07/27/10 12:06	

LABORATORY CONTROL SAMPLE: 473871

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Oil and Grease	mg/kg	1330	1110	83	78-114	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 473872 473873

Parameter	Units	9273952001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Oil and Grease	mg/kg	ND	1430	1430	1290	1350	87	91	78-114	5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

QC Batch: GCV/4194 — Analysis Method: EPA 8015 Modified
QC Batch Method: EPA 5035A/5030B — Analysis Description: Gasoline Range Organics
Associated Lab Samples: 9273962001, 9273962002, 9273962003, 9273962004, 9273962005, 9273962006, 9273962007, 9273962008, 9273962009

METHOD BLANK: 472459 — Matrix: Solid
Associated Lab Samples: 9273962001, 9273962002, 9273962003, 9273962004, 9273962005, 9273962006, 9273962007, 9273962008, 9273962009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Gasoline Range Organics	mg/kg	ND	6.0	07/23/10 18:41	
4-Bromofluorobenzene (S)	%	111	70-167	07/23/10 18:41	

LABORATORY CONTROL SAMPLE: 472460

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Gasoline Range Organics	mg/kg	25	26.5	106	70-165	
4-Bromofluorobenzene (S)	%			93	70-167	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 472461 472462

Parameter	Units	9273731003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Gasoline Range Organics	mg/kg	ND	33	33	35.6	40.7	108	123	47-187	13	
4-Bromofluorobenzene (S)	%						95	108	70-167		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

QC Batch: OEXT/10615 Analysis Method: EPA 8270
QC Batch Method: EPA 3510 Analysis Description: 8270 Water MSSV
Associated Lab Samples: 9273962010, 9273962011, 9273962012, 9273962013, 9273962014, 9273962015, 9273962016, 9273962017

METHOD BLANK: 472865 Matrix: Water
Associated Lab Samples: 9273962010, 9273962011, 9273962012, 9273962013, 9273962014, 9273962015, 9273962016, 9273962017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/L	ND	10.0	07/23/10 17:35	
1,2-Dichlorobenzene	ug/L	ND	10.0	07/23/10 17:35	
1,3-Dichlorobenzene	ug/L	ND	10.0	07/23/10 17:35	
1,4-Dichlorobenzene	ug/L	ND	10.0	07/23/10 17:35	
1-Methylnaphthalene	ug/L	ND	10.0	07/23/10 17:35	
2,4,5-Trichlorophenol	ug/L	ND	10.0	07/23/10 17:35	
2,4,6-Trichlorophenol	ug/L	ND	10.0	07/23/10 17:35	
2,4-Dichlorophenol	ug/L	ND	10.0	07/23/10 17:35	
2,4-Dimethylphenol	ug/L	ND	10.0	07/23/10 17:35	
2,4-Dinitrophenol	ug/L	ND	50.0	07/23/10 17:35	
2,4-Dinitrotoluene	ug/L	ND	10.0	07/23/10 17:35	
2,6-Dinitrotoluene	ug/L	ND	10.0	07/23/10 17:35	
2-Chloronaphthalene	ug/L	ND	10.0	07/23/10 17:35	
2-Chlorophenol	ug/L	ND	10.0	07/23/10 17:35	
2-Methylnaphthalene	ug/L	ND	10.0	07/23/10 17:35	
2-Methylphenol(o-Cresol)	ug/L	ND	10.0	07/23/10 17:35	
2-Nitroaniline	ug/L	ND	50.0	07/23/10 17:35	
2-Nitrophenol	ug/L	ND	10.0	07/23/10 17:35	
3&4-Methylphenol(m&p Cresol)	ug/L	ND	10.0	07/23/10 17:35	
3,3'-Dichlorobenzidine	ug/L	ND	50.0	07/23/10 17:35	
3-Nitroaniline	ug/L	ND	50.0	07/23/10 17:35	
4,6-Dinitro-2-methylphenol	ug/L	ND	20.0	07/23/10 17:35	
4-Bromophenylphenyl ether	ug/L	ND	10.0	07/23/10 17:35	
4-Chloro-3-methylphenol	ug/L	ND	20.0	07/23/10 17:35	
4-Chloroaniline	ug/L	ND	50.0	07/23/10 17:35	
4-Chlorophenylphenyl ether	ug/L	ND	10.0	07/23/10 17:35	
4-Nitroaniline	ug/L	ND	50.0	07/23/10 17:35	
4-Nitrophenol	ug/L	ND	50.0	07/23/10 17:35	
Acenaphthene	ug/L	ND	10.0	07/23/10 17:35	
Acenaphthylene	ug/L	ND	10.0	07/23/10 17:35	
Aniline	ug/L	ND	10.0	07/23/10 17:35	
Anthracene	ug/L	ND	10.0	07/23/10 17:35	
Benzo(a)anthracene	ug/L	ND	10.0	07/23/10 17:35	
Benzo(a)pyrene	ug/L	ND	10.0	07/23/10 17:35	
Benzo(b)fluoranthene	ug/L	ND	10.0	07/23/10 17:35	
Benzo(g,h,i)perylene	ug/L	ND	10.0	07/23/10 17:35	
Benzo(k)fluoranthene	ug/L	ND	10.0	07/23/10 17:35	
Benzoic Acid	ug/L	ND	50.0	07/23/10 17:35	
Benzyl alcohol	ug/L	ND	20.0	07/23/10 17:35	
bis(2-Chloroethoxy)methane	ug/L	ND	10.0	07/23/10 17:35	
bis(2-Chloroethyl) ether	ug/L	ND	10.0	07/23/10 17:35	
bis(2-Chloroisopropyl) ether	ug/L	ND	10.0	07/23/10 17:35	
bis(2-Ethylhexyl)phthalate	ug/L	ND	6.0	07/23/10 17:35	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

METHOD BLANK: 472865 Matrix: Water

Associated Lab Samples: 9273962010, 9273962011, 9273962012, 9273962013, 9273962014, 9273962015, 9273962016, 9273962017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Butylbenzylphthalate	ug/L	ND	10.0	07/23/10 17:35	
Chrysene	ug/L	ND	10.0	07/23/10 17:35	
Di-n-butylphthalate	ug/L	ND	10.0	07/23/10 17:35	
Di-n-octylphthalate	ug/L	ND	10.0	07/23/10 17:35	
Dibenz(a,h)anthracene	ug/L	ND	10.0	07/23/10 17:35	
Dibenzofuran	ug/L	ND	10.0	07/23/10 17:35	
Diethylphthalate	ug/L	ND	10.0	07/23/10 17:35	
Dimethylphthalate	ug/L	ND	10.0	07/23/10 17:35	
Fluoranthene	ug/L	ND	10.0	07/23/10 17:35	
Fluorene	ug/L	ND	10.0	07/23/10 17:35	
Hexachloro-1,3-butadiene	ug/L	ND	10.0	07/23/10 17:35	
Hexachlorobenzene	ug/L	ND	10.0	07/23/10 17:35	
Hexachlorocyclopentadiene	ug/L	ND	10.0	07/23/10 17:35	
Hexachloroethane	ug/L	ND	10.0	07/23/10 17:35	
Indeno(1,2,3-cd)pyrene	ug/L	ND	10.0	07/23/10 17:35	
Isophorone	ug/L	ND	10.0	07/23/10 17:35	
N-Nitroso-di-n-propylamine	ug/L	ND	10.0	07/23/10 17:35	
N-Nitrosodimethylamine	ug/L	ND	10.0	07/23/10 17:35	
N-Nitrosodiphenylamine	ug/L	ND	10.0	07/23/10 17:35	
Naphthalene	ug/L	ND	10.0	07/23/10 17:35	
Nitrobenzene	ug/L	ND	10.0	07/23/10 17:35	
Pentachlorophenol	ug/L	ND	50.0	07/23/10 17:35	
Phenanthrene	ug/L	ND	10.0	07/23/10 17:35	
Phenol	ug/L	ND	10.0	07/23/10 17:35	
Pyrene	ug/L	ND	10.0	07/23/10 17:35	
2,4,6-Tribromophenol (S)	%	53	27-110	07/23/10 17:35	
2-Fluorobiphenyl (S)	%	51	27-110	07/23/10 17:35	
2-Fluorophenol (S)	%	41	12-110	07/23/10 17:35	
Nitrobenzene-d5 (S)	%	57	21-110	07/23/10 17:35	
Phenol-d6 (S)	%	27	10-110	07/23/10 17:35	
Terphenyl-d14 (S)	%	60	31-107	07/23/10 17:35	

LABORATORY CONTROL SAMPLE: 472866

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	50	24.6	49	10-110	
1,2-Dichlorobenzene	ug/L	50	25.2	50	10-110	
1,3-Dichlorobenzene	ug/L	50	22.2	44	10-110	
1,4-Dichlorobenzene	ug/L	50	22.8	46	10-110	
1-Methylnaphthalene	ug/L	50	30.1	60	21-110	
2,4,5-Trichlorophenol	ug/L	50	31.4	63	23-116	
2,4,6-Trichlorophenol	ug/L	50	32.9	66	21-114	
2,4-Dichlorophenol	ug/L	50	33.0	66	22-120	
2,4-Dimethylphenol	ug/L	50	32.2	64	15-109	
2,4-Dinitrophenol	ug/L	250	99.4	40	10-103	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

LABORATORY CONTROL SAMPLE: 472866

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dinitrotoluene	ug/L	50	35.5	71	24-119	
2,6-Dinitrotoluene	ug/L	50	35.4	71	25-116	
2-Chloronaphthalene	ug/L	50	30.6	61	18-110	
2-Chlorophenol	ug/L	50	34.8	70	10-104	
2-Methylnaphthalene	ug/L	50	29.7	59	16-110	
2-Methylphenol(o-Cresol)	ug/L	50	32.5	65	13-110	
2-Nitroaniline	ug/L	250	65.6	26	20-117	
2-Nitrophenol	ug/L	50	33.9	68	16-108	
3&4-Methylphenol(m&p Cresol)	ug/L	50	29.6	59	14-110	
3,3'-Dichlorobenzidine	ug/L	250	68.7	27	13-131	
3-Nitroaniline	ug/L	250	65.5	26	15-117	
4,6-Dinitro-2-methylphenol	ug/L	100	58.9	59	13-119	
4-Bromophenylphenyl ether	ug/L	50	31.9	64	23-120	
4-Chloro-3-methylphenol	ug/L	100	69.7	70	21-119	
4-Chloroaniline	ug/L	250	63.0	25	10-122	
4-Chlorophenylphenyl ether	ug/L	50	32.6	65	22-112	
4-Nitroaniline	ug/L	250	67.0	27	14-118	
4-Nitrophenol	ug/L	250	64.7	26	10-110	
Acenaphthene	ug/L	50	32.1	64	20-105	
Acenaphthylene	ug/L	50	32.2	64	23-106	
Aniline	ug/L	50	33.6	67	10-110	
Anthracene	ug/L	50	34.0	68	25-120	
Benzo(a)anthracene	ug/L	50	34.7	69	21-128	
Benzo(a)pyrene	ug/L	50	31.2	62	25-116	
Benzo(b)fluoranthene	ug/L	50	31.3	63	23-117	
Benzo(g,h,i)perylene	ug/L	50	32.3	65	17-128	
Benzo(k)fluoranthene	ug/L	50	31.5	63	25-127	
Benzoic Acid	ug/L	250	ND	3	10-110	L2
Benzyl alcohol	ug/L	100	65.9	66	10-101	
bis(2-Chloroethoxy)methane	ug/L	50	32.1	64	19-107	
bis(2-Chloroethyl) ether	ug/L	50	37.6	75	10-108	
bis(2-Chloroisopropyl) ether	ug/L	50	32.5	65	10-108	
bis(2-Ethylhexyl)phthalate	ug/L	50	35.0	70	16-123	
Butylbenzylphthalate	ug/L	50	34.7	69	20-118	
Chrysene	ug/L	50	33.8	68	24-125	
Di-n-butylphthalate	ug/L	50	35.2	70	23-115	
Di-n-octylphthalate	ug/L	50	37.5	75	20-115	
Dibenz(a,h)anthracene	ug/L	50	32.8	66	18-131	
Dibenzofuran	ug/L	50	31.6	63	23-106	
Diethylphthalate	ug/L	50	34.5	69	24-115	
Dimethylphthalate	ug/L	50	33.5	67	22-113	
Fluoranthene	ug/L	50	34.4	69	24-125	
Fluorene	ug/L	50	33.0	66	24-114	
Hexachloro-1,3-butadiene	ug/L	50	18.3	37	10-110	
Hexachlorobenzene	ug/L	50	31.9	64	22-127	
Hexachlorocyclopentadiene	ug/L	50	22.1	44	10-110	
Hexachloroethane	ug/L	50	18.9	38	10-110	
Indeno(1,2,3-cd)pyrene	ug/L	50	32.5	65	18-130	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

LABORATORY CONTROL SAMPLE: 472866

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Isophorone	ug/L	50	34.9	70	23-114	
N-Nitroso-di-n-propylamine	ug/L	50	37.6	75	21-114	
N-Nitrosodimethylamine	ug/L	50	24.0	48	10-110	
N-Nitrosodiphenylamine	ug/L	50	33.1	66	24-123	
Naphthalene	ug/L	50	29.5	59	14-110	
Nitrobenzene	ug/L	50	32.4	65	16-106	
Pentachlorophenol	ug/L	250	45.9J	18	10-123	
Phenanthrene	ug/L	50	32.8	66	25-119	
Phenol	ug/L	50	15.8	32	10-110	
Pyrene	ug/L	50	32.6	65	22-127	
2,4,6-Tribromophenol (S)	%			66	27-110	
2-Fluorobiphenyl (S)	%			62	27-110	
2-Fluorophenol (S)	%			49	12-110	
Nitrobenzene-d5 (S)	%			68	21-110	
Phenol-d6 (S)	%			32	10-110	
Terphenyl-d14 (S)	%			66	31-107	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 472867 472868

Parameter	Units	9273962010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
1,2,4-Trichlorobenzene	ug/L	ND	125	125	49.0	18.9J	39	15	10-110		
1,2-Dichlorobenzene	ug/L	ND	125	125	48.5	18.7J	39	15	10-110		
1,3-Dichlorobenzene	ug/L	ND	125	125	43.5	16.8J	35	13	10-110		
1,4-Dichlorobenzene	ug/L	ND	125	125	44.7	17.5J	36	14	10-110		
1-Methylnaphthalene	ug/L	ND	125	125	60.9	24.7J	49	20	14-110		
2,4,5-Trichlorophenol	ug/L	ND	125	125	64.8	38.5	52	31	19-105	51	
2,4,6-Trichlorophenol	ug/L	ND	125	125	67.4	37.6	54	30	13-108	57	
2,4-Dichlorophenol	ug/L	ND	125	125	67.3	27.8	54	22	29-111	83	
2,4-Dimethylphenol	ug/L	ND	125	125	66.9	29.4	54	24	21-103	78	
2,4-Dinitrophenol	ug/L	ND	625	625	259	191	41	31	10-109	30	
2,4-Dinitrotoluene	ug/L	ND	125	125	69.8	49.4	56	40	27-104	34	
2,6-Dinitrotoluene	ug/L	ND	125	125	70.2	47.4	56	38	28-101	39	
2-Chloronaphthalene	ug/L	ND	125	125	63.3	28.0	51	22	14-102	77	
2-Chlorophenol	ug/L	ND	125	125	68.4	26.9	55	22	16-110	87	
2-Methylnaphthalene	ug/L	ND	125	125	59.9	23.8J	48	19	13-110		
2-Methylphenol(o-Cresol)	ug/L	ND	125	125	69.2	29.3	55	23	19-110	81	
2-Nitroaniline	ug/L	ND	625	625	329	211	53	34	26-103	44	
2-Nitrophenol	ug/L	ND	125	125	66.3	25.9	53	21	20-110	88	
3&4-Methylphenol(m&p Cresol)	ug/L	ND	125	125	69.6	29.8	56	24	20-110	80	
3,3'-Dichlorobenzidine	ug/L	ND	625	625	287	208	46	33	25-112	32	
3-Nitroaniline	ug/L	ND	625	625	307	211	49	34	29-110	37	
4,6-Dinitro-2-methylphenol	ug/L	ND	250	250	117	86.9	47	35	10-117	29	
4-Bromophenylphenyl ether	ug/L	ND	125	125	63.8	41.9	51	33	20-105	42	
4-Chloro-3-methylphenol	ug/L	ND	250	250	144	84.0	57	34	22-110	52	
4-Chloroaniline	ug/L	ND	625	625	126	60.9J	20	10	20-100		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 472867 472868

Parameter	Units	9273962010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
4-Chlorophenylphenyl ether	ug/L	ND	125	125	67.2	41.3	54	33	19-102	48	
4-Nitroaniline	ug/L	ND	625	625	337	238	54	38	29-110	35	
4-Nitrophenol	ug/L	ND	625	625	239	158	38	25	10-110	41	
Acenaphthene	ug/L	ND	125	125	66.6	35.3	53	28	17-100	61	
Acenaphthylene	ug/L	ND	125	125	65.5	34.9	52	28	21-100	61	
Aniline	ug/L	ND	125	125	65.4	27.5	52	22	10-110	82	
Anthracene	ug/L	ND	125	125	66.7	46.6	53	37	24-109	35	
Benzo(a)anthracene	ug/L	ND	125	125	67.2	49.6	54	40	22-117	30	
Benzo(a)pyrene	ug/L	ND	125	125	62.7	46.1	49	36	23-104	31	
Benzo(b)fluoranthene	ug/L	ND	125	125	62.2	47.1	49	37	23-103	28	
Benzo(g,h,i)perylene	ug/L	ND	125	125	63.9	44.5	50	35	18-111	36	
Benzo(k)fluoranthene	ug/L	ND	125	125	64.4	45.0	51	35	22-113	36	
Benzoic Acid	ug/L	ND	625	625	230	ND	37	20	10-110		
Benzyl alcohol	ug/L	ND	250	250	146	63.8	59	26	19-101	78	
bis(2-Chloroethoxy)methane	ug/L	ND	125	125	66.7	27.1	53	22	22-110	84	
bis(2-Chloroethyl) ether	ug/L	ND	125	125	73.8	29.2	59	23	16-110	87	1g,L2,R2
bis(2-Chloroisopropyl) ether	ug/L	ND	125	125	63.8	24.7J	51	20	14-110		
bis(2-Ethylhexyl)phthalate	ug/L	ND	125	125	67.4	47.8	54	38	23-102	34	
Butylbenzylphthalate	ug/L	ND	125	125	67.1	48.0	54	38	25-110	33	
Chrysene	ug/L	ND	125	125	65.7	48.6	53	39	23-115	30	
Di-n-butylphthalate	ug/L	ND	125	125	68.4	49.4	55	40	26-110	32	
Di-n-octylphthalate	ug/L	ND	125	125	69.1	51.5	55	41	22-110	29	
Dibenz(a,h)anthracene	ug/L	ND	125	125	65.0	45.7	52	37	21-112	35	
Dibenzofuran	ug/L	ND	125	125	65.2	37.8	52	30	19-102	53	
Diethylphthalate	ug/L	ND	125	125	68.3	47.5	55	38	29-110	36	
Dimethylphthalate	ug/L	ND	125	125	66.8	44.7	53	36	27-110	40	
Fluoranthene	ug/L	ND	125	125	67.4	48.7	54	39	23-112	32	
Fluorene	ug/L	ND	125	125	67.1	42.0	54	34	22-104	46	
Hexachloro-1,3-butadiene	ug/L	ND	125	125	40.4	14.7J	32	12	10-110		
Hexachlorobenzene	ug/L	ND	125	125	62.2	42.3	50	34	21-116	38	
Hexachlorocyclopentadiene	ug/L	ND	125	125	46.4	17.3J	37	14	10-110		
Hexachloroethane	ug/L	ND	125	125	39.4	14.5J	32	12	10-110		
Indeno(1,2,3-cd)pyrene	ug/L	ND	125	125	63.0	45.0	50	36	20-113	33	
Isophorone	ug/L	ND	125	125	70.7	32.8	57	26	50-150	73	
N-Nitroso-di-n-propylamine	ug/L	ND	125	125	74.3	31.1	59	25	21-105	82	
N-Nitrosodimethylamine	ug/L	ND	125	125	61.9	26.5	50	21	10-110	80	
N-Nitrosodiphenylamine	ug/L	ND	125	125	65.9	45.2	53	36	23-107	37	
Naphthalene	ug/L	ND	125	125	57.1	22J	46	18	10-110		
Nitrobenzene	ug/L	ND	125	125	64.1	25.1	51	20	20-110	87	
Pentachlorophenol	ug/L	ND	625	625	103J	78.4J	17	13	10-118		
Phenanthrene	ug/L	ND	125	125	65.5	46.4	52	37	24-106	34	
Phenol	ug/L	ND	125	125	50.3	20.8J	40	17	12-110		
Pyrene	ug/L	ND	125	125	65.6	45.8	52	37	24-114	36	
2,4,6-Tribromophenol (S)	%						49	34	27-110		
2-Fluorobiphenyl (S)	%						47	20	27-110		
2-Fluorophenol (S)	%						49	19	12-110		
Nitrobenzene-d5 (S)	%						51	20	21-110		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 472867 472868

Parameter	Units	9273962010 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Phenol-d6 (S)	%						39	16	10-110		
Terphenyl-d14 (S)	%						52	37	31-107		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

QC Batch: MSV/11670 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV Low Level
Associated Lab Samples: 9273962010, 9273962011, 9273962012, 9273962013, 9273962014, 9273962015, 9273962016, 9273962017

METHOD BLANK: 472991 Matrix: Water
Associated Lab Samples: 9273962010, 9273962011, 9273962012, 9273962013, 9273962014, 9273962015, 9273962016, 9273962017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	07/23/10 12:23	
1,1,1-Trichloroethane	ug/L	ND	1.0	07/23/10 12:23	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	07/23/10 12:23	
1,1,2-Trichloroethane	ug/L	ND	1.0	07/23/10 12:23	
1,1-Dichloroethane	ug/L	ND	1.0	07/23/10 12:23	
1,1-Dichloroethene	ug/L	ND	1.0	07/23/10 12:23	
1,1-Dichloropropene	ug/L	ND	1.0	07/23/10 12:23	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	07/23/10 12:23	
1,2,3-Trichloropropane	ug/L	ND	1.0	07/23/10 12:23	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	07/23/10 12:23	
1,2-Dibromo-3-chloropropane	ug/L	ND	5.0	07/23/10 12:23	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	07/23/10 12:23	
1,2-Dichlorobenzene	ug/L	ND	1.0	07/23/10 12:23	
1,2-Dichloroethane	ug/L	ND	1.0	07/23/10 12:23	
1,2-Dichloropropane	ug/L	ND	1.0	07/23/10 12:23	
1,3-Dichlorobenzene	ug/L	ND	1.0	07/23/10 12:23	
1,3-Dichloropropane	ug/L	ND	1.0	07/23/10 12:23	
1,4-Dichlorobenzene	ug/L	ND	1.0	07/23/10 12:23	
2,2-Dichloropropane	ug/L	ND	1.0	07/23/10 12:23	
2-Butanone (MEK)	ug/L	ND	5.0	07/23/10 12:23	
2-Chlorotoluene	ug/L	ND	1.0	07/23/10 12:23	
2-Hexanone	ug/L	ND	5.0	07/23/10 12:23	
4-Chlorotoluene	ug/L	ND	1.0	07/23/10 12:23	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	07/23/10 12:23	
Acetone	ug/L	ND	25.0	07/23/10 12:23	
Benzene	ug/L	ND	1.0	07/23/10 12:23	
Bromobenzene	ug/L	ND	1.0	07/23/10 12:23	
Bromochloromethane	ug/L	ND	1.0	07/23/10 12:23	
Bromodichloromethane	ug/L	ND	1.0	07/23/10 12:23	
Bromoform	ug/L	ND	1.0	07/23/10 12:23	
Bromomethane	ug/L	ND	2.0	07/23/10 12:23	
Carbon tetrachloride	ug/L	ND	1.0	07/23/10 12:23	
Chlorobenzene	ug/L	ND	1.0	07/23/10 12:23	
Chloroethane	ug/L	ND	1.0	07/23/10 12:23	
Chloroform	ug/L	ND	1.0	07/23/10 12:23	
Chloromethane	ug/L	ND	1.0	07/23/10 12:23	
cis-1,2-Dichloroethene	ug/L	ND	1.0	07/23/10 12:23	
cis-1,3-Dichloropropene	ug/L	ND	1.0	07/23/10 12:23	
Dibromochloromethane	ug/L	ND	1.0	07/23/10 12:23	
Dibromomethane	ug/L	ND	1.0	07/23/10 12:23	
Dichlorodifluoromethane	ug/L	ND	1.0	07/23/10 12:23	
Diisopropyl ether	ug/L	ND	1.0	07/23/10 12:23	
Ethylbenzene	ug/L	ND	1.0	07/23/10 12:23	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

METHOD BLANK: 472991 Matrix: Water

Associated Lab Samples: 9273962010, 9273962011, 9273962012, 9273962013, 9273962014, 9273962015, 9273962016, 9273962017

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Hexachloro-1,3-butadiene	ug/L	ND	1.0	07/23/10 12:23	
m&p-Xylene	ug/L	ND	2.0	07/23/10 12:23	
Methyl-tert-butyl ether	ug/L	ND	1.0	07/23/10 12:23	
Methylene Chloride	ug/L	ND	2.0	07/23/10 12:23	
Naphthalene	ug/L	ND	1.0	07/23/10 12:23	
o-Xylene	ug/L	ND	1.0	07/23/10 12:23	
p-Isopropyltoluene	ug/L	ND	1.0	07/23/10 12:23	
Styrene	ug/L	ND	1.0	07/23/10 12:23	
Tetrachloroethene	ug/L	ND	1.0	07/23/10 12:23	
Toluene	ug/L	ND	1.0	07/23/10 12:23	
trans-1,2-Dichloroethene	ug/L	ND	1.0	07/23/10 12:23	
trans-1,3-Dichloropropene	ug/L	ND	1.0	07/23/10 12:23	
Trichloroethene	ug/L	ND	1.0	07/23/10 12:23	
Trichlorofluoromethane	ug/L	ND	1.0	07/23/10 12:23	
Vinyl acetate	ug/L	ND	2.0	07/23/10 12:23	
Vinyl chloride	ug/L	ND	1.0	07/23/10 12:23	
1,2-Dichloroethane-d4 (S)	%	102	70-130	07/23/10 12:23	
4-Bromofluorobenzene (S)	%	101	70-130	07/23/10 12:23	
Dibromofluoromethane (S)	%	106	70-130	07/23/10 12:23	
Toluene-d8 (S)	%	100	70-130	07/23/10 12:23	

LABORATORY CONTROL SAMPLE: 472992

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	50.7	101	70-130	
1,1,1-Trichloroethane	ug/L	50	48.7	97	70-130	
1,1,2,2-Tetrachloroethane	ug/L	50	49.1	98	70-130	
1,1,2-Trichloroethane	ug/L	50	53.5	107	70-130	
1,1-Dichloroethane	ug/L	50	49.0	98	70-130	
1,1-Dichloroethene	ug/L	50	54.2	108	70-132	
1,1-Dichloropropene	ug/L	50	45.7	91	70-130	
1,2,3-Trichlorobenzene	ug/L	50	49.0	98	70-135	
1,2,3-Trichloropropane	ug/L	50	46.1	92	70-130	
1,2,4-Trichlorobenzene	ug/L	50	49.3	99	70-134	
1,2-Dibromo-3-chloropropane	ug/L	50	49.2	98	70-130	
1,2-Dibromoethane (EDB)	ug/L	50	50.4	101	70-130	
1,2-Dichlorobenzene	ug/L	50	48.2	96	70-130	
1,2-Dichloroethane	ug/L	50	49.7	99	70-130	
1,2-Dichloropropane	ug/L	50	47.7	95	70-130	
1,3-Dichlorobenzene	ug/L	50	47.1	94	70-130	
1,3-Dichloropropane	ug/L	50	45.5	91	70-130	
1,4-Dichlorobenzene	ug/L	50	46.4	93	70-130	
2,2-Dichloropropane	ug/L	50	48.5	97	58-145	
2-Butanone (MEK)	ug/L	100	130	130	70-145	
2-Chlorotoluene	ug/L	50	46.7	93	70-130	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

LABORATORY CONTROL SAMPLE: 472992

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2-Hexanone	ug/L	100	104	104	70-144	
4-Chlorotoluene	ug/L	50	48.3	97	70-130	
4-Methyl-2-pentanone (MIBK)	ug/L	100	104	104	70-140	
Acetone	ug/L	100	118	118	50-175	
Benzene	ug/L	50	47.5	95	70-130	
Bromobenzene	ug/L	50	46.6	93	70-130	
Bromochloromethane	ug/L	50	47.2	94	70-130	
Bromodichloromethane	ug/L	50	48.6	97	70-130	
Bromoform	ug/L	50	51.0	102	70-130	
Bromomethane	ug/L	50	55.1	110	54-130	
Carbon tetrachloride	ug/L	50	49.9	100	70-132	
Chlorobenzene	ug/L	50	47.8	96	70-130	
Chloroethane	ug/L	50	54.4	109	64-134	
Chloroform	ug/L	50	47.1	94	70-130	
Chloromethane	ug/L	50	41.0	82	64-130	
cis-1,2-Dichloroethene	ug/L	50	50.0	100	70-131	
cis-1,3-Dichloropropene	ug/L	50	49.6	99	70-130	
Dibromochloromethane	ug/L	50	48.6	97	70-130	
Dibromomethane	ug/L	50	50.0	100	70-131	
Dichlorodifluoromethane	ug/L	50	47.6	95	56-130	
Diisopropyl ether	ug/L	50	49.1	98	70-130	
Ethylbenzene	ug/L	50	47.5	95	70-130	
Hexachloro-1,3-butadiene	ug/L	50	47.9	96	70-130	
m&p-Xylene	ug/L	100	99.6	100	70-130	
Methyl-tert-butyl ether	ug/L	50	53.1	106	70-130	
Methylene Chloride	ug/L	50	53.0	106	63-130	
Naphthalene	ug/L	50	53.4	107	70-138	
o-Xylene	ug/L	50	50.1	100	70-130	
p-Isopropyltoluene	ug/L	50	49.5	99	70-130	
Styrene	ug/L	50	50.0	100	70-130	
Tetrachloroethene	ug/L	50	48.4	97	70-130	
Toluene	ug/L	50	48.8	98	70-130	
trans-1,2-Dichloroethene	ug/L	50	49.4	99	70-130	
trans-1,3-Dichloropropene	ug/L	50	47.3	95	70-132	
Trichloroethene	ug/L	50	49.2	98	70-130	
Trichlorofluoromethane	ug/L	50	49.2	98	62-133	
Vinyl acetate	ug/L	100	101	101	66-157	
Vinyl chloride	ug/L	50	50.0	100	69-130	
1,2-Dichloroethane-d4 (S)	%			97	70-130	
4-Bromofluorobenzene (S)	%			102	70-130	
Dibromofluoromethane (S)	%			100	70-130	
Toluene-d8 (S)	%			103	70-130	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

QC Batch: PMST/3291 Analysis Method: ASTM D2974-87
QC Batch Method: ASTM D2974-87 Analysis Description: Dry Weight/Percent Moisture
Associated Lab Samples: 9273962001, 9273962002, 9273962003, 9273962004, 9273962005, 9273962006, 9273962007

SAMPLE DUPLICATE: 472819

Parameter	Units	9273955001 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	15.3	17.1	11	

SAMPLE DUPLICATE: 472820

Parameter	Units	9273806002 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	3.8	4.3	11	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

QC Batch: PMST/3292
QC Batch Method: ASTM D2974-87
Analysis Method: ASTM D2974-87
Analysis Description: Dry Weight/Percent Moisture
Associated Lab Samples: 9273962008, 9273962009

SAMPLE DUPLICATE: 472822

Parameter	Units	9273953001 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	1.2	1.6	28	R1

SAMPLE DUPLICATE: 472823

Parameter	Units	9273992001 Result	Dup Result	RPD	Qualifiers
Percent Moisture	%	99.4	99.2	0	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALIFIERS

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is NELAP accredited. Contact your Pace PM for the current list of accredited analytes.

LABORATORIES

PASI-C	Pace Analytical Services - Charlotte

ANALYTE QUALIFIERS

1g	This applies to all failing compounds associated with this sample
L2	Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.
R1	RPD value was outside control limits.
R2	RPD value was outside control limits due to matrix interference
S0	Surrogate recovery outside laboratory control limits.
S5	Surrogate recovery outside control limits due to matrix interferences (not confirmed by re-analysis).

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: PITT CO SCHOOL BUS GARAGE
Pace Project No.: 9273962

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
9273962001	SB-1 (5-7.5)	EPA 3546	OEXT/10613	EPA 8015 Modified	GCSV/8072
9273962002	SB-2 (2.5-5)	EPA 3546	OEXT/10613	EPA 8015 Modified	GCSV/8072
9273962003	SB-3 (7.5-10)	EPA 3546	OEXT/10613	EPA 8015 Modified	GCSV/8072
9273962004	SB-4 (5-7.5)	EPA 3546	OEXT/10613	EPA 8015 Modified	GCSV/8072
9273962005	SB-5 (2.5-5)	EPA 3546	OEXT/10613	EPA 8015 Modified	GCSV/8072
9273962006	SB-6 (7.5-10)	EPA 3546	OEXT/10613	EPA 8015 Modified	GCSV/8072
9273962007	SB-7 (5-7.5)	EPA 3546	OEXT/10613	EPA 8015 Modified	GCSV/8072
9273962008	SB-8 (7.5-10)	EPA 3546	OEXT/10613	EPA 8015 Modified	GCSV/8072
9273962009	SB-9 (5-5.7)	EPA 3546	OEXT/10613	EPA 8015 Modified	GCSV/8072
9273962007	SB-7 (5-7.5)	9071B ASE	GCSV/8079	9071B ASE	GCSV/8083
9273962001	SB-1 (5-7.5)	EPA 5035A/5030B	GCV/4194	EPA 8015 Modified	GCV/4197
9273962002	SB-2 (2.5-5)	EPA 5035A/5030B	GCV/4194	EPA 8015 Modified	GCV/4197
9273962003	SB-3 (7.5-10)	EPA 5035A/5030B	GCV/4194	EPA 8015 Modified	GCV/4197
9273962004	SB-4 (5-7.5)	EPA 5035A/5030B	GCV/4194	EPA 8015 Modified	GCV/4197
9273962005	SB-5 (2.5-5)	EPA 5035A/5030B	GCV/4194	EPA 8015 Modified	GCV/4197
9273962006	SB-6 (7.5-10)	EPA 5035A/5030B	GCV/4194	EPA 8015 Modified	GCV/4197
9273962007	SB-7 (5-7.5)	EPA 5035A/5030B	GCV/4194	EPA 8015 Modified	GCV/4197
9273962008	SB-8 (7.5-10)	EPA 5035A/5030B	GCV/4194	EPA 8015 Modified	GCV/4197
9273962009	SB-9 (5-5.7)	EPA 5035A/5030B	GCV/4194	EPA 8015 Modified	GCV/4197
9273962010	B-8	EPA 3510	OEXT/10615	EPA 8270	MSSV/3797
9273962011	B-4	EPA 3510	OEXT/10615	EPA 8270	MSSV/3797
9273962012	B-6	EPA 3510	OEXT/10615	EPA 8270	MSSV/3797
9273962013	MWA	EPA 3510	OEXT/10615	EPA 8270	MSSV/3797
9273962014	MWB	EPA 3510	OEXT/10615	EPA 8270	MSSV/3797
9273962015	MWC	EPA 3510	OEXT/10615	EPA 8270	MSSV/3797
9273962016	B7	EPA 3510	OEXT/10615	EPA 8270	MSSV/3797
9273962017	B1	EPA 3510	OEXT/10615	EPA 8270	MSSV/3797
9273962010	B-8	EPA 8260	MSV/11670		
9273962011	B-4	EPA 8260	MSV/11670		
9273962012	B-6	EPA 8260	MSV/11670		
9273962013	MWA	EPA 8260	MSV/11670		
9273962014	MWB	EPA 8260	MSV/11670		
9273962015	MWC	EPA 8260	MSV/11670		
9273962016	B7	EPA 8260	MSV/11670		
9273962017	B1	EPA 8260	MSV/11670		
9273962001	SB-1 (5-7.5)	ASTM D2974-87	PMST/3291		
9273962002	SB-2 (2.5-5)	ASTM D2974-87	PMST/3291		
9273962003	SB-3 (7.5-10)	ASTM D2974-87	PMST/3291		
9273962004	SB-4 (5-7.5)	ASTM D2974-87	PMST/3291		
9273962005	SB-5 (2.5-5)	ASTM D2974-87	PMST/3291		
9273962006	SB-6 (7.5-10)	ASTM D2974-87	PMST/3291		
9273962007	SB-7 (5-7.5)	ASTM D2974-87	PMST/3291		
9273962008	SB-8 (7.5-10)	ASTM D2974-87	PMST/3292		
9273962009	SB-9 (5-5.7)	ASTM D2974-87	PMST/3292		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 1 of 2

1377930

Section A Required Client Information:

Company: Terracon
Address: 514 Beacon Dr. Winterville, NC
Email To: Kamccoll@terracon.com
Phone: 252-353-1660 Fax:
Requested Due Date/TAT: 5 day

Section B Required Project Information:

Report To: Allen McColl
Copy To:
Purchase Order No.:
Project Name: Pitt Co School Bus Garage
Project Number: 72107040

Section C Invoice Information:

Attention: Allen McColl
Company Name: Same as A
Address:
Pace Quote Reference:
Pace Project Manager: Kevin Herring
Pace Profile #: 3565-1, 5

REGULATORY AGENCY: ☐ NPDES ☐ GROUND WATER ☐ DRINKING WATER ☐ UST ☐ RCRA ☐ OTHER

Site Location STATE: NC

Section D Required Client Information

Matrix Codes (MATRIX / CODE): Drinking Water DW, Water WT, Waste Water WW, Product P, Soil/Solid SL, Oil OL, Wipe WP, Air AR, Tissue TS, Other OT

SAMPLE ID (A-Z, 0-9 / ,-) Sample IDs MUST BE UNIQUE

Requested Analysis Filtered (Y/N): GRO, DRO, 8260, 8270

ITEM #	SAMPLE ID	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED Composite Start Date	Composite Start Time	Composite End/Grab Date	Composite End/Grab Time	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Unpreserved	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	Methanol	Other	GRO	DRO	8260	8270	Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.
1	SB-1 (5-7.5)	SL	G			7/20/10	9:00		4	X						X		X	X				001
2	SB-2 (2.5-5)						9:30		4									X	X				002
3	SB-3 (7.5-10)						10:00		4									X	X				003
4	SB-4 (5-7.5)						12:30		4									X	X				004
5	SB-5 (2.5-5)						1:00		4									X	X				005
6	SB-6 (7.5-10)						1:45		4									X	X				006
7	SB-7 (5-7.5)						2:30		4									X	X	X			007
8	SB-8 (7.5-10)						10:45		4									X	X				008
9	SB-9 (5-7.5)						3:30		4									X	X				009
10	B8 (GW)	WT					11:30		5				X							X	X		010
11	B4 (GW)						1:30		5				X							X	X		011
12	B6 (GW)						2:00		5				X							X	X		012

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
5 day TAT Please				[signature]	07/22/10	0900	2.9	Y	N	Y

ORIGINAL

SAMPLER NAME AND SIGNATURE
PRINT Name of SAMPLER: Allen McColl
SIGNATURE of SAMPLER: [signature] DATE Signed (MM/DD/YY): 7/21/10

Temp in °C | Received on Ice (Y/N) | Custody Sealed Cooler (Y/N) | Samples Intact (Y/N)

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

Pace Analytical®
www.pacelabs.com

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 2 of 2

1377929

Section A Required Client Information:

Company: Terracon
Address: 314 Beacon Dr. Winterville NC
Email To: kamccoli@terracon.com
Phone: 252-353-1688 Fax:
Requested Due Date/TAT: 5 day

Section B Required Project Information:

Report To: Allen McColl
Copy To:
Purchase Order No.:
Project Name: Pitt Co. School Bus Garage
Project Number: 72107041

Section C Invoice Information:

Attention: Allen McColl
Company Name: Same as A
Address:
Pace Quote Reference:
Pace Project Manager: Kevin Herring
Pace Profile #:

REGULATORY AGENCY: ☐ NPDES ☐ GROUND WATER ☐ DRINKING WATER ☐ UST ☐ RCRA ☐ OTHER

Site Location STATE: NC

Section D Required Client Information

Matrix Codes (MATRIX / CODE): Drinking Water DW; Water WT; Waste Water WW; Product P; Soil/Solid SL; Oil OL; Wipe WP; Air AR; Tissue TS; Other OT

SAMPLE ID (A-Z, 0-9 / ,-) Sample IDs MUST BE UNIQUE

Requested Analysis Filtered (Y/N)

ITEM #	SAMPLE ID	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED Composite Start Date	Composite Start Time	Composite End/Grab Date	Composite End/Grab Time	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Unpreserved	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	Methanol	Other	Analysis Test 8260	Analysis Test 8270	Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.
1	MW A	WT	G			7/20/10	8:30		5	X			X					X	X		013
2	MW B						9:30		5	X			X					X	X		014
3	MW C						10:00		5	X			X					X	X		015
4	B7 (GW)						10:30		4	X			X					X	X		016
5	B1 (GW)						11:00		4	X			X					X	X		017
6																					
7																					
8																					
9																					
10																					
11																					
12																					

92739962

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
5 day				[signature] TARC	07/22/10	0900	2.9	Y	N	Y
TAT Please										

ORIGINAL

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Allen McColl

SIGNATURE of SAMPLER: [signature] DATE Signed (MM/DD/YY): 7/21/10

Temp in °C | Received on Ice (Y/N) | Custody Sealed Cooler (Y/N) | Samples Intact (Y/N)

*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

F-ALL-Q-020rev.07, 15-May-2007