N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES

Circle one:
G, I, P, GW, C

FILE DOCKET

	DATE	ITEM
1	7-15-80	Analysis of Waste Material
2	8-16-82	RCRA Interim Status Inspection
3	8-25-82	NOV Letter to facility
4	6-14-83	RCRA Re-inspection
5	7-18-83	NOV Letter to facility
6	8-17-83	In compliance letter to facility
7	9-6-84	Change in status application
8	9-10-84	Change in status
9	11-22-85	Small Haz. Waste Generator survey
10	4-25-89	To Jim Edwards from Leon Collett re: Billing Fee and name change
11	1-24-90	Name Change to Universal Spring Company
12	8-13-90	To Facility - Request & Verification to Inactivate ID #
13	7.25.91	To: R.J. Edwards Fr: Lucky Embry Re: Relocation of the facility

G- General, I- Inspections
P- Permits, GW- Ground Wate
C- Closure

DHS 3348 (6/85)
Solid and Hazardous Waste Management Branch (Review 6/90)

(13)

USC universal
SPRING COMPANY

RECEIVED
HAZARDOUS WASTE SECTION
HAZARDOUS WASTE SECTION

July 25, 1991

Mr. R. J. Edwards III
Hazardous Waste Section
Dept. of Envir., Health &
Natural Resources
P.O. Box 27687
Raleigh, NC 27611-7687

NCD 986185825
Relocation

Dear Mr. Edwards:

Enclosed you will find our application for a new EPA ID Number. Our company has relocated, and we are requesting a new number for reporting purposes and for emergency reasons. We generate no hazardous wastes in our manufacturing process with the exception of used hydraulic oil, which is not classified as hazardous waste at this time. We also generate a coolant waste which was analyzed by the Safety-Kleen Corp. and was, in their opinion, non-hazardous. Both the used oil and coolant are used in processes which account for approximately 5% or less of our total business. I have enclosed copies of these documents for your viewing.

If further information is needed regarding our product or business, please do not hesitate to call.

Sincerely,

Lucky Embry

Lucky Embry
Industrial Engineer
Universal Spring Company

Enclosures

LE/pf

819 Herman Court • P.O. Box 2718 • High Point, North Carolina 27261 • (919) 434-3485 • FAX (919) 434-3476

(12)

State Of North Carolina

DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES
DIVISION OF SOLID WASTE MANAGEMENT
P.O. BOX 27687 RALEIGH, NC 27611-7687

August 13, 1990

Universal Spring Company
PO Box 2718
High Point NC 27261

RE: EPA ID No.: NCD990716625

Dear Sir:

Based on information supplied by you for the site identified with the above EPA ID number, the state has accepted and processed the change in RCRA listing or information that you requested

Your EPA ID number is inactive.

Please verify the above computer information. Please notify us of any corrections.

We are advising EPA of the change Please notify us if there is any further change in your operations which would affect your status. Your EPA ID number has been inactivated

Sincerely,

R.J. Edwards, Administrative Officer
Hazardous Waste Section

CC: JOSEPH H. DEAKINS
EPA Region IV
Guilford County Health Department

Department of Envir., Health & Natural Resources
Division of Solid Waste Management
Hazardous Waste Section

APPLICATION FOR CHANGE IN CLASSIFICATION UNDER RCRA

DATE: 8/7/90

COMPANY NAME: UNIVERSAL SPRING CO.

COMPANY ADDRESS: 1629 Blandwood Circle
~~[illegible]~~
HIGH POINT, N.C. 27263

EPA ID NUMBER: NCD990715625

Mr. R. J. Edwards III
Hazardous Waste Section
Department of Envir., Health &
Natural Resources
PO Box 27687
Raleigh, NC 27611-7687

APPROVED
BY: RJE
DATE: 8-9-90

Our company requests the following change in its classification under RCRA (check all that apply).

Add As		Delete As	
☐		☐	Generator
☐		☐	Transporter
☐		☐	Treater
☐		☐	Storer
☐		☐	Disposer
☐		☒	Small Quantity Generator
☐		☐	Conditionally Exempt SQG.

ENTERED
AUG 14 1990
DATA PROCESSING

RECEIVED
AUG 8 1990
HAZARDOUS WASTE SECTION

The reason for this request is: RELOCATION OF PLANT TO NEW ADDRESS. PREVIOUS ADDRESS WAS 1629 BLANDWOOD DR., HIGH POINT, N.C. 27261

NOTES:

1) Be specific. Give all pertinent information. This may be a change in your process; a change in your handling procedures; new analysis, or the like.

2) This is not a delisting petition with respect to a listed waste.

3) If your are requesting deletion as a treater, storer, or disposer, our Section will immediately institute steps to terminate your interim status. The termination process will include a public notice in your local paper to the effect that interim status has been terminated for this plant. Thus, in this case we must insist that your request be signed by a major corporate office.

4) If this request involves a small generator status, it must include an accurate statement of your present and anticipated waste generation.

If your request would remove your plant from the regulated system, but you wish to retain an EPA ID number, please give your reasons. _____

I understand that my company must supply information about any changes in its operations which might change its status again to your office on its own initiative.

I certify that the information supplied is accurate and correct to the best of my knowledge and belief.

I am authorized to make this request on behalf of my company at the location given. (Refer again to notes 3 and 4 before signing.)

Name (printed or typed) LUCKY EMBRY

Signature: Lucky Embry

Company Title: PLT. ENGINEER

DHS FORM 3047, Revised 9/89
Hazardous Waste Section

(11)

UNIVERSAL SPRING COMPANY

NCD 990715625

Please Change our name to Above

Thanks,

Shirley Hazelton

JUL 21 1999

1629 Blandwood Drive • P.O. Box 2718 • High Point, North Carolina 27261 • (919) 883-9101 • FAX (919) 883-9070

State Of North Carolina

DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES
DIVISION OF SOLID WASTE MANAGEMENT
P.O. BOX 27687 RALEIGH, NC 27611-7687

INVOICE

OCTOBER 16, 1989

GENERATORS, TRANSPORTERS, TREATERS, STORERS, OR
DISPOSERS (TSD'S) OF HAZARDOUS WASTE

ID#: NCD990715625

TO: Hoover Group, INC.,
PO Box 2718
High Point, NC 27261

DESCRIPTION OF CHARGES	RATE/TONS	QTY/TONS	AMOUNT
SMALL GENERATOR			$25.00

AMOUNT OF ANNUAL FEES DUE _____$25.00 AS AUTHORIZED BY G.S. 130A-290 AND G.S. 130A-294.1 IS DUE ON NOVEMBER 10, 1989.

PLEASE MAKE CHECK PAYABLE TO: DIVISION OF SOLID WASTE MANGEMENT

MAIL TO: R.J. EDWARDS, ADMINISTRATIVE OFFICER
HAZARDOUS WASTE SECTION
P.O. BOX 27687
RALEIGH, NORTH CAROLINA 27611-7687

COURIER # 52-01-00

IMPORTANT: THE FACILITY ID MUST BE ON THE CHECK. IF YOU HAVE ANY QUESTIONS CALL JIM EDWARDS at (919) 733-2178.

send copy of check

(10)

HOOVER GROUP, INC.

FURNITURE COMPONENTS DIVISION

April 25, 1989

1629 Blandwood Drive
P.O. Box 2718
High Point, North Carolina 27261
(919) 883-9101

RECEIVED
APR 28 1989
HAZARDOUS WASTE BRANCH

Mr. R.J. Edwards
N.C. Dept. of Human Resources
Division of Health Services
P. O. Box 2091
Raleigh, NC 27602-2091

Dear Mr Edwards:

Enclosed is a $25.00 check for FY 89 annual fee billing for NCD990715625.

Note that the company name has changed from Hoover Universal, Inc. to Hoover Group, Inc. The plant location remains the same at 1629 Blandwood Drive, High Point, NC. The company name changed in October, 1985 with the requisition of new ownership.

Any questions concerning company ownership should be directed to Charles Millar, Corporate Mgr - Human Resources, Hoover Group, Inc. Corporate Office, Suite 155, 2001 Westside Drive, Alpharetta, Ga. 30201.

Sincerely,

Leon Collett

Leon Collett
Industrial Engineer
Hoover Group, Inc.

APPROVED
BY:
DATE: 4-9-89

North Carolina Department of Human Resources
Division of Health Services

WaPi/pr 2/88 770

COUNTY OF Guilford EPA I.D.# NCD990715625 9

SMALL HAZARDOUS WASTE GENERATOR SURVEY

1. GENERAL INFORMATION:

Name of Facility: Hoover Universal Inc.

Facility Contact: Leon Collett Phone: 919-883-9101

Facility Location:

Street: 1151 Blandwood Circle

City: High Point Zip Code: 27261

2. NATURE OF BUSINESS: (Provide Brief Description)

Manufacture sleeper units (furniture hardware)

3. NATURE OF HAZARDOUS WASTES: (Provide Brief Explanation)

No hazardous wastes - Use water base paint - Number maintained in case of emergency

4. DESCRIPTION OF HAZARDOUS WASTE:

A	B	C	D	E	F*	G*	H
Hazardous Waste #	Annual Quantity	Unit Meas.	Storage	Treat-ment	Transpor-tation	Disposal	Manifest Available (Yes or No)
	0	0					

*Provide name, address and I.D. # of transporter and disposal site in comments.

5. COMMENTS:

No hazardous waste generated or manifested - I.D. number is maintained in case of a spill or other emergency.

6. DATE OF SURVEY: 11-12-85

By: Tony L. Hancock R.S. Department: Guilford County Health

RECEIVED
NOV 22 1985
SOLID & HAZARDOUS WASTE MANAGEMENT BRANCH

(Instructions on Reverse)

DHS Form 3061 (3/82)
Solid & Hazardous Waste Management Branch

Ronald H. Levine, M.D., M.P.H.
STATE HEALTH DIRECTOR

DIVISION OF HEALTH SERVICES
P.O. Box 2091
Raleigh, N.C. 27602-2091

8

Date: September 10, 1984

Mr. Leon Collett
Hoover Universal Co.
1151 Bland Wood Circle
High Point, NC 27261

Re: Facility ID No. NCD 990 715 625

Dear Mr. Collett:

Based on information supplied by you we have processed and accepted at the State level your request for the facility identified with the above ID number to receive the indicated change in classification under RCRA:

Add As	Delete As	
☐	☒	generator
☐	☐	transporter
☐	☐	treater
☐	☐	storer
☐	☐	disposer
☒	☐	small generator

We are advising EPA of the change in your status. Please notify us if there is any further change in your operations which would again affect your status. Your EPA ID NO. is ☐ is not ☒ being cancelled.

Cordially,

O. W. Strickland, Head
Solid & Hazardous Waste Management Branch
Environmental Health Section

OWS /KL: tl

cc: Doug McCurry
EPA Region IV
Emil Breckling
Joe Deakins
Guilford County Health Department

DHS Form 3048 3/82
Solid & Haz. Waste Mgt. Branch

Department of Human Resources
Division of Health Services
Solid and Hazardous Waste Management Branch

RECEIVED
SEP 6 1984
SOLID & HAZARDOUS WASTE MANAGEMENT BRANCH

APPLICATION FOR CHANGE IN CLASSIFICATION UNDER RCRA

Date: 8-29-84

Company Name: HOOVER UNIVERSAL

Company Address: 1151 BLANDWOOD CIR.

HIGH POINT, N.C. 27261

EPA ID No: NCD990715625

Mr. O. W. Strickland, Head
Solid & Hazardous Waste Management Branch
Division of Health Servic
Post Office Box 2091
Raleigh, N.C. 27602

Dear Mr. Strickland:

Our Company requests the following change in its classification under RCRA (check all that apply):

Add As	Delete As	
☐	☑	Generator
☐	☐	Transporter
☐	☐	Treater
☐	☐	Storer
☐	☐	Disposer
☑	☐	Small Generator

The reason for this request is:

PROCESS CHANGED TO WATER BASE PAINT AND WE ARE NOT GENERATING ANY ~~WATER BASE PAINTS~~ HAZARDOUS WASTE

NOTES: 1) Be specific. Give all pertinent information. This may be a change in your process; a change in your handling procedures; new analyses, or the like.

2) This is not a delisting petition with respect to a listed waste.

3) If you are requesting deletion as a treater, storer, or disposer, our branch will immediately institute steps to terminate your interim status. The termination process will include a public notice in your local paper to the effect that interim status has been terminated for this plant. Thus, in this case we must insist that your request be signed by a major corporate officer.

4) If this request involves small generator status, it must include an accurate statement of your present and anticipated waste generation. This is necessary because changes in the small generator definition are expected. (Attach an additional sheet.)

If your request would remove your plant from the regulated system, but you wish to retain an EPA ID Number, please give your reasons.

_____

_____

I understand that my company must supply information about any changes in its operations which might change its status again to our office on its own initiative.

I certify that the information supplied is accurate and correct to the best of my knowledge and belief.

I am authorized to make this request on behalf of my company at the location give. (Refer again to notes 3 and 4 before signing.)

Name (printed or typed): LEON COLLETT

Signature: Leon Collett

Company Title: ENGINEERING MANAGER

approved 8-29-84 J. H. Deakins - plant visit

DHS Form 3047, Revised 3/84
Sold & Haz. Waste Mgt. Branch

Ronald H. Levine, M.D., M.P.H.
STATE HEALTH DIRECTOR

DIVISION OF HEALTH SERVICES
P.O. Box 2091
Raleigh, N.C. 27602-2091

LOGGED TO E.P.A.
AUG 16 1983

August 2, 1983

Mr. Lester Walker
Hoover Universal
1131 ~~1151~~ Blandwood Circle
High Point, NC 27261

RE: NCD990715625

Dear Mr. Walker:

On July 21, 1983 Mr. Joe Deakins of the Solid and Hazardous Waste Management Branch conducted a RCRA re-inspection of your facility. You were found to be in compliance with the standards.

This office wishes to thank you for your cooperation and please do not hesitate to contact us if we may be of future assistance.

Sincerely,

O. W. Strickland, Head
Solid & Hazardous Waste Management Branch
Environmental Health Section

OWS:nlc

cc: Mr. Joe Deakins

ENTERED
AUG 17 1983
DATA PROCESSING

DIVISION OF HEALTH SERVICES
NORTH CENTRAL REGIONAL OFFICE
720 Coliseum Drive-Plaza West
Winston-Salem, N.C. 27106
(919) 761-2390

Ronald H. Levine, M.D., M.P.H.
STATE HEALTH DIRECTOR

RECEIVED
JUL 27 1983
SOLID & HAZARDOUS WASTE MANAGEMENT BRANCH

July 26, 1983

MEMORANDUM

TO: O.W. Strickland, Head
Solid and Hazardous Waste Management Branch

FROM: J.H. Deakins, Waste Management Specialist
North Central Regional Office

SUBJECT: RCRA Re-Inspection

COMPANY: Hoover Universal
~~1151~~ 1131 Blandwood Circle
High Point, N.C. 27261

CONTACT: Lester Walker

EPA ID#: NCD990715625

A RCRA re-inspection was conducted on July 21, 1983. The facility was in compliance.

JHD/kd

Ronald H. Levine, M.D., M.P.H.
STATE HEALTH DIRECTOR

DIVISION OF HEALTH SERVICES
P.O. Box 2091
Raleigh, N.C. 27602-2091

5

LOGGED TO E.P.A.
JUL 18 1983

June 16, 1983

Mr. Lester Walker
Hoover Universal
1131 ~~1151~~ Blandwood Circle
High Point, NC 27261

RE: NCD990715625

Dear Mr. Walker:

On June 9, 1983 Mr. Joe Deakins of the Solid and Hazardous Waste Management Branch conducted a RCRA inspection of your facility. The following violations were noted:

1. 262.34 (2 & 3) Accumulation time

2. 265.16 Personnel training

3. 265.173 Management of containers (open)

4. 265.174 Inspections (containers)

ENTERED
JUL 18 1983
DATA PROCESSING

A compliance date of July 22, 1983 was established.

If you have any questions concerning this matter, please contact Mr. William Paige, Environmental Chemist at (919) 733-2178.

Sincerely,

O. W. Strickland, Head
Solid & Hazardous Waste Management Branch
Environmental Health Section

OWS:nlc

cc: Mr. Joe Deakins

DIVISION OF HEALTH SERVICES
NORTH CENTRAL REGIONAL OFFICE
720 Coliseum Drive-Plaza West
Winston-Salem, N.C. 27106
(919) 761-2390

RECEIVED
JUN 14 1983
SOLID & HAZARDOUS WASTE MANAGEMENT BRANCH

Wm P 6/15/83

Ronald H. Levine, M.D., M.P.H.
STATE HEALTH DIRECTOR

June 13, 1983

4

MEMORANDUM

TO: O.W. Strickland, Head
Solid and Hazardous Waste Management Branch

FROM: J.H. Deakins, Waste Management Specialist
North Central Regional Office

SUBJECT: RCRA Re-Inspection

COMPANY: Hoover Universal
1131 ~~1151~~ Blandwood Circle
High Point, N.C. 27261

CONTACT: Lester Walker, Purchasing Manager

EPA ID#: NCD990715625

A RCRA inspection was conducted on June 9, 1983. The following violations were noted:

262.34 (2 & 3)	Accumulation time
265.16	Personnel training
265.173	Management of containers (open)
265.174	Inspections (containers)

A compliance date of July 22, 1983 has been agreed upon.

JHD:kd

Enclosure

RA INSPECTION REPORT

1) Facility Information

Hoover Universal
1151 Blandwood Circle
High Point, N.C. 27261
ID #NCD990715625

2) Facility Contact

Lester Walker, Purchasing Manager

3) Survey Participants

Lester Walker, Hoover
J.H. Deakins, Waste Mgt. Specialist
Greg Glass, ECU student

4) Date of Inspection

June 9, 1983

5) Applicable Regulations

No change

6) Scope of Survey

No change

7) Facility Description

No change

8) Site Deficiencies

262.34 (2 & 3)	Accumulation time
265.16	Personnel training
265.173	Management of containers (open)
265.174	Inspections (containers)

9) Compliance Schedule/Recommendations

July 22, 1983 compliance date

RCRA INSPECTION FORM

Name of Site	EPA I.D.	County
Hoover Universal	NCD990715625	Guilford
Location	**Inspection Date**	**Signature of Inspector(s)**
1151 Blandwood Circle, High Point 27261	6-9-83	J. H. Deakins
Compliance Date		**Signature of Facility Contact**
7-22-83		Lester C. Walker

INSTRUCTIONS: Place a check to indicate Compliance (C), NonCompliance (NC) or Not Applicable (NA). Cite specific violation by Section No.

GENERATOR STANDARDS (262.00)	C	NC	NA	Violation(s)
1. GENERAL (.10-.12)	✓			
2. THE MANIFEST (.20-.23)	✓			
3. PRE-TRANSPORT REQUIREMENTS (.30-.34)		✓		265.16, 262.34(2+3)
4. RECORDKEEPING/REPORTING (.40-.43)	✓			265.173
5. SPECIAL CONDITIONS (.50-.51)	✓			265.174

TRANSPORTER STANDARDS (263.00)	C	NC	NA	Violation(s)
1. GENERAL (.11-.12)				
2. MANIFEST/RECORDKEEPING (.20-.22)				
3. HAZARDOUS WASTE DISCHARGES (.30-.31)				

TSDF STANDARDS (265.00)	C	NC	NA	Violation(s)
1. GENERAL (.1-.4)				
2. GENERAL FACILITY STANDARDS (.10-.17)				
3. PREPAREDNESS AND PREVENTION (.30-.37)				
4. CONTINGENCY PLAN AND EMERGENCY PROCEDURES (.50-.56)				
5. MANIFEST SYSTEM, RECORDKEEPING, AND REPORTING (.70-.77)				
6. GROUND-WATER MONITORING (.90-.94)				
7. CLOSURE AND POST-CLOSURE (.110-.120)				
8. FINANCIAL REQUIREMENTS (.140-.145)				
9. USE AND MANAGEMENT OF CONTAINERS (.170-.177)				
10. TANKS (.190-.199)				
11. SURFACE IMPOUNDMENTS (.220-.230)				
12. WASTE PILES (.250-.257)				
13. LAND TREATMENT (.270-.282)				
14. LANDFILLS (.300-.315)				
15. INCINERATORS (.340-.351)				
16. THERMAL TREATMENT (.370-.382)				
17. CHEM., PHYS./BIO. TREATMENT (.400-.406)				
18. UNDERGROUND INJECTION (.430)				

RCRA STATUS

GENERATOR ☒ TRANSPORTER ☐ TREATER ☐ STORER ☐ DISPOSER ☐

IMMINENT HAZARD: YES ☐ NO ☒

DHS Form 3010 (Rev. 12-82)
SOLID & HAZARDOUS WASTE

Ronald H. Levine, M.D., M.P.H.
STATE HEALTH DIRECTOR

3

DIVISION OF HEALTH SERVICES
P.O. Box 2091
Raleigh, N.C. 27602-2091

ENTERED
AUG 1982

August 23, 1982

Mr. Lester Walker
Hoover Universal, Inc.
P.O. Box 2718
High Point, NC 27261

Dear Mr. Walker:

On July 27, 1982 Mr. Steve Phibbs of the Solid and Hazardous Waste Management Branch conducted a RCRA inspection of your facility. The following violation was noted:

1. 265.52 - 265.56 Contingency Plan and Emergency Procedures - An emergency contingency plan must be adopted and implemented whenever necessary.

A compliance date of August 30, 1982 was established.

If you have any questions concerning this matter, please contact Mr. William Paige, Environmental Chemist at (919) 733-2178.

Sincerely,

O. W. Strickland, Head
Solid & Hazardous Waste Management Branch
Environmental Health Section

OWS:nlc

cc: Mr. Steve Phibbs

DIVISION OF HEALTH SERVICES
NORTH CENTRAL REGIONAL OFFICE
720 Coliseum Drive-Plaza West
Winston-Salem, N.C. 27106
(919) 761-2390

RECEIVED
AUG 16 1982
SOLID & HAZARDOUS WASTE MANAGEMENT BRANCH

Ronald H. Levine, M.D., M.P.H.
STATE HEALTH DIRECTOR

2

August 12, 1982

MEMORANDUM

TO: O. W. Strickland, Head
Solid and Hazardous Waste Management Branch

FROM: Steve Phibbs, District Sanitarian
North Central Regional Office

SUBJECT: Interim Status Inspection

COMPANY: Hoover Universal, Inc.
1131 ~~1151~~ Blandwood Circle PO Box 2718
High Point, NC 27261
E.P.A. ID#NCD990715625

CONTACT: Lester Walker

CURRENT WASTE DISPOSAL SITE: Oldover-Va. and Caldwell Systems, NC

On July 27, 1982, a RCRA interim status inspection was conducted at Hoover Universal in High Point, NC. The following violation was noted.

1) 265.52 - 265.56 Contingency Plan and Emergency Procedures - An emergency contingency must be adopted and implemented whenever necessary.

A compliance date of August 30, 1982, was established.

SP/mrw

RCRA Inspection Report

1) Facility Information
Hoover Universal Inc.
1151 Blandwood Circle
High Point, NC 27261
E.P.A. ID#NCD990715625
Guilford County

2) Facility Contact
Lester Walker

3) Survey Participants
Lester Walker, Hoover Universal
Steve Phibbs, District Sanitarian, Division of Health Services

4) Date of Inspection
July 27, 1982

5) Applicable Regulations
40 CFR Part 262

6) Scope of Survey
RCRA interim status inspection was conducted by the North Carolina Solid and Hazardous Waste Management Branch. The scope of the survey covered a site survey and record review. Applicable regulations covered those in 40 CFR Part 262, Generator Standards.

7) Facility Description
Hoover Universal manufatures metal furniture framing. The hazardous wastes consist of flammable (D001) paint residues. The paint dip tanks are changed every six months with the residual wastes being transported to Oldover or Caldwell Systems for disposal. Oldover pumps the wastes from the containers and transports the material in bulk. Caldwell Systems transfers the residues to 55-gallon containers and hauls that material to Lenoir, NC.

8) Site Deficiencies
1) Lack of a facility contingency plan. 265.52 - 265.56.

INSPECTION FORM FOR INTERIM STATUS STANDARDS FOR
OWNER/OPERATOR OF HAZARDOUS WASTE MANAGEMENT
FACILITIES

883-9101

Compliance Date Aug 30 19

Name of Site	EPA I.D.	County
Hoover Universal Inc.	NCD990715625	Guilford
Location	**Signature of Facility Contact**	
1151 Blandwood Circle, High Point	Lester C. Walker	
Date	**Signature of Inspector(s)**	
July 27, 1982	Lene Phillips	

INSTRUCTIONS: Place a check to indicate Compliance (C), NonCompliance (NC) or Not Applicable (NA). Cite specific violation by Section No.

	C	NC	NA	Violation(s)
1. GENERAL	✓			
2. GENERAL FACILITY STANDARDS			✓	
3. PREPAREDNESS AND PREVENTION			✓	
4. CONTINGENCY PLAN AND EMERGENCY PROCEDURES		✓		265.52-265.56
5. MANIFEST SYSTEM, RECORDKEEPING, AND REPORTING	✓			
6. GROUND-WATER MONITORING			✓	
7. CLOSURE AND POST-CLOSURE			✓	
8. FINANCIAL REQUIREMENTS			✓	
9. USE AND MANAGEMENT OF CONTAINERS			✓	
10. TANKS			✓	
11. SURFACE IMPOUNDMENTS			✓	
12. WASTE PILES			✓	
13. LAND TREATMENT			✓	
14. LANDFILLS			✓	
15. INCINERATORS			✓	
16. THERMAL TREATMENT			✓	
17. CHEMICAL, PHYSICAL, AND BIOLOGICAL TREATMENT			✓	
18. UNDERGROUND INJECTION			✓	

~~Small~~ Generator only! - ~~265~~

	YES	NO
Imminent hazard	( )	(✓)

Bill Meyer

RECEIVED
JUL 15 1980
SOLID & HAZARDOUS WASTE MANAGEMENT BRANCH

Bill.

Enclosed is an analysis of waste materials from Hoover University in High Point. I told Bob Westmoreland, Purchasing Agent, that it appeared the waste materials would be classified as hazardous because of the ignitability and toxic effects.

Please verify this and contact Mr. Westmoreland. I will contact him about this. He has several containers to get rid of and he is holding them at the plant. Thanks

Steve

Francis
Please answer this (phone or letter)

Hardwa[illegible]ystems Division
Hoover Universal, Inc.
1131 Blandwood Circle
P.O. Box 2718
High Point, North Carolina 27261
Tel. (919) 883-9101

JUL 14 1980

HOOVER UNIVERSAL

July 11, 1980

Mr. Steve Phibbs
N. C. Dept. of Human Resources
720 Coliseum Drive
Coliseum Plaza W.
Winston Salem, N. C., 27106

Mr. Phibbs:

Enclosed you will find the data I have obtained in order to determine if we can dispose of our dry paint waste in our local city dump.

The information on "Lilly's" letterhead is the specs on the dry waste itself. The information on the "Safety Data Sheets" is the material as we received it from the Lilly Company. If you need any futher data, or if I can help in any way, please feel free to call me at 883-9101 here in High Point.

Thanks,

Bob Westmoreland
Purchasing Agent

RW:sh

LILLY

THE LILLY COMPANY

P.O. BOX 2358 • TELEPHONE (919) 885-2157

HIGH POINT, NORTH CAROLINA 27261

JUL 14 1980

June 19, 1980

Mr. Bob Westmoreland
Purchasing Agent
Hoover Universal, Inc.
P.O. Box 2718
High Point, North Carolina 27261

Dear Bob:

Here is the breakdown you wanted on Dry Paint in volume percentage:

Z-3005 Black Dipping Lacquer

Polyester Resin	45.39%
Nitrocellulose	43.52%
Chemical Plastisizer	3.24%
Oil Plastisizer	3.24%
Silica	.68%
Lamp Black	3.93%
	100.00%

This material is 9.31% solids by volume, 14% solids by weight.

X-1296 Gray Enamel

Alkyd Resin	88.45%
Organo-Clay	.81%
Titanium Dioxide	7.83%
Lamp Black	2.91%
	100.00%

This material is 33.43% solids by volume and 45.4% solids by weight.

Information in this letter is proprietary and furnished solely for your use in waste disposal.

If you need further assistance, don't hesitate to call.

Sincerely,

Bill Skaggs

Bill Skaggs
Chemist

WJS:psh
cc: W.J. Skaggs
L.S. Leonard
M.J. Cromwell

JUL 14 1989

MATERIAL SAFETY DATA SHEET

FOR COATINGS, RESINS AND RELATED MATERIALS

(APPROVED BY U.S. DEPARTMENT OF LABOR "ESSENTIALLY SIMILAR" TO FORM OSHA-20)

NPCA 1-72

20600 X-1296

DATE OF PREP. 6/17/80

INFORMATION ON THIS FORM IS PROPRIETARY INFORMATION AND FURNISHED SOLELY FOR THE USE OF OUR CUSTOMER.

SECTION I

MANUFACTURER'S NAME THE LILLY COMPANY

STREET ADDRESS 1717 ENGLISH ROAD CITY, STATE, AND ZIP CODE HIGH POINT, N.C. 27260

EMERGENCY TELEPHONE NO. 919-885-2157

MANUFACTURERS CODE IDENTIFICATION

PRODUCT CLASS SYNTHETIC RESIN COATINGS X-1296 GRAY ENAMEL EXEMPT

TRADE NAME N/A

SECTION II – HAZARDOUS INGREDIENTS

INGREDIENT	PERCENT VOLUME	TLV PPM	TLV Mg/M³	LEL %	VAPOR PRESSURE MMHg @ 20°C
ALKYL KETOXIME	.26	UNK		UNK	2.20
V M & P NAPHTHA	59.21	500		UNK	2.00
MINERAL SPIRITS	.12	200		1.00	2.00
ISOPROPYL ALCOHOL	.76	400		2.00	33.00
MEDIUM BOILING AROMATIC SOLVENT	5.23	200		.70	3.00
CARBITOL	.99	UNK		1.20	.05

SECTION III – PHYSICAL DATA

BOILING RANGE 177 TO 399 F VAPOR DENSITY [XX] HEAVIER [ ] LIGHTER, THAN AIR

EVAPORATION RATE [ ] FASTER [XX] SLOWER, THAN ETHER PERCENT VOLATILE BY VOLUME 66.57 WEIGHT PER GALLON 7.80 LB/GAL

SECTION IV – FIRE AND EXPLOSION HAZARD DATA

DOT CATEGORY RED LABEL, FLAMMABLE LESS THAN 100 F FLASH POINT OF LOWEST FLASHING COMPONENT 52 F TCC LEL SEE SEC. II

EXTINGUISHING MEDIA WATER FOG - CO2 - FOAM - DRY CHEMICAL

UNUSUAL FIRE AND EXPLOSION HAZARDS KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS AND OPEN FLAME. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. DO NOT APPLY TO EXTREMELY HOT SURFACES.

SPECIAL FIRE FIGHTING PROCEDURES FULL PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED. WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERRED. COOL CONTAINERS EXPOSED TO FIRE WITH WATER.

SECTION V – HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE SEE SECTION II

EFFECTS OF OVEREXPOSURE

HEADACHE, DIZZINESS, NAUSEA, DROWSINESS, COMA. SKIN, EYE, AND RESPIRATORY IRRITANT.

EMERGENCY AND FIRST AID PROCEDURES – DOES NOT REPLACE PHYSICIANS ATTENTION –

SKIN CONTACT- REMOVE CONTAMINATED CLOTHING. WASH SKIN WITH SOAP AND WATER. INHALATION- REMOVE TO FRESH AIR. AT FIRST SIGN OF DIFFICULTY IN BREATHING, START ARTIFICIAL RESPIRATION AND CALL PHYSICIAN. EYE CONTACT- FLOOD EYES WITH COPIOUS QUANTITIES OF WATER. CONTINUE FOR 15 MINUTES, THEN CONSULT PHYSICIAN.

SECTION VI – REACTIVITY DATA

STABILITY [ ] UNSTABLE [XX] STABLE CONDITIONS TO AVOID N/A

INCOMPATABILITY (MATERIALS TO AVOID) N/A

HAZARDOUS DECOMPOSITION PRODUCTS

THERMAL DECOMPOSITION MAY PRODUCE TOXIC GASES.

HAZARDOUS POLYMERIZATION [ ] MAY OCCUR [XX] WILL NOT OCCUR

CONDITIONS TO AVOID N/A

SECTION VII – SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED ELIMINATE IGNITION SOURCES, VENTILATE AREA, AVOID BREATHING VAPORS, AVOID CONTACT WITH SKIN AND EYES. CLEAN UP SPILLS BY WIPING OR REMOVING WITH SUITABLE ABSORBENT. DO NOT ALLOW MATERIAL TO RUN OFF INTO DRAINS WHERE VAPORS MAY BE IGNITED.

WASTE DISPOSAL METHOD

DISPOSE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS. INCINERATE IN APPROVED FACILITY. DO NOT INCINERATE CLOSED CONTAINERS.

SECTION VIII – SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION IN RESTRICTED VENTILATION AREAS- USE APPROVED CHEMICAL MECHANICAL FILTERS DESIGNED TO REMOVE A COMBINATION OF PARTICULATE, GAS AND VAPOR. IN CONFINED AREAS- USE APPROVED AIR LINE TYPE RESPIRATORS OR HOODS.

VENTILATION

PROVIDE EXHAUST VENTILATION IN VOLUME AND PATTERN TO KEEP TLV OF MOST HAZARDOUS MATERIAL IN SEC. II AND LEL IN SEC. II BELOW RESPECTIVE STATED LIMITS.

PROTECTIVE GLOVES NEOPRENE GLOVES

EYE PROTECTION SAFETY GLASSES – FACE SHIELD

OTHER PROTECTIVE EQUIPMENT SAFETY SHOWER AND EYE BATH.

SECTION IX – SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING WARNING- CONTAINS FLAMMABLE SOLVENTS. KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES. STORE AWAY FROM ALL IGNITION SOURCES IN COOL AREA EQUIPPED WITH AUTOMATIC SPRINKLING SYSTEM. KEEP CONTAINERS CLOSED.

OTHER PRECAUTIONS GREATEST HAZARD IS FLAMMABILITY. DO NOT TAKE INTERNALLY, AVOID PROLONGED BREATHING OF VAPORS, AVOID EYE OR SKIN CONTACT. GROUND ALL CONTAINERS WHEN POURING TO AVOID GENERATION OF STATIC CHARGE.

-*-*-*

MATERIAL SAFETY DATA SHEET

FOR COATINGS, RESINS AND RELATED MATERIALS

(APPROVED BY U.S. DEPARTMENT OF LABOR "ESSENTIALLY SIMILAR" TO FORM OSHA-20)

NPCA 1-72

20600 Z-3005-E

DATE OF PREP. 6/17/80

INFORMATION ON THIS FORM IS PROPRIETARY INFORMATION AND FURNISHED SOLELY FOR THE USE OF OUR CUSTOMER.

SECTION I

MANUFACTURER'S NAME THE LILLY COMPANY

STREET ADDRESS 1717 ENGLISH ROAD CITY, STATE, AND ZIP CODE HIGH POINT, N.C. 27260

EMERGENCY TELEPHONE NO. 919-885-2157

MANUFACTURERS CODE IDENTIFICATION

PRODUCT CLASS NITROCELLULOSE BASED MATERIAL Z-3005-E BLACK DIPPING LACQUER

TRADE NAME N/A

SECTION II – HAZARDOUS INGREDIENTS

INGREDIENT	PERCENT VOLUME	TLV PPM	TLV Mg/M³	LEL %	VAPOR PRESSURE MMHg @ 20°C
POLYESTER RESIN	4.83	UNK		UNK	UNK
V M & P NAPHTHA	19.48	500		UNK	2.00
MINERAL SPIRITS	.02	200		1.00	2.00
ETHYL ALCOHOL	.00	1,000		4.30	47.00
BUTYL ALCOHOL	.04	100		1.40	4.00
ISOPROPYL ALCOHOL	14.47	400		2.00	33.00
TOLUOL	14.90	200		1.30	40.00
XYLOL	.33	100		1.00	6.00
BUTYL ACETATE	12.89	150		1.70	8.00
ISOBUTYL ACETATE	.44	150		1.40	13.00
ISOBUTYL ISOBUTYRATE	3.36	UNK		.96	5.00
BUTYL CELLOSOLVE	1.51	50		1.10	.60
ACETONE	1.22	1,000		2.60	186.00
METHYL AMYL KETONE	.11	100		1.11	2.14
METHYL ETHYL KETONE	21.94	200		1.80	70.00

SECTION III – PHYSICAL DATA

BOILING RANGE 133 TO 382 F VAPOR DENSITY [XX] HEAVIER [ ] LIGHTER, THAN AIR

EVAPORATION RATE [ ] FASTER [XX] SLOWER, THAN ETHER PERCENT VOLATILE BY VOLUME 90.69 WEIGHT PER GALLON 7.19 LB/GAL

SECTION IV – FIRE AND EXPLOSION HAZARD DATA

DOT CATEGORY RED LABEL, EXTREMELY FLAMMABLE 20 F OR LESS FLASH POINT OF LOWEST FLASHING COMPONENT 0 F TCC LEL SEE SEC. II

EXTINGUISHING MEDIA WATER SPRAY - CO2 - FOAM - DRY CHEMICAL

UNUSUAL FIRE AND EXPLOSION HAZARDS KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS AND OPEN FLAME. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT. DO NOT APPLY TO EXTREMELY HOT SURFACES.

SPECIAL FIRE FIGHTING PROCEDURES FULL PROTECTIVE EQUIPMENT INCLUDING SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED. WATER SPRAY MAY BE INEFFECTIVE. IF WATER IS USED, FOG NOZZLES ARE PREFERRED. COOL CONTAINERS EXPOSED TO FIRE WITH WATER.

SECTION V – HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE SEE SECTION II

EFFECTS OF OVEREXPOSURE

HEADACHE, DIZZINESS, NAUSEA, DROWSINESS, COMA. SKIN, EYE, AND RESPIRATORY IRRITANT.

EMERGENCY AND FIRST AID PROCEDURES – DOES NOT REPLACE PHYSICIANS ATTENTION –

SKIN CONTACT- REMOVE CONTAMINATED CLOTHING. WASH SKIN WITH SOAP AND WATER. FOR INHALATION- REMOVE TO FRESH AIR. IF BREATHING HAS STOPPED, GIVE ARTIFICIAL RESPIRATION AND CALL PHYSICIAN. EYE CONTACT- FLUSH EYES WITH CLEAN WATER FOR 15 MINUTES AND CONSULT PHYSICIAN.

SECTION VI – REACTIVITY DATA

STABILITY [ ] UNSTABLE [XX] STABLE CONDITIONS TO AVOID N/A

INCOMPATABILITY (MATERIALS TO AVOID) N/A

HAZARDOUS DECOMPOSITION PRODUCTS

THERMAL DECOMPOSITION MAY PRODUCE OXIDES OF NITROGEN, CARBON MONOXIDE AND DIOXIDE.

HAZARDOUS POLYMERIZATION [ ] MAY OCCUR [XX] WILL NOT OCCUR

CONDITIONS TO AVOID N/A

SECTION VII – SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED ELIMINATE IGNITION SOURCES, VENTILATE AREA, AVOID BREATHING VAPORS, AVOID CONTACT WITH SKIN AND EYES. CLEAN UP SPILLS BY WIPING OR REMOVING WITH SUITABLE ABSORBENT. DO NOT ALLOW MATERIAL TO RUN OFF INTO DRAINS WHERE VAPORS MAY BE IGNITED.

WASTE DISPOSAL METHOD

DISPOSE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS. INCINERATE IN APPROVED FACILITY. DO NOT INCINERATE CLOSED CONTAINERS.

SECTION VIII – SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION IN RESTRICTED VENTILATION AREAS- USE APPROVED CHEMICAL MECHANICAL FILTERS DESIGNED TO REMOVE A COMBINATION OF PARTICULATE, GAS AND VAPOR. IN CONFINED AREAS- USE APPROVED AIR LINE TYPE RESPIRATORS OR HOODS.

VENTILATION

PROVIDE EXHAUST VENTILATION IN VOLUME AND PATTERN TO KEEP TLV OF MOST HAZARDOUS MATERIAL IN SEC. II AND LEL IN SEC. II BELOW RESPECTIVE STATED LIMITS.

PROTECTIVE GLOVES NEOPRENE GLOVES

EYE PROTECTION SAFETY GLASSES - FACE SHIELD

OTHER PROTECTIVE EQUIPMENT SAFETY SHOWER AND EYE BATH.

SECTION IX – SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING WARNING- CONTAINS FLAMMABLE SOLVENTS. KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES. STORE AWAY FROM ALL IGNITION SOURCES IN COOL AREA EQUIPPED WITH AUTOMATIC SPRINKLING SYSTEM. KEEP CONTAINERS CLOSED.

OTHER PRECAUTIONS DO NOT TAKE INTERNALLY, AVOID PROLONGED BREATHING OF VAPORS, AVOID EYE OR SKIN CONTACT. GROUND ALL CONTAINERS WHEN POURING TO AVOID GENERATION OF STATIC CHARGE.

-*-*-*