

RECEIVED

North Carolina Department of Environmental Quality

Pat McCrory
Governor

Superfund Section

Donald R. van der Vaart
Secretary

PROPERTY ACCESS & SAMPLING PERMISSION

I am the owner of the property located at ⁸⁶⁰~~200~~ Black Creek Rd Four Oaks NC 27524. I grant the Division of Waste Management and/or its contractors permission to access my property and collect samples as indicated below from my property.

Potable Well. Does your well have a treatment system (Yes/No)? NO
How many wells are located on your property? 1

Soil (Surface Grab Sample)

Soil Gas Probes

Groundwater (Installation of monitoring wells)

Crawlspace Vapor Sampling

Indoor Air Vapor Sampling

Other (Include Description) _____

Laura Jackson
(Print Name)

336-707-9058
(Telephone Number)

Laura Jackson
(Signature)

12-16-15
(Date)

Please return this signed form in the enclosed stamped envelope to:

Katie Tatum; Environmental Specialist
Division of Waste Management
Inactive Hazardous Sites Branch
1646 Mail Service Center
Raleigh, North Carolina 27699

Four Oaks Dump
Four Oaks, Johnston
NONCD0000379

North Carolina Department of Environmental Quality

Pat McCrory
Governor

Donald R. van der Vaart
Secretary

PROPERTY ACCESS & SAMPLING PERMISSION

I am the owner of the property located at 812 Black Creek Rd Four Oaks NC 27524. I grant the Division of Waste Management and/or its contractors permission to access my property and collect samples as indicated below from my property.

- Potable Well. Does your well have a treatment system (Yes/No)? NO
How many wells are located on your property? 1
- Soil (Surface Grab Sample)
- Soil Gas Probes
- Groundwater (Installation of monitoring wells)
- Crawlspace Vapor Sampling
- Indoor Air Vapor Sampling
- Other (Include Description) _____

James Stephenson
(Print Name)

919-963-4121
(Telephone Number)

[Signature]
(Signature)

4/14/2016
(Date)

Please return this signed form in the enclosed stamped envelope to:

Katie Tatum; Environmental Specialist
Division of Waste Management
Inactive Hazardous Sites Branch
1646 Mail Service Center
Raleigh, North Carolina 27699

Four Oaks Dump
Four Oaks, Johnston
NONCD0000379

1601 Mail Service Center, Raleigh, North Carolina 27699-1601
Phone: 919-707-8600 \ Internet: www.ncdenr.gov

An Equal Opportunity \ Affirmative Action Employer - Made in part by recycled paper

permission signed in field



PAT MCCRORY

Governor

DONALD R. VAN DER VAART

Secretary

LINDA CULPEPPER

Director

December 8, 2015

Joseph Langston
3002 Lodge Dr
Jamestown NC 27282

Re: Water Supply Well Sampling
360 Black Creek Rd Four Oaks NC 27524
Four Oaks Dump
NONCD0000379

Dear Mr. Langston:

The North Carolina Department of Environmental Quality, Division of Waste Management (Division) is currently conducting an investigation of groundwater contamination in the area of your property located at 360 Black Creek Rd in Four Oaks, Johnston County, NC. The purpose of this letter is to request your permission to sample the water supply well located on your property. This sampling will be performed by Division staff or the Division's contractor at no cost to you. You do not have to be present to have your well sampled. Samples will be collected from either a faucet at the well or on the exterior of your home. The laboratory results will be forwarded to you as soon as possible. To provide the Division permission to sample your well, please sign the attached permission form and return it to our office in the enclosed stamped envelope within 14 days. Upon receipt we will notify you of the planned date of sampling.

If you do not wish to grant the Division permission to sample your well, we recommend you have it tested for metals and volatile organic contaminants by a private laboratory or the local health department because of the concerns for contamination in the area. The private lab or health department will likely charge a fee for this sampling. Please contact Cheryl Marks at (919) 707-8333 or at Cheryl.marks@ncdenr.gov or Katie Tatum at (919) 707-8155 or at Katie.tatum@ncdenr.gov if you have any questions.

Sincerely,

Katie Tatum

Environmental Specialist
Division of Waste Management, NCDEQ

Attachment PERMISSION FORM & ADDRESSED STAMPED ENVELOPE





Waste Management
ENVIRONMENTAL QUALITY

PAT MCCRORY

Governor

DONALD R. VAN DER VAART

Secretary

LINDA CULPEPPER

Director

January 12, 2016

Dakota Herring
221 Spring Branch Dr
Four Oaks NC 27524

Re: Water Supply Well Sampling (2nd Request)
221 Spring Branch Dr Four Oaks NC 27524
Four Oaks Dump
NONCD0000379

Dear Ms. Herring:

The North Carolina Department of Environmental Quality, Division of Waste Management (Division) is currently conducting an investigation of groundwater contamination in the area of your property located at 221 Spring Branch Dr in Four Oaks, Johnston County, NC. The purpose of this letter is to request your permission to sample the water supply well located on your property. This sampling will be performed by Division staff or the Division's contractor at no cost to you. You do not have to be present to have your well sampled. Samples will be collected from either a faucet at the well or on the exterior of your home. The laboratory results will be forwarded to you as soon as possible. To provide the Division permission to sample your well, please sign the attached permission form and return it to our office in the enclosed stamped envelope within 14 days. Upon receipt we will notify you of the planned date of sampling.

If you do not wish to grant the Division permission to sample your well, we recommend you have it tested for metals and volatile organic contaminants by a private laboratory or the local health department because of the concerns for contamination in the area. The private lab or health department will likely charge a fee for this sampling. Please contact Cheryl Marks at (919) 707-8333 or at Cheryl.marks@ncdenr.gov or Katie Tatum at (919) 707-8155 or at Katie.tatum@ncdenr.gov if you have any questions.

If your property is on city or county water and does not utilize a potable well or if you do not grant the Division permission to test your well, please fill out and return the attached No Potable Well form. This will allow the Division to update our records.

Sincerely,

Katie Tatum

Environmental Specialist
Division of Waste Management, NCDEQ

Attachment PERMISSION FORM, NO POTABLE WELL NOTIFICATION & ADDRESSED STAMPED ENVELOPE



Waste Management
ENVIRONMENTAL QUALITY

PAT MCCRORY
Governor

DONALD R. VAN DER VAART
Secretary

MICHEAL SCOTT
Acting Director

March 31, 2016

James Stephenson
812 Black Creek Rd
Four Oaks, NC 27524

Re: Water Supply Well Sampling
812 Black Creek Rd. Four Oaks, NC 27524
Four Oaks Dump
NONCD0000379

Dear Mr. Stephenson:

I recently contacted you with a request to test the water quality of your potable well. State contractors (URS) will be in your area either Thursday April 14 or Friday April 15, 2016 to collect water samples. The purpose of this letter is to request your permission to sample the water supply well located on your property. This sampling will be performed at no cost to you. You do not have to be present to have your well sampled. Samples will be collected from either a faucet at the well or on the exterior of your home. The laboratory results will be forwarded to you as soon as possible. If you decide to have your well tested by URS during the time of their visit in your area, please sign the attached permission form and return it to our office in the enclosed stamped envelope as soon as possible. You may also e-mail a digital copy of the form to Katie.tatum@ncdenr.gov

Please contact Cheryl Marks at (919) 707-8333 or at Cheryl.marks@ncdenr.gov or Katie Tatum at (919) 707-8155 or at Katie.tatum@ncdenr.gov if you have any questions.

If your property is on city or county water and does not utilize a potable well, please fill out and return (mail, or email) the attached No Potable Well form. This will allow the Division to update our records.

Sincerely,

Katie Tatum
Environmental Specialist
Division of Waste Management, NCDEQ

Attachment PERMISSION FORM, NO POTABLE WELL FORM & ADDRESSED STAMPED ENVELOPE