

According to (G.S. 130A-309.09D(b)) completed forms must be returned by August 1, 2014 and a copy of this report must be sent to the County Manager of each county from which waste was received. If you have questions or require assistance in completing this report, contact your Regional Environmental Senior Specialist.

Facility Name: Cumberland County Landfill Permit: 2601-MSWLF-1997

Physical Address	Mailing Address
Street 1: <u>698 Ann Street</u>	Street 1: <u>698 Ann Street</u>
Street 2: _____	Street 2: _____
City: <u>Fayetteville</u> County: <u>Cumberland</u>	City: <u>Fayetteville</u>
State: <u>North Carolina</u> Zip: <u>28301</u>	State: <u>North Carolina</u> Zip: <u>28301</u>

Primary Facility Contact Person	Billing Contact Person
Name: <u>Robert L. Howard</u>	Name: <u>Karen S Hall</u>
Phone: <u>(910) 624-9167</u> Fax: <u>(910) 321-6840</u>	Phone: <u>(910) 321-6929</u> Fax: <u>(910) 321-6840</u>
Email: <u>khall@co.cumberland.nc.us</u>	Email: <u>khall@co.cumberland.nc.us</u>

1. Tipping Fee: \$30.00 \_\_\_\_\_ per Ton (Attach a schedule of tipping fees if appropriate.)
2. Does the tip fee above include the \$2.00 Solid Waste Tax?  Yes  No
3. Did your facility stop receiving waste during this past Fiscal Year?  Yes  No  
 If so, please report the date this occurred: \_\_\_\_\_
4. What other activities occur at this facility? (check all that apply)
  - Recycling/Reuse Collection  Scrap Tire Collection  White Goods Collection  Household Hazardous Waste Collection
 If you checked Recycling/Reuse Collection, please indicate the materials accepted: (check all that apply)
  - Paper  Wood  Concrete/rubble/asphalt  Gypsum/drywall
  - Cardboard  Glass  Aluminum Cans  Steel Cans
  - PETE (#1) Plastic  HDPE (#2) Plastic  Computer Equipment  Televisions
  - Fluorescent lightbulbs  Used oil/oil filters  Other Metal  Other Plastic
  - Other (specify) textiles, books

<p><b>Airspace (Capacity):</b> Questions in this section relate to all cells/units of the lined facility operated under the current 4-digit permit number regardless of whether the cells/units are closed or are not contiguous at the time of this report. Tonnage questions must be based on scale records and cover the period between the opening date and the date of the last survey unless another time period is approved. Airspace measurements include daily, intermediate and final cover.</p>	5. Date Facility Last Surveyed: <u>6/17/14</u>
	6. Airspace Used (cubic yards): <u>3,566,162</u>
	7. Total Tons Disposed in Airspace Used (tons): <u>2,413,010</u>

8. How is your leachate transported to the waste water treatment plant?  Sewer Connection  Pump Truck



11. Are there SWANA or other certified operator(s) at this facility?  Yes  No

If yes, indicate the following:

Name: Robert L. Howard Certification type and expiration date: MOLO 5/15  
Name: Donald Tew Certification type and expiration date: MOLO 6/16  
Name: \_\_\_\_\_ Certification type and expiration date: \_\_\_\_\_  
Name: \_\_\_\_\_ Certification type and expiration date: \_\_\_\_\_  
Name: \_\_\_\_\_ Certification type and expiration date: \_\_\_\_\_

12. Comments, suggestions or notes:

**REMINDER:** According to (G.S. 130A-309.09D(b)), this report must be sent to the Regional Environmental Senior Specialist for your area and a copy of this report must be sent to the County Manager of each county from which waste was received.

Please return your completed report to:

Drew Hammonds  
225 Green Street, Suite 714  
Fayetteville, NC 28301  
phone: 910.433.3350 email: Andrew.Hammonds@ncdenr.gov

CERTIFICATION: I certify that the information provided is an accurate representation of the activity at this facility.

Signature: Karen S Hall

Digitally signed by Karen S Hall  
DN: cn=Karen S Hall, o=Cumberland County Solid Waste Management, ou=Administration,  
email=khall@co.cumberland.nc.us, c=US  
Date: 2014.06.24 07:19:47 -0400

Date: Jul 29, 2014

Name: Karen S Hall

Title: Administrative Program Officer II

Phone Number: (910) 321-6929

Email: khall@co.cumberland.nc.us

Facility Name: Cumberland County Landfill Permit: 2601-MSWLF-1997

Address: 698 Ann Street

City: Fayetteville State: North Carolina Zip: 28301

Person completing Assessment: Robert L. Howard Date: Jul 21, 2014

Phone Number: (910) 321-6929 Fax: (910) 321-6840 Email: khall@co.cumberland.nc.us

**Instructions:** Please indicate either *Yes or No* for each Receptor and Post Closure Maintenance question. Then please determine the distance or distances for each Receptor from the *Edge of Waste* (using range finders and/or GIS maps) and type that information into the form. Please attach additional information including GIS maps, lists of potable well locations, etc.

**Receptors**

- 1. Are there Residential Dwellings Within 1,500 feet of the Edge of Waste?  Yes  No  
If Yes, how many? \_\_\_\_\_  
What are the three closest distances from the *Edge of Waste*? \_\_\_\_\_ Feet \_\_\_\_\_ Feet \_\_\_\_\_ Feet
- 2. Are there Potable Wells Within 1,500 feet of the Edge of Waste?  Yes  No  
If Yes, how many? \_\_\_\_\_  
What are the three closest distances from the *Edge of Waste*? \_\_\_\_\_ Feet \_\_\_\_\_ Feet \_\_\_\_\_ Feet
- 3. Are there Community/Municipal Wells Within 1,500 feet of the Edge of Waste?  Yes  No  
If Yes, how many? \_\_\_\_\_  
What are the three closest distances from the *Edge of Waste*? \_\_\_\_\_ Feet \_\_\_\_\_ Feet \_\_\_\_\_ Feet
- 4. Are there Surface Water Bodies Within 1,500 feet of the Edge of Waste?  Yes  No  
If Yes, how many? 1 \_\_\_\_\_  
What are the three closest distances from the *Edge of Waste*? 1400 Feet \_\_\_\_\_ Feet \_\_\_\_\_ Feet  
Please list the names of the water bodies: Cape Fear Rivert
- 5. Is Public Water Available Within 1,500 feet of the Edge of Waste?  Yes  No  
If Yes, how many of the Residential Dwellings noted above are connected? \_\_\_\_\_

**Corrective Measures**

- 6. Is there an active methane extraction system (blower, flare, etc.)?  Yes  No
- 7. Is there a passive methane extraction system (trench, vents in cap, flare, etc.)?  Yes  No
- 8. Is there groundwater remediation taking place on site?  Yes  No  
If Yes, what is the specific remedial technology used? injection

**Comments**