

June 07, 2016

Permit No.	Scan Date	DIN
<b>4504T-TRANSFER-1998</b>	<b>June 15, 2016</b>	<b>26265</b>

RECEIVED  
**June 9, 2016**  
Solid Waste Section  
Asheville Regional Office

Private Client  
Private Client  
Private Client  
Asheville, NC 28804

RE: Project: Mills River Waste Yard  
Pace Project No.: 92298776

Dear Private Client:

Enclosed are the analytical results for sample(s) received by the laboratory on May 20, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Analyses were performed at the Pace Analytical Services location indicated on the sample analyte page for analysis unless otherwise footnoted.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Denise Trantham  
denise.trantham@pacelabs.com  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## CERTIFICATIONS

Project: Mills River Waste Yard

Pace Project No.: 92298776

---

### Charlotte Certification IDs

9800 Kinsey Ave. Ste 100, Huntersville, NC 28078  
North Carolina Drinking Water Certification #: 37706  
North Carolina Field Services Certification #: 5342  
North Carolina Wastewater Certification #: 12

South Carolina Certification #: 99006001  
Florida/NELAP Certification #: E87627  
Kentucky UST Certification #: 84  
Virginia/VELAP Certification #: 460221

---

### Asheville Certification IDs

2225 Riverside Drive, Asheville, NC 28804  
Florida/NELAP Certification #: E87648  
Massachusetts Certification #: M-NC030  
North Carolina Drinking Water Certification #: 37712

North Carolina Wastewater Certification #: 40  
South Carolina Certification #: 99030001  
Virginia/VELAP Certification #: 460222

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### SAMPLE ANALYTE COUNT

Project: Mills River Waste Yard

Pace Project No.: 92298776

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
92298776001	Potting Soil	EPA 6010	CDF	7	PASI-A
		EPA 7470	ANB	1	PASI-A
		EPA 8260	DLK	14	PASI-C

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: Mills River Waste Yard

Pace Project No.: 92298776

**Sample: Potting Soil**      **Lab ID: 92298776001**      Collected: 05/19/16 15:00      Received: 05/20/16 11:39      Matrix: Solid

*Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.*

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP, TCLP</b>		Analytical Method: EPA 6010    Preparation Method: EPA 3010A Leachate Method/Date: EPA 1311; 05/24/16 17:00    Initial pH: 6.9; Final pH: 5.3						
Arsenic	ND	mg/L	0.050	1	05/25/16 15:00	05/26/16 11:29	7440-38-2	
Barium	ND	mg/L	0.25	1	05/25/16 15:00	05/26/16 11:29	7440-39-3	
Cadmium	ND	mg/L	0.0050	1	05/25/16 15:00	05/26/16 11:29	7440-43-9	
Chromium	ND	mg/L	0.025	1	05/25/16 15:00	05/26/16 11:29	7440-47-3	
Lead	ND	mg/L	0.025	1	05/25/16 15:00	05/26/16 11:29	7439-92-1	
Selenium	ND	mg/L	0.10	1	05/25/16 15:00	05/26/16 11:29	7782-49-2	
Silver	ND	mg/L	0.025	1	05/25/16 15:00	05/26/16 11:29	7440-22-4	
<b>7470 Mercury, TCLP</b>		Analytical Method: EPA 7470    Preparation Method: EPA 7470 Leachate Method/Date: EPA 1311; 05/24/16 17:00    Initial pH: 6.9; Final pH: 5.3						
Mercury	ND	mg/L	0.00020	1	05/25/16 15:00	05/26/16 10:37	7439-97-6	
<b>8260 MSV TCLP</b>		Analytical Method: EPA 8260    Leachate Method/Date: EPA 1311; 05/29/16 11:14						
Benzene	ND	ug/L	192	38.5		05/31/16 18:20	71-43-2	
2-Butanone (MEK)	ND	ug/L	385	38.5		05/31/16 18:20	78-93-3	
Carbon tetrachloride	ND	ug/L	192	38.5		05/31/16 18:20	56-23-5	
Chlorobenzene	ND	ug/L	192	38.5		05/31/16 18:20	108-90-7	
Chloroform	ND	ug/L	192	38.5		05/31/16 18:20	67-66-3	
1,4-Dichlorobenzene	ND	ug/L	192	38.5		05/31/16 18:20	106-46-7	
1,2-Dichloroethane	ND	ug/L	192	38.5		05/31/16 18:20	107-06-2	
1,1-Dichloroethene	ND	ug/L	192	38.5		05/31/16 18:20	75-35-4	
Tetrachloroethene	ND	ug/L	192	38.5		05/31/16 18:20	127-18-4	
Trichloroethene	ND	ug/L	192	38.5		05/31/16 18:20	79-01-6	
Vinyl chloride	ND	ug/L	192	38.5		05/31/16 18:20	75-01-4	
<b>Surrogates</b>								
1,2-Dichloroethane-d4 (S)	94	%	70-130	38.5		05/31/16 18:20	17060-07-0	1g
Toluene-d8 (S)	100	%	67-135	38.5		05/31/16 18:20	2037-26-5	
4-Bromofluorobenzene (S)	91	%	70-130	38.5		05/31/16 18:20	460-00-4	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: Mills River Waste Yard  
Pace Project No.: 92298776

QC Batch: MERP/9489      Analysis Method: EPA 7470  
QC Batch Method: EPA 7470      Analysis Description: 7470 Mercury TCLP  
Associated Lab Samples: 92298776001

METHOD BLANK: 1741987      Matrix: Water  
Associated Lab Samples: 92298776001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	mg/L	ND	0.00020	05/26/16 10:16	

LABORATORY CONTROL SAMPLE: 1741988

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/L	.0025	0.0025	101	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1741989      1741990

Parameter	Units	92298076001 Result	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
			Spike Conc.	MS Result	Spike Conc.	MSD Result					
Mercury	mg/L	ND	.0025	0.0026	.0025	0.0024	102	96	75-125	6	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: Mills River Waste Yard  
Pace Project No.: 92298776

QC Batch: MPRP/21831 Analysis Method: EPA 6010  
QC Batch Method: EPA 3010A Analysis Description: 6010 MET TCLP  
Associated Lab Samples: 92298776001

METHOD BLANK: 1741893 Matrix: Water  
Associated Lab Samples: 92298776001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Arsenic	mg/L	ND	0.050	05/26/16 11:03	
Barium	mg/L	ND	0.25	05/26/16 11:03	
Cadmium	mg/L	ND	0.0050	05/26/16 11:03	
Chromium	mg/L	ND	0.025	05/26/16 11:03	
Lead	mg/L	ND	0.025	05/26/16 11:03	
Selenium	mg/L	ND	0.10	05/26/16 11:03	
Silver	mg/L	ND	0.025	05/26/16 11:03	

LABORATORY CONTROL SAMPLE: 1741894

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/L	2.5	2.5	102	80-120	
Barium	mg/L	2.5	2.4	96	80-120	
Cadmium	mg/L	2.5	2.5	101	80-120	
Chromium	mg/L	2.5	2.5	99	80-120	
Lead	mg/L	2.5	2.4	97	80-120	
Selenium	mg/L	2.5	2.6	103	80-120	
Silver	mg/L	1.2	1.1	89	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 1741895 1741896

Parameter	Units	92298496001		MSD		MS		MSD		% Rec Limits	RPD	Qual
		Spike Conc.	Result									
Arsenic	mg/L	ND	2.5	2.5	2.9	2.4	115	97	75-125	17		
Barium	mg/L	1.2	2.5	2.5	3.9	3.3	108	85	75-125	16		
Cadmium	mg/L	2.0	2.5	2.5	4.8	4.1	112	84	75-125	16		
Chromium	mg/L	ND	2.5	2.5	2.7	2.3	106	91	75-125	15		
Lead	mg/L	1.5	2.5	2.5	4.1	3.6	104	81	75-125	15		
Selenium	mg/L	ND	2.5	2.5	2.9	2.5	114	98	75-125	15		
Silver	mg/L	ND	1.2	1.2	1.4	1.2	111	95	75-125	16		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: Mills River Waste Yard

Pace Project No.: 92298776

QC Batch: MSV/37074

Analysis Method: EPA 8260

QC Batch Method: EPA 8260

Analysis Description: 8260 MSV TCLP

Associated Lab Samples: 92298776001

METHOD BLANK: 1745399

Matrix: Water

Associated Lab Samples: 92298776001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1-Dichloroethene	ug/L	ND	5.0	05/31/16 13:50	
1,2-Dichloroethane	ug/L	ND	5.0	05/31/16 13:50	
1,4-Dichlorobenzene	ug/L	ND	5.0	05/31/16 13:50	
2-Butanone (MEK)	ug/L	ND	10.0	05/31/16 13:50	
Benzene	ug/L	ND	5.0	05/31/16 13:50	
Carbon tetrachloride	ug/L	ND	5.0	05/31/16 13:50	
Chlorobenzene	ug/L	ND	5.0	05/31/16 13:50	
Chloroform	ug/L	ND	5.0	05/31/16 13:50	
Tetrachloroethene	ug/L	ND	5.0	05/31/16 13:50	
Trichloroethene	ug/L	ND	5.0	05/31/16 13:50	
Vinyl chloride	ug/L	ND	5.0	05/31/16 13:50	
1,2-Dichloroethane-d4 (S)	%	105	70-130	05/31/16 13:50	
4-Bromofluorobenzene (S)	%	97	70-130	05/31/16 13:50	
Toluene-d8 (S)	%	101	67-135	05/31/16 13:50	

LABORATORY CONTROL SAMPLE & LCSD: 1745400

1745401

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
1,1-Dichloroethene	ug/L	50	59.8	58.2	120	116	66-135	3	30	
1,2-Dichloroethane	ug/L	50	52.0	51.9	104	104	67-128	0	30	
1,4-Dichlorobenzene	ug/L	50	51.1	51.4	102	103	78-130	1	30	
2-Butanone (MEK)	ug/L	100	108	98.9	108	99	61-144	9	30	
Benzene	ug/L	50	52.1	52.1	104	104	80-125	0	30	
Carbon tetrachloride	ug/L	50	51.8	53.6	104	107	69-131	3	30	
Chlorobenzene	ug/L	50	52.0	52.5	104	105	81-122	1	30	
Chloroform	ug/L	50	54.9	54.2	110	108	73-127	1	30	
Tetrachloroethene	ug/L	50	38.9	39.7	78	79	78-122	2	30	
Trichloroethene	ug/L	50	49.9	48.9	100	98	78-122	2	30	
Vinyl chloride	ug/L	50	60.4	59.3	121	119	58-137	2	30	
1,2-Dichloroethane-d4 (S)	%				103	108	70-130			
4-Bromofluorobenzene (S)	%				96	101	70-130			
Toluene-d8 (S)	%				100	102	67-135			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## QUALIFIERS

Project: Mills River Waste Yard

Pace Project No.: 92298776

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

Acid preservation may not be appropriate for 2 Chloroethylvinyl ether, Styrene, and Vinyl chloride.

A separate vial preserved to a pH of 4-5 is recommended in SW846 Chapter 4 for the analysis of Acrolein and Acrylonitrile by EPA Method 8260.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### LABORATORIES

PASI-A Pace Analytical Services - Asheville

PASI-C Pace Analytical Services - Charlotte

### ANALYTE QUALIFIERS

1g 8260 results are from a total analysis which show that analytes are not present or that they are present but at such low levels that the appropriate regulatory levels could not possibly be exceeded, per Section 1.2 of Method 1311.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Mills River Waste Yard

Pace Project No.: 92298776

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
92298776001	Potting Soil	EPA 3010A	MPRP/21831	EPA 6010	ICP/19570
92298776001	Potting Soil	EPA 7470	MERP/9489	EPA 7470	MERC/9126
92298776001	Potting Soil	EPA 8260	MSV/37074		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



Document Name:  
**Sample Condition Upon Receipt(SCUR)**

Document No.:  
**F-CHR-CS-003-rev.18**

Document Revised: 18FEB2016  
Page 1 of 2

Issuing Authority:  
Pace Huntersville Quality Office

**WO# : 92298776**



**Sample Condition Upon Receipt**

Client Name:

*Carolina Murch*

Project #:

Courier:

Commercial

Fed Ex

Pace

UPS

USPS

Other: \_\_\_\_\_

Client

Custody Seal Present?

Yes

No

Seals Intact?

Yes

No

Date/Initials Person Examining Contents: *LOT 5/20/14*

Packing Material:

Bubble Wrap

Bubble Bags

None

Other: \_\_\_\_\_

Thermometer:  IR Gun #5 SN: 15527198

Type of Ice:

Wet

Blue

None

Samples on ice, cooling process has begun

Correction Factor: 0.0°C Cooler Temp Corrected (°C): *NA*

Biological Tissue Frozen?  Yes  No  N/A

Temp should be above freezing to 6°C  
USDA Regulated Soil (  N/A, water sample)

Did samples originate in a quarantine zone within the United States: CA, NY, or SC (check maps)?  
 Yes  No

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)?  Yes  No

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes Date/Time/ID/Analysis Matrix: <i>SOLID</i>	
All containers needing acid/base preservation have been checked? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide) <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC,LLHg <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Samples checked for dechlorination <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>5-6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased): _____	

**CLIENT NOTIFICATION/RESOLUTION**

Field Data Required?  Yes  No

Person Contacted: \_\_\_\_\_

Date/Time: \_\_\_\_\_

Comments/Resolution: \_\_\_\_\_

Project Manager SCURF Review: *[Signature]*

Date: *5/20/14*

Project Manager SRF Review: *[Signature]*

Date: *5/20/14*

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. Out of hold, incorrect preservative, out of temp, incorrect containers)

Section A Required Client Information: Section B Required Project Information: Section C Invoice Information:

Company: **Pace Analytical + Mulch** Report To: **Chip Kovich** Attention: \_\_\_\_\_  
 Address: **23 W King ST** Copy To: \_\_\_\_\_ Company Name: \_\_\_\_\_  
 Email To: **gould@atsonbulava-supply.com** Purchase Order No.: \_\_\_\_\_ Address: \_\_\_\_\_  
 Phone: **888-692-5716** Fax: **876-757** Project Name: **10/15 RIVER WASTE YD** Price Quote Reference: \_\_\_\_\_  
 Requested Due Date/TAT: \_\_\_\_\_ Project Number: \_\_\_\_\_ Pace Project Manager: \_\_\_\_\_  
 Pace Profile #: \_\_\_\_\_

REGULATORY AGENCY:  NPDES  GROUND WATER  DRINKING WATER  
 UST  RCRA  OTHER \_\_\_\_\_  
 Site Location: \_\_\_\_\_ STATE: \_\_\_\_\_

Page: \_\_\_\_\_ of \_\_\_\_\_  
**1818100**  
 Page 11 of 11

ITEM #	Section D Required Client Information  SAMPLE ID (A-Z, 0-9 / . - ) Sample IDs MUST BE UNIQUE	Matrix Codes MATRIX / CODE Drinking Water DW Water WT Waste Water WW Product P Soil/Solid SL Oil OL Wipe WP Air AR Tissue TS Other OT	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives Unpreserved H <sub>2</sub> SO <sub>4</sub> HNO <sub>3</sub> HCl NaOH Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> Methanol Other	Analysis Test ↓ Y/N ↓	Requested Analysis Filtered (Y/N)		Residual Chlorine (Y/N)	Pace Project No./ Lab I.D.
					COMPOSITE START	COMPOSITE END/GRAB					DATE	TIME		
1	POTHOLE SOIL					5/20								92298716-01
2						5/19	1506							
3														
4														
5														
6														
7														
8														
9														
10														
11														
12														

ADDITIONAL COMMENTS: **Appendix 1**

RELINQUISHED BY / AFFILIATION: **[Signature]** DATE: **5/20/14** TIME: **11:39 AM**

ACCEPTED BY / AFFILIATION: **[Signature]** DATE: **5/20/14** TIME: **11:39 AM**

SAMPLER NAME AND SIGNATURE: \_\_\_\_\_  
 PRINT Name of SAMPLER: \_\_\_\_\_  
 SIGNATURE of SAMPLER: \_\_\_\_\_  
 DATE Signed (MM/DD/YY): \_\_\_\_\_

Temp in °C: \_\_\_\_\_ Received on Ice (Y/N): \_\_\_\_\_ Custody Sealed Cooler (Y/N): \_\_\_\_\_ Samples Intact (Y/N): \_\_\_\_\_

ORIGINAL

\*Important Note: By signing this form you are accepting Pace's NET 30 day payment terms and agreeing to late charges of 1.5% per month for any invoices not paid within 30 days.

## Frost, Larry

---

**From:** Aja, Deborah  
**Sent:** Monday, June 13, 2016 5:10 PM  
**To:** Chip Gould; majones@hendersoncountync.org  
**Cc:** Watkins, Jason; Gallagher, Tony; Frost, Larry; Hill, Lee; Drummond, Jaclynne  
**Subject:** RE: tclp results for potting soil

Chip and Marcus,

We have reviewed the June 7, 2016 TCLP results. Based on the information provided there are no hazardous concerns with the materials tested. The next step is to work with Larry Frost to submit your proposal to process the plant pots and soil at the Henderson County solid waste facilities.

Thank you both again for your efforts to conduct this site clean-up.

Deb

**Deborah Aja**  
Western District Supervisor  
Division of Waste Management - Solid Waste Section  
North Carolina Department of Environmental Quality

828 296-4702 office  
919 208-0184 mobile  
deborah.aja@ncdenr.gov

2090 U.S. Highway 70  
Swannanoa, NC 28778



*Email correspondence to and from this address is subject to the North Carolina Public Records Law and may be disclosed to third parties.*

---

**From:** Chip Gould [mailto:cgould@casonbuildersupply.com]  
**Sent:** Thursday, June 09, 2016 1:33 PM  
**To:** majones@hendersoncountync.org; Aja, Deborah <deborah.aja@ncdenr.gov>  
**Subject:** FW: tclp results for potting soil

Here are the results. Let me know if I need to forward to anyone else. Chip

---

**From:** Denise Trantham [<mailto:Denise.Trantham@pacelabs.com>]  
**Sent:** Wednesday, June 08, 2016 8:54 AM  
**To:** [cgould@casonbuildersupply.com](mailto:cgould@casonbuildersupply.com)  
**Subject:** tcip results for potting soil

Dear Chip,  
Enclosed you will find the potting soil results you were looking for. Please note that your actual results are on page four. You will notice that it came back ND which stands for non detect. If there is anything else we can help you with please feel free to give us a call.  
Thanks,  
Denise

**Denise Trantham**  
Project Coordinator  
Pace Analytical Services, Inc.  
2225 Riverside Drive  
Asheville, NC 28804  
**828-254-7176**  
Ext. 23

 Please consider the environment before printing this e-mail.

---

The email and documents accompanying this transmission contain confidential and legally privileged information that belongs to the sender. The information is intended only for the use of the individual(s) or entity(ies) named herein. If you are not the intended recipient, you are hereby notified that any disclosure, copying distribution or the taking of any action in reliance on the contents of this information is strictly prohibited. If you have received this in error, please immediately notify us by telephone (1.888.990.PACE) to arrange for return of the original documents.

---

