



# North Carolina Department of Environmental Quality

Pat McCrory  
Governor

Donald R. van der Vaart  
Secretary

## PROPERTY ACCESS & SAMPLING PERMISSION

I am the owner of the property located at 158 Bridget Lane Jacksonville, NC 28541. I grant the Division of Waste Management and/or its contractors permission to access my property and collect samples as indicated below from my property.

Potable Well. Does your well have a treatment system (Yes/No)? NO  
How many wells are located on your property? 1

Soil (Surface Grab Sample)

Soil Gas Probes

Groundwater (Installation of monitoring wells)

Crawlspace Vapor Sampling

Indoor Air Vapor Sampling

Other (Include Description) \_\_\_\_\_

William S. TERRELL  
(Print Name)

910-347-5555  
(Telephone Number)

William S. Terrell  
(Signature)

1-8-16  
(Date)

Please return this signed form in the enclosed stamped envelope to:

Katie Tatum; Environmental Specialist  
Division of Waste Management  
Inactive Hazardous Sites Branch  
1646 Mail Service Center  
Raleigh, North Carolina 27699

RECEIVED

JAN 14 2016

Ray's Rural Dump  
Jacksonville, Onslow  
NONCD0000481

Superfund Section



Waste Management  
ENVIRONMENTAL QUALITY

PAT MCCRORY  
*Governor*

DONALD R. VAN DER VAART  
*Secretary*

LINDA CULPEPPER  
*Director*

January 4, 2016

Ella Mundy  
223 Dutchman Lane  
Jacksonville, NC 28541

Re: Water Supply Well Sampling  
223 Dutchman Lane Jacksonville, NC 28541  
Ray's Rural Dump  
NONCD0000481

Dear Ms. Mundy:

The North Carolina Department of Environmental Quality, Division of Waste Management (Division) is currently conducting an investigation of groundwater contamination in the area of your property located at 223 Dutchman Lane in Jacksonville, Onslow County, NC. The purpose of this letter is to request your permission to sample the water supply well located on your property. This sampling will be performed by Division staff or the Division's contractor at no cost to you. You do not have to be present to have your well sampled. Samples will be collected from either a faucet at the well or on the exterior of your home. The laboratory results will be forwarded to you as soon as possible. To provide the Division permission to sample your well, please sign the attached permission form and return it to our office in the enclosed stamped envelope within 14 days. Upon receipt we will notify you of the planned date of sampling.

If you do not wish to grant the Division permission to sample your well, we recommend you have it tested for metals and volatile organic contaminants by a private laboratory or the local health department because of the concerns for contamination in the area. The private lab or health department will likely charge a fee for this sampling. Please contact Cheryl Marks at (919) 707-8333 or at [Cheryl.marks@ncdenr.gov](mailto:Cheryl.marks@ncdenr.gov) or Katie Tatum at (919) 707-8155 or at [Katie.tatum@ncdenr.gov](mailto:Katie.tatum@ncdenr.gov) if you have any questions.

Sincerely,  
  
Katie Tatum

Environmental Specialist  
Division of Waste Management, NCDEQ

Attachment PERMISSION FORM & ADDRESSED STAMPED ENVELOPE



Waste Management  
ENVIRONMENTAL QUALITY

PAT MCCRORY  
*Governor*

DONALD R. VAN DER VAART  
*Secretary*

MICHEAL SCOTT  
*Director*

May 17, 2016

Ella Mundy  
223 Dutchman Lane  
Jacksonville, NC 28541

Re: Water Supply Well Sampling  
223 Dutchman Lane Jacksonville, NC 28541  
Ray's Rural Dump  
NONCD0000481

Dear Ms. Mundy:

I recently contacted you with a request to test the water quality of your potable well located at 223 Dutchman Lane Jacksonville, NC. State contractors (URS) will be in your area Thursday May 26, 2016 to collect water samples. The purpose of this letter is to request your permission to sample the water supply well located on your property. This sampling will be performed at no cost to you. You do not have to be present to have your well sampled. Samples will be collected from either a faucet at the well or on the exterior of your home. The laboratory results will be forwarded to you as soon as possible.

If you decide to have your well tested by URS during the time of their visit in your area, please sign the attached permission form and return it to our office in the enclosed stamped envelope as soon as possible. You may also e-mail a digital copy of the form to [Katie.tatum@ncdenr.gov](mailto:Katie.tatum@ncdenr.gov)

A sample will not be collected if the permission form is not signed. URS personnel will also have a blank permission form on site in case your permission form does not reach our office by May 25, 2016.

Please contact Cheryl Marks at (919) 707-8333 or at [Cheryl.marks@ncdenr.gov](mailto:Cheryl.marks@ncdenr.gov) or Katie Tatum at (919) 707-8155 or at [Katie.tatum@ncdenr.gov](mailto:Katie.tatum@ncdenr.gov) if you have any questions.

If your property is on city or county water and does not utilize a potable well, please fill out and return (mail, or email) the attached No Potable Well form. This will allow the Division to update our records.

Sincerely,

Katie Tatum  
Environmental Specialist  
Division of Waste Management, NCDEQ

Attachment PERMISSION FORM, NO POTABLE WELL FORM & ADDRESSED STAMPED ENVELOPE