

North Carolina Department of Environmental Quality

Pat McCrory
Governor

Donald R. van der Vaart
Secretary

PROPERTY ACCESS & SAMPLING PERMISSION

I am the owner of the property located at 4210 Taylors Bridge Hwy Clinton NC 28328. I grant the Division of Waste Management and/or its contractors permission to access my property and collect samples as indicated below from my property.

- Potable Well. Does your well have a treatment system (Yes/No)? NO
How many wells are located on your property? _____
- Soil (Surface Grab Sample)
- Soil Gas Probes
- Groundwater (Installation of monitoring wells)
- Crawlspace Vapor Sampling
- Indoor Air Vapor Sampling
- Other (Include Description) _____

Myron Bass
(Print Name)

910-592-8490
(Telephone Number)

Myron Bass
(Signature)

2/9/16
(Date)

Please return this signed form in the enclosed stamped envelope to:

Katie Tatum; Environmental Specialist
Division of Waste Management
Inactive Hazardous Sites Branch
1646 Mail Service Center
Raleigh, North Carolina 27699

Sampson County Landfill (Mt. Gilead)
Clinton, Sampson
NONCD0000701

RECEIVED

FEB 16 2016

Superfund Section



Waste Management
ENVIRONMENTAL QUALITY

PAT MCCRORY
Governor

DONALD R. VAN DER VAART
Secretary

LINDA CULPEPPER
Director

December 29, 2015

David Barefoot
4146 Taylors Bridge Hwy
Clinton NC 28328

Re: Water Supply Well Sampling
4146 Taylors Bridge Hwy
Sampson County Landfill (Mt Gilead)
NONCD0000701

Dear Mr. Barefoot:

The North Carolina Department of Environmental Quality, Division of Waste Management (Division) is currently conducting an investigation of groundwater contamination in the area of your property located at 4146 Taylors Bridge Hwy in Clinton, Sampson County, NC. The purpose of this letter is to request your permission to sample the water supply well located on your property. This sampling will be performed by Division staff or the Division's contractor at no cost to you. You do not have to be present to have your well sampled. Samples will be collected from either a faucet at the well or on the exterior of your home. The laboratory results will be forwarded to you as soon as possible. To provide the Division permission to sample your well, please sign the attached permission form and return it to our office in the enclosed stamped envelope within 14 days. Upon receipt we will notify you of the planned date of sampling.

If you do not wish to grant the Division permission to sample your well, we recommend you have it tested for metals and volatile organic contaminants by a private laboratory or the local health department because of the concerns for contamination in the area. The private lab or health department will likely charge a fee for this sampling. Please contact Cheryl Marks at (919) 707-8333 or at Cheryl.marks@ncdenr.gov or Katie Tatum at (919) 707-8155 or at Katie.tatum@ncdenr.gov if you have any questions.

Sincerely,

Katie Tatum

Environmental Specialist
Division of Waste Management, NCDEQ

Attachment PERMISSION FORM & ADDRESSED STAMPED ENVELOPE



PAT MCCRORY
Governor

DONALD R. VAN DER VAART
Secretary

LINDA CULPEPPER
Director

February 3, 2016

David Barefoot
4146 Taylors Bridge Hwy
Clinton NC 28328

Re: Water Supply Well Sampling (2nd Request)
4146 Taylors Bridge Hwy
Sampson County Landfill (Mt Gilead)
NONCD0000701

Dear Mr. Barefoot:

The North Carolina Department of Environmental Quality, Division of Waste Management (Division) is currently conducting an investigation of groundwater contamination in the area of your property located at 4146 Taylors Bridge Hwy in Clinton, Sampson County, NC. The purpose of this letter is to request your permission to sample the water supply well located on your property. This sampling will be performed by Division staff or the Division's contractor at no cost to you. You do not have to be present to have your well sampled. Samples will be collected from either a faucet at the well or on the exterior of your home. The laboratory results will be forwarded to you as soon as possible. To provide the Division permission to sample your well, please sign the attached permission form and return it to our office in the enclosed stamped envelope within 14 days. Upon receipt we will notify you of the planned date of sampling.

If you do not wish to grant the Division permission to sample your well, we recommend you have it tested for metals and volatile organic contaminants by a private laboratory or the local health department because of the concerns for contamination in the area. The private lab or health department will likely charge a fee for this sampling. Please contact Cheryl Marks at (919) 707-8333 or at Cheryl.marks@ncdenr.gov or Katie Tatum at (919) 707-8155 or at Katie.tatum@ncdenr.gov if you have any questions.

If your property is on city or county water and does not utilize a potable well or if you do not grant the Division permission to test your well, please fill out and return the attached No Potable Well form. This will allow the Division to update our records.

Sincerely,

Katie Tatum

Environmental Specialist
Division of Waste Management, NCDEQ

Attachment PERMISSION FORM, NO POTABLE WELL NOTIFICATION & ADDRESSED STAMPED ENVELOPE



Waste Management
ENVIRONMENTAL QUALITY

PAT MCCRORY
Governor

DONALD R. VAN DER VAART
Secretary

MICHEAL SCOTT
Director

May 17, 2016

David Barefoot
4146 Taylors Bridge Hwy
Clinton, NC 28328

Re: Water Supply Well Sampling
4146 Taylors Bridge Hwy. Clinton, NC 28328
Sampson County Landfill (Mt. Gilead)
NONCD0000701

Dear Mr. Barefoot:

I recently contacted you with a request to test the water quality of your potable well located at 4146 Taylors Bridge Hwy. Clinton, NC. State contractors (URS) will be in your area Monday May 23, 2016, 2016 to collect water samples. The purpose of this letter is to request your permission to sample the water supply well located on your property. This sampling will be performed at no cost to you. You do not have to be present to have your well sampled. Samples will be collected from either a faucet at the well or on the exterior of your home. The laboratory results will be forwarded to you as soon as possible.

If you decide to have your well tested by URS during the time of their visit in your area, please sign the attached permission form and return it to our office in the enclosed stamped envelope as soon as possible. You may also e-mail a digital copy of the form to Katie.tatum@ncdenr.gov

A sample will not be collected if the permission form is not signed. URS personnel will also have a blank permission form on site in case your permission form does not reach our office by May 20, 2016.

Please contact Cheryl Marks at (919) 707-8333 or at Cheryl.marks@ncdenr.gov or Katie Tatum at (919) 707-8155 or at Katie.tatum@ncdenr.gov if you have any questions.

If your property is on city or county water and does not utilize a potable well, please fill out and return (mail, or email) the attached No Potable Well form. This will allow the Division to update our records.

Sincerely,

Katie Tatum
Environmental Specialist
Division of Waste Management, NCDEQ

Attachment PERMISSION FORM, NO POTABLE WELL FORM & ADDRESSED STAMPED ENVELOPE