

N.C. DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
 DIVISION OF WASTE MANAGEMENT
 SUPERFUND SECTION
 INACTIVE HAZARDOUS SITES BRANCH
 MOORESVILLE REGIONAL OFFICE

SITE VISIT FORM

DATE: 6-13-16 ¹⁴ ✓

SHEET: 1 OF 1

PROJECT: Southside Road Incident	COUNTY: Lincoln.
AUTHOR: C. Adams	INCIDENT/SITE #:

NCN000410439

ABSTRACT:

0905-158365- vehicle check - clear few clouds no wind
 HOT + HUMID -

↳ to Lincoln ton -

1010 - Don PDE @ Southside BAPT. St Church

295 - Southside Church Road - no one home
 Knocked on door.

1020 - 406 Southside Church Road -
 Knocked on door - no one home.

1110 - @ 2119 old carpenter Road & met w/ Kim and Virginia

[WSW-1] discussed sampling WSW - mt. gator if not safe Bell
 ↳ Southside Road

Start page @ 1119 -
 ↓ Small box 6"
 WSW.

Stopping @ 1134

sampled

WSW-1 1135

clear colorless no odor

Chestnut trees

Spits sand like -

↳ DERIVED FROM

12 Binon Road -

↓

1210 - cows none - truck Gastonia city police car - no answer

277 Binon Road - no one home - observed →

2133 - Gastonia Hwy - 1215 - no one home knocked on primary residence and new clubhouse

1310 - 2121 Gastonia Hwy - one of 2103 - Gastonia -

SITE VISIT FORM (Cont.)

PROJECT: Southside Road -

DATE: 6-14-16


NCN000410439 -

SHEET: 2 OF

Charles - Anthony - we can sample his well
 1345 - 2121 - Gastonia Hwy -

↓
 purge stored wsw 2 -
 collected at wsw -
 well tag - depth of
 pump - 49'

date (3-14-) - depth 49'
 Cas. ng 49' - 24" wsw -
 Static H₂O 14 b/s 3-11-
 3 gpm -



I explained to Charles that 2103 Gastonia Hwy was not on City H₂O according to the county - we could sample to evaluate for UCs b/c there was a release somewhere near Southside Road - I could pay for the tests but not the hookup if the H₂O was unsafe - but I could pay at an owner - no authority to abandon or condemn well - agreed to have his wsw checked - Both wells are shallow -

1400 → stop purge

wsw-2 1405 clear colorless ~~no~~ no odor CoDA saw it was off

2133 Gastonia Hwy -

1415 - stopped by again knocked on main house - double wide not home - dog was out this time.

1425 - @ 277 Bynum Road → does not appear occupied - knocked and no one home: called Michael Kilpatrick

182 Bynum Road - @ 1430 -

talked to Sheryl - she signed consent form - 50
 wsw-3 - 1440 - purge 15 mins start stop 1453 → H₂O smelled so we stopped

1455 - sample wsw-3 clear colorless - no odor -

Purge was 12 mins - decreased volume - so stopped → Sheryl said that left sprinkler on last night and ran it dry

old new sample in the driveway

SITE VISIT FORM (Cont.)


PROJECT: Southside Road Incident
DATE: 6-14-16 - NCN600410439 -

SHEET: 3 OF

So stopped and noted 3mins early to page

DER verified of ✓

WSW-3 1455 ⇒ clear above business road.



1508 → to MRO - Fed Ex -

1511 → saw someone @ 2133 Coastline Hwy -
1 - metal ring son of Dennis & Linda Bellinger
did not want to be sampled - I explained the offer
to sample and mitigate he said no - he had heard the
message - did not want to be sampled - his truck taste
fire makes good sweet tea -

1520 - resumed to MRO - Fed Ex -

TB-1 0001 ⇒ trip blank

1600 @ Fed Ex prep samples for shipment
↳ #63448514015 -

1635 ⇒ Gas 158439 ⇒ gallons - 9.188 ⇒ \$19.75

1650 158441 ⇒ end @ MRO demo


268 Bynum Road	Zachary & Tiffany Hilton	268 Bynum Road							EPA obtained permission to sample and presumably Brian Croft of Tetra-tech sampled the WSW on 5-23-16 (EPA confirmed on 6/10/16)	Not applicable
277 Bynum Road	Stephanie Whitfield	4648 Lawrenceville Road Loganville, Georgia 30052	5/24/2016	Sent USPS First Class Mail		No Telephone Number Available			Property did not appear occupied 5/20/16, EPA attempted to solicit access at the property on 5/18/16	--
182 Bynum Road	Andrew & Sheryl Pate	182 Bynum Road Lincolnton, North Carolina 28092	5/24/2016	Sent USPS First Class Mail		No Answer on 5/20/16			No answer again on 6/9/16	
194 Bynum Road	Deane Griffin	194 Bynum Road Lincolnton, North Carolina 28092	5/24/2016	Sent USPS First Class Mail		Occupant hung up 5/20/16			N, 6/9/16, Deane Griffin hung up again.	Posted 5/20/16
2234 Gastonia Highway	Thomas Huff, Jr.	2234 Gastonia Highway Lincolnton, North Carolina 28092	5/24/2016	Sent USPS First Class Mail		6/9/2016			N, Observed as 2345 on 5/20/16, Carrie Huff said did not want help, and hung up 6/9/16	Posted 5/20/16
2224 Gastonia Highway	Sarah Brown	2224 Gastonia Highway Lincolnton, North Carolina 28092	5/24/2016	Sent USPS First Class Mail	6/3/2016	Not applicable			N, Owner reported that property shares well with house next door	Posted 5/20/16?
2103 Gastonia Highway (1871)	Charles & Janice Anthony	2121 Gastonia Highway Lincolnton, North Carolina 28092	5/24/2016	Sent USPS First Class Mail		No Telephone Number Available			Woman answer with reverse listing adamant not associated with property, hung up 6/9/16	
2133 Gastonia Highway	Dennis & Linda Dellinger	2133 Gastonia Highway Lincolnton, North Carolina 28092	5/24/2016	Sent USPS First Class Mail		6/9/2016			I left a message for a return call on 6/9/16	
2252 Old Carpenter Lane	Heits of Lander Carpenter c/o Doris Richard	6416 Leatherman Road Vale, North Carolina 28168	5/24/2016	Sent USPS First Class Mail	6/9/2016	Not applicable			N, Property appeared unoccupied and abandoned 5/20/16, occupant letter returned 6/1/16, owner reported connection to city water 6/9/16	NO
2119 Old Carpenter Lane	Kimberly & Virginia Belk	2428 Heavner Road Lincolnton, North Carolina 28092	5/24/2016	Sent USPS First Class Mail	6/2/2016	Not applicable			Y, Request letter cc & env included a typo in the address field (2219), occupant letter returned 6/1/16	
2293 Old Carpenter Lane	Benjamin Cauley	160 Antique Road Lincolnton, NC 28092	6/9/2016	Sent USPS First Class Mail		6/10/2016			I left a message for a return call 6/16/16	Posted 5/20/16?

*Permission form completed by owner and mailed or hand delivered at site to DEQ


Southside Road Incident
Lincolnton, Lincoln
NCN000410439

Property Address	Owner Name	Owner Mailing Address	Date Request Letter Mailed	Date Owner Rec'd	Date Owner Response Rec'd by DEQ	Follow -Up Telephone Request Date	Access * Granted (Y/N)	Property Visit Date
284, 294, 302, 306, 312, & 320 Bynum Road; 2005 Southside Road	William Leonhardt	1607 Country Club Road Lincolnton, North Carolina 28092	2/4/2016	No, FedEx Returned to MRO on 2/23/16	Resent First Class Mail on 2/26/16	No Telephone Number Available	Y (if owner is present on 3/21/16 and sampling includes WSW at 2840 Shoal Road)	3/1/2016
1971 Southside Road	Wesley & Molly Nale	6966 Gene Baxter Lane Vale, North Carolina 28168	2/4/2016	No, FedEx Returned to MRO on 2/23/16	Resent First Class Mail on 2/26/16	No Telephone Number Available	N (property owner reported WSW is still active but home is connected to municipal water)	3/1/2016
295 Southside Church Road	Rick Jarrell	295 Southside Church Road Lincolnton, North Carolina 28092	5/24/2016	Sent USPS First Class Mail		No Telephone Number Available	(Mary Ramsey declined 6-8-09)	
298 Southside Church Road	Kenneth & Thresia Link	1514 Old Mill Road Lincolnton, North Carolina 28092	5/24/2016	Sent USPS First Class Mail		No Telephone Number Available	<i>NO Y OWNERS</i>	
331 Southside Church Road	Randy & Cathy Keener	323 Southside Church Road Lincolnton, North Carolina 28092	5/24/2016	Sent USPS First Class Mail		email 6/9/16	Y, talk to owner 6/10/16, will return the form (already sampled 3-21-16- NDET)	Not applicable
352 Southside Church Road	Vernon Allen Boyd	352 Southside Church Road	5/24/2016	Sent USPS First Class Mail		6/9/2016	N, Vernon Bond said he did not want his well sampled, has filters on 6-9-16.	NO
406 Southside Church Road	Timothy Rash (life estate)	406 Southside Church Road	5/24/2016	Sent USPS First Class Mail		6/9/2016	I left a message for a return call on 6/9/2016	

Southside Drive NCN000410439 Lincoln County Select PCE Detections in Water-Supply Wells



NOTE: This preliminary data sketch is draft and has not been reviewed or validated - gda 1-23-15
Map edited on 1-26-16, 4-15-16, 5-5-16 & remains unvalidated - gda





Address: 109 WILLIAMSON ROAD
MOORESFIELD
NC 28117
Location: SRWKO
Device ID: -BTC01
Employee: 2632737

FedEx Express Package(s) - Dropped Off
634485140115 21.2 lbs. (M)

Total Pieces: 1

Subject to additional charges. See FedEx Service Guide
at fedex.com for details. All merchandise sales final.

Visit us at: fedex.com
Or call 1.800.GoFedEx
1.800.463.3339

June 14, 2016 4:22:35 PM

***** WE LISTEN *****
Tell us how we're doing
& receive a discount on your next order!
fedex.com/welisten or 800-398-0242
Redemption Code: _____

*** Thank you ***

[Ship](#)[Track](#)[Manage My Account](#)[Customs Tools](#)[Office/Print Services®](#)[Login](#)

FedEx® Tracking

634485140115

Ship date:

Tue 6/14/2016

Actual delivery:

Wed 6/15/2016 7:50 am

MOORESVILLE, NC US

**Delivered**

WEST COLUMBIA, SC US

Signed for by: J.KILPATRICK

Returns

Stay connected wherever you are. Track while you travel. ▶

Travel History

▲ Date/Time	Activity	Location
■ 6/15/2016 - Wednesday		
7:50 am	Delivered	WEST COLUMBIA, SC
6:16 am	On FedEx vehicle for delivery	WEST COLUMBIA, SC
6:14 am	At local FedEx facility	WEST COLUMBIA, SC
3:44 am	At destination sort facility	WEST COLUMBIA, SC
■ 6/14/2016 - Tuesday		
8:42 pm	Left FedEx origin facility	CONCORD, NC
6:31 pm	Picked up	CONCORD, NC
4:22 pm	Picked up	MOORESVILLE, NC
	Tendered at FedEx Office	
■ 6/03/2015 - Wednesday		
2:32 pm	Shipment information sent to FedEx	

Shipment Facts

Tracking number	634485140115	Service	FedEx Standard Overnight
Weight	21.2 lbs / 9.62 kgs	Delivered To	Shipping/Receiving
Total pieces	1	Total shipment weight	21.2 lbs / 9.62 kgs
Return reason		Terms	Shipper
Packaging	Your Packaging	Special handling section	Deliver Weekday

[Search](#)

Additional Information

[About FedEx](#)[Service Information](#)[Service Guide](#)[Mobile Solutions](#)[Healthcare Solutions](#)[Aerospace Solutions](#)[Careers](#)

Customer Support

[Contact Us](#)[Frequently Asked Questions](#)[Send us an email](#)[Write to us](#)[Call FedEx Customer Service at](#)

1.800.GoFedEx 1.800.463.3339

Follow FedEx

[Canada - English](#)



Chain of Custody Record

SHEALY ENVIRONMENTAL SERVICES, INC.
 106 Vantage Point Drive • West Columbia, SC 29172
 Telephone No. 803-791-9700 Fax No. 803-791-9111
 www.shealylab.com

Please include
 estimated values

Number **61488**

Client **NCDEQ-DWM-SF-IHSB**

Report to Contact: **Vince Antrilli / George Adams**
 Telephone No. / E-mail: **Vince.antrilli@ncdenr.gov**
 Analysis (Attach list if more space is needed): **george.adams@ncdenr.gov**

Address: **610 East Center Ave #301**
 City: **Mooresville** State: **NC** Zip Code: **28115**

Project Name: **Southside Rd Incident**

Sampler's Signature: *George Adams*
 Printed Name: **George Adams**

Project No.	Sample ID / Description (Containers for each sample may be combined on one line.)	Date	Time	Matrix						No. of Containers by Preservative Type	Remarks / Cooler I.D.	Quote No.			
				Aqueous	Solid	Non-Aqueous	Unpres.	H2SO4	HNO3				HCl	NaOH	5035 KI
NCND000410439	WSW-1	6-14-16	1135	G						1/6					
	WSW-2	6-14-16	1405	G						1/6					
	WSW-3	6-14-16	1455	G						1/6					
	TB-1	6-14-16	0001	G						1/6					

Turn Around Time Required (Prior lab approval required for expedited TAT.)
 Standard Rush (Specify)

Sample Disposal: Return to Client Disposal by Lab

Possible Hazard Identification:
 Non-Hazard Flammable Skin Irritant Poison Unknown

QC Requirements (Specify): **include 115" values**

1. Relinquished by: *George Adams / George Adams* Date: **6-14-16** Time: **1135**

2. Relinquished by: _____ Date: _____ Time: _____

3. Relinquished by: _____ Date: _____ Time: _____

4. Relinquished by: _____ Date: _____ Time: _____

Note: All samples are retained for four weeks from receipt unless other arrangements are made.

LAB USE ONLY
 Received on ice (Circle) Yes No Ice Pack Receipt Temp. _____ °C

Water-Supply Survey & Sampling Request

919-614-8401

Subject Property Address

Street: 2119 Old Carpenter lane

City: Lincolnton County: Lincoln

RECEIVED

JUN 2 2016

Property Owner Information

Name: Kimberly D Belk ; Virginia A. Belk

Street: 2428 Heavner Rd

City: Lincolnton County: Lincoln Telephone Number: 980-333-7843

MRO - IHSB

Is the subject property improved with buildings or structures? Yes (No) (circle yes or no)

Is the subject property currently occupied? Yes (No)

What is the current source of drinking (potable) water at the subject property? (circle one of the following)

City Water / Water-Supply (Well) / Community Shared Well (Spring) / Other (explain)

Is there a water-supply well at the subject property? (Yes) / No

How many water-supply wells are located at the subject property? 1

Have any water-supply wells been permanently closed and abandoned (filled in with cement) Yes (No)

What is the water-supply well used for? (circle all that apply)

(Drinking) / (Irrigation) / Swimming Pool / Water Livestock / Other (please explain)

How deep is your water-supply well? unknown When was your well installed? unknown

Does the well at your property supply water to other residences, businesses, or properties? Yes (No)

(please explain)

PLEASE CHECK ONE OF THE FOLLOWING

YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.

NO, I do not agree to allow the water sources at my property to be sampled.

Survey completed by: Kim ; Virginia Belk

May 30, 2016

Name

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ
610 East Center Avenue # 301
Mooreville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov



PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

PROPERTY ACCESS AUTHORIZATION & SAMPLING PERMISSION FORM

I am the owner of the property located at 182 Bynum Road,
and I am authorized to complete this form.

PLEASE CHECK ONE OF THE FOLLOWING

YES, I grant the Division of Waste Management and/or its contractors permission to access my property and collect samples (as described below) from my property.

NO, I do not grant the Division of Waste Management and/or its contractors permission to access my property and collect samples from my property.

Proposed samples that may be collected from my property include the following:

- Potable Well - Does your well have a treatment system? (Yes/No) _____
- Soil
- Groundwater
- Other (Include Description) _____

Analyses: VOCs SVOCs Metals Pesticides Other

Sheryl Pate
(Print Name)

(704) 740-7547
(Telephone Number)

Sheryl Pate
(Signature)

6-14-16-
(Date)

Please return a completed form to the address below or by fax at (704) 663-6040.

**George Adams, NCDWM
610 East Center Avenue # 301
 Mooresville, NC 28115**

NCN000410439



PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

PROPERTY ACCESS AUTHORIZATION & SAMPLING PERMISSION FORM

I am the owner of the property located at 2121 Gastonia Hwy
and I am authorized to complete this form.

PLEASE CHECK ONE OF THE FOLLOWING

YES, I grant the Division of Waste Management and/or its contractors permission to access my property and collect samples (as described below) from my property.

NO, I do not grant the Division of Waste Management and/or its contractors permission to access my property and collect samples from my property.

Proposed samples that may be collected from my property include the following:

- Potable Well - Does your well have a treatment system? (Yes/No) _____
- Soil
- Groundwater
- Other (Include Description) _____

Analyses: VOCs SVOCs Metals Pesticides Other

Charles Anthony
(Print Name)

704 732-1743
(Telephone Number)

[Signature]
(Signature)

6-14-16-
(Date)

Please return a completed form to the address below or by fax at (704) 663-6040.

**George Adams, NCDWM
610 East Center Avenue # 301
Mooresville, NC 28115**

NCN000410439

Water-Supply Survey & Sampling Request

Subject Property Address

Street: 331 Southside Ch Rd

City: Lincolnton

County: Lincoln

RECEIVED
JUN 13 2016
MRO - IHSB

Property Owner Information

Name: Randy Keener

Street: 323 Southside Ch Rd

City: Lincolnton

County: Lincoln

Telephone Number: 704-718-8683

Is the subject property improved with buildings or structures? Yes / No (circle yes or no)

Is the subject property currently occupied? Yes / No

What is the current source of drinking (potable) water at the subject property? (circle one of the following)
City Water / Water-Supply Well / Community Shared Well / Spring / Other (explain)

Is there a water-supply well at the subject property? Yes / No

How many water-supply wells are located at the subject property? 1

Have any water-supply wells been permanently closed and abandoned (filled in with cement) Yes / No

What is the water-supply well used for? (circle all that apply)

Drinking / Irrigation / Swimming Pool / Water Livestock / Other (please explain)

How deep is your water-supply well? ?

When was your well installed? ?

Does the well at your property supply water to other residences, businesses, or properties? Yes / No

(please explain)

PLEASE CHECK ONE OF THE FOLLOWING



YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.



NO, I do not agree to allow the water sources at my property to be sampled.

Survey completed by:

Randy Keener
Name

6-10-16

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ

610 East Center Avenue # 301

Mooreville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov

Water-Supply Survey & Sampling Request

Subject Property Address

Street: 2252 Old Carpenter Lane
City: Lincoln County: Lincoln

RECEIVED
JUN 9 2016
MRO - IHSB

Property Owner Information

Name: Doris Richard
Street: 6416 Leatherman Rd.
City: VALE, NC 28168 County: Telephone Number:

Is the subject property improved with buildings or structures? Yes / **(No)** (circle yes or no)

Is the subject property currently occupied? Yes / **(No)**

There was never a well on this property.

What is the current source of drinking (potable) water at the subject property? (circle one of the following)

(City Water) / Water-Supply Well / Community Shared Well / Spring / Other (explain)

Water was piped from Grandfather's well, prior to 1998.

Is there a water-supply well at the subject property? Yes / **(No)**

How many water-supply wells are located at the subject property? *None*

Have any water-supply wells been permanently closed and abandoned (filled in with cement) **(Yes)** / **(No)**

City water was piped in 1998 after DENE passed away.

What is the water-supply well used for? (circle all that apply)

(Drinking) / Irrigation / Swimming Pool / Water Livestock / Other (please explain) *None*

How deep is your water-supply well?

When was your well installed?

Does the well at your property supply water to other residences, businesses, or properties? Yes / **(No)**

(please explain) *Not used there ~~there~~ ^{there} never was one there tried to drill but got no water.*

PLEASE CHECK ONE OF THE FOLLOWING

YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.

NO, I do not agree to allow the water sources at my property to be sampled.

It is city water

Survey completed by: *Doris A. Richard*

5-31-16

Name

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ
610 East Center Avenue # 301
Mooreville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov

Water-Supply Survey & Sampling Request

Subject Property Address		RECEIVED JUN 3 2016 MRO - IHSB
Street: 2224 East Hwy -		
City: Lenoir NC	County: Lincoln	
Property Owner Information		
Name: Sarah Huff		
Street: 2224 East Hwy		
City: Lenoir NC	County: Lincoln	Telephone Number:
Is the subject property <u>improved</u> with buildings or structures? Yes / No (circle yes or no)		
Is the subject property currently <u>occupied</u> ? Yes / No		
What is the current source of drinking (potable) water at the subject property? (circle one of the following) City Water / Water-Supply Well / Community Shared Well / Spring / Other (explain) _____		
Well from son next door		
Is there a water-supply well at the subject property? Yes / No		
How many water-supply wells are located at the subject property? <u>none</u>		
Have any water-supply wells been permanently closed and abandoned (filled in with cement) Yes / No		
What is the water-supply well used for? (circle all that apply)		
Drinking / Irrigation / Swimming Pool / Water Livestock / Other (please explain) _____		
How deep is your water-supply well? <u>don't know</u> When was your well installed?		
Does the well at your property supply water to other residences, businesses, or properties? Yes / No		
<u>it is next door</u>		
(please explain) _____		
PLEASE CHECK ONE OF THE FOLLOWING		
<input type="checkbox"/> YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.		
<input checked="" type="checkbox"/> NO, I do not agree to allow the water sources at my property to be sampled.		
Survey completed by: <u>Sarah Huff</u>		<u>5-26-16</u>
Name		Date
Please return a <u>completed</u> survey by June 10, 2016 by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.		
George Adams, NCDEQ 610 East Center Avenue # 301 Mooreville, NC 28115		
If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov		

No not have well on my property it is next door

Water-Supply Survey & Sampling Request

Subject Property Address

Street: 2119 Old Carpenter lane

City: Lincolnton County: Lincoln

RECEIVED

JUN 2 2016

Property Owner Information

Name: Kimberly D Belk & Virginia A. Belk

Street: 2428 Heavner Rd

City: Lincolnton County: Lincoln Telephone Number: 980-333-7843

Is the subject property improved with buildings or structures? Yes **(No)** (circle yes or no)

Is the subject property currently occupied? Yes / **(No)**

What is the current source of drinking (potable) water at the subject property? (circle one of the following)
City Water / **(Water-Supply Well)** / Community Shared Well / **(Spring)** / Other (explain) _____

Is there a water-supply well at the subject property? **(Yes)** / No

How many water-supply wells are located at the subject property? 1

Have any water-supply wells been permanently closed and abandoned (filled in with cement) Yes / **(No)**

What is the water-supply well used for? (circle all that apply)

(Drinking) / Irrigation / Swimming Pool / Water Livestock / Other (please explain) _____

How deep is your water-supply well? unknown When was your well installed? unknown

Does the well at your property supply water to other residences, businesses, or properties? Yes / **(No)**

(please explain) _____

PLEASE CHECK ONE OF THE FOLLOWING

YES, I agree to allow the IHSB to sample (or to contract to sample) the water sources at my property.

NO, I do not agree to allow the water sources at my property to be sampled.

Survey completed by: Kim & Virginia Belk

Name

May 30, 2016

Date

Please return a completed survey by **June 10, 2016** by using the self-addressed and postage-paid envelope and sending it to the address below or by fax at (704) 663-6040.

George Adams, NCDEQ
610 East Center Avenue # 301
Mooreville, NC 28115

If you have questions or need more information, please contact George Adams by phone at 704-663-1699, extension 2187 or by email at george.adams@ncdenr.gov



NORTH CAROLINA DEPARTMENT OF ENVIRONMENTAL QUALITY
MOORESVILLE REGIONAL OFFICE
610 EAST CENTER AVENUE, SUITE 301
MOORESVILLE, NC 28115

RECEIVED

JUN 1 2016

DENR-DEMLR
Land Quality Section
Mooreville Regional Office

Current Occupant
2219 Old Carpenter Lane
Lincolnton, North Carolina 28092



02 1P
0000877578
MAY 24 2016
MAILED FROM ZIP CODE 28115

RECEIVED

JUN 1 2016

MRO - IHSB

NIXIE 262 5E 1 0005/31/16

RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD

BC: 28115257899 *2448-03489-24-41

28092-1482419



Waste Management
ENVIRONMENTAL QUALITY

PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Kimberly & Virginia Belk
2428 Heavner Road
Lincolnton, North Carolina 28092

Re: Water-Supply Survey & Sampling Request
2119 Old Carpenter Lane
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owners:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the IHSB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June**

Kimberly & Virginia Belk
May 24, 2016
Page 2 of 2

10, 2016. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,



George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
Self-Addressed / Postage-Paid Envelope

cc: Current Occupant (w/o enc)
2219 Old Carpenter Lane
Lincolnton, North Carolina 28092



Environmental
Quality

NORTH CAROLINA DEPARTMENT OF
ENVIRONMENTAL QUALITY
MOORESVILLE REGIONAL OFFICE
610 EAST CENTER AVENUE, SUITE 301
MOORESVILLE NC 28115

RECEIVED

JUN 1 2016

DENR-DEMLR
Land Quality Section
Mooreville Regional Office

Current Occupant
2252 Old Carpenter Lane
Lincolnton, North Carolina 28092



RECEIVED

JUN 1 2016

MRO-IHSB

NIXIE 282 SE 1 0005/31/16
RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD
BC: 28115257899 *2448-03415-24-41

2809214503415



Waste Management
ENVIRONMENTAL QUALITY

PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Director

May 24, 2016

Heirs of Lander Carpenter
c/o Doris Richard
6416 Leatherman Road
Vale, North Carolina 28168

Re: Water-Supply Survey & Sampling Request
2252 Old Carpenter Lane
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owners:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. This review was conducted as part of a "Water-Supply Survey" of select parcels along or near Bynum Road, Southside Church Road, and Southside Road in Lincoln County. At the present time, the IHSB is proposing to sample select water-supply wells and/or springs in this area, and the IHSB has been unable to identify the source of drinking (potable) water at your property.

The purpose of this letter is to definitively determine the source of potable water at your property so that the Water-Supply Survey may be completed. In addition, the letter also is a request to obtain your permission to sample water-supply wells or springs located at or serving as a source of water for the addresses noted above. This information will allow the ISHB to continue to investigate potential risks posed by known or suspected hazardous substance releases, which have been reported in your community. **The success of our investigation may depend on your participation.**

If you grant permission for sampling of your water supply, you would not have to be present to have your well or spring sampled, and there would be **no cost** to you. A groundwater sample would be collected from a faucet near the well or spring house or along an exterior wall of the structure. Subsequently, the sample would be submitted for laboratory analyses and a copy of the results will be sent to you at the address noted above.

Please complete the enclosed Water-Supply Survey by indicating the current source of potable water at your property, if your property is improved with buildings and structures, and if your property is currently occupied. If the source of water at your property is groundwater from a water-supply well or spring, please attempt to answer the remaining questions on the survey. To complete the form, indicate if you "would" or "would not" like to have your water-supply sampled

Heirs of Lander Carpenter
May 24, 2016
Page 2 of 2

and return the survey to me in the enclosed self-addressed and postage-paid envelope **by June 10, 2016**. The fieldwork associated with water-sampling has been tentatively scheduled for the week of June 13, 2016.

Because your property may obtain potable water from another source such as public water or your property may not have a water-supply well or spring, it is important that you respond to this information request by returning a completed survey. This will allow the IHSB to correctly identify the source of drinking water at your property and focus our limited resources. If you have questions or need assistance completing the survey, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,



George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Water Supply Survey & Sampling Request
Self-Addressed / Postage-Paid Envelope

cc: Current Occupant (w/o enc)
2252 Old Carpenter Lane
Lincolnton, North Carolina 28092



Environmental
Quality

NORTH CAROLINA DEPARTMENT
OF ENVIRONMENTAL QUALITY
MOORESVILLE REGIONAL OFFICE
610 EAST CENTER AVENUE, SUITE 301
MOORESVILLE, NORTH CAROLINA 28115

Division Waste Management
Inactive Hazardous Sites Branch

RECEIVED

MAY 13 2016

MRO - IHSB

Current Occupant
174 Bynum Road
Lincolnton, North Carolina 28092



UNITED STATES POSTAGE
PITNEY BOWES
02 1P \$ 000.485
0000877578 MAR 31 2016
MAILED FROM ZIP CODE 28115


NIXIE 282 SE 1 7205/11/16

RETURN TO SENDER
UNCLAIMED
UNABLE TO FORWARD

2809287013 RC

28115 02578

BC: 28115257899 *0448-08272-31-43





PAT MCCRORY
Governor

DONALD R. VAN DER VART
Secretary

MICHAEL SCOTT
Acting Director

RECEIVED

MAY 13 2016

MRO - IHSB

March 31, 2016

Ramon Hernandez
102 Keever Street
Lincolnton, North Carolina 28092

Re: Request for Crawl Space or Basement Air Sampling
174 Bynum Road
Lincolnton, Lincoln County, North Carolina
NCN000410439

Dear Property Owner:

The Inactive Hazardous Sites Branch (IHSB) of the North Carolina Division of Waste Management (Division) has reviewed Lincoln County tax records that indicate you may own property at the above referenced location. The Division is proposing to oversee environmental assessment activities at select properties along Southfork Road, Southside Road, and Bynum Road in Lincolnton, Lincoln County.

Background

In 1996, the Division of Water Resources (DWR) began a groundwater investigation in the Southside Road neighborhood. Groundwater samples were collected from water-supply wells and analyzed for select Volatile Organic Compounds (VOCs). Dissolved concentrations of tetrachloroethene (PCE) were reported above Federal drinking water standards. Subsequently, Lincoln County Commissioners reduced the connection fees to municipal water at residential properties affected by this contamination. The DWR investigation concluded by May 2000.

In August 2008, the IHSB performed a review of the Division records and offered financial assistance for a municipal connection at select properties with active water-supply wells and previously reported PCE contamination. In May 2009, the Division conducted limited well sampling and forwarded the Site to the United States Environmental Protection Agency (USEPA). In July 2009, the USEPA performed a groundwater sampling event and provided municipal water connections to three residences. In 2015, the Division followed up with additional sampling of water-supply wells.

Purpose & Scope

The purpose of this letter is to solicit your participation in a limited assessment to investigate the structural vapor intrusion potential at the residential structure located at the address above. Reported concentrations of PCE in groundwater in your community exceed the Division's Residential Vapor Intrusion Screening Concentrations, which suggests the potential to affect the indoor air quality within homes in your community.

At the present time, the remedial investigation of hazardous substance discharge remains incomplete and the current configuration of the groundwater plume is not known. Because the source of contamination has not been determined, the IHSB is proposing to collect air samples from residential crawl spaces or basements at select locations with or near previously reported water-supply wells impacted with PCE.

With your permission, the IHSB will contract to deploy a Summa canister in a crawl space or basement of your residence. The Summa canister is a 6 liter stainless steel round container that is designed to collect an air sample over a designated time interval such as 8 or 24 hours. The size of a Summa canister resembles a typical basketball. If you grant access, the IHSB and/or its contractor will contact you to conduct a short interview about VOCs that may already be present in your crawl space or basement. The contractor will also schedule a convenient time to deploy the canister and collect it approximately 24 hours later. If insufficient space exists in the substructure for a Summa canister, a smaller passive device may be used instead.

Property Access Authorization & Sampling Permission

Please complete the enclosed Property Access Authorization & Sampling Permission Form and indicate if you “Yes, grant” or “No, do not grant” authorization and permission to access and collect air samples at your property. Please return the form to me in the enclosed self-addressed and postage-paid envelope by **April 15, 2016**.

The proposed environmental assessment activities described in this letter will be performed at no cost to you. Upon the conclusion of assessment activities, a copy of our findings will be sent to you at the address referenced above. If you have questions regarding the proposed work or need further information, please contact me at george.adams@ncdenr.gov or (704) 663-1699.

Sincerely,

/s/ George Adams

George D. Adams, Engineer
Division of Waste Management, NCDEQ

Enclosure: Property Access Authorization & Sampling Permission Form
Self-Addressed / Postage-Paid Envelope

cc: Current Occupant (w/o enc)
174 Bynum Road
Lincolnton, North Carolina 28092

ec: Scott Sneed
Lincoln County Environmental Health
ssneed@lincolncounty.org