

FACILITY COMPLIANCE INSPECTION REPORT
Department of Environmental Quality
Division of Waste Management - Solid Waste Section

UNIT TYPE:												
Lined MSWLF		LCID		YW		Transfer		Compost		SLAS	X	COUNTY: Columbus PERMIT NO.: SLAS-24-07 FILE TYPE: COMPLIANCE
Closed MSWLF		HHW		White goods		Incin		T&P		FIRM		
CDLF		Tire T&P / Collection		Tire Monofill		Industrial Landfill		DEMO		SDTF		

Date of Site Inspection: 11/03/15

Date of Last Inspection: 09/22/15

FACILITY NAME AND ADDRESS:

*Ben Harrelson
 Rudolph Inman Septic Tank Service
 5454 James B. White Hwy. S.
 Whiteville, NC 28472*

GPS COORDINATES:

N: 34.24136

E: -78.70826

FACILITY CONTACT NAME INFORMATION:

Name: *Ben Harrelson*
Address: *Same as Above*
Telephone: *910-642-7431*
Email address:

PARTICIPANTS:

Chester Cobb

STATUS OF PERMIT:

Active

EXPIRES:

01/01/15

PURPOSE OF SITE VISIT:

Complaint

STATUS OF PAST NOTED VIOLATIONS:

No violations noted on the previous inspection conducted on 09/22/15.

OBSERVED VIOLATIONS:

NONE

The item(s) listed above were observed by Section staff and require action on behalf of the facility in order to come into or maintain compliance with the Statutes, Rules, and/or other regulatory requirements applicable to this facility. Be advised that pursuant to N.C.G.S. 130A-22, an administrative penalty of up to \$15,000 per day may be assessed for each violation of the Solid Waste Laws, Regulations, Conditions of a Permit, or Order under Article 9 of Chapter 130A of the N.C. General Statutes. Further, the facility and/or all responsible parties may also be subject to enforcement actions including penalties, injunction from operation of a solid waste management facility or a solid waste collection service and any such further relief as may be necessary to achieve compliance with the North Carolina Solid Waste Management Act and Rules.

CONTINUE ON BACK

FACILITY COMPLIANCE INSPECTION REPORT
Division of Waste Management
Solid Waste Section

Page 2 of 2

AREAS OF CONCERN AND COMMENTS:

- 1) A complaint was received of issues on a septage land application site in Columbus County. No specifics was given in the complaint as to the issue or location of the site.
- 2) A quick inspection was done of the site to make sure that there were no major crop or application issues. It was raining at the time of inspection. I did not noticed any major issues with the field.
- 3) Septage had been applied to Field 2 recently.
- 4) I did not confirm that a small grain crop (rye) had been planted on the Fields. A crop is needed on the fields for the winter months if septage is going to be applied to the fields.



Picture of Field 1.



Picture of Field 2.

Please contact me if you have any questions or concerns regarding this inspection report.

 Chester R. Cobb, Soil Scientist
 Division of Waste Management, NCDEQ
Regional Representative

Phone: (919) 707-8283.

Sent on: 07/06/16		Email		Hand delivery	X	US Mail		Certified No. []
-------------------	--	-------	--	---------------	---	---------	--	-------------------