

From: [Harvell, Dianne](#)
To: [Siedlecki, Mary](#); [Mort, Sandra L](#)
Cc: [Timpy, Catherine](#); [Mccarty, Bud](#)
Subject: RE: Daikin site downstream surface water
Date: Wednesday, June 01, 2016 3:27:40 PM
Attachments: [image001.png](#)
[image002.png](#)

Yes

From: Siedlecki, Mary [mailto:mary.siedlecki@ncdenr.gov]
Sent: Wednesday, June 01, 2016 2:00 PM
To: Harvell, Dianne; Mort, Sandra L
Cc: Timpy, Catherine; Siedlecki, Mary; Mccarty, Bud
Subject: RE: Daikin site downstream surface water

Dianne – our risk communicator is out of the country. Can we get back in touch with you in one to two weeks? Please let me know if this is ok. Thank you in advance.

Mary Siedlecki
Project Manager
Facility Management Branch
Hazardous Waste Section
Division of Waste Management
Department of Environmental Quality

919-707-8208 office
Mary.siedlecki@ncdenr.gov

217 West Jones Street
1646 Mail Service Center
Raleigh, NC 27699-1646



Email correspondence to and from this address is subject to the North Carolina Public Records Law and may be disclosed to third parties.

From: Harvell, Dianne [mailto:DHarvell@nhcgov.com]
Sent: Wednesday, June 01, 2016 11:41 AM
To: Siedlecki, Mary <mary.siedlecki@ncdenr.gov>
Cc: Timpy, Catherine <CTimpy@nhcgov.com>
Subject: RE: Daikin site downstream surface water

Mary – how is this language, both English & Spanish?

ATTENTION

SWIMMING OR OTHER CONTACT
WITH THESE WATERS
IS NOT RECOMMENDED
TESTING INDICATES LEVELS
OF VINYL CHLORIDE
THAT MAY POSE HEALTH RISKS

NEW HANOVER COUNTY
HEALTH DEPARTMENT

From: Siedlecki, Mary [<mailto:mary.siedlecki@ncdenr.gov>]

Sent: Wednesday, June 01, 2016 10:25 AM

To: Mort, Sandra L; Harvell, Dianne

Cc: Mccarty, Bud; Siedlecki, Mary

Subject: RE: Daikin site downstream surface water

Ms. Harvell – My name is Mary Siedlecki. I work with Sandy Mort at the North Carolina Department of Environmental Quality. I participated in the conference call on May 11, 2016, regarding elevated vinyl chloride concentrations in a stream running adjacent to a residential neighborhood in Wilmington, North Carolina.

During our conference call, we discussed posting signage along the stream as a safety precaution. It was my understanding that you and your team were going to draft some sample language for the sign. I wanted to follow up and make sure you were not waiting for anything from us.

Both Sandy and I are available to assist you in any way you like. Thank you.

Mary Siedlecki

Project Manager

Facility Management Branch

Hazardous Waste Section

Division of Waste Management

Department of Environmental Quality

919-707-8208 office

Mary.siedlecki@ncdenr.gov

217 West Jones Street

1646 Mail Service Center

Raleigh, NC 27699-1646



Email correspondence to and from this address is subject to the North Carolina Public Records Law and may be disclosed to third parties.

From: Mort, Sandra L
Sent: Thursday, May 12, 2016 4:12 PM
To: धारवेल्ल@nhcgov.com
Cc: Siedlecki, Mary <mary.siedlecki@ncdenr.gov>
Subject: Daikin site downstream surface water

Ms. Harvell –

Thank you and Cathy Timpy for speaking with Mary Siedlecki and I yesterday regarding the former Daikin/Heatcraft facility site at 602 Sunnyvale Drive, Wilmington. Attached is a mock-up of a warning sign (the Word document) and a picture of a similar type warning sign as an example (the jpg). The mock-up sign includes one of many links to generate a QR code and the web link to access vinyl chloride factsheets from the ATSDR.

Also attached is a pdf file with a site drawing and a figure depicting the creek downstream from the Daikin site and the most recent surface water vinyl chloride analytical data.

This link (<http://deq.nc.gov/about/divisions/waste-management/waste-management-rules-data/waste-management-gis-map>) will take you to a DEQ Division of Waste Management site to access GIS data and maps, including hazardous waste sites.

As I mentioned Mercedes Hernandez-Pelletier is an excellent resource for assisting with the sign “messaging”. Her contact information at NCDHHS is:

*Mercedes Hernández-Pelletier, MPH, CHES
Principal Investigator/Program Coordinator/Community Health Educator
Division of Public Health, Occupational and Environmental Epidemiology Branch
North Carolina Department of Health and Human Services
919 707 5952 office
919 870 4807 fax
mercedes.hernandez-pelletier@dhhs.nc.gov
5505 Six Forks Rd.
1912 Mail Service Center
Raleigh, NC 27699-1912*

Lastly, my contact information is below and Mary Siedlecki’s is:

*Mary Siedlecki
Project Manager
Facility Management Branch*

*Hazardous Waste Section
Division of Waste Management
Department of Environmental Quality
919-707-8208 office
Mary.siedlecki@ncdenr.gov
217 West Jones Street
1646 Mail Service Center
Raleigh, NC 27699-1646*

If there is anything else that you need in the short term, please do not hesitate to contact either Mary or I.
Sandy Mort

Dianne Harvell | Environmental Health Services Manager

Health - Environmental Health Services

New Hanover County

230 Government Center Drive, Suite 140

Wilmington, NC 28403

(910) 798-6665 p | (910) 798-7815 f

www.nhcgov.com

Sandy Mort

Environmental Toxicologist / Risk Assessor
Division of Waste Management – Hazardous Waste & Brownfields
NC Department of Environmental Quality

(919) 707-8217 - Direct Line & Fax
sandy.mort@ncdenr.gov

1646 Mail Service Center
Raleigh, NC 27699-1646



*Email correspondence to and from this address is subject to the
North Carolina Public Records Law and may be disclosed to third parties.*