

November 10, 2015

Ms. Jaclynne Drummond
NCDENR DWM Solid Waste Section
2090 U.S. 70 Highway
Swannanoa, North Carolina 28778-8211

**RE: Operations, Monitoring, and Maintenance Report – October 2015
Avery County Closed MSW Landfill
Spruce Pine, North Carolina**

Dear Ms. Drummond:

Smith Gardner, Inc. (S+G) is pleased to present this report concerning the operation and maintenance (O&M) of the Avery County Closed MSW Landfill (Permit No. 06-01) Landfill Gas Collection and Control System (LFGCCS) and monitoring of the on- and off-site landfill gas probes for the October 2015 monitoring period. Mr. Spencer Hollomon with S+G performed the site visit on October 1, 2015. Site visit details are provided below.

LFG EXTRACTION WELL MONITORING PROGRAM

Monthly monitoring of the LFGCCS will continue and shall include the following items:

- CH₄, O₂, CO₂, and pressure monitoring at each extraction well head;
- CH₄, O₂, CO₂, and pressure monitoring at the flare station; and
- Adjustment of the LFGCCS to balance recovery and ensure safe system operation.

The County will maintain this LFGCCS and will continue to evaluate the effectiveness of increased LFG recovery from the waste mass in alleviating off-site LFG migration. Results from monthly monitoring events will be reported in accordance with the approved LFG Monitoring Plan.

LFG EXTRACTION WELL MONITORING ACTIVITIES

S+G personnel performed the flare station and well field monitoring on October 1st, 2015. Initial measurements indicated there was approximately 26 inches of available vacuum average throughout the well field, ranging from approximately 26 to 27 inches of available vacuum at each of the LFG wells across the well field. The results from this event are summarized below. Recommended actions are underlined. Well field data and flare station data are provided in the attached **Table 1**.

LFG Extraction Well Field

- **W-1 through W-10:** S+G performed methane (CH₄), oxygen (O₂), carbon dioxide (CO₂), and pressure monitoring. No adjustments were made to the extraction well heads during this monitoring event.
- **Orifice Plates:** S+G continues to evaluate orifice plate sizes at wells W5, W7, W9, and W10 during each site visit. As LFG flow potential at these locations remains stable, the correct orifice plate sizes are currently installed.

Flare Station

- **Condensate Tank:** The condensate tank was observed during this site visit; the liquid was at an acceptable level. S+G will continue to monitor the liquid level of the condensate tank.
- **Filter Tank:** The filter tank was observed during the October 2015 site visit and the liquid level was found to be at an acceptable level. S+G will continue to monitor the liquid level of the filter tank.
- **Flare operation:** The flare was off when S+G arrived on-site, however the spark was working. The flare was not able to be ignited prior to S+G leaving the site. S+G will continue to adjust the system to optimize gas flow and quality.

LFG MONITORING WELL (PERIMETER) MONITORING PROGRAM

Mr. Hollomon performed monitoring of the perimeter LFG monitoring network during this event. Monitoring well P3 measured 5.4% by volume of CH₄, which is over the 100% Lower Explosive Limit (LEL); wells P1, P7, and P13 measured 0.4%, 0.7%, and 1.1%, respectively, by volume of CH₄. All other wells, monitored during this event, had no detectable concentrations of CH₄. Results of this monitoring event are included in **Attachment 1**. **Attachment 2** provides a CH₄ concentration graph over time for monitoring wells that have historically had methane present. The current well network will continue to be monitored and data will be reported to NCDENR and the County.

CONCLUSIONS

Currently only P-3 has CH₄ concentrations that exceed the LEL. This is an increase from recent events. We will continue to monitor the CH₄ concentrations at the site monthly.


The next routine monitoring event is scheduled for the second week of November 2015. If you have any questions, or require additional information, please contact us at your earliest convenience at 919-828-0577 or by e-mail (address below).

Ms. Drummond
November 10, 2015
Page 3 of 3

Sincerely,
SMITH GARDNER, INC.



Don M. Misenheimer
Project Scientist, ext. 224
don@smithgardnerinc.com



Joan A. Smyth, P.G.
Senior Hydrogeologist ext. 221
joan@smithgardnerinc.com

Attachments

cc: Eric Foster – Avery County
Deb Aja – NCDENR
file

This page intentionally left blank.

FIGURE

This page intentionally left blank.



LEGEND

- EXISTING LANDFILL GAS PROBE
- ④ OFFSITE STRUCTURE TO BE MONITORED

REFERENCES

1. ADJACENT PROPERTIES ARE FROM AVERY COUNTY GIS MAPPING DEPARTMENT.
2. MONITORING WELL LOCATIONS FROM FIELD SURVEY DATED 1/14/08, BY SURVEYING SOLUTIONS, P.C.
3. PROPERTY LINE FROM FIELD SURVEY DATED APRIL 9, 2010, BY APPALACHIAN PROFESSIONAL LAND SURVEYORS & CONSULTANTS.
4. LFG PROBES LOCATIONS FROM FIELD SURVEY DATED APRIL 9, 2010, BY APPALACHIAN PROFESSIONAL LAND SURVEYORS & CONSULTANTS. PROBE P-2, P-3, AND P-9 THROUGH P-13 LOCATIONS WERE NOT SURVEYED AND ARE APPROXIMATE.



PREPARED BY: _____ NC LIC. NO. C-0828 (ENGINEERING)
SMITH+GARDNER
 14 N. Boylan Avenue, Raleigh NC 27603 | 919.828.0577

DRAWN:	K.C.B.	APPROVED:	D.M.M.
DATE:	Dec 2013	SCALE:	AS SHOWN
PROJECT NO.:	AVERY 13-6	FIGURE NO.:	1
FILENAME:	AVERY-B0216		

LANDFILL GAS
 MONITORING SYSTEM
 AVERY COUNTY CLOSED MSWLF
 SPRUCE PINE, NORTH CAROLINA

PREPARED FOR: _____

This Page Intentionally Left Blank

TABLE

This page intentionally left blank.

TABLE 1
Avery County Closed MSW Landfill
Landfill Gas Collection and Control System Monitoring
September 2015

DataField - GEM Mode Data Output

Device ID	Date/Time	CH4	CO2	O2	Balance	Init. Temperature	Init. Static Pressure	Adj. Static Pressure	Adj. Diff. Pressure*	Init. Flow	Adj. Flow	System Pressure
	mm/dd/yyyy	%	%	%	%	deg F	in H2O	in H2O	in H2O	Scfm	Scfm	in H2O
VERY-W1	10/1/2015 10:14	70.4	29.6	0	0	78	-26.83	-26.85	0.004	2.1	2.2	-27.2
VERY-W2	10/1/2015 9:25	52	29.9	0.1	18	79	-26.21	-26.18	0.013	3.6	4.1	-26.17
VERY-W3	10/1/2015 9:49	67.9	32.1	0	0	78	-26.09	-26.14	-0.002	<<>>	<<>>	-26.03
VERY-W4	10/1/2015 13:12	25.7	26.2	0.5	47.6	79	-23.21	-23.18	0.012	3.8	3.5	-26.8
VERY-W5	10/1/2015 11:24	29.4	26.5	0.1	44	81	-25.32	-25.29	0.682	2.6	2.6	-26.14
VERY-W6	10/1/2015 11:17	8.3	19.8	2.3	69.6	80	-6.58	-6.58	0.007	7	4.9	-26.06
VERY-W7	10/1/2015 11:07	9.3	22.2	1.1	67.4	80	-12.85	-12.84	<<>>	N/A	N/A	-26.12
VERY-W8	10/1/2015 11:38	9	20.1	3.2	67.7	80	-24.11	-24.09	0	2.2	1	-26.7
VERY-W9	10/1/2015 9:57	27.2	26.4	0.4	46	78	-26.03	-26	0.153	1	1.2	-25.89
AveryW10	10/1/2015 9:31	63.6	36.4	0	0	77	-26.21	-26.22	0.008	0.2	0.3	-26.24
Av-Flare	10/1/2015 11:44	15.7	14.8	7.3	62.2	NA	2.6	2.58	2.539	36	35.1	N/A

*The differential pressure measurement should be positive. A negative differential pressure indicates no gas flow. Negative differential pressure may be the result of dirt or water obstructing the pitot tube perforations. Overpulling by adjacent extraction wells may also result in negative pressure being displayed.

<<>> = measurement out of range of GEM 2000 meter. The reading was likely too low for measurement by the instrument.

This page intentionally left blank.

Attachment 1

This page intentionally left blank.

DENR USE ONLY:

Paper Report

Electronic Data - Email CD (data loaded: Yes / No)

Doc/Event #:

NC DENR

Division of Waste Management - Solid Waste

Environmental Monitoring Reporting Form

Notice: This form and any information attached to it are "Public Records" as defined in NC General Statute 132-1. As such, these documents are available for inspection and examination by any person upon request (NC General Statute 132-6).

Instructions:

- Prepare one form for each individually monitored unit.
- Please type or print legibly.
- Attach a notification table with values that attain or exceed NC 2L groundwater standards or NC 2B surface water standards. The notification must include a preliminary analysis of the cause and significance of each value. (e.g. naturally occurring, off-site source, pre-existing condition, etc.).
- Attach a notification table of any groundwater or surface water values that equal or exceed the reporting limits.
- Attach a notification table of any methane gas values that attain or exceed explosive gas levels. This includes any structures on or nearby the facility (NCAC 13B .1629 (4)(a)(i)).
- Send the original signed and sealed form, any tables, and Electronic Data Deliverable to: Compliance Unit, NCDENR-DWM, Solid Waste Section, 1646 Mail Service Center, Raleigh, NC 27699-1646.

Solid Waste Monitoring Data Submittal Information

Name of entity submitting data (laboratory, consultant, facility owner):

Smith Gardner, Inc.

Contact for questions about data formatting. Include data preparer's name, telephone number and E-mail address:

Name: Joan Smyth, PG

Phone: 919-828-0577 x 221

E-mail: joan@smithgardnerinc.com

Facility name:

Facility Address:

Facility Permit #

NC Landfill Rule:
(.0500 or .1600)

Actual sampling dates (e.g.,
October 20-24, 2006)

Avery County Closed MSW Landfill

Brushy Creek Road, Spruce Pine, NC

06-01

.0500

October 1, 2015

Environmental Status: (Check all that apply)

- Initial/Background Monitoring Detection Monitoring Assessment Monitoring Corrective Action

Type of data submitted: (Check all that apply)

- Groundwater monitoring data from monitoring wells Methane gas monitoring data
 Groundwater monitoring data from private water supply wells Corrective action data (specify) _____
 Leachate monitoring data Other(specify) _____
 Surface water monitoring data

Notification attached?

- No. No groundwater or surface water standards were exceeded.
 Yes, a notification of values exceeding a groundwater or surface water standard is attached. It includes a list of groundwater and surface water monitoring points, dates, analytical values, NC 2L groundwater standard, NC 2B surface water standard or NC Solid Waste GWPS and preliminary analysis of the cause and significance of any concentration.
 Yes, a notification of values exceeding an explosive methane gas limit is attached. It includes the methane monitoring points, dates, sample values and explosive methane gas limits.

Certification

To the best of my knowledge, the information reported and statements made on this data submittal and attachments are true and correct. Furthermore, I have attached complete notification of any sampling values meeting or exceeding groundwater standards or explosive gas levels, and a preliminary analysis of the cause and significance of concentrations exceeding groundwater standards. I am aware that there are significant penalties for making any false statement, representation, or certification including the possibility of a fine and imprisonment.

Joan Smyth, PG

Senior Hydrogeologist

919-828-0577 x 221

Facility Representative Name (Print)

Title

(Area Code) Telephone Number

Signature

11/10/15

Date

Affix NC Licensed Professional Geologist Seal

14 N. Boylan Ave, Raleigh, NC 27603

Facility Representative Address

CO828

NC PE Firm License Number (if applicable effective May 1, 2009)




Attachment 2

This page intentionally left blank.

Avery County MSW Landfill Landfill Gas Monitoring Well Network Methane Concentrations Between May 2011 and October 2015

% CH4 by Volume



This page intentionally left blank.