NCDENR-DWM-
INACTIVE SITES

Memo

To: West Clayton Mobile Village SITE FILE

From: P.SEAN BOYLES

Date: February 12, 2015

Re: NFA Status-West Clayton Mobile Village (NONCD0002840)

This Site was discovered as a result of sampling for 1,2-dichloropropane contamination occurrence from the Benson Residence APS incident. However, based on subsequent sampling events performed by both IHSB staff and others this constituent is no longer being detected in the supply well as of the last three known sampling events. The sampling conducted by Environment One on 11/11/2013 and 12/18/2014 ("See Attached") have failed to show any VOCs including 1,2-dichloropropane in the sample results. Therefore, based on my review of file and the most recent available data no further action required at this site.

County Map of NC	Water System Search	Public Water Supply Section Home Page	Help

Water System Detail Information

Water System No.:	NC0351113	Federal Type:	C
Water System Name:	WEST CLAYTON MOBILE VILLAGE	Federal Source:	GW
Principal County Served:	JOHNSTON	System Status:	A
Principal City Served:	CLAYTON	Activity Date:	06-01-1977

Date 12/18/14 well #1

Sample Number: 8346-121814-E01V

Other Chemical Sample Results

Analyte Code	Analyte Name	Method	Less Than Ind.	Level Type	Reporting Level	Concentration	MP
2981	1,1,1-TRICHLOROETHANE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2985	1,1,2-TRICHLOROETHANE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2977	1,1-DICHLOROETHYLENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2378	1,2,4-TRICHLOROBENZENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2980	1,2-DICHLOROETHANE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2983	1,2-DICHLOROPROPANE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2990	BENZENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2982	CARBON TETRACHLORIDE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2989	CHLOROBENZENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2380	CIS-1,2-DICHLOROETHYLENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2964	DICHLOROMETHANE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2992	ETHYLBENZENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2968	O-DICHLOROBENZENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2969	P-DICHLOROBENZENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2996	STYRENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2987	TETRACHLOROETHYLENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2991	TOLUENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2979	TRANS-1,2-DICHLOROETHYLENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2984	TRICHLOROETHYLENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2976	VINYL CHLORIDE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2955	XYLENES, TOTAL	502.2	<	MRL	.0005 MG/L		01-01-2014

County Map of NC	Water System Search	Public Water Supply Section Home Page	Help

Water System Detail Information

Water System No.:	NC0351113	Federal Type:	C
Water System Name:	WEST CLAYTON MOBILE VILLAGE	Federal Source:	GW
Principal County Served:	JOHNSTON	System Status:	A
Principal City Served:	CLAYTON	Activity Date:	06-01-1977

Date 12/18/14 Well #2

Sample Number: 8346-121814-E02V

Other Chemical Sample Results

Analyte Code	Analyte Name	Method	Less Than Ind.	Level Type	Reporting Level	Concentration	MP
2981	1,1,1-TRICHLOROETHANE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2985	1,1,2-TRICHLOROETHANE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2977	1,1-DICHLOROETHYLENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2378	1,2,4-TRICHLOROBENZENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2980	1,2-DICHLOROETHANE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2983	1,2-DICHLOROPROPANE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2990	BENZENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2982	CARBON TETRACHLORIDE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2989	CHLOROBENZENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2380	CIS-1,2-DICHLOROETHYLENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2964	DICHLOROMETHANE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2992	ETHYLBENZENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2968	O-DICHLOROBENZENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2969	P-DICHLOROBENZENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2996	STYRENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2987	TETRACHLOROETHYLENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2991	TOLUENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2979	TRANS-1,2-DICHLOROETHYLENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2984	TRICHLOROETHYLENE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2976	VINYL CHLORIDE	502.2	<	MRL	.0005 MG/L		01-01-2014 12-31-2016
2955	XYLENES, TOTAL	502.2	<	MRL	.0005 MG/L		01-01-2014

County Map of NC	Water System Search	Public Water Supply Section Home Page	Help

Water System Detail Information

Water System No.:	NC0351113	Federal Type:	C
Water System Name:	WEST CLAYTON MOBILE VILLAGE	Federal Source:	GW
Principal County Served:	JOHNSTON	System Status:	A
Principal City Served:	CLAYTON	Activity Date:	06-01-1977

Date 11/11/13 well #1

Sample Number: 92178348001

Other Chemical Sample Results

Analyte Code	Analyte Name	Method	Less Than Ind.	Level Type	Reporting Level	Concentration	MP
2981	1,1,1-TRICHLOROETHANE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2985	1,1,2-TRICHLOROETHANE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2977	1,1-DICHLOROETHYLENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2378	1,2,4-TRICHLOROBENZENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2980	1,2-DICHLOROETHANE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2983	1,2-DICHLOROPROPANE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2990	BENZENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2982	CARBON TETRACHLORIDE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2989	CHLOROBENZENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2380	CIS-1,2-DICHLOROETHYLENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2964	DICHLOROMETHANE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2992	ETHYLBENZENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2968	O-DICHLOROBENZENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2969	P-DICHLOROBENZENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2996	STYRENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2987	TETRACHLOROETHYLENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2991	TOLUENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2979	TRANS-1,2-DICHLOROETHYLENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2984	TRICHLOROETHYLENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2976	VINYL CHLORIDE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2955	XYLENES, TOTAL	524.2	<	MRL	.0005 MG/L		01-01-2011

County Map of NC	Water System Search	Public Water Supply Section Home Page	Help

Water System Detail Information

Water System No.:	NC0351113	Federal Type:	C
Water System Name:	WEST CLAYTON MOBILE VILLAGE	Federal Source:	GW
Principal County Served:	JOHNSTON	System Status:	A
Principal City Served:	CLAYTON	Activity Date:	06-01-1977

Date 11/11/13 well #2

Sample Number: 92178348002

Other Chemical Sample Results

Analyte Code	Analyte Name	Method	Less Than Ind.	Level Type	Reporting Level	Concentration	MP
2981	1,1,1-TRICHLOROETHANE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2985	1,1,2-TRICHLOROETHANE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2977	1,1-DICHLOROETHYLENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2378	1,2,4-TRICHLOROBENZENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2980	1,2-DICHLOROETHANE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2983	1,2-DICHLOROPROPANE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2990	BENZENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2982	CARBON TETRACHLORIDE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2989	CHLOROBENZENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2380	CIS-1,2-DICHLOROETHYLENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2964	DICHLOROMETHANE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2992	ETHYLBENZENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2968	O-DICHLOROBENZENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2969	P-DICHLOROBENZENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2996	STYRENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2987	TETRACHLOROETHYLENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2991	TOLUENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2979	TRANS-1,2-DICHLOROETHYLENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2984	TRICHLOROETHYLENE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2976	VINYL CHLORIDE	524.2	<	MRL	.0005 MG/L		01-01-2011 12-31-2013
2955	XYLENES, TOTAL	524.2	<	MRL	.0005 MG/L		01-01-2011