DENR USE ONLY: ☐ Paper Report ☐ Electronic Data - Email CD (data loaded: Yes / No) Doc/Event #:

NC DENR
Division of Waste Management - Solid Waste

Environmental Monitoring Reporting Form

Notice: This form and any information attached to it are "Public Records" as defined in NC General Statute 132-1. As such, these documents are available for inspection and examination by any person upon request (NC General Statute 132-6).

Instructions:

- **Prepare one form for each individually monitored unit.**
- **Please type or print legibly.**
- Attach a notification table with values that attain or exceed NC 2L groundwater standards or NC 2B surface water standards. The notification must include a preliminary analysis of the cause and significance of each value. (e.g. naturally occurring, off-site source, pre-existing condition, etc.).
- Attach a notification table of any groundwater or surface water values that equal or exceed the reporting limits.
- Attach a notification table of any methane gas values that attain or exceed explosive gas levels. This includes any structures on or nearby the facility (NCAC 13B .1629 (4)(a)(i).
- In accordance with NC General Statutes Chapter 89C and 89E and NC Solid Waste Management Rules 15A NCAC 13B, be sure to affix a seal to the bottom of this page, when applicable.
- Send the original signed and sealed form, any tables, and Electronic Data Deliverable to: Compliance Unit, NCDENR-DWM, Solid Waste Section, 1646 Mail Service Center, Raleigh, NC 27699-1646.

Solid Waste Monitoring Data Submittal Information

Name of entity submitting data (laboratory, consultant, facility owner):

SCS Engineers - consultant Pace Labs-laboratory

Contact for questions about data formatting. Include data preparer's name, telephone number and E-mail address:

Name: C. Ed Hilton, Jr. P.E. Phone: 813.621.0080

E-mail: ehilton@scsengineers.com

Facility name:	Facility Address:	Facility Permit #	NC Landfill Rule: (.0500 or .1600)	Actual sampling dates (e.g., October 20-24, 2006)
Buncombe County New Landfill	85 Panther Branch Road Alexander, NC 28701	11-07	.1600	March 23- March 27, 2007

Environmental Status: (Check all that apply)

☐ Initial/Background Monitoring ☒ Detection Monitoring ☐ Assessment Monitoring ☐ Corrective Action

Type of data submitted: (Check all that apply)

☒ Groundwater monitoring data from monitoring wells
☐ Groundwater monitoring data from private water supply wells
☐ Leachate monitoring data
☒ Surface water monitoring data
☐ Methane gas monitoring data
☐ Corrective action data (specify)
☐ Other(specify)

Notification attached?

☐ No. No groundwater or surface water standards were exceeded.
☒ Yes, a notification of values exceeding a groundwater or surface water standard is attached. It includes a list of groundwater and surface water monitoring points, dates, analytical values, NC 2L groundwater standard, NC 2B surface water standard or NC Solid Waste GWPS and preliminary analysis of the cause and significance of any concentration.
☐ Yes, a notification of values exceeding an explosive methane gas limit is attached. It includes the methane monitoring points, dates, sample values and explosive methane gas limits.

Certification

To the best of my knowledge, the information reported and statements made on this data submittal and attachments are true and correct. Furthermore, I have attached complete notification of any sampling values meeting or exceeding groundwater standards or explosive gas levels, and a preliminary analysis of the cause and significance of concentrations exceeding groundwater standards. I am aware that there are significant penalties for making any false statement, representation, or certification including the possibility of a fine and imprisonment.

C. Ed Hilton, Jr. P.E. | Project Director | 813.621.0080

Facility Representative Name (Print) | Title | (Area Code) Telephone Number

C. Ed Hilton Jr. | 06/7/2007

Signature | Date

Affix NC Licensed/ Professional Geologist/Engineer Seal here:

NORTH CAROLINA PROFESSIONAL SEAL 7909 ENGINEER C. EDWARD HILTON, JR.

Revised 01/2007

All exceedances are due to pre-existing conditions.

Exceedances by Date Range

Buncombe County New Facility

From: 3/23/2007 ***To:*** 4/3/2007

Site ID	*Analyte*	*Date*	*Result*
LD-3			
	Benzene		
	DENR WQS: 1 ***ug/l***		
		3/23/2007	1.9 ug/l
LEACHATE			
	Methylene chloride		
	DENR WQS: 4.6 ***ug/l***		
		3/23/2007	9.5 ug/l
	Nickel		
	DENR WQS: 100 ***ug/l***		
		3/23/2007	480 ug/l
	Zinc		
	DENR WQS: 1050 ***ug/l***		
		3/23/2007	1300 ug/l

Exceedances by Date Range

Buncombe County New Facility

From: 23/2007 ***To:*** 3/27/2007

Site ID	*Analyte*	*Date*	*Result*
SW-4			
	Copper		
	DENR WQS: 7 ***ug/l***		
		3/23/2007	11. ug/l

FACILITY PERMIT	WELL ID	CAS Number	SWS ID	PARAMETER	RESULTS	UNITS	QUALIFIER	DILUTION FACTOR	COLLECT DATE	EXTRACTION DATE	ANALYSIS DATE	PRL
11-07	SW-1	67-64-1	3	Acetone	3.0	ug/l	J	1	3/23/07	3/26/07	3/26/07	25.
11-07	SW-1	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	7440-02-0	152	Nickel	< 50.	ug/l	U	1	3/23/07	3/31/07	3/31/07	50.
11-07	SW-1	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-1	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-1	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	1.0
11-07	SW-1	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	6.0
11-07	SW-1	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	1.0
11-07	SW-1	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	7440-39-3	15	Barium	99.	ug/l	J	1	3/23/07	3/31/07	3/31/07	100
11-07	SW-1	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-1	7440-47-3	51	Chromium	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-1	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	SW320	320	Field pH	7.09	Std. Units		1	3/23/07	4/6/07	4/6/07	
11-07	SW-2	SW323	323	Field Specific Conductance	138	umhos/cm		1	3/23/07	4/6/07	4/6/07	
11-07	SW-1	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-1	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-1	SW330	330	Field Turbidity	3.20	NTU		1	3/23/07	4/6/07	4/6/07	
11-07	SW-1	SW325	325	Field Temperature	10.4	deg C		1	3/23/07	4/6/07	4/6/07	
11-07	SW-1	SW323	323	Field Specific Conductance	132	umhos/cm		1	3/23/07	4/6/07	4/6/07	
11-07	SW-1	SW320	320	Field pH	6.18	Std. Units		1	3/23/07	4/6/07	4/6/07	
11-07	SW-1	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-1	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	7440-50-8	54	Copper	0.32	ug/l	J	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-1	7440-48-4	53	Cobalt	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-1	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	7440-66-6	213	Zinc	4.4	ug/l	J	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-1	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-1	7440-62-2	209	Vanadium	0.90	ug/l	J	1	3/23/07	3/31/07	3/31/07	25.
11-07	SW-1	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-1	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/23/07	3/31/07	3/31/07	5.5
11-07	SW-1	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-1	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-1	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-1	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-1	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-1	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-1	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	SW330	330	Field Turbidity	7.48	NTU		1	3/23/07	4/6/07	4/6/07	
11-07	SW-2	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-2	SW325	325	Field Temperature	11.0	deg C		1	3/23/07	4/6/07	4/6/07	
11-07	SW-2	7440-48-4	53	Cobalt	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-2	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	7440-50-8	54	Copper	1.4	ug/l	J	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-2	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-2	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0

11-07	SW-2	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-2	7440-66-6	213	Zinc	6.4	ug/l	J	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-2	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-2	7440-62-2	209	Vanadium	2.2	ug/l	J	1	3/23/07	3/31/07	3/31/07	25.
11-07	SW-2	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-2	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/23/07	3/31/07	3/31/07	5.5
11-07	SW-2	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-2	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-2	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-2	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-2	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-2	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	7440-47-3	51	Chromium	2.4	ug/l	J	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-2	7440-02-0	152	Nickel	2.0	ug/l	J	1	3/23/07	3/31/07	3/31/07	50.
11-07	SW-2	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	67-64-1	3	Acetone	4.1	ug/l	J	1	3/23/07	3/26/07	3/26/07	25.
11-07	SW-2	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-2	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	1.0
11-07	SW-2	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	1.0
11-07	SW-2	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	7440-39-3	15	Barium	49.	ug/l	J	1	3/23/07	3/31/07	3/31/07	100
11-07	SW-2	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-2	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	6.0
11-07	SW-2	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-2	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-2	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	SW320	320	Field pH	8.85	Std. Units		1	3/23/07	4/6/07	4/6/07	
11-07	SW-3	SW323	323	Field Specific Conductance	150	umhos/cm		1	3/23/07	4/6/07	4/6/07	
11-07	SW-3	SW325	325	Field Temperature	27	deg C		1	3/23/07	4/6/07	4/6/07	
11-07	SW-3	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-3	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-3	SW330	330	Field Turbidity	2.16	NTU		1	3/23/07	4/6/07	4/6/07	
11-07	SW-3	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	7440-48-4	53	Cobalt	0.75	ug/l	J	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-3	7440-50-8	54	Copper	1.0	ug/l	J	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-3	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-3	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	7440-66-6	213	Zinc	4.7	ug/l	J	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-3	7440-47-3	51	Chromium	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-3	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-3	7440-62-2	209	Vanadium	0.81	ug/l	J	1	3/23/07	3/31/07	3/31/07	25.
11-07	SW-3	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/23/07	3/31/07	3/31/07	5.5
11-07	SW-3	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-3	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-3	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-3	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	7440-02-0	152	Nickel	< 50.	ug/l	U	1	3/23/07	3/31/07	3/31/07	50.
11-07	SW-3	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0

11-07	SW-3	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-3	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-3	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-3	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	67-64-1	3	Acetone	4.5	ug/l	J	1	3/23/07	3/26/07	3/26/07	25.
11-07	SW-3	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-3	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	1.0
11-07	SW-3	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	6.0
11-07	SW-3	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-3	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-3	7440-39-3	15	Barium	31.	ug/l	J	1	3/23/07	3/31/07	3/31/07	100
11-07	SW-3	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	1.0
11-07	SW-3	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-3	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-4	SW330	330	Field Turbidity	209	NTU		1	3/23/07	4/6/07	4/6/07	
11-07	SW-4	SW325	325	Field Temperature	15.3	deg C		1	3/23/07	4/6/07	4/6/07	
11-07	SW-4	SW323	323	Field Specific Conductance	208	umhos/cm		1	3/23/07	4/6/07	4/6/07	
11-07	SW-4	SW320	320	Field pH	7.60	Std. Units		1	3/23/07	4/6/07	4/6/07	
11-07	SW-4	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-4	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-4	7440-48-4	53	Cobalt	1.8	ug/l	J	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-4	7440-50-8	54	Copper	11.	ug/l		1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-4	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-4	7440-62-2	209	Vanadium	22.	ug/l	J	1	3/23/07	3/31/07	3/31/07	25.
11-07	SW-4	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	7440-66-6	213	Zinc	31.	ug/l		1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-4	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-4	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-4	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-4	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	7440-02-0	152	Nickel	11.	ug/l	J	1	3/23/07	3/31/07	3/31/07	50.
11-07	SW-4	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-3	SW330	330	Field Turbidity	76.2	NTU		1	3/23/07	4/6/07	4/6/07	
11-07	LD-3	SW325	325	Field Temperature	17.4	deg C		1	3/23/07	4/6/07	4/6/07	
11-07	LD-3	SW323	323	Field Specific Conductance	303	umhos/cm		1	3/23/07	4/6/07	4/6/07	
11-07	LD-3	SW320	320	Field pH	6.43	Std. Units		1	3/23/07	4/6/07	4/6/07	
11-07	LD-3	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	7440-02-0	152	Nickel	2.8	ug/l	J	1	3/23/07	3/31/07	3/31/07	50.
11-07	LD-3	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	7440-50-8	54	Copper	22.	ug/l		1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-3	7440-48-4	53	Cobalt	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-3	7440-66-6	213	Zinc	14.	ug/l		1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-3	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	100-41-4	110	Ethylbenzene	1.9	ug/l		1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	156-59-2	78	cis-1,2-Dichloroethene	2.8	ug/l		1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	LD-3	7440-62-2	209	Vanadium	2.1	ug/l	J	1	3/23/07	3/31/07	3/31/07	25.

11-07	LD-3	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	75-09-2	140	Methylene chloride	9.5	ug/l		1	3/23/07	3/26/07	3/26/07	2.0
11-07	LEACH	7440-66-6	213	Zinc	1300	ug/l		1	3/23/07	4/1/07	4/1/07	10.
11-07	LEACH	7440-48-4	53	Cobalt	23.	ug/l		1	3/23/07	4/1/07	4/1/07	10.
11-07	LEACH	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	7440-62-2	209	Vanadium	5.0	ug/l	J	1	3/23/07	4/1/07	4/1/07	25.
11-07	LEACH	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	79-01-6	201	Trichloroethene	0.39	ug/l	J	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	LEACH	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	7440-02-0	152	Nickel	480	ug/l		1	3/23/07	4/1/07	4/1/07	50.
11-07	LEACH	108-88-3	196	Toluene	19.	ug/l		1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/23/07	4/1/07	4/1/07	5.5
11-07	LEACH	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	100-42-5	186	Styrene	0.41	ug/l	J	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/23/07	4/1/07	4/1/07	10.
11-07	SW-4	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-4	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-4	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	7440-47-3	51	Chromium	11.	ug/l		1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-4	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-4	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-4	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/23/07	3/31/07	3/31/07	5.5
11-07	SW-4	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	67-64-1	3	Acetone	4.1	ug/l	J	1	3/23/07	3/26/07	3/26/07	25.
11-07	SW-4	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	1.0
11-07	SW-4	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	6.0
11-07	SW-4	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	7440-41-7	23	Beryllium	0.32	ug/l	J	1	3/23/07	3/31/07	3/31/07	1.0
11-07	SW-4	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	7440-39-3	15	Barium	160	ug/l		1	3/23/07	3/31/07	3/31/07	100
11-07	SW-4	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-4	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-4	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-5	SW320	320	Field pH	7.37	Std. Units		1	3/23/07	4/6/07	4/6/07	
11-07	SW-5	SW323	323	Field Specific Conductance	311	umhos/cm		1	3/23/07	4/6/07	4/6/07	
11-07	SW-5	SW325	325	Field Temperature	14.1	deg C		1	3/23/07	4/6/07	4/6/07	
11-07	SW-5	SW330	330	Field Turbidity	78.6	NTU		1	3/23/07	4/6/07	4/6/07	
11-07	SW-5	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-5	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-5	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-5	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	7440-50-8	54	Copper	3.2	ug/l	J	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-5	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-5	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	7440-47-3	51	Chromium	3.7	ug/l	J	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-5	7440-48-4	53	Cobalt	2.3	ug/l	J	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-5	7440-66-6	213	Zinc	36.	ug/l		1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-5	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-5	7440-62-2	209	Vanadium	9.4	ug/l	J	1	3/23/07	3/31/07	3/31/07	25.
11-07	SW-5	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	7440-02-0	152	Nickel	4.5	ug/l	J	1	3/23/07	3/31/07	3/31/07	50.
11-07	SW-5	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/23/07	3/31/07	3/31/07	5.5
11-07	SW-5	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-5	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-5	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0

11-07	SW-5	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-5	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-5	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-5	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	SW-5	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	67-64-1	3	Acetone	3.5	ug/l	J	1	3/23/07	3/26/07	3/26/07	25.
11-07	SW-5	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	1.0
11-07	SW-5	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	SW-5	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	1.0
11-07	SW-5	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	7440-39-3	15	Barium	100	ug/l		1	3/23/07	3/31/07	3/31/07	100
11-07	SW-5	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	SW-5	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	6.0
11-07	SW-5	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	SW-5	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	SW320	320	Field pH	5.36	Std. Units		1	3/23/07	4/6/07	4/6/07	
11-07	LD-1	SW323	323	Field Specific Conductance	188	umhos/cm		1	3/23/07	4/6/07	4/6/07	
11-07	LD-1	SW325	325	Field Temperature	15.8	deg C		1	3/23/07	4/6/07	4/6/07	
11-07	LD-1	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-1	SW330	330	Field Turbidity	61.8	NTU		1	3/23/07	4/6/07	4/6/07	
11-07	LD-1	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	156-59-2	78	cis-1,2-Dichloroethene	0.45	ug/l	J	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	7440-50-8	54	Copper	6.8	ug/l	J	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-1	7440-66-6	213	Zinc	28.	ug/l		1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-1	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-1	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	7440-48-4	53	Cobalt	87.	ug/l		1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-1	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	LD-1	7440-62-2	209	Vanadium	13.	ug/l	J	1	3/23/07	3/31/07	3/31/07	25.
11-07	LD-1	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/23/07	3/31/07	3/31/07	5.5
11-07	LD-1	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	LD-1	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-1	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-1	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	7440-02-0	152	Nickel	52.	ug/l		1	3/23/07	3/31/07	3/31/07	50.
11-07	LD-1	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	LD-1	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-1	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-1	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	67-64-1	3	Acetone	3.7	ug/l	J	1	3/23/07	3/26/07	3/26/07	25.
11-07	LD-1	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	75-34-3	75	1,1-Dichloroethane	4.3	ug/l		1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0

11-07	LD-1	7440-47-3	51	Chromium	7.8	ug/l	J	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-1	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	LD-1	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	1.0
11-07	LD-1	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-1	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	7440-41-7	23	Beryllium	0.20	ug/l	J	1	3/23/07	3/31/07	3/31/07	1.0
11-07	LD-1	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-1	7440-39-3	15	Barium	120	ug/l		1	3/23/07	3/31/07	3/31/07	100
11-07	LD-1	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-1	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	6.0
11-07	LD-1	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-1	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-3	79-01-6	201	Trichloroethene	0.29	ug/l	J	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	SW359	359	m&p-Xylene	2.3	ug/l		1	3/23/07	3/26/07	3/26/07	2.0
11-07	LD-3	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	75-09-2	140	Methylene chloride	1.3	ug/l	J	1	3/23/07	3/26/07	3/26/07	2.0
11-07	LD-3	108-88-3	196	Toluene	7.5	ug/l		1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/23/07	3/31/07	3/31/07	5.5
11-07	LD-3	127-18-4	192	Tetrachloroethene	0.35	ug/l	J	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-3	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-3	95-47-6	408	o-Xylene	1.1	ug/l		1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	591-78-6	124	2-Hexanone	0.70	ug/l	J	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-3	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-3	106-46-7	71	1,4-Dichlorobenzene	0.26	ug/l	J	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	107-06-2	76	1,2-Dichloroethane	0.69	ug/l	J	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	108-10-1	147	4-Methyl-2-pentanone (MIBK)	1.2	ug/l	J	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-3	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	7440-47-3	51	Chromium	1.2	ug/l	J	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-3	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	108-88-3	196	Toluene	0.44	ug/l	J	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/23/07	4/1/07	4/1/07	5.5
11-07	LD-6	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/23/07	4/1/07	4/1/07	10.
11-07	LD-6	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/23/07	4/1/07	4/1/07	10.
11-07	LD-6	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-6	591-78-6	124	2-Hexanone	2.0	ug/l	J	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-6	78-93-3	141	2-Butanone (MEK)	6.1	ug/l		1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-6	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	67-64-1	3	Acetone	18.	ug/l	J	1	3/23/07	3/26/07	3/26/07	25.
11-07	LD-6	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	7440-48-4	53	Cobalt	9.2	ug/l	J	1	3/23/07	4/1/07	4/1/07	10.
11-07	LD-6	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	LD-3	75-34-3	75	1,1-Dichloroethane	1.7	ug/l		1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	1.0
11-07	LD-3	67-64-1	3	Acetone	13.	ug/l	J	1	3/23/07	3/26/07	3/26/07	25.

11-07	LD-3	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	1.0
11-07	LD-3	71-43-2	16	Benzene	1.9	ug/l		1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-3	7440-39-3	15	Barium	67.	ug/l	J	1	3/23/07	3/31/07	3/31/07	100
11-07	LD-3	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-3	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	6.0
11-07	LD-3	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-3	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	1.0
11-07	LD-5	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	1.0
11-07	LD-5	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	LD-5	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	7440-47-3	51	Chromium	0.81	ug/l	J	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-5	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	7440-48-4	53	Cobalt	13.	ug/l		1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-5	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	7440-39-3	15	Barium	130	ug/l		1	3/23/07	3/31/07	3/31/07	100
11-07	LD-5	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	75-34-3	75	1,1-Dichloroethane	1.5	ug/l		1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-5	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-5	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-5	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-5	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/23/07	3/26/07	3/26/07	25.
11-07	LD-5	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-5	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/23/07	3/31/07	3/31/07	6.0
11-07	LD-5	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-5	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/23/07	3/31/07	3/31/07	5.5
11-07	LD-5	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-5	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	7440-62-2	209	Vanadium	< 25.	ug/l	U	1	3/23/07	3/31/07	3/31/07	25.
11-07	LD-5	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	LD-5	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	7440-66-6	213	Zinc	23.	ug/l		1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-5	7440-50-8	54	Copper	1.3	ug/l	J	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-5	SW320	320	Field pH	6.27	Std. Units		1	3/23/07	4/6/07	4/6/07	
11-07	LD-5	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	SW323	323	Field Specific Conductance	693	umhos/cm		1	3/23/07	4/6/07	4/6/07	
11-07	LD-5	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	LD-5	7440-02-0	152	Nickel	23.	ug/l	J	1	3/23/07	3/31/07	3/31/07	50.
11-07	LD-5	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-5	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	LD-5	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/23/07	3/31/07	3/31/07	10.
11-07	LD-5	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-5	SW330	330	Field Turbidity	44.4	NTU		1	3/23/07	4/6/07	4/6/07	
11-07	LD-5	SW325	325	Field Temperature	18.3	deg C		1	3/23/07	4/6/07	4/6/07	
11-07	LEACH	100-41-4	110	Ethylbenzene	1.2	ug/l		1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	SW359	359	m&p-Xylene	3.0	ug/l		1	3/23/07	3/26/07	3/26/07	2.0
11-07	LEACH	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/23/07	4/1/07	4/1/07	10.
11-07	LEACH	SW330	330	Field Turbidity	94.4	NTU		1	3/23/07	4/6/07	4/6/07	
11-07	LEACH	SW325	325	Field Temperature	25.4	deg C		1	3/23/07	4/6/07	4/6/07	
11-07	LEACH	SW323	323	Field Specific Conductance	2962	umhos/cm		1	3/23/07	4/6/07	4/6/07	

11-07	LEACH	SW320	320	Field pH	5.40	Std. Units		1	3/23/07	4/6/07	4/6/07	
11-07	LEACH	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LEACH	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	7440-50-8	54	Copper	15.	ug/l		1	3/23/07	4/1/07	4/1/07	10.
11-07	LEACH	7782-49-2	183	Selenium	22.	ug/l		1	3/23/07	4/1/07	4/1/07	10.
11-07	LEACH	95-47-6	408	o-Xylene	1.1	ug/l		1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	108-10-1	147	4-Methyl-2-pentanone (MIBK)	8.2	ug/l		1	3/23/07	3/26/07	3/26/07	5.0
11-07	LEACH	591-78-6	124	2-Hexanone	11.	ug/l		1	3/23/07	3/26/07	3/26/07	5.0
11-07	LEACH	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LEACH	106-46-7	71	1,4-Dichlorobenzene	0.25	ug/l	J	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	67-64-1	3	Acetone	370	ug/l		1	3/23/07	3/26/07	3/26/07	25.
11-07	LEACH	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	7440-47-3	51	Chromium	14.	ug/l		1	3/23/07	4/1/07	4/1/07	10.
11-07	LEACH	71-55-6	200	1,1,1-Trichloroethane	1.2	ug/l		1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	107-06-2	76	1,2-Dichloroethane	0.59	ug/l	J	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	75-15-0	35	Carbon disulfide	1.9	ug/l	J	1	3/23/07	3/26/07	3/26/07	2.0
11-07	LEACH	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LEACH	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/23/07	4/1/07	4/1/07	1.0
11-07	LEACH	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	7440-38-2	14	Arsenic	20.	ug/l		1	3/23/07	4/1/07	4/1/07	10.
11-07	LEACH	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	7440-41-7	23	Beryllium	0.24	ug/l	J	1	3/23/07	4/1/07	4/1/07	1.0
11-07	LEACH	71-43-2	16	Benzene	0.46	ug/l	J	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	7440-39-3	15	Barium	250	ug/l		1	3/23/07	4/1/07	4/1/07	100
11-07	LEACH	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LEACH	7440-36-0	13	Antimony	9.6	ug/l		1	3/23/07	4/1/07	4/1/07	6.0
11-07	LEACH	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	SW320	320	Field pH	9.54	Std. Units		1	3/23/07	4/6/07	4/6/07	
11-07	LD-6	SW323	323	Field Specific Conductance	869	umhos/cm		1	3/23/07	4/6/07	4/6/07	
11-07	LD-6	SW325	325	Field Temperature	22.2	deg C		1	3/23/07	4/6/07	4/6/07	
11-07	LD-6	SW330	330	Field Turbidity	2.51	NTU		1	3/23/07	4/6/07	4/6/07	
11-07	LD-6	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/23/07	4/1/07	4/1/07	10.
11-07	LD-6	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	LD-6	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-6	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	7440-50-8	54	Copper	6.3	ug/l	J	1	3/23/07	4/1/07	4/1/07	10.
11-07	LD-6	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	MW-1	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-1	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-1	7440-39-3	15	Barium	220	ug/l		1	3/27/07	4/1/07	4/1/07	100
11-07	MW-1	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-1D	7440-66-6	213	Zinc	11.	ug/l		1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-1D	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-1D	SW325	325	Field Temperature	15.0	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-1D	SW323	323	Field Specific Conductance	193	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-1D	SW320	320	Field pH	7.03	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-1D	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	SW330	330	Field Turbidity	35.3	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-1D	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	7440-50-8	54	Copper	1.3	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-1D	7440-48-4	53	Cobalt	1.0	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-1D	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-1D	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-1D	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-1D	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	7440-62-2	209	Vanadium	5.7	ug/l	J	1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-1D	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0

11-07	MW-1D	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-1D	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	SW318	318	Static Water Level	68	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-1D	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-1D	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-1D	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	7440-02-0	152	Nickel	< 50.	ug/l	U	1	3/27/07	4/1/07	4/1/07	50.
11-07	LD-6	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	7440-66-6	213	Zinc	24.	ug/l		1	3/23/07	4/1/07	4/1/07	10.
11-07	LD-6	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	LD-6	7440-62-2	209	Vanadium	50.	ug/l		1	3/23/07	4/1/07	4/1/07	25.
11-07	LD-6	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	7440-02-0	152	Nickel	16.	ug/l	J	1	3/23/07	4/1/07	4/1/07	50.
11-07	LD-6	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	5.0
11-07	LD-6	7440-47-3	51	Chromium	1.2	ug/l	J	1	3/23/07	4/1/07	4/1/07	10.
11-07	LD-6	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	2.0
11-07	LD-6	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/23/07	4/1/07	4/1/07	1.0
11-07	LD-6	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/23/07	4/1/07	4/1/07	10.
11-07	LD-6	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/23/07	4/1/07	4/1/07	1.0
11-07	LD-6	71-43-2	16	Benzene	0.44	ug/l	J	1	3/23/07	3/26/07	3/26/07	1.0
11-07	LD-6	7440-39-3	15	Barium	40.	ug/l	J	1	3/23/07	4/1/07	4/1/07	100
11-07	LD-6	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/23/07	4/1/07	4/1/07	6.0
11-07	LD-6	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/23/07	3/26/07	3/26/07	1.0
11-07	MW-1	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-1	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-1	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-1	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-1	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	7440-50-8	54	Copper	13.	ug/l		1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-1	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	7440-47-3	51	Chromium	8.8	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-1	7440-02-0	152	Nickel	6.6	ug/l	J	1	3/27/07	4/1/07	4/1/07	50.
11-07	MW-1	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	7440-48-4	53	Cobalt	1.2	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-1	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	7440-66-6	213	Zinc	19.	ug/l		1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-1	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-1D	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-1D	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	95-50-1	69	1,2-Dichlorobenzene	1.8	ug/l		1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-1D	7440-47-3	51	Chromium	1.2	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-1D	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-1D	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-1D	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.
11-07	MW-1D	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	7440-41-7	23	Beryllium	0.27	ug/l	J	1	3/27/07	4/1/07	4/1/07	1.0

11-07	MW-1D	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	7440-39-3	15	Barium	28.	ug/l	J	1	3/27/07	4/1/07	4/1/07	100
11-07	MW-1D	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-1D	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-1D	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-1D	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1D	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	SW320	320	Field pH	6.03	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-2	SW323	323	Field Specific Conductance	163	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-2	SW325	325	Field Temperature	9.1	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-2	SW330	330	Field Turbidity	2.45	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-2	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-2	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-2	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-2	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-2	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	7440-50-8	54	Copper	0.58	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-2	7440-02-0	152	Nickel	< 50.	ug/l	U	1	3/27/07	4/1/07	4/1/07	50.
11-07	MW-2	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	7440-66-6	213	Zinc	9.0	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-2	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-2	7440-62-2	209	Vanadium	1.4	ug/l	J	1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-2	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-2	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	SW318	318	Static Water Level	7.60	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-2	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-2	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-2	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-2	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-2	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-2	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.
11-07	MW-2	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	7440-48-4	53	Cobalt	1.1	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-1	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-1	7440-62-2	209	Vanadium	25.	ug/l		1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-1	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-1	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-1	7782-49-2	183	Selenium	6.0	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-1	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-1	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-1	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0

11-07	MW-1	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-1	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-1	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-1	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-1	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-1	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-1	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.
11-07	MW-2	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-2	7440-47-3	51	Chromium	2.4	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-2	95-50-1	69	1,2-Dichlorobenzene	1.8	ug/l		1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-2	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-2	7440-39-3	15	Barium	72.	ug/l	J	1	3/27/07	4/1/07	4/1/07	100
11-07	MW-2	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-2	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-2	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-2	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-2D	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-2D	SW330	330	Field Turbidity	0.93	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-2D	SW325	325	Field Temperature	9.6	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-2D	SW323	323	Field Specific Conductance	227	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-2D	SW320	320	Field pH	6.68	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-2D	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-2D	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	7440-66-6	213	Zinc	6.6	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-2D	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	7440-50-8	54	Copper	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-2D	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-2D	7440-48-4	53	Cobalt	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-2D	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	7440-62-2	209	Vanadium	2.6	ug/l	J	1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-2D	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-2D	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	7440-02-0	152	Nickel	< 50.	ug/l	U	1	3/27/07	4/1/07	4/1/07	50.
11-07	MW-2D	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-2D	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	SW318	318	Static Water Level	8.02	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-2D	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-2D	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-2D	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-2D	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-2D	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-2D	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-2D	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-2D	7440-47-3	51	Chromium	0.50	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-2D	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.

11-07	MW-2D	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-2D	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-2D	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-2D	7440-39-3	15	Barium	77.	ug/l	J	1	3/27/07	4/1/07	4/1/07	100
11-07	MW-2D	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-2D	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-2D	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-3	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-3	SW330	330	Field Turbidity	146	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-3	SW325	325	Field Temperature	16.1	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-3	SW323	323	Field Specific Conductance	236	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-3	SW320	320	Field pH	6.12	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-3	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-3	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	7440-50-8	54	Copper	8.6	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-3	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-3	7440-66-6	213	Zinc	21.	ug/l		1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-3	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	7440-48-4	53	Cobalt	9.2	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-3	7440-62-2	209	Vanadium	22.	ug/l	J	1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-3	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-3	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	7440-02-0	152	Nickel	28.	ug/l	J	1	3/27/07	4/1/07	4/1/07	50.
11-07	MW-3	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-3	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	SW318	318	Static Water Level	33.25	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-3	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-3	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-3	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-3	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-3	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-3	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-3	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.
11-07	MW-3	7440-47-3	51	Chromium	10.	ug/l		1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-3	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-3	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-3	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-3	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-3	7440-39-3	15	Barium	180	ug/l		1	3/27/07	4/1/07	4/1/07	100
11-07	MW-3	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	7440-41-7	23	Beryllium	0.21	ug/l	J	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-3	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-3	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0

11-07	MW-4	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-4	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-4	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-4	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	SW320	320	Field pH	6.39	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-4	SW323	323	Field Specific Conductance	202	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-4	SW325	325	Field Temperature	12.4	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-4	SW330	330	Field Turbidity	36.6	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-4	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-4	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-4	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-4	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-4	7440-02-0	152	Nickel	2.5	ug/l	J	1	3/27/07	4/1/07	4/1/07	50.
11-07	MW-4	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-4	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	SW318	318	Static Water Level	13.10	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-4	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-4	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	7440-62-2	209	Vanadium	4.3	ug/l	J	1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-4	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-4	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	7440-66-6	213	Zinc	5.4	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-4	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.
11-07	MW-4	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-4	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-4	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-4	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-4	7440-39-3	15	Barium	72.	ug/l	J	1	3/27/07	4/1/07	4/1/07	100
11-07	MW-4	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-4	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-4	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-4	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	7440-50-8	54	Copper	1.4	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-4	7440-48-4	53	Cobalt	0.91	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-4	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	7440-47-3	51	Chromium	1.4	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-4	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-4D	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-4D	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-4D	SW330	330	Field Turbidity	2.48	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-4D	SW325	325	Field Temperature	13.0	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-4D	SW323	323	Field Specific Conductance	262	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-4D	SW320	320	Field pH	6.64	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-4D	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-4D	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	7440-02-0	152	Nickel	< 50.	ug/l	U	1	3/27/07	4/1/07	4/1/07	50.
11-07	MW-4D	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-4D	7440-50-8	54	Copper	0.36	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-4D	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	7440-48-4	53	Cobalt	0.64	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-4D	7440-66-6	213	Zinc	5.3	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.

11-07	MW-4D	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	7440-62-2	209	Vanadium	4.3	ug/l	J	1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-4D	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-4D	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	SW318	318	Static Water Level	13.88	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-4D	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-4D	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-4D	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-4D	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-4D	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-4D	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-4D	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.
11-07	MW-4D	7440-47-3	51	Chromium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-4D	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-4D	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-4D	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-4D	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	7440-39-3	15	Barium	30.	ug/l	J	1	3/27/07	4/1/07	4/1/07	100
11-07	MW-4D	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-4D	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-4D	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-5	SW320	320	Field pH	6.41	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-5	SW323	323	Field Specific Conductance	185	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-5	SW325	325	Field Temperature	15.2	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-5	SW330	330	Field Turbidity	6.78	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-5	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-5	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-5	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-5	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-5	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	7440-50-8	54	Copper	2.1	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-5	7440-02-0	152	Nickel	< 50.	ug/l	U	1	3/27/07	4/1/07	4/1/07	50.
11-07	MW-5	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	7440-48-4	53	Cobalt	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-5	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-5	7440-62-2	209	Vanadium	7.8	ug/l	J	1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-5	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	7440-66-6	213	Zinc	7.7	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-5	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-5	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	SW318	318	Static Water Level	35.50	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-5	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-5	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-5	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0

11-07	MW-5	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-5	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-5	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-5	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.
11-07	MW-5	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-5	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	95-50-1	69	1,2-Dichlorobenzene	1.5	ug/l		1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	7440-47-3	51	Chromium	3.9	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-5	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-5	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-5	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	7440-39-3	15	Barium	98.	ug/l	J	1	3/27/07	4/1/07	4/1/07	100
11-07	MW-5	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-5	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-5	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-5D	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-5D	7440-50-8	54	Copper	1.5	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-5D	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-5D	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-5D	SW330	330	Field Turbidity	3.18	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-5D	SW325	325	Field Temperature	15.7	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-5D	SW323	323	Field Specific Conductance	166	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-5D	SW320	320	Field pH	6.26	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-5D	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-5D	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	7440-66-6	213	Zinc	15.	ug/l		1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-5D	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	7440-62-2	209	Vanadium	2.4	ug/l	J	1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-5D	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-5D	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	7440-02-0	152	Nickel	< 50.	ug/l	U	1	3/27/07	4/1/07	4/1/07	50.
11-07	MW-5D	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-5D	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	SW318	318	Static Water Level	37.42	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-5D	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-5D	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-5D	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-5D	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-5D	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-5D	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	95-50-1	69	1,2-Dichlorobenzene	1.4	ug/l		1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	7440-47-3	51	Chromium	0.92	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-5D	7440-48-4	53	Cobalt	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-5D	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0

11-07	MW-5D	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.
11-07	MW-5D	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-5D	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-5D	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-5D	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-5D	7440-39-3	15	Barium	50.	ug/l	J	1	3/27/07	4/1/07	4/1/07	100
11-07	MW-5D	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-5D	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-5D	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-6	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-6	7440-50-8	54	Copper	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-6	SW320	320	Field pH	6.19	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-6	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-6	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-6	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-6	SW330	330	Field Turbidity	16.6	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-6	SW325	325	Field Temperature	15.3	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-6	SW323	323	Field Specific Conductance	130	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-6	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	7440-02-0	152	Nickel	< 50.	ug/l	U	1	3/27/07	4/1/07	4/1/07	50.
11-07	MW-6	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	7440-66-6	213	Zinc	4.2	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-6	7440-48-4	53	Cobalt	1.1	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-6	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-6	7440-62-2	209	Vanadium	2.2	ug/l	J	1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-6	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-6	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	SW318	318	Static Water Level	27.24	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-6	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-6	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-6	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-6	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-6	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-6	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.
11-07	MW-6	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	7440-47-3	51	Chromium	1.2	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-6	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-6	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-6	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-6	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-6	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-6	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	7440-39-3	15	Barium	51.	ug/l	J	1	3/27/07	4/1/07	4/1/07	100

11-07	MW-6	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-6	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-6	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	SW320	320	Field pH	6.27	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-7	SW323	323	Field Specific Conductance	713	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-7	SW325	325	Field Temperature	16.6	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-7	SW330	330	Field Turbidity	21.5	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-7	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-7	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-7	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-7	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-7	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	7440-50-8	54	Copper	18.	ug/l		1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-7	7440-02-0	152	Nickel	18.	ug/l	J	1	3/27/07	4/1/07	4/1/07	50.
11-07	MW-7	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	7440-66-6	213	Zinc	37.	ug/l		1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-7	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-7	7440-62-2	209	Vanadium	23.	ug/l	J	1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-7	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-7	127-18-4	192	Tetrachloroethene	0.35	ug/l	J	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	SW318	318	Static Water Level	48.12	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-7	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-7	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-7	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-7	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-7	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-7	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.
11-07	MW-7	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	7440-48-4	53	Cobalt	3.7	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-7	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-7	7440-47-3	51	Chromium	9.0	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-7	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-7	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-7	7440-39-3	15	Barium	200	ug/l		1	3/27/07	4/1/07	4/1/07	100
11-07	MW-7	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-7	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-7	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-7	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-7	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	SW323	323	Field Specific Conductance	195	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-8	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-8	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-8	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-8	SW330	330	Field Turbidity	36.0	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-8	SW325	325	Field Temperature	15.1	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-8	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-8	SW320	320	Field pH	6.65	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-8	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	7440-50-8	54	Copper	2.3	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-8	7440-02-0	152	Nickel	< 50.	ug/l	U	1	3/27/07	4/1/07	4/1/07	50.

11-07	MW-8	7440-48-4	53	Cobalt	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-8	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	7440-62-2	209	Vanadium	5.4	ug/l	J	1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-8	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-8	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-8	7440-66-6	213	Zinc	7.8	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-8	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	SW318	318	Static Water Level	35.07	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-8	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-8	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-8	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.
11-07	MW-8	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-8	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-8	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-8	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-8	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	7440-47-3	51	Chromium	2.5	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-8	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-8	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-8	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-8	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-8	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8	7440-39-3	15	Barium	76.	ug/l	J	1	3/27/07	4/1/07	4/1/07	100
11-07	MW-8	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-8	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	7440-50-8	54	Copper	1.3	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-8D	7440-48-4	53	Cobalt	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-8D	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	7440-47-3	51	Chromium	1.9	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-8D	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-8D	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	SW320	320	Field pH	6.82	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-8D	SW323	323	Field Specific Conductance	201	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-8D	SW330	330	Field Turbidity	1.86	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-8D	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-8D	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-8D	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-8D	7440-02-0	152	Nickel	< 50.	ug/l	U	1	3/27/07	4/1/07	4/1/07	50.
11-07	MW-8D	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-8D	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	SW325	325	Field Temperature	15.1	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-8D	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-8D	SW318	318	Static Water Level	33.75	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-8D	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0

11-07	MW-8D	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-8D	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-8D	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-8D	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.
11-07	MW-8D	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-8D	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-8D	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-8D	7440-39-3	15	Barium	71.	ug/l	J	1	3/27/07	4/1/07	4/1/07	100
11-07	MW-8D	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-8D	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	7440-66-6	213	Zinc	27.	ug/l		1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-8D	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	7440-62-2	209	Vanadium	1.8	ug/l	J	1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-8D	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-8D	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-8D	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-8D	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-8D	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-10	SW323	323	Field Specific Conductance	212	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-10	SW325	325	Field Temperature	16.6	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-10	SW330	330	Field Turbidity	37.5	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-10	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-10	7439-92-1	131	Lead	7.4	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-10	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-10	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-10	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	7440-50-8	54	Copper	17.	ug/l		1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-10	7440-02-0	152	Nickel	1.8	ug/l	J	1	3/27/07	4/1/07	4/1/07	50.
11-07	MW-10	7440-48-4	53	Cobalt	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-10	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	7440-66-6	213	Zinc	37.	ug/l		1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-10	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-10	7440-62-2	209	Vanadium	7.3	ug/l	J	1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-10	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-10	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	SW318	318	Static Water Level	69.42	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-10	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-10	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-10	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-10	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-10	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-10	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.
11-07	MW-10	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0

11-07	MW-10	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	SW320	320	Field pH	6.26	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-10	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-10	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-10	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-10	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	7440-39-3	15	Barium	100	ug/l		1	3/27/07	4/1/07	4/1/07	100
11-07	MW-10	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-10	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	7440-47-3	51	Chromium	4.7	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-10	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-10	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-10	SW323	323	Field Specific Conductance	199	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-10	SW325	325	Field Temperature	17.0	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-10	SW330	330	Field Turbidity	7.18	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-10	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-10	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-10	7440-50-8	54	Copper	0.91	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-10	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-10	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-10	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	7440-02-0	152	Nickel	4.8	ug/l	J	1	3/27/07	4/1/07	4/1/07	50.
11-07	MW-10	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	7440-48-4	53	Cobalt	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-10	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	7440-66-6	213	Zinc	6.9	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-10	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-10	7440-62-2	209	Vanadium	3.9	ug/l	J	1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-10	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-10	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	SW318	318	Static Water Level	69.64	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-10	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-10	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-10	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-10	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-10	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-10	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.
11-07	MW-10	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	SW320	320	Field pH	6.75	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-10	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-10	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-10	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-10	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-10	7440-47-3	51	Chromium	0.70	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.

11-07	MW-10	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-10	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-10	7440-39-3	15	Barium	12.	ug/l	J	1	3/27/07	4/1/07	4/1/07	100
11-07	MW-10	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-10	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	SW320	320	Field pH	6.82	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-11	SW323	323	Field Specific Conductance	303	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-11	SW325	325	Field Temperature	16.3	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-11	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-11	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-11	SW330	330	Field Turbidity	32.1	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-11	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	7440-48-4	53	Cobalt	1.4	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-11	7440-50-8	54	Copper	3.0	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-11	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-11	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	7440-66-6	213	Zinc	8.8	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-11	7440-47-3	51	Chromium	0.83	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-11	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-11	7440-62-2	209	Vanadium	2.0	ug/l	J	1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-11	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-11	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-11	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	SW318	318	Static Water Level	33.65	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-11	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-11	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-11	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	7440-02-0	152	Nickel	23.	ug/l	J	1	3/27/07	4/1/07	4/1/07	50.
11-07	MW-11	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-11	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-11	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-11	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.
11-07	MW-11	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-11	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-11	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-11	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-11	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-11	7440-39-3	15	Barium	60.	ug/l	J	1	3/27/07	4/1/07	4/1/07	100
11-07	MW-11	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-11	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	7440-66-6	213	Zinc	21.	ug/l		1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-11	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-11	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-11	SW330	330	Field Turbidity	6.03	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-11	SW325	325	Field Temperature	15.7	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-11	SW323	323	Field Specific Conductance	308	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-11	SW320	320	Field pH	6.55	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-11	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0

11-07	MW-11	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	7440-48-4	53	Cobalt	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-11	7440-50-8	54	Copper	2.6	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-11	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-11	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-11	7440-62-2	209	Vanadium	2.1	ug/l	J	1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-11	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	7440-02-0	152	Nickel	< 50.	ug/l	U	1	3/27/07	4/1/07	4/1/07	50.
11-07	MW-11	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-11	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	SW318	318	Static Water Level	33.07	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-11	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-11	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-11	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-11	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-11	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-11	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.
11-07	MW-11	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	7440-47-3	51	Chromium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-11	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-11	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-11	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-11	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	7440-39-3	15	Barium	18.	ug/l	J	1	3/27/07	4/1/07	4/1/07	100
11-07	MW-11	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-11	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-11	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-11	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-12	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-12	SW320	320	Field pH	6.14	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-12	SW323	323	Field Specific Conductance	501	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-12	SW325	325	Field Temperature	17.1	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-12	SW330	330	Field Turbidity	22.9	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-12	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-12	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-12	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-12	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	7440-50-8	54	Copper	0.91	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-12	7440-02-0	152	Nickel	5.9	ug/l	J	1	3/27/07	4/1/07	4/1/07	50.
11-07	MW-12	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	7440-47-3	51	Chromium	1.4	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-12	7440-48-4	53	Cobalt	1.1	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-12	7440-66-6	213	Zinc	6.7	ug/l	J	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-12	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-12	7440-62-2	209	Vanadium	2.4	ug/l	J	1	3/27/07	4/1/07	4/1/07	25.
11-07	MW-12	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0

11-07	MW-12	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/1/07	5.5
11-07	MW-12	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	SW318	318	Static Water Level	11.22	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-12	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-12	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-12	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-12	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-12	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-12	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/29/07	3/29/07	25.
11-07	MW-12	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	2.0
11-07	MW-12	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	5.0
11-07	MW-12	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-12	7440-39-3	15	Barium	90.	ug/l	J	1	3/27/07	4/1/07	4/1/07	100
11-07	MW-12	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	6.0
11-07	MW-12	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/1/07	10.
11-07	MW-12	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/1/07	1.0
11-07	MW-12	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/29/07	3/29/07	1.0
11-07	MW-12	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-12	SW330	330	Field Turbidity	62.9	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-12	SW325	325	Field Temperature	15.2	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-12	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-12	SW323	323	Field Specific Conductance	169	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-12	SW320	320	Field pH	5.79	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-12	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/2/07	10.
11-07	MW-12	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	7440-50-8	54	Copper	3.0	ug/l	J	1	3/27/07	4/1/07	4/2/07	10.
11-07	MW-12	7440-66-6	213	Zinc	7.8	ug/l	J	1	3/27/07	4/1/07	4/2/07	10.
11-07	MW-12	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-12	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	7440-48-4	53	Cobalt	1.1	ug/l	J	1	3/27/07	4/1/07	4/2/07	10.
11-07	MW-12	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	7440-62-2	209	Vanadium	7.4	ug/l	J	1	3/27/07	4/1/07	4/2/07	25.
11-07	MW-12	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-12	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	7440-02-0	152	Nickel	< 50.	ug/l	U	1	3/27/07	4/1/07	4/2/07	50.
11-07	MW-12	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/2/07	5.5
11-07	MW-12	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	SW318	318	Static Water Level	10.96	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-12	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/2/07	10.
11-07	MW-12	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/2/07	10.
11-07	MW-12	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-12	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-12	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-12	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0

11-07	MW-12	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	7440-47-3	51	Chromium	2.3	ug/l	J	1	3/27/07	4/1/07	4/2/07	10.
11-07	MW-12	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/30/07	3/30/07	25.
11-07	MW-12	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/2/07	1.0
11-07	MW-12	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	7440-39-3	15	Barium	46.	ug/l	J	1	3/27/07	4/1/07	4/2/07	100
11-07	MW-12	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-12	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/2/07	6.0
11-07	MW-12	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-12	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/2/07	10.
11-07	MW-12	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/2/07	1.0
11-07	MW-12	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-12	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/2/07	10.
11-07	MW-13	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	SW330	330	Field Turbidity	12.5	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-13	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-13	SW325	325	Field Temperature	13.9	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-13	SW323	323	Field Specific Conductance	289	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-13	SW320	320	Field pH	6.45	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-13	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-13	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	7440-50-8	54	Copper	0.47	ug/l	J	1	3/27/07	4/1/07	4/2/07	10.
11-07	MW-13	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-13	7440-66-6	213	Zinc	19.	ug/l		1	3/27/07	4/1/07	4/2/07	10.
11-07	MW-13	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	7440-48-4	53	Cobalt	21.	ug/l		1	3/27/07	4/1/07	4/2/07	10.
11-07	MW-13	7440-62-2	209	Vanadium	< 25.	ug/l	U	1	3/27/07	4/1/07	4/2/07	25.
11-07	MW-13	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-13	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	7440-02-0	152	Nickel	< 50.	ug/l	U	1	3/27/07	4/1/07	4/2/07	50.
11-07	MW-13	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/2/07	5.5
11-07	MW-13	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	SW318	318	Static Water Level	5.48	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-13	7440-22-4	184	Silver	0.51	ug/l	J	1	3/27/07	4/1/07	4/2/07	10.
11-07	MW-13	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/2/07	10.
11-07	MW-13	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-13	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-13	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-13	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/30/07	3/30/07	25.
11-07	MW-13	7440-47-3	51	Chromium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/2/07	10.
11-07	MW-13	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-13	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/2/07	1.0

11-07	MW-13	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/2/07	10.
11-07	MW-13	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/2/07	1.0
11-07	MW-13	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	7440-39-3	15	Barium	120	ug/l		1	3/27/07	4/1/07	4/2/07	100
11-07	MW-13	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/2/07	6.0
11-07	MW-13	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-13	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/4/07	5.5
11-07	MW-13	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-13	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-13	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-13	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-13	7440-02-0	152	Nickel	26.	ug/l	J	1	3/27/07	4/1/07	4/4/07	50.
11-07	MW-13	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-13	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-13	SW318	318	Static Water Level	6.21	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-13	SW330	330	Field Turbidity	913	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-13	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	7440-62-2	209	Vanadium	30.	ug/l		1	3/27/07	4/1/07	4/4/07	25.
11-07	MW-13	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-13	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	7440-66-6	213	Zinc	26.	ug/l		1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-13	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	SW325	325	Field Temperature	18.4	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-13	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/4/07	1.0
11-07	MW-13	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-13	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	7440-47-3	51	Chromium	15.	ug/l		1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-13	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	SW320	320	Field pH	6.29	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-13	7440-48-4	53	Cobalt	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-13	SW323	323	Field Specific Conductance	247	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-13	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	7440-50-8	54	Copper	12.	ug/l		1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-13	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-13	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/30/07	3/30/07	25.
11-07	MW-13	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/4/07	1.0
11-07	MW-13	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-13	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-13	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/4/07	6.0
11-07	MW-13	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-13	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-13	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	7440-39-3	15	Barium	220	ug/l		1	3/27/07	4/1/07	4/4/07	100
11-07	MW-13	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-13	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-14	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-14	SW330	330	Field Turbidity	144	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-14	SW325	325	Field Temperature	14.3	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-14	SW323	323	Field Specific Conductance	205	umhos/cm		1	3/27/07	4/16/07	4/16/07	

11-07	MW-14	SW320	320	Field pH	6.24	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-14	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-14	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7440-50-8	54	Copper	5.2	ug/l	J	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-14	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-14	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-14	7440-48-4	53	Cobalt	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-14	7440-66-6	213	Zinc	16.	ug/l		1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-14	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-14	7440-62-2	209	Vanadium	17.	ug/l	J	1	3/27/07	4/1/07	4/4/07	25.
11-07	MW-14	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7440-02-0	152	Nickel	4.8	ug/l	J	1	3/27/07	4/1/07	4/4/07	50.
11-07	MW-14	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/4/07	5.5
11-07	MW-14	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	SW318	318	Static Water Level	32.15	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-14	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-14	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-14	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-14	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-14	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-14	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7440-47-3	51	Chromium	8.1	ug/l	J	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-14	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/30/07	3/30/07	25.
11-07	MW-14	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/4/07	1.0
11-07	MW-14	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-14	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/4/07	1.0
11-07	MW-14	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7440-39-3	15	Barium	68.	ug/l	J	1	3/27/07	4/1/07	4/4/07	100
11-07	MW-14	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-14	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/4/07	6.0
11-07	MW-14	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/4/07	1.0
11-07	MW-14	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7440-39-3	15	Barium	11.	ug/l	J	1	3/27/07	4/1/07	4/4/07	100
11-07	MW-14	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/4/07	6.0
11-07	MW-14	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/4/07	1.0
11-07	MW-14	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-14	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-14	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-14	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/30/07	3/30/07	25.
11-07	MW-14	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7440-47-3	51	Chromium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-14	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0

11-07	MW-14	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-14	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-14	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-14	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7440-02-0	152	Nickel	< 50.	ug/l	U	1	3/27/07	4/1/07	4/4/07	50.
11-07	MW-14	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-14	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-14	SW318	318	Static Water Level	32.36	feet		1	3/27/07	4/16/07	4/16/07	
11-07	MW-14	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/4/07	5.5
11-07	MW-14	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-14	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7440-62-2	209	Vanadium	1.4	ug/l	J	1	3/27/07	4/1/07	4/4/07	25.
11-07	MW-14	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7440-66-6	213	Zinc	6.7	ug/l	J	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-14	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7440-48-4	53	Cobalt	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-14	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-14	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	MW-14	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	7440-50-8	54	Copper	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-14	SW325	325	Field Temperature	14.8	deg C		1	3/27/07	4/16/07	4/16/07	
11-07	MW-14	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	MW-14	SW320	320	Field pH	7.13	Std. Units		1	3/27/07	4/16/07	4/16/07	
11-07	MW-14	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	MW-14	SW323	323	Field Specific Conductance	278	umhos/cm		1	3/27/07	4/16/07	4/16/07	
11-07	MW-14	SW330	330	Field Turbidity	1.78	NTU		1	3/27/07	4/16/07	4/16/07	
11-07	MW-14	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	MW-14	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	EQUIPI	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	EQUIPI	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	EQUIPI	7439-92-1	131	Lead	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	EQUIPI	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	7440-47-3	51	Chromium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	EQUIPI	7440-48-4	53	Cobalt	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	EQUIPI	7440-66-6	213	Zinc	2.9	ug/l	J	1	3/27/07	4/1/07	4/4/07	10.
11-07	EQUIPI	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	7440-02-0	152	Nickel	< 50.	ug/l	U	1	3/27/07	4/1/07	4/4/07	50.
11-07	EQUIPI	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	EQUIPI	7440-62-2	209	Vanadium	< 25.	ug/l	U	1	3/27/07	4/1/07	4/4/07	25.
11-07	EQUIPI	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	7440-28-0	194	Thallium	< 5.5	ug/l	U	1	3/27/07	4/1/07	4/4/07	5.5
11-07	EQUIPI	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	7440-22-4	184	Silver	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	EQUIPI	7782-49-2	183	Selenium	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	EQUIPI	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	EQUIPI	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0

11-07	EQUIPI	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	7440-50-8	54	Copper	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	EQUIPI	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	7440-43-9	34	Cadmium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/4/07	1.0
11-07	EQUIPI	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	2.0
11-07	EQUIPI	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	7440-36-0	13	Antimony	< 6.0	ug/l	U	1	3/27/07	4/1/07	4/4/07	6.0
11-07	EQUIPI	7440-41-7	23	Beryllium	< 1.0	ug/l	U	1	3/27/07	4/1/07	4/4/07	1.0
11-07	EQUIPI	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	7440-39-3	15	Barium	< 100	ug/l	U	1	3/27/07	4/1/07	4/4/07	100
11-07	EQUIPI	7440-38-2	14	Arsenic	< 10.	ug/l	U	1	3/27/07	4/1/07	4/4/07	10.
11-07	EQUIPI	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	EQUIPI	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	3/30/07	3/30/07	25.
11-07	EQUIPI	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	1.0
11-07	EQUIPI	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	3/30/07	3/30/07	5.0
11-07	TRAVE	74-88-4	142	Iodomethane	< 5.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	5.0
11-07	TRAVE	100-41-4	110	Ethylbenzene	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	74-95-3	139	Dibromomethane	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	124-48-1	66	Dibromochloromethane	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	75-00-3	41	Chloroethane	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	156-59-2	78	cis-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	74-87-3	137	Chloromethane	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	67-66-3	44	Chloroform	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	SW359	359	m&p-Xylene	< 2.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	2.0
11-07	TRAVE	10061-02-6	87	trans-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	108-90-7	39	Chlorobenzene	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	10061-01-5	86	cis-1,3-Dichloropropene	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	75-09-2	140	Methylene chloride	< 2.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	2.0
11-07	TRAVE	95-47-6	408	o-Xylene	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	100-42-5	186	Styrene	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	127-18-4	192	Tetrachloroethene	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	108-88-3	196	Toluene	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	156-60-5	79	trans-1,2-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	110-57-6	73	trans-1,4-Dichloro-2-butene	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	79-01-6	201	Trichloroethene	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	75-69-4	203	Trichlorofluoromethane	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	108-05-4	210	Vinyl acetate	< 2.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	2.0
11-07	TRAVE	56-23-5	36	Carbon tetrachloride	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	96-12-8	67	1,2-Dibromo-3-chloropropane	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	106-46-7	71	1,4-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	75-01-4	211	Vinyl chloride	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	630-20-6	190	1,1,1,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	71-55-6	200	1,1,1-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	79-34-5	191	1,1,2,2-Tetrachloroethane	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	79-00-5	202	1,1,2-Trichloroethane	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	75-34-3	75	1,1-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	75-35-4	77	1,1-Dichloroethene	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	96-18-4	206	1,2,3-Trichloropropane	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	106-93-4	68	1,2-Dibromoethane (EDB)	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	107-06-2	76	1,2-Dichloroethane	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	95-50-1	69	1,2-Dichlorobenzene	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	78-87-5	82	1,2-Dichloropropane	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	75-15-0	35	Carbon disulfide	< 2.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	2.0
11-07	TRAVE	78-93-3	141	2-Butanone (MEK)	< 5.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	5.0
11-07	TRAVE	591-78-6	124	2-Hexanone	< 5.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	5.0
11-07	TRAVE	108-10-1	147	4-Methyl-2-pentanone (MIBK)	< 5.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	5.0
11-07	TRAVE	67-64-1	3	Acetone	< 25.	ug/l	U	1	3/27/07	4/2/07	4/2/07	25.
11-07	TRAVE	107-13-1	8	Acrylonitrile	< 5.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	5.0
11-07	TRAVE	71-43-2	16	Benzene	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	74-97-5	28	Bromochloromethane	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	75-27-4	29	Bromodichloromethane	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	75-25-2	30	Bromoform	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0
11-07	TRAVE	74-83-9	136	Bromomethane	< 1.0	ug/l	U	1	3/27/07	4/2/07	4/2/07	1.0

Barium concentrations (ug/l)

	Background	Compliance Wells											
Date	**MW-1**	**MW-2**	**MW-3**	**MW-4**	**MW-5**	**MW-6**	**MW-7**	**MW-8**	**MW-9**	**MW-10**	**MW-11**	**MW-12**	**MW-13**
3/27/2007	220	BDL	180	BDL	BDL	BDL	200	BDL	Out of Service	100	BDL	BDL	120
9/22/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/24/2006	260	970*	560	250	78	230	170	68	Out of Service	220	150	210	140
9/27/2005	180	610	1500*	160	78	180	300	52	200	200	77	260	140
4/11/2005	150	1000*	1300*	470	69	1400*	1500*	130	220	410	61	220	
9/27/2004	190	1100*	220	86	74	180	220	100	240	340	49	280	
3/30/2004	130	280	150	200	120	54	160	87	250	150	100	140	
9/30/2003	290	410	380	87	67	1100*	500	70	190	240	60	86	
3/25/2003	190	120	260	110	52	59	120	62	160	320	61	220	
10/28/2002	350												
4/30/2002	280												
10/23/2001	430												
5/1/2001	570												
11/6/2000	610												
4/4/2000	108												
11/2/1999	240												
4/27/1999	419												
11/9/1998	709												
4/14/1998	528												

n=	19	number of observations
Mean=	325	arithmetic mean
SD=	180	standard deviation
K=	2.523	one-sided normal tolerance factor (from table)
TL=	779	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

	Background	Compliance Wells								
Date	**MW-1D**	**MW-2D**	**MW-4D**	**MW-5D**	**MW-8D**	**MW-9D**	**MW-10D**	**MW-11D**	**MW-12D**	**MW-13D**
3/27/2007	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	220
9/22/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/22/2006	42	84	32	48	68	Out of Service	32	16	140	460
9/27/2005	170	79	33	45	57	240	160	17	160	400
4/11/2005	38	81	32	49	56	200	54	13	370	
9/27/2004	27	140	32	55	58	220	17	15	420	
3/30/2004	76	100	62	50	55	190	12	17	6.8	
9/30/2003	52	7.7	5.5	53	52	180	12	63	150	
3/25/2003	37	77	45	50	53	130	130	65	1000	
10/28/2002	270									
4/30/2002	60									
10/23/2001	110									
5/1/2001	530									
11/6/2000	880									
4/4/2000	1290									

n=	15	number of observations
Mean=	276	arithmetic mean
SD=	394	standard deviation
K=	2.736	one-sided normal tolerance factor (from table)
TL=	1354	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

Chromium concentrations (ug/l)

	Background	Compliance Wells											
Date	**MW-1**	**MW-2**	**MW-3**	**MW-4**	**MW-5**	**MW-6**	**MW-7**	**MW-8**	**MW-9**	**MW-10**	**MW-11**	**MW-12**	**MW-13**
3/27/2007	BDL	BDL	10	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/24/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	15	85	110	15	4.5	2.5	2	BDL	Out of Service	35	32	8.3	BDL
9/26/2005	1	46	25	19	12	16	23	2.5	BDL	16	6	4.3	BDL
4/11/2005	1	83	280*	68	2.8	300*	220*	14	4.6	59	2	13	
9/27/2004	6.4	57	27	2.1	8	37	15	8.3	BDL	43	BDL	10	
3/30/2004	29	18	12	23	8.3	BDL	BDL	9.5	BDL	16	20	BDL	
9/30/2003	20	26	85	BDL	7.4	290*	81	5.2	BDL	43	6.9	7.7	
3/25/2003	5.1	120	47	9.3	8.4	BDL	5.1	BDL	BDL	69	7.6	36	
10/28/2002	42												
4/30/2002	23												
10/23/2001	34												
5/1/2001	2.5												
11/6/2000	9.9												
4/4/2000	1												
11/2/1999	22												
4/27/1999	47												
11/9/1998	176												
4/14/1998	60												

n=	19	number of observations
Mean=	29	arithmetic mean
SD=	42	standard deviation
K=	2.523	one-sided normal tolerance factor (from table)
TL=	135	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

	Background	Compliance Wells								
Date	**MW-1D**	**MW-2D**	**MW-4D**	**MW-5D**	**MW-8D**	**MW-9D**	**MW-10D**	**MW-11D**	**MW-12D**	**MW-13D**
9/27/2007	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	15
9/24/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	3.2	BDL	BDL	28
10/10/2005	1	2.1	BDL	BDL	BDL	BDL	33	BDL	**3**	64
4/11/2005	1	BDL	BDL	BDL	BDL	BDL	8	BDL	45	
9/27/2004	1	5.1	BDL	BDL	BDL	BDL	BDL	BDL	50	
3/30/2004	1	5.7	62	BDL	BDL	BDL	BDL	BDL	BDL	
9/30/2003	2.5	9.7	BDL	BDL	BDL	2.7	BDL	BDL	13	
3/25/2003	12	BDL	BDL	BDL	BDL	BDL	35	BDL	170	
10/28/2002	9.1									
4/30/2002	2.5									
10/23/2001	2.5									
5/1/2001	5.9									
11/6/2000	31									
4/4/2000	202									

n=	15	number of observations
Mean=	23	arithmetic mean
SD=	57	standard deviation
K=	2.736	one-sided normal tolerance factor (from table)
TL=	179	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

Copper concentrations (ug/l)

	Background	Compliance Wells											
Date	**MW-1**	**MW-2**	**MW-3**	**MW-4**	**MW-5**	**MW-6**	**MW-7**	**MW-8**	**MW-9**	**MW-10**	**MW-11**	**MW-12**	**MW-13**
9/27/2007	13	BDL	BDL	BDL	BDL	BDL	18	18	Out of Service	17	BDL	BDL	BDL
9/24/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	15	63	64	17	BDL	9.3	BDL	BDL	Out of Service	12	38	8.3	BDL
10/10/2005	11	28	77	12	2.5	9	28	3.7	BDL	79	14	5.2	3.6
4/11/2005	2.8	61	160*	57	BDL	140*	240*	14	3.2	170*	5.2	15	
9/27/2004	11	46	13	2.1	2.5	14	22	8.4	2.7	28	2.7	15	
3/30/2004	5	13	9.3	19	5.2	BDL	BDL	9.3	BDL	6	28	BDL	
9/30/2003	9	20	36	2.7	3.6	100*	74	5.9	2.6	24	9.7	8	
3/25/2003	8.3	4	18	8.1	2.9	BDL	5.5	4.1	2.6	31	5.9	22	
10/28/2002	44												
4/30/2002	23												
10/23/2001	48												
5/1/2001	14												
11/6/2000	21												
4/4/2000	**2.5**												
11/2/1999	16												
4/27/1999	43												
11/9/1998	76												
4/14/1998	56												

n=	19	number of observations
Mean=	23	arithmetic mean
SD=	21	standard deviation
K=	2.523	one-sided normal tolerance factor (from table)
TL=	76	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

	Background	Compliance Wells								
Date	**MW-1D**	**MW-2D**	**MW-4D**	**MW-5D**	**MW-8D**	**MW-9D**	**MW-10D**	**MW-11D**	**MW-12D**	**MW-13D**
3/27/2007	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	12
9/24/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	4	BDL	BDL	BDL	BDL	Out of Service	12	BDL	BDL	45
10/10/2005	1	BDL	BDL	BDL	BDL	BDL	43	BDL	12	34
4/11/2005	1	BDL	BDL	BDL	BDL	BDL	19	BDL	61	
9/27/2004	5	11	BDL	BDL	4.1	BDL	2	BDL	82	
3/30/2004	6.8	3.4	13	BDL	BDL	3.4	3	BDL	2.2	
9/30/2003	6	6.8	2.4	2.2	BDL	6.7	2.8	3.2	16	
3/25/2003	2.1	BDL	6.7	BDL	BDL	BDL	21	2.6	200	
10/28/2002	8.7									
4/30/2002	2.8									
10/23/2001	2.5									
5/1/2001	9.1									
11/6/2000	27									
4/4/2000	240									

n=	15	number of observations
Mean=	24	arithmetic mean
SD=	65	standard deviation
K=	2.736	one-sided normal tolerance factor (from table)
TL=	203	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

Nickel concentrations (ug/l)

	Background	Compliance Wells											
Date	**MW-1**	**MW-2**	**MW-3**	**MW-4**	**MW-5**	**MW-6**	**MW-7**	**MW-8**	**MW-9**	**MW-10**	**MW-11**	**MW-12**	**MW-13**
3/27/2007	BDL	BDL	28	BDL	BDL	BDL	18	BDL	Out of Service	BDL	23	BDL	BDL
9/24/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	10	92	98*	12	BDL	6.3	13	BDL	Out of Service	18	68	18	BDL
10/10/2005	2.5	BDL	120*	9.4	BDL	8	42	BDL	30	14	35	22	BDL
4/11/2005	2.5	97	190*	35	BDL	92	250	9.7	33	36	32	21	
9/27/2004	2.5	66	50	BDL	BDL	12	28	BDL	20	18	19	23	
3/30/2004	2.5	21	55	13	5.1	BDL	13	5.2	23	8.7	4.8	5	
9/30/2003	15	32	6.1	BDL	BDL	100	92	BDL	21	23	20	9.1	
3/25/2003	5	6.7	62	5.5	BDL	BDL	12	BDL	36	36	21	48	
10/28/2002	30												
4/30/2002	18												
10/23/2001	30												
5/1/2001	13												
11/6/2000	21												
4/4/2000	2.5												
11/2/1999	16												
4/27/1999	33												
11/9/1998	120												
4/14/1998	40												

n=	19	number of observations
Mean=	21	arithmetic mean
SD=	28	standard deviation
K=	2.523	one-sided normal tolerance factor (from table)
TL=	92	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

	Background	Compliance Wells								
Date	**MW-1D**	**MW-2D**	**MW-4D**	**MW-5D**	**MW-8D**	**MW-9D**	**MW-10D**	**MW-11D**	**MW-12D**	**MW-13D**
3/27/2007	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	26
9/24/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	18	BDL	7.2	47
10/10/2005	21	BDL	BDL	BDL	BDL	14	63	BDL	9.9	58
4/11/2005	2.5	BDL	BDL	BDL	BDL	8.7	35	BDL	41	
9/27/2004	2.5	BDL	BDL	BDL	BDL	BDL	12	BDL	52	
3/30/2004	9.7	BDL	7	BDL	BDL	8.6	6.8	BDL	BDL	
9/30/2003	7.8	7.2	BDL	BDL	BDL	10	10	BDL	15	
3/25/2003	5	BDL	BDL	BDL	BDL	BDL	BDL	13	230	
10/28/2002	18									
4/30/2002	5.2									
10/23/2001	12									
5/1/2001	28									
11/6/2000	42									
4/4/2000	212									

n=	15	number of observations
Mean=	30	arithmetic mean
SD=	58	standard deviation
K=	2.736	one-sided normal tolerance factor (from table)
TL=	190	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

Zinc concentrations (ug/l)

	Background	Compliance Wells											
Date	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	MW-11	MW-12	MW-13
3/27/2007	19	BDL	21	BDL	BDL	BDL	37	BDL	Out of Service	37	BDL	BDL	19
9/24/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	34	330*	120	23	BDL	14	11	BDL	Out of Service	110	40	BDL	18
9/26/2005	5	190*	150	24	11	21	54	BDL	BDL	140	12	BDL	BDL
4/11/2005	16	330*	280*	79	BDL	320*	320*	21	10	370*	BDL	53	
9/27/2004	5	260*	38	22	21	57	23	12	BDL	40	BDL	26	
3/30/2004	5	78	32	27	13	BDL	BDL	14	BDL	21	21	BDL	
9/30/2003	31	120	89	BDL	BDL	290*	99	BDL	BDL	38	11	16	
3/25/2003	5	23	43	BDL	BDL	BDL	14	BDL	BDL	62	14	130	
10/28/2002	48												
4/30/2002	28												
10/23/2001	51												
5/1/2001	37												
11/6/2000	200												
4/4/2000	12.5												
11/2/1999	34												
4/27/1999	55												
11/9/1998	102												
4/14/1998	90												

n=	19	number of observations
Mean=	43	arithmetic mean
SD=	48	standard deviation
K=	2.523	one-sided normal tolerance factor (from table)
TL=	164	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

	Background	Compliance Wells								
Date	MW-1D	MW-2D	MW-4D	MW-5D	MW-8D	MW-9D	MW-10D	MW-11D	MW-12D	MW-13D
3/27/2007	11	BDL	BDL	15	27	Out of Service	BDL	21	BDL	26
9/24/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	29	16	120	14	19	Out of Service	22	11	20	33
10/10/2005	48	BDL	28	17	18	BDL	56	12	12	39
4/11/2005	10	BDL	18	32	11	20	20	BDL	79	
9/27/2004	10	16	BDL	79	BDL	BDL	BDL	24	95	
3/30/2004	50	18	14	BDL	BDL	60	BDL	BDL	BDL	
9/30/2003	42	24	12	BDL	BDL	17	16	BDL	20	
3/25/2003	30	BDL	BDL	BDL	30	15	40	16	320*	
10/28/2002	58									
4/30/2002	18									
10/23/2001	33									
5/1/2001	30									
11/6/2000	78									
4/4/2000	195									

n=	15	number of observations
Mean=	46	arithmetic mean
SD=	47	standard deviation
K=	2.736	one-sided normal tolerance factor (from table)
TL=	175	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

Cobalt concentrations (ug/l)

	Background	Compliance Wells											
Date	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	MW-11	MW-12	MW-13
3/27/2007	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	21
9/24/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	6.5	81*	37	7	BDL	21	BDL	BDL	Out of Service	5.8	16	6.2	20.0
9/26/2005	6.1	46*	95*	BDL	BDL	21	13	BDL	BDL	5.3	5.8	BDL	18
4/11/2005	2.5	87*	87*	17	BDL	110*	96*	BDL	11	17	BDL	10	
9/27/2004	2.5	75*	18	BDL	BDL	15	12	BDL	BDL	8.5	BDL	11	
3/30/2004	2.5	19	25	6.9	BDL	BDL	6.4	BDL	BDL	BDL	9.8	BDL	
9/30/2003	9	27	44	BDL	BDL	100*	32	BDL	BDL	5.4	BDL	BDL	
3/25/2003	2.5	5.4	21	BDL	BDL	BDL	BDL	BDL	BDL	14	BDL	18	
10/28/2002	15												
4/30/2002	11												
10/23/2001	17												
5/1/2001	30												
11/6/2000	34												
4/4/2000	2.5												
11/2/1999	12												
4/27/1999	19												
11/9/1998	37												
4/14/1998	29												

n=	19	number of observations
Mean=	14	arithmetic mean
SD=	12	standard deviation
K=	2.523	one-sided normal tolerance factor (from table)
TL=	44	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

	Background	Compliance Wells								
Date	MW-1D	MW-2D	MW-4D	MW-5D	MW-8D	MW-9D	MW-10D	MW-11D	MW-12D	MW-13D
3/27/2007	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/24/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	17
10/10/2005	11	BDL	BDL	BDL	BDL	BDL	19	BDL	BDL	12
4/11/2005	2.5	BDL	BDL	BDL	BDL	BDL	5.9	BDL	15	
9/27/2004	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22	
3/30/2004	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
9/30/2003	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
3/25/2003	2.5	BDL	BDL	BDL	BDL	BDL	9	BDL	81	
10/28/2002	13									
4/30/2002	2.5									
10/23/2001	2.5									
5/1/2001	33									
11/6/2000	51									
4/4/2000	126									

n=	15	number of observations
Mean=	21	arithmetic mean
SD=	36	standard deviation
K=	2.736	one-sided normal tolerance factor (from table)
TL=	121	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

Vanadium concentrations (ug/l)

	Background	Compliance Wells											
Date	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	MW-11	MW-12	MW-13
3/27/2007	25	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/24/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	28	92	190*	32	11	18	5.5	BDL	Out of Service	33	30	17	BDL
10/10/2005	2.5	59	100	31	26	29	48	BDL	BDL	22	6.1	9.2	BDL
4/11/2005	6.6	98	540*	110	13	430*	480*	26	7.1	74	BDL	26	
9/27/2004	18	74	37	5.1	25	49	26	14	BDL	46	BDL	24	
3/30/2004	9.1	23	22	38	15	BDL	BDL	15	BDL	18	19	BDL	
9/30/2003	39	30	94	BDL	28	380*	140	7.6	BDL	42	7.9	13	
3/25/2003	13	6.8	66	19	38	BDL	11	7	BDL	69	7.7	45	
10/28/2002	71												
4/30/2002	41												
10/23/2001	75												
5/1/2001	17												
11/6/2000	33												
4/4/2000	2.5												
11/2/1999	34												
4/27/1999	72												
11/9/1998	131												
4/14/1998	105												

n=	19	number of observations
Mean=	40	arithmetic mean
SD=	37	standard deviation
K=	2.523	one-sided normal tolerance factor (from table)
TL=	133	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

	Background	Compliance Wells								
Date	MW-1D	MW-2D	MW-4D	MW-5D	MW-8D	MW-9D	MW-10D	MW-11D	MW-12D	MW-13D
3/27/2007	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	30
9/24/006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	9.1	BDL	B	BDL	BDL	Out of Service	6.6	BDL	17	80
10/10/2005	10	BDL	5.1	BDL	BDL	BDL	27	BDL	16	130*
4/11/2005	2.5	BDL	6.1	BDL	BDL	BDL	9.8	BDL	100	
9/27/2004	2.5	9.9	6.2	BDL	BDL	BDL	BDL	BDL	120	
3/30/2004	6.2	8.2	39	BDL	BDL	6.2	BDL	BDL	BDL	
9/30/2003	7	13	8.6	BDL	BDL	11	BDL	BDL	25	
3/25/2003	2.5	BDL	22	BDL	BDL	BDL	25	BDL	300*	
10/28/2002	13									
4/30/2002	2.5									
10/23/2001	2.5									
5/1/2001	33									
11/6/2000	51									
4/4/2000	126									

n=	15	number of observations
Mean=	21	arithmetic mean
SD=	35	standard deviation
K=	2.736	one-sided normal tolerance factor (from table)
TL=	116	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

Cadmium concentrations (ug/l)

	Background					Compliance Wells							
Date	**MW-1**	**MW-2**	**MW-3**	**MW-4**	**MW-5**	**MW-6**	**MW-7**	**MW-8**	**MW-9**	**MW-10**	**MW-11**	**MW-12**	**MW-13**
3/27/2007	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/24/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
10/10/2005	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4/11/2005	0.5	BDL	BDL	BDL	BDL	5.7*	5.1*	BDL	BDL	4.9*	BDL	BDL	
9/27/2004	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
3/30/2004	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
9/30/2003	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
3/25/2003	0.5	BDL	1.5	BDL	BDL	BDL	BDL	BDL	BDL	2.8	BDL	1.8	
10/28/2002	2.7												
4/30/2002	1.4												
10/23/2001	3.1												
5/1/2001	0.5												
11/6/2000	0.5												
4/4/2000	0.5												
11/2/1999	0.5												
4/27/1999	0.5												
11/9/1998	0.5												
4/14/1998	0.5												

n=	19	number of observations
Mean=	1	arithmetic mean
SD=	1	standard deviation
K=	2.523	one-sided normal tolerance factor (from table)
TL=	3	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

Arsenic concentrations (ug/l)

	Background	Compliance Wells											
Date	**MW-1**	**MW-2**	**MW-3**	**MW-4**	**MW-5**	**MW-6**	**MW-7**	**MW-8**	**MW-9**	**MW-10**	**MW-11**	**MW-12**	**MW-13**
3/27/2007	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/24/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	BDL	6.3*	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
10/10/2005	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4/11/2005	2.5	BDL	9.2*	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
9/27/2004	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
3/30/2004	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
9/30/2003	2.5	BDL	BDL	BDL	BDL	8*	BDL	BDL	BDL	BDL	BDL	BDL	
3/25/2003	2.5												
10/28/2002	2.5												
4/30/2002	5												
10/23/2001	5												
5/1/2001	5												
11/6/2000	5												
4/4/2000	2.5												
11/2/1999	2.5												
4/27/1999	2.5												
11/9/1998	2.5												
4/14/1998	2.5												

n=	19	number of observations
Mean=	3	arithmetic mean
SD=	1	standard deviation
K=	2.523	one-sided normal tolerance factor (from table)
TL=	5.9	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

	Background	Compliance Wells								
Date	**MW-1D**	**MW-2D**	**MW-4D**	**MW-5D**	**MW-8D**	**MW-9D**	**MW-10D**	**MW-11D**	**MW-12D**	**MW-13D**
3/27/2007	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/24/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
10/10/2005	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4/11/2005	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
9/27/2004	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
3/30/2004	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
9/30/2003	2.5	BDL	BDL	BDL	BDL	8	BDL	BDL	BDL	
3/25/2003	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.8	
10/28/2002	2.5									
4/30/2002	5									
10/23/2001	5									
5/1/2001	5									
4/4/2000	2.5									

n=	14	number of observations
Mean=	3	arithmetic mean
SD=	1	standard deviation
K=	2.736	one-sided normal tolerance factor (from table)
TL=	6	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

Carbon disulfide concentrations (ug/l)

	Background	Compliance Wells											
Date	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	MW-11	MW-12	MW-13
3/27/2007	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/23/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
10/10/2005	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4/11/2005	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
9/27/2004	1	2.9	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
3/30/2004	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
9/30/2003	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
4/14/1998	1	BDL	BDL	32*	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
11/9/1998	1												
4/27/1999	0.5												
11/2/1999	0.5												
4/4/2000	0.5												
11/6/2000	2.5												
5/1/2001	2.5												
10/23/2001	1												
4/30/2002	0.5												
10/28/2002	5												
3/25/2003	5												

n=	19	number of observations
Mean=	2	arithmetic mean
SD=	1	standard deviation
K=	2.523	one-sided normal tolerance factor (from table)
TL=	5	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

	Background	Compliance Wells								
Date	MW-1D	MW-2D	MW-4D	MW-5D	MW-8D	MW-9D	MW-10D	MW-11D	MW-12D	MW-13D
3/27/2007	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/24/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/26/2005	1	2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4/11/2005	1	BDL	BDL	BDL	3.9	8.4	BDL	BDL	BDL	
9/27/2004	3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
3/30/2004	1	BDL	BDL	BDL	6.4	BDL	BDL	BDL	BDL	
9/30/2003	6.4	BDL	16	BDL	BDL	BDL	BDL	BDL	BDL	
10/28/2002	14	BDL	BDL	28	BDL	BDL	BDL	BDL	13	
3/25/2003	5									
4/30/2002	5									
4/4/2000	0.5									
10/23/2001	29.9									
5/1/2001	2.5									
11/6/2000	2.5									

n=	15	number of observations
Mean=	6	arithmetic mean
SD=	8	standard deviation
K=	2.736	one-sided normal tolerance factor (from table)
TL=	29	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

Lead concentrations (ug/l)

	Background	Compliance Wells											
Date	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	MW-11	MW-12	MW-13
3/27/2007	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/24/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	BDL	45*	15*	6.8	BDL	5.5	BDL	BDL	Out of Service	5.3	7.5	5	6.3
9/26/2005	2.5	22*	13	BDL	BDL	6	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4/11/2005	2.5	47*	42*	18*	BDL	30*	12*	BDL	BDL	5.1	BDL	BDL	
9/27/2004	2.5	31*	BDL	BDL	BDL	10	BDL	BDL	BDL	BDL	BDL	BDL	
3/30/2004	2.5	11	BDL	5.9	BDL	BDL	BDL	BDL	BDL	BDL	6.5	BDL	
9/30/2003	2.5	12	6.1	BDL	BDL	34*	6.5	BDL	BDL	BDL	BDL	BDL	
3/25/2003	5												
10/28/2002	5												
4/30/2002	5												
10/23/2001	5												
5/1/2001	5												
11/6/2000	5												
4/4/2000	2												
11/2/1999	2												
4/27/1999	6												
11/9/1998	10												
4/14/1998	2												

n=	19	number of observations
Mean=	4	arithmetic mean
SD=	2	standard deviation
K=	2.523	one-sided normal tolerance factor (from table)
TL=	9	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

	Background	Compliance Wells								
Date	MW-1D	MW-2D	MW-4D	MW-5D	MW-8D	MW-9D	MW-10D	MW-11D	MW-12D	MW-13D
3/27/2007	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/24/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	9	BDL	6.8	BDL	BDL	Out of Service	BDL	BDL	BDL	7
10/10/2005	13	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	8.9
4/11/2005	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16	
9/27/2004	5	BDL	BDL	BDL	BDL	5.1	BDL	BDL	16	
3/30/2004	6.1	BDL	BDL	BDL	BDL	5.1	BDL	BDL	BDL	
9/30/2003	9.8	BDL	BDL	BDL	BDL	6	BDL	BDL	BDL	
3/25/2003	11									
10/28/2002	5									
4/30/2002	5									
10/23/2001	5									
5/1/2001	5									
11/6/2000	5									
4/4/2000	25									

n=	15	number of observations
Mean=	8	arithmetic mean
SD=	6	standard deviation
K=	2.736	one-sided normal tolerance factor (from table)
TL=	24	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

Antimony concentrations (ug/l)

	Background	Compliance Wells											
Date	**MW-1**	**MW-2**	**MW-3**	**MW-4**	**MW-5**	**MW-6**	**MW-7**	**MW-8**	**MW-9**	**MW-10**	**MW-11**	**MW-12**	**MW-13**
3/27/2007	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/24/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
10/10/2005	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4/11/2005	6.6	BDL	9.2*	BDL	6.8	7.6*	10*	5.2	BDL	5.8	BDL	BDL	
9/27/2004	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
3/30/2004	2.5	BDL	BDL	BDL	BDL	BDL	BDL	5.5	BDL	BDL	BDL	BDL	
9/30/2003	2.5	BDL	BDL	BDL	BDL	BDL	BDL	5.5	BDL	BDL	BDL	BDL	
3/25/2003	5												
10/28/2002	5												
4/30/2002	5												
10/23/2001	5												
5/1/2001	5												
11/6/2000	2.5												
4/4/2000	2.5												
11/2/1999	2.5												
4/27/1999	2.5												
11/9/1998	2.5												
4/14/1998	2.5												

n=	19	number of observations
Mean=	4	arithmetic mean
SD=	1	standard deviation
K=	2.523	one-sided normal tolerance factor (from table)
TL=	7	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

	Background	Compliance Wells								
Date	**MW-1D**	**MW-2D**	**MW-4D**	**MW-5D**	**MW-8D**	**MW-9D**	**MW-10D**	**MW-11D**	**MW-12D**	**MW-13D**
3/27/2007	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/24/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
10/10/2005	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4/11/2005	2.5	BDL	BDL	7.9	BDL	BDL	5.8	BDL	BDL	
9/27/2004	2.5	7.7	5.5	BDL	BDL	BDL	BDL	BDL	BDL	
3/30/2004	2.5	7.7	5.5	BDL	BDL	BDL	BDL	BDL	BDL	
9/30/2003	2.5	7.7	5.5	BDL	BDL	BDL	BDL	BDL	BDL	
3/25/2003	5									
10/28/2002	5									
4/30/2002	5									
10/23/2001	5									
5/1/2001	5									
11/6/2000	5									
4/4/2000	2.5									

n=	15	number of observations
Mean=	4	arithmetic mean
SD=	1	standard deviation
K=	2.736	one-sided normal tolerance factor (from table)
TL=	7	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

Beryllium concentrations (ug/l)

	Background	Compliance Wells											
Date	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	MW-11	MW-12	MW-13
3/27/2007	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/24/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	BDL	4*	1.4	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/26/2005	0.5	3*	2.5*	1	BDL	1.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4/11/2005	0.5	4.5*	6*	2.3*	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
9/27/2004	0.5	2.5*	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
3/30/2004	0.5												
9/30/2003	0.5												
3/25/2003	1												
10/28/2002	1												
4/30/2002	2												
10/23/2001	1												
5/1/2001	1												
11/6/2000	2.1												
4/4/2000	0.5												
11/2/1999	0.5												
4/27/1999	0.5												
11/9/1998	0.5												
4/14/1998	0.5												

n=	19	number of observations
Mean=	1	arithmetic mean
SD=	1	standard deviation
K=	2.523	one-sided normal tolerance factor (from table)
TL=	2.2	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

	Background	Compliance Wells								
Date	MW-1D	MW-2D	MW-4D	MW-5D	MW-8D	MW-9D	MW-10D	MW-11D	MW-12D	MW-13D
3/27/2007	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/24/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/206	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/26/2005	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.4
4/11/2005	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2	
9/27/2004	0.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.5	
3/30/2004	0.5									
9/30/2003	1.2									
3/25/2003	1									
10/28/2002	1									
4/30/2002	1									
10/23/2001	1									
5/1/2001	1									
11/6/2000	2.7									
4/4/2000	1									

n=	15	number of observations
Mean=	1	arithmetic mean
SD=	1	standard deviation
K=	2.736	one-sided normal tolerance factor (from table)
TL=	3	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

Thallium concentrations (ug/l)

	Background	Compliance Wells											
Date	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	MW-11	MW-12	MW-13
3/27/2007	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/24/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/26/2005	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4/11/2005	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
9/27/2004	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
3/30/2004	5												
9/30/2003	1												
3/25/2003	1												
10/28/2002	1												
4/30/2002	1												
10/23/2001	1												
5/1/2001	1												
11/6/2000	1												
4/4/2000	1												
11/2/1999	1												
4/27/1999	1												
11/9/1998	1												
4/14/1998	1												

n=	19	number of observations
Mean=	2	arithmetic mean
SD=	2	standard deviation
K=	2.523	one-sided normal tolerance factor (from table)
TL=	7	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

	Background	Compliance Wells								
Date	MW-1D	MW-2D	MW-4D	MW-5D	MW-8D	MW-9D	MW-10D	MW-11D	MW-12D	MW-13D
3/27/2007	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/24/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/26/2005	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4/11/2005	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	
9/27/2004	5	BDL	11*	BDL	BDL	BDL	BDL	BDL	BDL	
3/30/2004	5									
9/30/2003	1									
3/25/2003	1									
10/28/2002	1									
4/30/2002	1									
10/23/2001	1									
5/1/2001	1									
11/6/2000	1									
4/4/2000	1									

n=	15	number of observations
Mean=	2	arithmetic mean
SD=	2	standard deviation
K=	2.736	one-sided normal tolerance factor (from table)
TL=	8	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)

Selenium concentrations (ug/l)

	Background					Compliance Wells							
Date	**MW-1**	**MW-2**	**MW-3**	**MW-4**	**MW-5**	**MW-6**	**MW-7**	**MW-8**	**MW-9**	**MW-10**	**MW-11**	**MW-12**	**MW-13**
3/27/2007	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/23/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
3/23/2006	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	Out of Service	BDL	BDL	BDL	BDL
9/26/2005	2.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4/11/2005	2.5	BDL	BDL	BDL	BDL	16	15	BDL	BDL	BDL	BDL	BDL	
9/27/2004	2.5												
3/30/2004	2.5												
9/30/2003	2.5												
3/25/2003	10.0												
10/28/2002	10.0												
4/30/2002	10.0												
10/23/2001	10.0												
5/1/2001	10.0												
11/6/2000	10.0												
4/4/2000	2.5												
11/2/1999	2.5												
4/27/1999	2.5												
11/9/1998	2.5												
4/14/1998	2.5												

n=	19	number of observations
Mean=	5	arithmetic mean
SD=	4	standard deviation
K=	2.523	one-sided normal tolerance factor (from table)
TL=	14.8	upper tolerance limit = [Mean + (SD x K)]

*indicates contamination (upper tolerance limit exceeded)