LCID N34-88-11 Com White Oak
Transport

CITY OF WINSTON-SALEM

INSPECTIONS DIVISION

100 LIBERTY WALK/NATIONSBANK PLAZA
WINSTON-SALEM, NORTH CAROLINA 27101

FEB 1997
RECEIVED
SWS-WSRO

February 19, 1997

Mr. and Mrs. Timothy and Sandra Beeman
751 Palmer Lane
Winston-Salem, NC 27107

Dear Mr. and Mrs. Beeman:

An inspection of the Land Clearing Inert Debris Landfill located on Roseann Drive, Tax Lot 3Q, 17B, and 18A, Tax Block 2737, indicates that this site is no longer active.

The Winston-Salem/Forsyth County Zoning Enforcement Office and the Winston-Salem/Forsyth County Erosion Control Office consider this landfill site to be permanently closed. Notice of this closure will be forwarded to the North Carolina Department of Environment, Health and Natural Resources, Division of Solid Waste Management.

Any continued operation of a landfill on this site will be a violation of Chapter B, Article II and Chapter C, Article VII of the Winston-Salem/Forsyth County Unified Development Ordinance, and may result in civil penalties being assessed against you.

Since this landfill is also regulated by the State, it is imperative that you contact the North Carolina Department of Environment, Health and Natural Resources to verify that your site meets the closure regulations of that agency. You may contact Julian Fosque or Brent Rocket by phone at (910)771-4600 or in writing at:

North Carolina Department of Environment Health
and Natural Resources
Division of Solid Waste Management
585 Waughtown Street
Winston-Salem, NC 27107

Prior to reactivation of this landfill, the landowner will have to obtain required permits from the Zoning and Erosion Control sections of the Winston-Salem/Forsyth County Inspections Division. The owner will also have to obtain a formal approval from the North Carolina Department of Environment, Health and Natural Resources, Division of Solid Waste Management.

If you have any questions regarding this letter or local regulations affecting landfill activities, please contact Paul Seelman, Zoning Enforcement at 727-2422 or Jeff Kopf, Erosion Control at 727-2388.

Thank you for your cooperation in this matter.

Sincerely,

Jeff Kopf

Copy to: Julian Fosque - NC DEHNR
Site Operator

CITY OF WINSTON-SALEM

INSPECTIONS DIVISION

100 LIBERTY WALK/NATIONSBANK PLAZA
WINSTON-SALEM, NORTH CAROLINA 27101

RECEIVED
N.C. Dept. of EHNR
FEB 24 1997
Winston-Salem
Regional Office

February 17, 1997

Mr. and Mrs. Timothy and Sandra Beeman
751 Palmer Lane
Winston-Salem, NC 27107

Dear Mr. and Mrs. Beeman:

Please be advised that an inspection of the property off of Roseann Drive, referenced as Tax Lot(s) 3Q, 16, 17A, 17B, 18A, 18D, 40, 41, and 42; 3U and 7, for Blocks 2737 and 2671, zoned RM8S, indicates that a violation of the Unified Development Ordinance exists, specifically Chapter A, Article 2 and Chapter B, Sections 2-5.37, 5-4.4 and 9-1, Table 2.6 in that:

Use conditions for required improvements to existing Land Clearing and Inert Debris landfills not met.

Failure to correct said violations(s) within ten (10) days of receipt of this notice will result in you being assessed a civil penalty of one hundred dollars ($100.00) for each day the violation continues after the tenth (10th) day. In addition, the county may also seek injunctive relief to remedy this violation.

In addition to assessment of a civil penalty, Section 9-1 of the Unified Development Ordinance provides that a violation of the Zoning Ordinance constitutes a misdemeanor punishable upon conviction of a fine not to exceed $500.00 or imprisonment up to thirty (30) days. You may avoid all such penalties by bringing the described property into compliance within ten (10) days of receiving this Notice.

If you have any questions about bringing the property into compliance, please call Monty Sprinkle, Zoning Inspector, at 748-3095.

As soon as you have brought the property into compliance with the Unified Development Ordinance, you should call our office so that a prompt inspection can be made and further penalties, if any, can be stopped.

Very truly yours,

Monty Sprinkle

Monty Sprinkle
Zoning Inspector for Inspections
Division Superintendent

OFFICER'S RETURN
Received _____, 19 ____.
Served _____, 19 ____, by delivering the original letter, of which is a true copy, to _____
_____.

CITY OF WINSTON-SALEM

INSPECTIONS DIVISION

100 LIBERTY WALK/NATIONSBANK PLAZA
WINSTON-SALEM, NORTH CAROLINA 27101

June 5, 1996

White Oak Transport
c/o Tim Beeman
741 Palmer Lane
Winston-Salem, NC 27107

RE: Improvement Standards
Roseann Drive
Zoned: RM8S
Lot: 3Q, 17B, 18A
Block: 2737

Dear Sir or Madam:

On January 16, 1996 you were notified by our office that the landfill at the above address would need to meet improvement standards in order to comply with Chapter B, Article 5-4 of the Zoning Ordinance. The deadline for compliance is January 1, 1997.

This letter will serve as your second and final notice for complying with the necessary improvements prior to issuance of violation notices.

In addition, to Zoning regulations, Environmental Regulations, Chapter C, Article VII Erosion Control, of the Unified Development Ordinance requires that an Erosion Control plan be submitted to the Inspections Division and a grading permit be obtained for any Land Clearing and Inert Debris Landfill (LCID) that exceeds 10,000 square feet in area.

If your site has been closed or will be closed prior to January 1, 1997, you will need to obtain a letter of closure from the NC Department of Environment, Health, and Natural Resources and forward a copy of the letter to the Inspections Division at P O Box 2511, Winston-Salem, NC 27102.

Failure to comply with the regulations may result in civil penalties being assessed against property owners.

Please contact our office within (30) days to discuss compliance with the regulations. You may reach me at (910) 727-2819 or Jeff Kopf, Erosion Control, at 727-2388.

Pat Lambeth
Zoning Inspector

Copy To: NCDEHNR
File

NC DEPARTMENT OF E. .RONMENT, HEALTH AND NATUR RESOURCES

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

Type of Facility LCID Permit # 348811 County FORSYTH

Name of Facility White OAK TRANSPORT Location ROSANNA DR. WINSTON-SALEM, N.C.

Date of Last Evaluation —

I. Permit Conditions Followed _____ Yes X No _____ N/A

A. Specific Condition(s) Violated ACCEPTING WASTE FOR DISPOSAL NOT LISTED ON PERMIT. ONE LOAD SHEETROCK AND SEVERAL MIXED LOADS OF CONSTRUCTION WASTE. MIXED LOADS INCLUDED: PLASTIC BUCKETS, METALS, PLASTIC SHEETING, CARDBOARD, INSULATION, ETC.

II. Operational Requirements Followed _____ Yes _____ No

15A N.C. Admin. Code 13B Section _____

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments PLEASE REMOVE WASTE NOT ACCEPTABLE FOR DISPOSAL TO APPROVED SITE. ALSO, YOU NEED TO SUBMIT A WRITTEN CLOSURE PLAN FOR THE SITE.

V. Continuation Page Required? _____ Yes _____ No Receiving Signature _____

Evaluation Date 3-7-96 Solid Waste Section Gail Bryan R.S.

DEHNR 3793 (Part I White: Facility Part II Canary: Central Office Part III Pink: Regional Office)

Solid Waste Section (Review 7/94)

HEALTH DEPARTMENT
Dr. Thomas R. Dundon
Director

Division of Environmental Health and Laboratory
Fred G. Overstreet
Director
(919) 727-2760

November 1, 1993

RE: Notice of Violation

Permit Number: 34-88-11

Dear Mr. Beeman:

Please respond to the items marked on the attached inspection sheet within (10) days of receipt of this notice of violation. Failure to respond appropriately shall be reason to suspend/revoke your operating permit.

Please call 727-2272 weekdays between 7:00-4:00.

Sincerely,

DIVISION OF ENVIRONMENTAL HEALTH

Jim Bryan, R.S.

Jim Bryan, R.S.
Environmental Health Supervisor

JB:js

P.O. Box 686 • Winston-Salem, North Carolina 27102-0686

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

Type of Facility LCID Permit # 34-88-11 County FORSYTH

Name of Facility WHITE OAK TRANSPORT ROSEANN DRIVE Location ROSEANN DRIVE WINSTON-SALEM, NC

Date of Last Evaluation —

I. Permit Conditions Followed _____ Yes X No _____ N/A

A. Specific Condition(s) Violated WASTE ACCEPTANCE. SITE IS LIMITED TO ACCEPT FOR DISPOSAL STUMPS, LIMBS, LEAVES, UNTREATED AND UNPAINTED WOOD, CONCRETE, BRICK, GRASS, CONCRETE BLOCK, UNCONTAMINATED SOIL, GRAVEL AND ROCK. ON THIS DATE SITE ALSO CONTAINED CONSTRUCTION WASTE ASSOCIATED WITH RESIDENTIAL HOME BUILDING.

II. Operational Requirements Followed _____ Yes _____ No

15A N.C. Admin. Code 13B Section _____

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law

IV. Evaluator's Comments OPERATOR OF THE LANDFILL WILL IMMEDIATELY MONITOR WASTE ACCEPTANCE TO ELIMINATE CONSTRUCTION AND DEMOLITION DEBRIS FROM DISPOSAL SITE TO ACCEPT ONLY THOSE WASTE DESCRIBED ABOVE.

V. Continuation Page Required? _____ Yes X No Receiving Signature

Evaluation Date 10-93 Solid Waste Section [signature]

DEHNR 3793 (Part I White: Facility Part II Canary: Central Office Part III Pink: Regional Office)

Solid Waste Section (Review 7/94)

NC DEPARTMENT OF E IRONMENT, HEALTH AND NATU. , RESOURCES

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

Type of Facility DEMOLITION LANDFILL Permit # 34-88-11 County FORSYTH

Name of Facility J.D. VICKERS/WHITE OAK TRANSPORT (TIM BEEMAN) Location ROSANN DRIVE WINSTON-SALEM, N.C. LOT 3 Q, BLOCK 2737

Date of Last Evaluation —

I. Permit Conditions Followed _____ Yes X No _____ N/A

A. Specific Condition(s) Violated WASTE ACCEPTANCE SHALL BE LIMITED TO STUMPS, LIMBS, LEAVES, CONCRETE, BRICK, WOOD AND UNCONTAMINATED SOILS.

II. Operational Requirements Followed _____ Yes _____ No

15A N.C. Admin. Code 13B Section _____

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments OWNER/OPERATOR SHALL IMPLEMENT MEASURES IMMEDIATELY THAT WILL CAUSE THE REMOVAL OF UNACCEPTABLE WASTE IN THE WORKING AREA AND WILL CONTROL THE FUTURE ACCEPTANCE OF WASTE(S) INTO THIS SITE TO THOSE LISTED IN THE CONDITIONS OF THE PERMIT.

V. Continuation Page Required? _____ Yes _____ No Receiving Signature Mailed 9-25-92

Evaluation Date 9-25-92 Solid Waste Section Alan Bryan, R.S.

DEHNR 3793 (Part I White: Facility Part II Canary: Central Office Part III Pink: Regional Office)

Solid Waste Section (Review 7/94)

Health Department
Dr. Thomas R. Dundon
Director

County of Forsyth

Division of Environmental Health and Laboratory
Fred G. Overstreet
Director
(919)727-2760

December 6, 1991

Tim Beeman
751 Palmer Lane
Winston-Salem, NC 27107

Dear Mr. Bodford:

Enclosed please find your copy of the latest inspection of your landfill performed by Jim Bryan, Environmental Health Supervisor.

If you have any questions or need assistance, please call Mr. Bryan at 727-2272, weekdays 7:00 - 9:00 a.m.

Sincerely,

DIVISION OF ENVIRONMENTAL HEALTH

Jim Bryan, R.S.

Jim Bryan, R.S.
Environmental Health Supervisor

JB:jk

P.O. Box 686 · Winston-Salem, North Carolina 27102-0686 · FAX: (919)727-8135

fair-cool
WEATHER CONDITIONS

FORSYTH COUNTY PUBLIC HE TH
'ISION OF ENVIRONMENTAL HI TH
INSPECTION OF DEMOLITION LANDFI S

PERMIT NUME

send copy to: Tim Beeman, 751 Palmer Lane, W-S 27107

NAME OF SITE White Oak Transport	COUNTY Forsyth
LOCATION Rosann Drive, Winston-Salem, N.C.	SIGNATURE OF PERSON(S) RECEIVING REPORT

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY MARKED BELOW WITH A ROSS (x)

(1) PLAN AND PERMIT REQUIREMENTS
____(a) Construction plans shall be approved and followed.
____(b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS
____(b) Solid waste shall be restricted into the smallest area feasible

(3) COVER REQUIREMENTS
____(a) Solid waste shall be covered, with a compacted layer of at least six inches of suitable cover or as specified by the division in the permit.
____(b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
____(c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS
____(a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
____(b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

(5) DRAINAGE CONTROL REQUIREMENTS
____(a) Surface water shall be diverted from the operational area.
____(b) Surface water shall not be impounded over or in waste.
____(c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENT
____(a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
____(b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS
____(a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
____(b) Solid waste shall not be disposed of in water.
____(c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit is required prior to the discharge of leachate to surface water.

(8) ACCESS AND SECURITY REQUIREMENTS
____(a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
____(b) Access control shall be assured at all times while the site is open use to ensure compliance with operational requirements.
____(c) The access road to the site shall be of all-weather construction maintained in good condition.

(9) SIGN REQUIREMENTS
____(a) Signs providing information on dumping procedures, the hours du which the site is open use, the permit number and other perti information shall be posted at the site entrance.
____(b) Signs shall be posted stating that no hazardous or liquid waste ca received.
____(c) Traffic signs or markers shall be provided as necessary to promot orderly traffic pattern to and from the discharge area and to main efficient operating conditions.

(10) SAFETY REQUIREMENTS
7____(a) Open buring of solid waste is prohibited.
____(b) Equipment shall be provided to control accidental fires or arrangem shall be made with the local fire protection agency to immedia provide fire-fighting services when needed.
____(c) Fires that occur at a sanitary landfill shall be reported to division within 24 hours and a written notification shall be submi within 15 days,.
____(d) The removal of solid waste from a sanitary landfill is prohib unless the owner/operator approves and the removal is not perform the working face.
____(e) Barrels and drums shall not be disposed of in the site.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS
____(a) A site shall only accept those solid wastes which it is permitte receive.
____(b) No hazardous, liquid, or infectious waste shall be accepted or dis of in a sanitary landfill.
____(c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, other animal waste are expressly prohibited.

(12) MISCELLANEOUS REQUIREMENTS
____(a) Effective vector control measures shall be applied to control f rodents, and other insects or vermin when necessary.
____(b) Appropriate methods such as fencing and diking shall be provided w the area to confine solid waste subject to be blown by the wind. windblown material resulting from the operation shall be collecte returned to the area by the owner or operator.

REMARKS: Discussed waste acceptance with Tim Beeman 12-4-91. Site was in good condition today - wanted to know and asked about paint which was found earlier (x Approx. 30 gal.s) in the site. Mr Beeman indicated it was removed by his staff.

DATE: 12-4-91 NAME: Jim Myan

fair - hot
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS

34-88-11
PERMIT NUMBER

NAME OF SITE	COUNTY
White Oak Transport	Forsyth
LOCATION	SIGNATURE OF PERSON(S) RECEIVING REPORT
Rosann Drive, Winston-Salem, N.C.	

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS
- ___ (a) Construction plans shall be approved and followed.
- ___ (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS
- ___ (a) Solid waste shall be restricted into the smallest area feasible.
- ___ (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS
- ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS
- ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

(5) DRAINAGE CONTROL REQUIREMENTS
- ___ (a) Surface water shall be diverted from the operational area.
- ___ (b) Surface water shall not be impounded over or in waste.
- ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS
- ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS
- ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- ___ (b) Solid waste shall not be disposed of in water.
- ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS
- ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- ___ (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS
- ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS
- ___ (a) Open burning of solid waste is prohibited.
- ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS
- X (a) A site shall only accept those solid wastes which it is permitted to receive.
- ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.

(12) MISCELLANEOUS REQUIREMENTS
- ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: Please try to limit salvageable/recyclable metals by removal from the site. I realize this is difficult to do but you've got to try.

DATE: 8-2-91 NAME: Jim Bryan, R.S.
Solid and Hazardous Waste Management Branch

(1) electrical panel
(2) pipe
(3) appliance body

DHS 1709 (Revised 4/85)
Solid & Hazardous Waste Management Branch (Review 4/86) (white — Raleigh Office yellow — Facility green — Preparer)

file

White Oak Transport, Inc.

(919) 785-0142

Sandra Beeman
President

751 Palmer Lane
Winston-Salem, N.C. 27107

January 14, 1991

Mr. Jim Bryan
Division of Environmental Health
P.O. Box 2975 -720 Ridge Ave.
Winston-Salem, N.C. 27102

Re: Permit #34-88-11

Dear Mr. Bryan:

As per your inspection request, a sign has been posted at the Demolition Landfill off Route 158, Clemmons, N. C.

Access as before, is controlled with a steel gate, chain and lock. I have also cleaned the catch basin on the right side of pipe at the gate entrance. All material was pushed into a more central area on the back side of dump area and will be covered as dump progesses.

Sincerely,

Tim Beeman

Tim Beeman,
Estimator

Division of Environmental Health and Laboratory

Fred G. Overstreet
DIRECTOR

Health Department

Dr. Thomas R. Dundon
DIRECTOR

December 18, 1990

Tim Beeman
751 Palmer Lane
Winston-Salem, N. C. 27107

RE: Notice of Violation
Permit Number: 34-88-11

Dear Mr. Beeman:

Please respond in writing to the items marked on the attached inspection sheet within (10) days of receipt of this notice of violation. Failure to respond appropriately shall be reason to suspend/revoke your operating permit.

Please call 727-2272 weekdays between 7:00-4:00.

Sincerely,

DIVISION OF ENVIRONMENTAL HEALTH

Jim Bryan, R.S.

Jim Bryan, R.S.
Environmental Health Supervisor

JB:jk

P O. Box 2975 • 720 Ridge Avenue • Winston-Salem, North Carolina 27102

Cool - 60°F
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS

34-88-11
PERMIT NUMBER

NAME OF SITE	COUNTY
ROSANN DR / TIM BEEMAN	FORSYTH
LOCATION	**SIGNATURE OF PERSON(S) RECEIVING REPORT**
ROSANN DR., WINSTON-SALEM, NC	

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS
- ___ (a) Construction plans shall be approved and followed.
- ___ (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS
- ___ (a) Solid waste shall be restricted into the smallest area feasible.
- ___ (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS
- ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS
- ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

(5) DRAINAGE CONTROL REQUIREMENTS
- ___ (a) Surface water shall be diverted from the operational area.
- ___ (b) Surface water shall not be impounded over or in waste.
- ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS
- ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS
- ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- ___ (b) Solid waste shall not be disposed of in water.
- ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS Keep CABLE up.
- ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- ___ (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS POST IMMEDIATELY
- X (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance. PRIVATE LANDFILL
- X (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS
- ___ (a) Open burning of solid waste is prohibited.
- ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS
- ___ (a) A site shall only accept those solid wastes which it is permitted to receive.
- ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.

(12) MISCELLANEOUS REQUIREMENTS
- ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: ORIGINAL PLANS FOR FILL ARE ALMOST MET. EXPANSION OF SITE AND NEW ELEVATIONS MAY REQUIRE ADDITIONAL SURVEY WORK. PLANS TO RAISE SITE AN ADDITIONAL 8 FEET APPEAR TO REPRESENT NO PROBLEMS AND CAN FUNCTION WITHIN EXISTING EROSION CONTROL PARAMETERS.

DATE: 12-11-90 NAME: [signature]
Solid and Hazardous Waste Management Branch

DHS 1709 (Revised 4/85)
Solid & Hazardous Waste Management Branch (Review 4/86) (white — Raleigh Office yellow — Facility green — Preparer)

Sunny. Hot
WEATHER CONDITIONS

C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS

34-88-11
PERMIT NUMBER

NAME OF SITE	COUNTY
Beeman Demolition Landfill	Forsyth
LOCATION: Rosann, W.S. N.C.	SIGNATURE OF PERSON(S) RECEIVING REPORT

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS
- ___ (a) Construction plans shall be approved and followed.
- ___ (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS
- ___ (a) Solid waste shall be restricted into the smallest area feasible.
- ___ (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS
- ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS
- ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

(5) DRAINAGE CONTROL REQUIREMENTS
- ___ (a) Surface water shall be diverted from the operational area.
- ___ (b) Surface water shall not be impounded over or in waste.
- ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS
- ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS
- ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- ___ (b) Solid waste shall not be disposed of in water.
- ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS
- ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- ___ (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS
- X (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- X (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS
- ___ (a) Open burning of solid waste is prohibited.
- ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS
- X (a) A site shall only accept those solid wastes which it is permitted to receive.
- ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.

(12) MISCELLANEOUS REQUIREMENTS
- ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: As we discussed on June 13, 1990 please remedy the violations marked by June 30th, 1990

DATE: 6-14-90 NAME: Jim Bryan, RS
Solid and Hazardous Waste Management Branch

DHS 1709 (Revised 4/85)
Solid & Hazardous Waste Management Branch (Review 4/86) (white — Raleigh Office yellow — Facility green — Preparer)

Sunny 80°F
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS

34-88-11
PERMIT NUMBER

NAME OF SITE	COUNTY
Tim Beeman / J.D. Vickers Trucking Co.	Forsyth
LOCATION	**SIGNATURE OF PERSON(S) RECEIVING REPORT**
Roseann	

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS
- ___ (a) Construction plans shall be approved and followed.
- ___ (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS
- ___ (a) Solid waste shall be restricted into the smallest area feasible.
- ___ (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS
- ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS
- ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

(5) DRAINAGE CONTROL REQUIREMENTS
- ___ (a) Surface water shall be diverted from the operational area.
- ___ (b) Surface water shall not be impounded over or in waste.
- ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS
- ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS
- ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- ___ (b) Solid waste shall not be disposed of in water.
- ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS
- ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- ___ (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS please cut vegetation away from sign at entrance
- ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS
- ___ (a) Open burning of solid waste is prohibited.
- ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS
- ___ (a) A site shall only accept those solid wastes which it is permitted to receive.
- ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.

(12) MISCELLANEOUS REQUIREMENTS
- ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: site in good condition on the date of inspection 8-16-89

DATE: 8-17-89 NAME: Jim Bryan
Solid and Hazardous Waste Management Branch

DHS 1709 (Revised 4/85)
Solid & Hazardous Waste Management Branch (Review 4/86) (white — Raleigh Office yellow — Facility green — Preparer)

Sunny 70°F
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS

34-88-11
PERMIT NUMBER

10-25-88

NAME OF SITE	COUNTY
J. D. VICKERS TRUCKING CO.	FORSYTH
LOCATION	**SIGNATURE OF PERSON(S) RECEIVING REPORT**
Roseann	Timothy L. Beeman

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS
- ___ (a) Construction plans shall be approved and followed.
- ___ (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS
- ___ (a) Solid waste shall be restricted into the smallest area feasible.
- ___ (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS
- ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS
- ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

(5) DRAINAGE CONTROL REQUIREMENTS
- ___ (a) Surface water shall be diverted from the operational area.
- ___ (b) Surface water shall not be impounded over or in waste.
- ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS
- ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS
- ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- ___ (b) Solid waste shall not be disposed of in water.
- ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS
- ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- ___ (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS
- ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS
- ___ (a) Open burning of solid waste is prohibited.
- ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS
- ___ (a) A site shall only accept those solid wastes which it is permitted to receive.
- ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.

(12) MISCELLANEOUS REQUIREMENTS
- ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: need to cut the ends out of a large (approx. 7-9,000 gal) drum/TANK and perforate before disposal - 3 other tanks full of concrete.

DATE: 10-11-88 NAME: Jim Bryan
Solid and Hazardous Waste Management Branch

DHS 1709 (Revised 4/85)
Solid & Hazardous Waste Management Branch (Review 4/86) (white — Raleigh Office yellow — Facility green — Preparer)