

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

Type of Facility LCID Landfill Permit # 34-NN County Forsyth

Name of Facility Ronnie F. Smith Demolition Landfill Location Stafford Mill Rd

Date of Last Evaluation _____

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated for proper closure the following items must be addressed:

- (b) final slope shall be 3 to 1 - need to address back slope & incorporate the concrete pavement within the landfill
- (9) & (2) Adequate cover material & needs to be provided and stabilized with native grasses

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section _____

A. Specific Violation(s) by number and letter.

_____ LCIDN34-NN Com Ronnie F. Smith

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments Landfill is closed however a large amount of concrete pavement is laying on top of the landfill

V. Continuation Page Required? Yes No Receiving Signature Mailed to Sharon Smith - D.H. Griffin

Evaluation Date 2-19-97 Solid Waste Section Brent S Rockett

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

Type of Facility LCID Permit # 34 NW County FORSYTH

Name of Facility RONNIE SMITH Location STAFFORD MILL

Date of Last Evaluation _____ WINSTON-SALEM, N.C.

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated _____

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 13B Section _____

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments SITE IN VERY GOOD CONDITION TODAY.
OPERATOR NEEDS TO ROUGH IN SLOPE DESIGN
(FLATTER THAN 2:1)

V. Continuation Page Required? Yes No Receiving Signature _____

Evaluation Date 3-7-94 Solid Waste Section [Signature]

NC DEPARTMENT OF ENVIRONMENT, HEALTH AND NATURAL RESOURCES

Division of Solid Waste Management

Solid Waste Section

SOLID WASTE MANAGEMENT FACILITY EVALUATION REPORT

Type of Facility DEMOLITION LANDFILL Permit # 34NN County FORSYTH

Name of Facility RONNIE F. SMITH Location STAFFORD MILL RD.

Date of Last Evaluation _____

I. Permit Conditions Followed Yes No N/A

A. Specific Condition(s) Violated ⓐ Waste acceptance condition not met. Site accepting some metals, carpet, mattresses, & one saddle tank from a truck (metal)
ⓑ elevations should follow the road elevation.

II. Operational Requirements Followed Yes No

15A N.C. Admin. Code 138 Section _____

A. Specific Violation(s) by number and letter.

III. Other Violations of Rule or Law _____

IV. Evaluator's Comments ⓐ site shall accept only those wastes in which the site is permitted (if an emergency may be needed to design slope of site if elevations remain as found on this date)

V. Continuation Page Required? Yes No Receiving Signature _____

Evaluation Date 7-31-92 Solid Waste Section Allen Bryan

Health Department
Dr. Thomas R. Dundon
Director



**Division of Environmental
Health and Laboratory**
Fred G. Overstreet
Director
(919)727-2760

December 6, 1991

Ronnie Smith
4067 4067 Sawmill Road
Winston-Salem, N. C. 27107

RE: 34-NN

Dear Mr. Smith:

Please respond in writing to the items marked on the attached inspection sheet within (10) days of receipt of this notice of violation. Failure to respond appropriately shall be reason to suspend/revoke your operating permit.

Please call 727-2272 weekdays between 7:00-4:00.

Sincerely,

DIVISION OF ENVIRONMENTAL HEALTH

Jim Bryan, R.S.
Environmental Health Supervisor

JB:jk

Send copy to: Ronnie Smith, Sawmill Rd, W 5 2 1107

NAME OF SITE <i>Ronnie Smith</i>	COUNTY <i>Forsyth</i>
LOCATION <i>Stafford Mill Road</i>	SIGNATURE OF PERSON(S) RECEIVING REPORT

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY MARKED BELOW WITH A CROSS (x)

(1) PLAN AND PERMIT REQUIREMENTS

- (a) Construction plans shall be approved and followed.
- (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS

- (b) Solid waste shall be restricted into the smallest area feasible

(3) COVER REQUIREMENTS

- (a) Solid waste shall be covered, with a compacted layer of at least six inches of suitable cover or as specified by the division in the permit.
- (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS

- (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

(5) DRAINAGE CONTROL REQUIREMENTS

- (a) Surface water shall be diverted from the operational area.
- (b) Surface water shall not be impounded over or in waste.
- (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENT

- (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS

- (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- (b) Solid waste shall not be disposed of in water.
- (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit is required prior to the discharge of leachate to surface water.

(8) ACCESS AND SECURITY REQUIREMENTS

- (a) The site shall be adequately secured by means of gates, chains, beams, fences, and other security measures approved by the division, to prevent unauthorized entry.

- (b) Access control shall be assured at all times while the site is open use to ensure compliance with operational requirements.
- (c) The access road to the site shall be of all-weather construction maintained in good condition.

(9) SIGN REQUIREMENTS

- (a) Signs providing information on dumping procedures, the hours during which the site is open use, the permit number and other pertinent information shall be posted at the site entrance.
- (b) Signs shall be posted stating that no hazardous or liquid waste can be received.
- (c) Traffic signs or markers shall be provided as necessary to promote orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS

- (a) Open burning of solid waste is prohibited.
- (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- (e) Barrels and drums shall not be disposed of in the site.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS

- (a) A site shall only accept those solid wastes which it is permitted to receive.
- (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill.
- (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste and other animal waste are expressly prohibited.

(12) MISCELLANEOUS REQUIREMENTS

- (a) Effective vector control measures shall be applied to control rodents, and other insects or vermin when necessary.
- (b) Appropriate methods such as fencing and diking shall be provided to confine solid waste subject to be blown by the wind. Windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: The owner and contractor are jointly and severally responsible for waste acceptance. Please review

permit for the materials this site is permitted to receive. On this date of inspection there was a lot of metal (duct work and metal partition studs) in

DATE: 12-2-91 NAME: John Bryan

The metals should be painted on the greatest extent possible.

Health Department
Dr. Thomas R. Dundon
Director



Division of Environmental
Health and Laboratory
Fred G. Overstreet
Director
(919)727-2760

August 16, 1991

Mr. Ronnie Smith
4067 Sawmill Road
Winston-Salem, N. C. 27101

RE: 34-NN Demo Landfill

Dear Mr. & Mrs. Slater:

Enclosed please find your copy of the latest inspection of your landfill performed by Jim Bryan, Environmental Health Supervisor.

If you have any questions or need assistance, please call Mr. Bryan at 727-2272, weekdays 7:00 - 9:00 a.m.

Sincerely,

DIVISION OF ENVIRONMENTAL HEALTH

Jim Bryan, R.S.
Environmental Health Supervisor

JB:jk

John - HST
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS

34-111
PERMIT NUMBER

NAME OF SITE <i>Bornie Smith</i>	COUNTY <i>Franklin</i>
LOCATION <i>Stuffed Mill Rd.</i>	SIGNATURE OF PERSON(S) RECEIVING REPORT

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

- (1) PLAN AND PERMIT REQUIREMENTS
 - ___ (a) Construction plans shall be approved and followed.
 - ___ (b) Specified monitoring and reporting requirements shall be met.
- (2) SPREADING AND COMPACTING REQUIREMENTS
 - ___ (a) Solid waste shall be restricted into the smallest area feasible.
 - ___ (b) Solid waste shall be compacted as densely as practical into cells.
- (3) COVER REQUIREMENTS
 - ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
 - ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
 - ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.
- (4) EROSION CONTROL REQUIREMENTS
 - ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
 - ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.
- (5) DRAINAGE CONTROL REQUIREMENTS
 - ___ (a) Surface water shall be diverted from the operational area.
 - ___ (b) Surface water shall not be impounded over or in waste.
 - ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.
- (6) VEGETATION REQUIREMENTS
 - ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
 - ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.
- (7) WATER PROTECTION REQUIREMENTS
 - ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
 - ___ (b) Solid waste shall not be disposed of in water.
 - ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.
- (8) ACCESS AND SECURITY REQUIREMENTS
 - ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
 - ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
 - ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
 - ___ (d) Dust control measures shall be implemented where necessary.
- (9) SIGN REQUIREMENTS
 - ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
 - ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
 - ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.
- (10) SAFETY REQUIREMENTS
 - ___ (a) Open burning of solid waste is prohibited.
 - ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
 - ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
 - ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
 - ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.
- (11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS
 - ___ (a) A site shall only accept those solid wastes which it is permitted to receive.
 - ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
 - ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
 - ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.
- (12) MISCELLANEOUS REQUIREMENTS
 - ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
 - ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: *site in satisfactory condition. site was locked up.*

Please keep signs posted indicating permit no. and that no unauthorised waste are accepted.

DATE: *August 2, '91* NAME: *John Brown R.S.*
(Solid and Hazardous Waste Management Branch)

site has been maintained for approximately 6-8

Division of Environmental Health
and Laboratory

Fred G. Overstreet
DIRECTOR

March 5, 1991



Health Department

Dr. Thomas R. Dundon
DIRECTOR

Ronnie Smith
4067 Sawmill Road
Winston-Salem, N. C. 27101

RE: 34-NN Demo Landfill

Dear Mr. Smith

Enclosed please find your copy of the latest inspection of your landfill performed by Jim Bryan, Environmental Health Supervisor.

If you have any questions or need assistance, please call Mr. Bryan at 727-2272, weekdays 7:00 - 9:00 a.m.

Sincerely,

DIVISION OF ENVIRONMENTAL HEALTH

Jim Bryan, R.S.
Environmental Health Supervisor

JB:jk

NAME OF SITE <i>Stafford Mill Rd, @ Ronnie F. Smith</i>	COUNTY <i>Forsyth</i>
LOCATION <i>Stafford Mill Rd. Lots 4L & 4T Block 5156</i>	SIGNATURE OF PERSON(S) RECEIVING REPORT

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

- (1) PLAN AND PERMIT REQUIREMENTS
 - ___ (a) Construction plans shall be approved and followed.
 - ___ (b) Specified monitoring and reporting requirements shall be met.
- (2) SPREADING AND COMPACTING REQUIREMENTS
 - ___ (a) Solid waste shall be restricted into the smallest area feasible.
 - ___ (b) Solid waste shall be compacted as densely as practical into cells.
- (3) COVER REQUIREMENTS
 - ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
 - ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
 - ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.
- (4) EROSION CONTROL REQUIREMENTS
 - ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
 - ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.
- (5) DRAINAGE CONTROL REQUIREMENTS
 - ___ (a) Surface water shall be diverted from the operational area.
 - ___ (b) Surface water shall not be impounded over or in waste.
 - ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.
- (6) VEGETATION REQUIREMENTS
 - ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
 - ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.
- (7) WATER PROTECTION REQUIREMENTS
 - ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
 - ___ (b) Solid waste shall not be disposed of in water.
 - ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.
- (8) ACCESS AND SECURITY REQUIREMENTS
 - ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
 - ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
 - ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
 - ___ (d) Dust control measures shall be implemented where necessary.
- (9) SIGN REQUIREMENTS
 - ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
 - ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
 - ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.
- (10) SAFETY REQUIREMENTS
 - ___ (a) Open burning of solid waste is prohibited.
 - ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
 - ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
 - ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
 - ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.
- (11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS
 - ___ (a) A site shall only accept those solid wastes which it is permitted to receive.
 - ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
 - ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
 - ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.
- (12) MISCELLANEOUS REQUIREMENTS
 - ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
 - ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: *no remarks - could use more cover (soils) on site; otherwise site o.k.*

DATE: *2-27-91* NAME: *John Bryan*
Solid and Hazardous Waste Management Branch

**Division of Environmental Health
and Laboratory**

Fred G. Overstreet
DIRECTOR



Health Department

Dr. Thomas R. Dundon
DIRECTOR

December 12, 1990

Ronnie Smith
4067 Sawmill Road
Winston-Salem, N. C. 27101

RE: Notice of Violation
Permit Number: 34-NN

Dear Mr. Smith:

Please respond in writing to the items marked on the attached inspection sheet within (10) days of receipt of this notice of violation. Failure to respond appropriately shall be reason to suspend/revoke your operating permit.

Please call 727-2272 weekdays between 7:00-4:00.

Sincerely,

DIVISION OF ENVIRONMENTAL HEALTH

Jim Bryan, R.S.
Jim Bryan, R.S.
Environmental Health Supervisor

JB:jk

*Corrected
in 10 days
JB*

FAIR/COOL
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOURCES
DIVISION OF HEALTH SERVICES
INSPECTION FOR ~~Sanitary~~ LANDFILLS
Demolition

34-NN
PERMIT NUMBER

NAME OF SITE RONNIE SMITH	COUNTY FORSYTH
LOCATION STAFFORD MILL RD., WINSTON-SALEM	SIGNATURE OF PERSON(S) RECEIVING REPORT

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS

- ___ (a) Construction plans shall be approved and followed.
- ___ (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS

- ___ (a) Solid waste shall be restricted into the smallest area feasible.
- ___ (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS

- ___ (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
- ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS

- ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

(5) DRAINAGE CONTROL REQUIREMENTS

- ___ (a) Surface water shall be diverted from the operational area.
- ___ (b) Surface water shall not be impounded over or in waste.
- ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS

- ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS

- ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- ___ (b) Solid waste shall not be disposed of in water.
- ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS

- ___ (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
- ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- ___ (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS

- ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS

- ___ (a) Open burning of solid waste is prohibited.
- ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS

- ___ (a) A site shall only accept those solid wastes which it is permitted to receive.
- ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.

(12) MISCELLANEOUS REQUIREMENTS

- ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: WASTE MATERIALS NEED TO BE GRADED/SPREAD
ROUTINELY AS A PART OF WASTE ACCEPTANCE. CALL ME WITH
ANY QUESTIONS.
DATE: 12-04-90 NAME: Jan Bryan E.H.S., R.S.
Solid and Hazardous Waste Management Branch

Division of Environmental Health
and Laboratory

Fred G. Overstreet
DIRECTOR



Health Department

Dr. Thomas R. Dundon
DIRECTOR

March 29, 1990

Mr. Ronnie Smith
4067 Sawmill Road
Winston-Salem, NC 27101

RE: Notice of Violation

Dear Mr. Smith:

Please respond in writing to the items marked on the attached inspection sheet within (15) days of receipt of this notice of violation. Failure to respond appropriately shall be reason to suspend/revoke your operating permit.

Please call 727-2272 weekdays between 7:00-4:00.

Sincerely,

DIVISION OF ENVIRONMENTAL HEALTH

Jim Bryan, R.S.
Environmental Health Supervisor

JB: jk

Demolition

NAME OF SITE <i>Ronnie Smith</i>	COUNTY <i>Forsyth</i>
LOCATION <i>Stafford Mill Rd</i>	SIGNATURE OF PERSON(S) RECEIVING REPORT

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

- (1) PLAN AND PERMIT REQUIREMENTS
 - (a) Construction plans shall be approved and followed.
 - (b) Specified monitoring and reporting requirements shall be met.
- (2) SPREADING AND COMPACTING REQUIREMENTS
 - (a) Solid waste shall be restricted into the smallest area feasible.
 - (b) Solid waste shall be compacted as densely as practical into cells.
- (3) COVER REQUIREMENTS
 - (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
 - (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
 - (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.
- (4) EROSION CONTROL REQUIREMENTS
 - (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
 - (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.
- (5) DRAINAGE CONTROL REQUIREMENTS
 - (a) Surface water shall be diverted from the operational area.
 - (b) Surface water shall not be impounded over or in waste.
 - (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.
- (6) VEGETATION REQUIREMENTS
 - (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
 - (b) Temporary seeding will be utilized as necessary to stabilize the site.
- (7) WATER PROTECTION REQUIREMENTS
 - (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
 - (b) Solid waste shall not be disposed of in water.
 - (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.
- (8) ACCESS AND SECURITY REQUIREMENTS
 - (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
 - (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
 - (c) The access road to the site shall be of all-weather construction and maintained in good condition.
 - (d) Dust control measures shall be implemented where necessary.
- (9) SIGN REQUIREMENTS
 - (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
 - (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
 - (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.
- (10) SAFETY REQUIREMENTS
 - (a) Open burning of solid waste is prohibited.
 - (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
 - (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
 - (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
 - (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.
- (11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS
 - (a) A site shall only accept those solid wastes which it is permitted to receive.
 - (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
 - (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
 - (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.
- (12) MISCELLANEOUS REQUIREMENTS
 - (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
 - (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: *please post appropriate signs and have the site pushed off within 15 days of receipt of this notice*

DATE: *3-27-90* NAME: *Jim Buzen*
Solid and Hazardous Waste Management Branch

summary 150°F
WEATHER CONDITIONS

N.C. DEPARTMENT OF HUMAN RESOUR
DIVISION OF HEALTH SERVICES
INSPECTION FOR SANITARY LANDFILLS

34-NW
PERMIT NUMBER

NAME OF SITE <i>Donnie Smith Sawmill Rd site</i>		COUNTY <i>Forsyth</i>
LOCATION <i>Sawmill Rd, W-S, N.C.</i>	SIGNATURE OF PERSON(S) RECEIVING REPORT <i>[Signature]</i>	

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

- (1) PLAN AND PERMIT REQUIREMENTS
 - (a) Construction plans shall be approved and followed.
 - (b) Specified monitoring and reporting requirements shall be met.
- (2) SPREADING AND COMPACTING REQUIREMENTS
 - (a) Solid waste shall be restricted into the smallest area feasible.
 - (b) Solid waste shall be compacted as densely as practical into cells.
- (3) COVER REQUIREMENTS
 - (a) Solid waste shall be covered after each day of operation, with a compacted layer of at least six inches of suitable cover or as specified by the division.
 - (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
 - (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.
- (4) EROSION CONTROL REQUIREMENTS
 - (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
 - (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.
- (5) DRAINAGE CONTROL REQUIREMENTS
 - (a) Surface water shall be diverted from the operational area.
 - (b) Surface water shall not be impounded over or in waste.
 - (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.
- (6) VEGETATION REQUIREMENTS
 - (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
 - (b) Temporary seeding will be utilized as necessary to stabilize the site.
- (7) WATER PROTECTION REQUIREMENTS
 - (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
 - (b) Solid waste shall not be disposed of in water.
 - (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.
- (8) ACCESS AND SECURITY REQUIREMENTS
 - (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division, to prevent unauthorized entry.
 - (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
 - (c) The access road to the site shall be of all-weather construction and maintained in good condition.
 - (d) Dust control measures shall be implemented where necessary.
- (9) SIGN REQUIREMENTS
 - (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
 - (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
 - (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.
- (10) SAFETY REQUIREMENTS
 - (a) Open burning of solid waste is prohibited.
 - (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
 - (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
 - (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
 - (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.
- (11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS
 - (a) A site shall only accept those solid wastes which it is permitted to receive.
 - (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
 - (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
 - (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.
- (12) MISCELLANEOUS REQUIREMENTS
 - (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
 - (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS: *There were 2 cells as well as a...*

no permit was obtained for dumping

DATE: *11/10/86* NAME: *Jim Brown*
Solid and Hazardous Waste Management Branch