

LCIDN34-RR Permit Francis
L. Manuel

Division of Environmental Health
and Laboratory

Fred G. Overstreet
Director



FORSYTH COUNTY

June 10, 1987

CERTIFIED
RESTRICTED DELIVERY

Health Department

Dr. Thomas R. Dundon
Director

Mr. Francis L. Manuel
311 Sedge Garden Road
Kernersville, N. C. 27284

Dear Mr. Manuel:

Today I was going through my files and our records indicate that you have not recorded in the Forsyth County Register of Deeds office the demolition landfill permit issued to you in the grantor index section.

I realize in our busy world this may be an oversight or maybe it was done and I'm just not aware of it. Nevertheless, you must notify me within ten days that the demolition landfill has been recorded. I will need a copy of your recorded permit indicating the book and page number as well as the date of recordation.

Please feel free to contact me with your questions. Failure to comply with this request will, of course, cancel your permit and/or subject you to future liabilities for failure to record.

Sincerely,

DIVISION ENVIRONMENTAL HEALTH

Jim Bryan
Jim Bryan
Environmental Health Specialist

JB:lmc

Mail



FORSYTH COUNTY HEALTH DEPARTMENT
P. O. BOX 2975
WINSTON-SALEM, NORTH CAROLINA
27102

40

Attention: Jim Bryant

CERTIFIED COPY OF SOLID WASTE PERMIT

I do hereby certify that the attached PERMIT is an exact and true copy
of Permit No. 34-RR.

Fred G. Overstreet, R.S. ✓
FRED G. OVERSTREET, DIRECTOR
Environmental Health Section ✓

North Carolina

FORSYTH County

I, LOUISE M. CANIPE, a Notary Public for said

County and State, do hereby certify that FRED G. OVERSTREET
personally appeared before me this day and acknowledged the due
execution of the foregoing instrument.

Witness my hand and official seal, this the 31 day of

October, 1986.

(official seal)

LOUISE M. CANIPE, NOTARY PUBLIC
Forsyth County, NC

My Commission Expires 4-19-89

Louise M. Canipe
Notary Public

My commission expires April 19, 1989.

PRESENTED FOR
REGISTRATION
AND RECORDED

JUN 16 10 10 AM '87

L.E. SPEAS
REGISTER OF DEEDS
FORSYTH CITY, N.C.

\$16.00 g.d.c.c. BOOK 1614 P 1281

PERMIT NO. 34-RR

DATE ISSUED _____

FORSYTH COUNTY PUBLIC HEALTH
DIVISION OF ENVIRONMENTAL HEALTH
SOLID AND HAZARDOUS WASTE SECTIONS
P. O. BOX 2975
WINSTON-SALEM, N.C. 27102

S O L I D W A S T E P E R M I T

FRANCIS L. MANUEL ✓ is hereby issued a permit to
operate a demolition landfill
located Sedge Garden Road
in accordance with Article 9, Chapter 130A, of the General Statutes of North
Carolina and all rules promulgated thereunder and subject to the conditions set
forth in this permit. The facility is located on the below described property.

see attached description/deed.

Fred L. Overstreet, R.L.
Director,
Division of Environmental Health

BOOK 1614P1282

OPERATING
CONDITIONS FOR A DEMOLITION LANDFILL
CONTINUED

6. The final slope of a demolition landfill shall be 3 to 1 unless other engineered plans are approved by the permitting agency.
7. Dust suppression shall be provided for where necessary.
8. Erosion control features shall be installed where necessary. These features shall include but not be limited to: (a) energy dissipaters, (b) silt fences, (c) straw, (d) berms, dikes, and diversion ditches, and (e) brush barrier.
9. All finished areas within six months of completion shall be stabilized at its surface with native grasses.
10. Vehicles shall not exceed a safe speed for the materials being hauled and shall be covered or secured with suitable device(s) when on the public highway.
11. All fill must upon completion stay a minimum of 15 feet from any property line, and 25 feet from any public utility. All easements and access shall be preserved to allow service, inspection, and maintenance of public utilities.
12. All kinds of containers shall be punctured, with the ends removed and crushed before going into a demolition landfill.
13. The site must/shall be inspected by the owner/operator at least once every ten (10) working days.
14. "No Unauthorized Dumping" signs shall be posted in a conspicuous place at the entrance.
15. Ingress and egress shall be controlled with a suitable device, i.e. a chain, cable, or gate. Where access is next to a public or private road, berms shall be installed to provide a controllable access.
16. The site shall not be accessible unless the operator or his representative is on the premises.
17. All drainage features shall be preserved.
18. At no time shall any solid waste be disposed of in water or shall any water be allowed to accumulate above the fill materials.
19. At no time shall any part of the fill site enter the 100 year flood plain.
20. The permit is subject to review one year from date of issuance. At the time of review, the permit may be renewed or cancelled depending on the condition of the landfill on the day of review.
21. Adequate cover materials shall be provided at all times but in no case shall final cover be less than 6 inches of uncontaminated soil. Generally, 18-24 inches of cover material is preferred.
22. Solid wastes shall be spread and compacted not less than ten working days after being deposited into the landfill.

GENERAL SEEDING RECOMMENDATIONS
FOR DEVELOPMENT SITES

(Per Acre Rates)

NOVEMBER - JANUARY

- 40 lbs. Ky-31-Fescue grass
- 40 lbs. Sericea Lespedeza (Unhulled)
- * 1 Bushel Rye

FEBRUARY - MAY

- 40 lbs. Ky-31-Fescue grass
- 40 lbs. Sericea Lespedeza (Scarified)

JUNE - AUGUST

- * 10 lbs. Sweet Sudan or 10 lbs. Browntop Millet
or
- 40 lbs. Ky-31-Fescue grass
- 40 lbs. Sericea Lespedeza (Scarified)

SEPTEMBER - OCTOBER

- 40 lbs. Ky-31-Fescue grass
- 40 lbs. Sericea Lespedeza (Scarified)
- * 1 Bushel Oats

Lime - 2 tons

Fertilizer - 800-1000 lbs. of 10-10-10




Phosphate - 300-500 lbs. of 0-20-0

Mulch - 2500 lbs.

*Note: Rye, sudan grass, browntop millet, and oats are annuals used in permanent seed mixtures for quick cover. If these are used alone for temporary cover, use the following amounts per acre:

rye - 2 bushels
sweet sudan - 20 lbs.
millet - 20 lbs.
oats - 2 bushels

Kerns Trv
Abbotts Creek WY.



FORSYTH COUNTY

TOWNSHIP	MAP NO.	DATE
ABBOTTS CREEK	1	1952
BLOCKS 5634		

BOOK 6141 PAGE 107

NAME OF SITE		COUNTY
LOCATION	SIGNATURE OF PERSON(S) RECEIVING REPORT	

SIR: AN INSPECTION OF YOUR LAND DISPOSAL SITE HAS BEEN MADE THIS DATE AND YOU ARE NOTIFIED OF THE VIOLATIONS, IF ANY, MARKED BELOW WITH A CROSS (X).

(1) PLAN AND PERMIT REQUIREMENTS

- ___ (a) Construction plans shall be approved and followed.
- ___ (b) Specified monitoring and reporting requirements shall be met.

(2) SPREADING AND COMPACTING REQUIREMENTS

- ___ (a) Solid waste shall be restricted into the smallest area feasible.
- ___ (b) Solid waste shall be compacted as densely as practical into cells.

(3) COVER REQUIREMENTS

- ___ (a) Solid waste shall be covered after each day of operation with a compacted layer of at least six inches of suitable cover or as specified by the division.
- ___ (b) Areas which will not have additional wastes placed on them for 12 months or more shall be covered with a minimum of one foot of intermediate cover.
- ___ (c) After final termination of disposal operations at the site or a major part thereof or upon revocation of a permit, the area shall be covered with at least two feet of suitable compacted earth.

(4) EROSION CONTROL REQUIREMENTS

- ___ (a) Adequate erosion control measures shall be practiced to prevent silt from leaving the site.
- ___ (b) Adequate erosion control measures shall be practiced to prevent excessive on-site erosion.

(5) DRAINAGE CONTROL REQUIREMENTS

- ___ (a) Surface water shall be diverted from the operational area.
- ___ (b) Surface water shall not be impounded over or in waste.
- ___ (c) Completed areas shall be adequately sloped to allow surface water runoff in a controlled manner.

(6) VEGETATION REQUIREMENTS

- ___ (a) Within six months after final termination of disposal operations at the site on a major part thereof or upon revocation of a permit, the area shall be stabilized with native grasses.
- ___ (b) Temporary seeding will be utilized as necessary to stabilize the site.

(7) WATER PROTECTION REQUIREMENTS

- ___ (a) The separation distance of four (4) feet between waste and water table shall be maintained unless otherwise specified by the division in the permit.
- ___ (b) Solid waste shall not be disposed of in water.
- ___ (c) Leachate shall be contained on site or properly treated prior to discharge. An NPDES permit may be required prior to the discharge of leachate to surface waters.

(8) ACCESS AND SECURITY REQUIREMENTS

- (a) The site shall be adequately secured by means of gates, chains, berms, fences, and other security measures approved by the division to prevent unauthorized entry.
- ___ (b) An attendant shall be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
- ___ (c) The access road to the site shall be of all-weather construction and maintained in good condition.
- ___ (d) Dust control measures shall be implemented where necessary.

(9) SIGN REQUIREMENTS

- ___ (a) Signs providing information on dumping procedures, the hours during which the site is open for public use, the permit number and other pertinent information shall be posted at the site entrance.
- ___ (b) Signs shall be posted stating that no hazardous or liquid waste can be received without written permission from the division.
- ___ (c) Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.

(10) SAFETY REQUIREMENTS

- ___ (a) Open burning of solid waste is prohibited.
- ___ (b) Equipment shall be provided to control accidental fires or arrangements shall be made with the local fire protection agency to immediately provide fire-fighting services when needed.
- ___ (c) Fires that occur at a sanitary landfill shall be reported to the division within 24 hours and a written notification shall be submitted within 15 days.
- ___ (d) The removal of solid waste from a sanitary landfill is prohibited unless the owner/operator approves and the removal is not performed on the working face.
- ___ (e) Barrels and drums shall not be disposed of unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein.

(11) WASTE ACCEPTANCE AND DISPOSAL REQUIREMENTS

- ___ (a) A site shall only accept those solid wastes which it is permitted to receive.
- ___ (b) No hazardous, liquid, or infectious waste shall be accepted or disposed of in a sanitary landfill except as may be approved by the division.
- ___ (c) Spoiled foods, animal carcasses, abattoir waste, hatchery waste, and other animal waste delivered to the disposal site shall be covered immediately.
- ___ (d) Asbestos waste that is packaged in accordance with 40 CFR 61, as amended through January 1, 1985, may be disposed of separate and apart from other solid wastes at the bottom of the working face or in an area not contiguous with other disposal areas, in either case, in virgin soil. Separate areas shall be clearly marked so that asbestos is not exposed by future land-disturbing activities. The waste shall be covered immediately with soil in a manner that will not cause airborne conditions. Copies of 40 CFR 61 may be obtained and inspected at the Solid and Hazardous Waste Management Branch, Division of Health Services, P. O. Box 2091, Raleigh, NC, 27602.

(12) MISCELLANEOUS REQUIREMENTS

- ___ (a) Effective vector control measures shall be applied to control flies, rodents, and other insects or vermin when necessary.
- ___ (b) Appropriate methods such as fencing and diking shall be provided within the area to confine solid waste subject to be blown by the wind. At the conclusion of each day of operation, all windblown material resulting from the operation shall be collected and returned to the area by the owner or operator.

REMARKS:

DATE: _____ NAME: _____

Solid and Hazardous Waste Management Branch