Scanned by	Date	Doc ID #
DCH	8/16/08	5572

TOWN OF KERNERSVILLE
PUBLIC WORKS DEPARTMENT

Curtis L. Swisher, Town Manager
Timothy G. Shields, Director

P.O. Box 728
Kernersville, N.C. 27285-0728

720 McKaughan Street
Telephone (336) 996-6916
Fax (336) 996-4059

July 14, 2008

RECEIVED
JUL 21 2008
SUPERFUND SECTION

Mr. Bobby Lutfy
NC Department of Environment and Natural Resources
Division of Solid Waste Management
PO BOX 27687
Raleigh, NC 27611-7687

RE: Kernersville, NC-Landfill Permit #34-04

Dear Mr. Lutfy:

Enclosed is a copy of the semi-annual groundwater monitoring data collected at the subject landfill on June 2nd, 2008. Research and Analytical Laboratories, Inc (RAL) conducted the groundwater monitoring program in accordance with the North Carolina Water Quality Monitoring Guidance Document for Solid Waste Facilities.

If you should have any questions concerning these reports or require further information, please feel free to contact me at any time.

Regards,

Tim Shields
Public Works Director

JUL 22 2008
SOLID WASTE SECT

Enclosures (2)

RESEARCH & ANALYTICAL LABORATORIES, INC.

Analytical/Process Consultations

08 July 2008

Mr. Denny Clark
Town of Kernersville
P.O. Box 728
Kermersville, North Carolina 27285-0728

Dear Mr. Clark:

Enclosed please find the final report for the Groundwater Monitoring performed at the Kernersville Landfill on 02 June 2008.

If you should have any questions or if we may be of further assistance please so advise.

Sincerely,

RESEARCH & ANALYTICAL LABORATORIES, INC.

Sidney L. Champion
Executive Vice-President & Director of Laboratory Services

SLC\sl

enclosures

P.O. Box 473 • 106 Short Street • Kernersville, North Carolina 27284 • 336-996-2841 • Fax 336-996-0326
www.randalabs.com

RESEARCH & ANALYTICAL LABORATORIES, INC.

Analytical / Process Consultations
Phone (336) 996-2841

CHAIN OF CUSTODY RECORD

COMPANY: Kernersville Landfill	JOB NO.
STREET ADDRESS	PROJECT
CITY, STATE, ZIP	SAMPLER NAME (PLEASE PRINT): Glenn Rice
CONTACT / PHONE	SAMPLER SIGNATURE

SAMPLE NUMBER (LAB USE ONLY)	DATE	TIME	COMP	GRAB	TEMP °C	RES Cl	CHLORINE REMOVED (Y or N)	SAMPLE MATRIX (S or W)	SAMPLE LOCATION / I.D.	NO. OF CONTAINERS	2L G (BNA, Herb. / Pest.)	2 40ml Vials (VOA) HCL	250ml G (TOX)	250ml P (TOC) H_2SO_4	1L P.G (BOD, TSS, Unpreserved, etc.)	1L G (Phenol, Oil & Grease) H_2SO_4	1L P.G (COD, N, P) H_2SO_4	1L P.G (Metals, Hardness) HNO_3	Sterile P.G (CYANIDE) NaOH	1L P.G (Coliform)	1L Small plastic				REQUESTED ANALYSIS
											WATER / WASTEWATER													MISC.	
418030	6/2/08	1045		✓				W	GW-2	6		4						1			1				* Remarks (+ cond)
031		1144		✓				W	GW-3S	6		4						1			1				
032		1140		✓				W	GW-3D	6		4						1			1				
033		1020		✓				W	GW-4	6		4						1			1				
034		0955		✓				W	GW-5	6		4						1			1				
035		1216		✓				W	GW-6	6		4						1			1				
036		1203		✓				W	SW-1	6		4						1			1				
037		1237		✓				W	SW-2	6		4						1			1				
038		1144		✓				W	Duplicate	6		4						1			1				
039		0500		✓				W	TB	5		4						1							* Remarks
040		1210		✓				W	FB	5		4						1							* Remarks

RELINQUISHED BY	DATE/TIME	RECEIVED BY
[signature]	6/3/08	[signature]
RELINQUISHED BY	DATE/TIME	RECEIVED BY

REMARKS: * Sb, As, Ba, Be, Cd, Cr, Co, Pb, Ni, Se, Ag, Ti, V, Zn (VOA 8260)

SAMPLE TEMPERATURE AT RECEIPT 2.5 °C [signature]