DENR USE ONLY: ☐ Paper Report ☐ Electronic Data - Email CD (data loaded: Yes / No) Doc/Event #:

NC DENR
Division of Waste Management - Solid Waste

Environmental Monitoring Reporting Form

Notice: This form and any information attached to it are "Public Records" as defined in NC General Statute 132-1. As such, these documents are available for inspection and examination by any person upon request (NC General Statute 132-6).

Instructions:

- **Prepare one form for each individually monitored unit.**
- **Please type or print legibly.**
- Attach a notification table with values that attain or exceed NC 2L groundwater standards or NC 2B surface water standards. The notification must include a preliminary analysis of the cause and significance of each value. (e.g. naturally occurring, off-site source, pre-existing condition, etc.).
- Attach a notification table of any groundwater or surface water values that equal or exceed the reporting limits.
- Attach a notification table of any methane gas values that attain or exceed explosive gas levels. This includes any structures on or nearby the facility (NCAC 13B .1629 (4)(a)(i).
- Send the original signed and sealed form, any tables, and Electronic Data Deliverable to: Compliance Unit, NCDENR-DWM, Solid Waste Section, 1646 Mail Service Center, Raleigh, NC 27699-1646.

Solid Waste Monitoring Data Submittal Information

Name of entity submitting data (laboratory, consultant, facility owner): Buxton Environmental, Inc
1101 South Blvd, Ste 101
Charlotte, NC 28203

Contact for questions about data formatting. Include data preparer's name, telephone number and E-mail address:

Name: Ross Klingman, P.G. Phone: 704-344-1450

E-mail: buxtonenv@bellsouth.net

Facility name:	Facility Address:	Facility Permit #	NC Landfill Rule: (.0500 or .1600)	Actual sampling dates (e.g., October 20-24, 2006)
Gaston Co -- closed Bessemer Staff Landfill	Abel Rd.	36-02 NA	—	6-7-07

Environmental Status: (Check all that apply)

☐ Initial/Background Monitoring ☐ Detection Monitoring ☐ Assessment Monitoring ☐ Corrective Action

Type of data submitted: (Check all that apply)

- ☑ Groundwater monitoring data from monitoring wells
- ☐ Groundwater monitoring data from private water supply wells
- ☐ Leachate monitoring data
- ☑ Surface water monitoring data
- ☐ Methane gas monitoring data
- ☐ Corrective action data (specify) _____
- ☐ Other(specify)

Notification attached?

- ☐ No. No groundwater or surface water standards or explosive methane gas limits were exceeded.
- ☑ Yes, a notification of values exceeding a groundwater or surface water standard is attached. It includes a list of groundwater and surface water monitoring points, dates, analytical values, NC 2L groundwater standard, NC 2B surface water standard or NC Solid Waste GWPS and preliminary analysis of the cause and significance of any concentration.
- NA ☐ Yes, a notification of values exceeding an explosive methane gas limit is attached. It includes the methane monitoring points, dates, sample values and explosive methane gas limits.

Certification

To the best of my knowledge, the information reported and statements made on this data submittal and attachments are true and correct. Furthermore, I have attached complete notification of any sampling values meeting or exceeding groundwater standards or explosive gas levels, and a preliminary analysis of the cause and significance of concentrations exceeding groundwater standards. I am aware that there are significant penalties for making any false statement, representation, or certification including the possibility of a fine and imprisonment.

Ross Klingman, P.G. President 704-344-1450

Facility Representative Name (Print) Title (Area Code) Telephone Number

Affix NC Licensed/ Professional Geologist Seal

Signature 8-28-07

Date

Revised 10/2006

FIRST SEMI-ANNUAL 2007
GROUNDWATER AND SURFACE WATER MONITORING EVENT
GASTON COUNTY - CLOSED BIGGERSTAFF LANDFILL
GASTON COUNTY, NORTH CAROLINA

TABLE OF CONTENTS

1.0	*Introduction*	*1*
2.0	*Background Information*	*1*
3.0	*Groundwater and Surface Water Monitoring Activities*	*2*
4.0	*Groundwater Flow Direction*	*2*
5.0	*Groundwater and Surface Water Analytical Results*	*3*
6.0	*Conclusions*	*3*
7.0	*Recommendations*	*4*

LIST OF FIGURES

1. Site Location Map
2. Site Layout Map
3. Shallow Groundwater Flow
4. Groundwater Analytical Results

LIST OF TABLES

1. Groundwater Gauging Data
2. Field Parameter Data
3. Groundwater Analytical Results
4. Surface Water Analytical Results

APPENDICES

A. Laboratory Data Sheets
B. Historical Groundwater Analytical Results

FIRST SEMI-ANNUAL 2007
GROUNDWATER AND SURFACE WATER MONITORING EVENT
GASTON COUNTY - CLOSED BIGGERSTAFF LANDFILL
GASTON COUNTY, NORTH CAROLINA

1.0 INTRODUCTION

Buxton Environmental, Inc. respectfully submits the methods and results of the first semi-annual 2007 groundwater and surface water monitoring activities conducted at the Gaston County Closed Biggerstaff Landfill located in Gaston County, North Carolina. The purpose for conducting the assessment was to monitor groundwater, surface water and hydrogeologic conditions at the subject site. A site location map and site layout map are provided in Figures 1 and 2, respectively.

The monitoring activities were conducted in general accordance with the North Carolina Department of Environment and Natural Resources, Division of Waste Management-Solid Waste Section (NCSWM) guidelines, and memorandums dated October 27, 2006 and February 23, 2007 concerning changes to laboratory detection limits and reporting requirements. A summary of background information, and the methods, results, conclusions and recommendations of this investigation are outlined below.

2.0 BACKGROUND INFORMATION

Based on review of aerial photographs and discussions with Gaston County personnel, the subject facility was opened prior to 1968 and remained in operation until it closed in approximately 1986. The subject property consists of approximately 60 acres and currently contains a landing strip used by a local model airplane club.

To comply with NCSWM guidelines, semi-annual groundwater monitoring was initiated in April 1997 at five shallow monitor wells MW-1 through MW-5. The groundwater samples were analyzed for Appendix I volatile organic compounds (VOC's) and RCRA metals. Groundwater samples collected during these activities indicated several VOC's and metals above the North Carolina Groundwater Protection Standards (NCGPS).

Due to the presence of target constituents above the NCGPS, the NCSWM requested that additional assessment be conducted to determine the extent of affected groundwater and the existence of surrounding water supply wells. According to a March 22, 2001 *Site Assessment Activities for Biggerstaff Closed Landfill* report prepared by Resolve Environmental Services, P.A., two deep monitor wells MW-2D and MW-4D were installed adjacent to monitor wells MW-2 and MW-4, respectively. Groundwater samples collected at MW-2D indicated the presence of 61 micrograms per liter (ug/l) cadmium and 150 ug/l lead, and MW-4D indicated the presence of 9 ug/l cadmium and 22 ug/l lead, which were above the NCGPS. During the assessment, a total of 15 water supply wells were identified within a 0.5 mile radius of the former landfill. According to the report, these water supply wells were either located upgradient or across shallow groundwater divides.

3.0 GROUNDWATER AND SURFACE WATER MONITORING ACTIVITIES

On June 7, 2007, Buxton Environmental, Inc. conducted the first semi-annual 2007 groundwater monitoring event at the subject site. Groundwater monitoring activities were conducted at five shallow monitor wells MW-1, MW-2, MW-3, MW-4 and MW-5, and two deep monitor wells MW-2D and MW-4D. Two surface water samples Upstream and Downstream were collected along the tributary creek located downgradient and to the south of the landfill area.

Prior to conducting the sampling activities, groundwater levels were obtained from each well with a depth-to-water electrode to the nearest 0.01 foot. Following the gauging activities, each well was purged of three well bore volumes of water with a disposable Teflon bailer attached to new nylon rope. Purge water was poured on the ground surface at respective well heads. Field parameters including pH, conductivity and temperature were collected following purging at each well and at each surface water sample location. Groundwater gauging and field parameter data are provided in Tables 1 and 2, respectively.

The groundwater and surface water samples were analyzed for Appendix I VOC's by EPA Method 8260B, and 8 RCRA metals by EPA Methods 6010B and 7470A. For quality control purposes, one trip blank and one equipment blank were analyzed for Appendix I VOC's. The trip blank was prepared by the laboratory and the de-ionized water utilized for the equipment blank was supplied by the laboratory. The laboratory analyses were conducted by Shealy Environmental Services, Inc. in Cayce, South Carolina. The water samples were collected in general accordance with accepted protocol, including chain-of-custody documentation.

Monitor wells were locked and appeared to be in good condition during the sampling event.

4.0 GROUNDWATER FLOW DIRECTION

Based on groundwater levels obtained on June 7, 2007, shallow groundwater flows southeast towards tributary creeks located on the eastern and southern sides of the property. A shallow groundwater flow direction map is provided in Figure 3.

A horizontal hydraulic gradient of 0.04 feet per feet (ft/ft) was observed between shallow monitor wells MW-1 and MW-3. An upward vertical gradient of 0.11 ft/ft was observed at nested monitor wells MW-2 and MW-2D, and a downward vertical gradient of 0.004 ft/ft was observed at nested monitor wells MW-4 and MW-4D. Upward vertical gradients are generally associated with groundwater discharge zones and downward vertical gradients are generally associated with groundwater recharge zones.

5.0 GROUNDWATER AND SURFACE WATER ANALYTICAL RESULTS

The groundwater and surface water analytical results for the first semi-annual 20076 event are presented in Tables 3 and 4, respectively, and are illustrated in Figure 4. Laboratory data sheets are presented in Appendix A. Historical groundwater analytical results are presented in Appendix B.

Groundwater samples collected at monitor wells MW-1, MW-2, MW-4, MW-4D and MW-5 indicated the presence of target constituents above the NCGPS, which are summarized below. Groundwater sample MW-1 indicated the presence of 6.1 ug/l methylene chloride. Groundwater sample MW-2 indicated the presence of 5.9 ug/l benzene, 5.6 ug/l 1,4-dichlorobenzene, 260 ug/l cis-1,2-dichloroethene, 5 ug/l methylene chloride, 26 ug/l vinyl chloride and 3.5 ug/l cadmium. Groundwater sample MW-4 indicated the presence of 5.6 ug/l benzene, 12 ug/l 1,4-dichlorobenzene and 9.6 ug/l vinyl chloride. Groundwater sample MW-4D indicated the presence of 11 ug/l 1,4-dichlorobenzene, 5 ug/l vinyl chloride and 51 ug/l cadmium. Groundwater sample MW-5 indicated 7.9 ug/l 1,4-dichlorobenzene. The remaining groundwater samples did not indicate target constituents above the NCGPS.

The surface water samples, Upstream and Downstream, did not indicate target constituents above the NCGQS.

The equipment blank indicated the presence of 1.4J ug/l acetone (J=estimated result (<Solid Waste Section Limit (SWSL) or Practical Quantitation Limit (PQL) and >=Method Detection Limit (MDL)). The trip blank did not indicate target constituents above method detection limits.

6.0 CONCLUSIONS

On June 7, 2007, Buxton Environmental, Inc. conducted the second first semi-annual 2007 groundwater monitoring activities at the Closed Biggerstaff Landfill located in Gaston County, North Carolina. A summary of the findings of this investigation is provided below.

- Shallow groundwater flow at the site is to the southeast.
- Groundwater samples collected at MW-1, MW-2, MW-4, MW-4D and MW-5 indicated target constituents above the NCGPS.
- Surface water samples collected during the assessment did not indicate target constituents above method detection limits.

7.0 RECOMMENDATIONS

Based on the findings of this assessment, Buxton Environmental, Inc. makes the following recommendations.

- Semi-annual groundwater monitoring should continue to be conducted at the Closed Biggerstaff Landfill. The next sampling event is anticipated to be conducted in November 2007.

- A copy of this report should be forwarded to the NCSWM for their review.

rk:reports:biggerstaffrpt..607

FIGURES



Scale

0 Feet 2,000

Source: United States Geological Survey, 1993 Bessemer City, North Carolina Quadrangle

Gaston County Closed Biggerstaff Landfill Gaston County, North Carolina	Buxton Environmental, Inc.	Figure 1. Site Location Map



Gaston County Closed Biggerstaff Landfill Gaston County, North Carolina	Buxton Environmental, Inc.	Figure 2. Site Layout Map



Gaston County Closed Biggerstaff Landfill Gaston County, North Carolina	Buxton Environmental, Inc.	Figure 3. Shallow Groundwater Flow First Semi-Annual 2007



Gaston County Closed Biggerstaff Landfill Gaston County, North Carolina	Buxton Environmental, Inc.	Figure 4. Groundwater Analytical Results First Semi-Annual 2007

TABLES

TABLE 1
GROUNDWATER GAUGING DATA
GASTON COUNTY - CLOSED BIGGERSTAFF LANDFILL
GASTON COUNTY, NORTH CAROLINA
JUNE 7, 2007

Well ID	*TD BTOC (ft)*	*TOC Elevation (ft)*	*DTW BTOC (ft)*	*DTW Elevation (ft)*
MW-1	33.20	872.88	26.99	845.89
MW-2	18.00	811.01	10.75	800.26
MW-2D	45.00	812.48	9.52	802.96
MW-3	18.10	781.76	9.36	772.40
MW-4	18.50	786.22	9.82	776.40
MW-4D	45.00	784.55	8.27	776.28
MW-5	33.20	825.72	27.73	797.99

Notes:
Depth to water measurements collected on June 7, 2007
with a depth to water electrode.
TD=total depth;BTOC=below top of casing;TOC=top of casing;DTW=depth to water;ft=feet
TOC elevations at MW-1, MW-2, MW-3, MW-4 and MW-5 are relative to mean sea level
and were surveyed by Robinson & Sawyer, Inc. on August 5, 1993.

TABLE 2
FIELD PARAMETER DATA
GASTON COUNTY - CLOSED BIGGERSTAFF LANDFILL
GASTON COUNTY, NORTH CAROLINA
JUNE 7, 2007

Well ID	***Field Parameters***		
	pH (standard units)	***K (uS)***	***T (fahrenheit)***
MW-1	6.8	40	68
MW-2	5.9	40	62
MW-2D	7.6	50	62
MW-3	6.5	80	60
MW-4	6.9	280	60
MW-4D	6.4	300	61
MW-5	5.7	70	68
Upstream	6.9	100	71
Downstream	6.5	100	72

Notes:
Field parameters collected on June 7, 2007
SU = standard units
uS = mho's per second
K = conductivity; T = temperature

TABLE 3
GROUNDWATER ANALYTICAL RESULTS
GASTON COUNTY - CLOSED BIGGERSTAFF LANDFILL
GASTON COUNTY, NORTH CAROLINA
JUNE 7, 2007

Sample ID	***MW-1***	***MW-2***	***MW-2D***	***MW-3***	***MW-4***	***MW-4D***	***MW-5***	***NCGPS***
Appendix I VOC's								
Acetone	BDL	BDL	BDL	BDL	BDL	BDL	35	700
Benzene	BDL	**3.5**	BDL	BDL	**5.6**	BDL	BDL	1
Chlorobenzene	BDL	BDL	BDL	BDL	9.7	11	37	50
1,2-Dichlorobenzene	BDL	BDL	BDL	BDL	13	13	8.7	24
1,4-Dichlorobenzene	BDL	**2.6**	BDL	BDL	**12**	**11**	**7.9**	1.4
1,1-Dichloroethane	BDL	BDL	BDL	BDL	8.1	BDL	BDL	70
cis-1,2-Dichloroethene	6.7	**251**	BDL	BDL	9	9.2	BDL	70
Methylene Chloride	**61**	**5**	BDL	BDL	BDL	BDL	BDL	4.6
Toluene	BDL	BDL	BDL	BDL	BDL	BDL	6	1,000
Vinyl Chloride	BDL	**[illegible]**	BDL	BDL	**0.6**	**3**	BDL	0.015
Xylenes	18	BDL	BDL	BDL	BDL	BDL	BDL	530
RCRA Metals								
Arsenic	BDL	BDL	BDL	BDL	19	BDL	BDL	50
Barium	27	200	22J	35	110	130	180	2,000
Cadmium	BDL	**3.5**	BDL	BDL	BDL	**51**	1.5J	1.75
Chromium	3.6J	BDL	BDL	BDL	BDL	3.9J	BDL	50
Lead	BDL	3.4	BDL	2.6J	8.8	BDL	2.3J	15
Mercury	0.068J	BDL	BDL	BDL	BDL	BDL	0.1	1.05
Selenium	BDL	2.6J	BDL	BDL	BDL	2.9J	BDL	50
Silver	0.95J	0.98J	1.7J	0.91J	11	3.9J	1.2J	17.5

Notes:
Groundwater samples were collected on June 7, 2007 and analyzed for above constituents by Shealy Environmental Services, Inc. in Cayce, SC.
BDL = below detection limit
NCGPS = North Carolina Groundwater Protection Standard
VOC's = volatile organic compounds
Bold and shade denotes above NCGQS
data presented in micrograms per liter (ug/l)
J = estimated result <PQL and >=MDL

TABLE 4
SURFACE WATER ANALYTICAL RESULTS
GASTON COUNTY - CLOSED BIGGERSTAFF LANDFILL
GASTON COUNTY, NORTH CAROLINA
JUNE 7, 2007

Sample ID	*Upstream*	*Downstream*	*NCGPS*
Appendix I VOC's	BDL	BDL	NA
RCRA Metals			
Arsenic	BDL	4J	50
Barium	10J	9.1J	2,000
Chromium	BDL	0.74J	50

Notes:
Surface water samples collected June 7, 2007 and analyzed for above constituents by Shealy Environmental Services, Inc. in Cayce, SC.
BDL = below detection limit
NA = not applicable
NCGPS = North Carolina Groundwater Protection Standard
VOC's = volatile organic compounds
data presented in micrograms per liter (ug/l)
J = estimated result <PQL and >=MDL

APPENDIX A
LABORATORY DATA SHEETS

SHEALY ENVIRONMENTAL SERVICES, INC.

Report of Analysis

Buxton Environmental
PO Box 11550
Charlotte, NC 28220
Attention: Ross Klingman

Project Name: **Gaston Co.Landfill - Biggerstaff Site**

Lot Number: **IF09001**
Date Completed: **06/15/2007**

Kelly M. Maberry
Project Manager

ACCREDITED IN ACCORDANCE WITH nelac

This report shall not be reproduced, except in its entirety, without the written approval of Shealy Environmental Services, Inc.

The following non-paginated documents are considered part of this report: Chain of Custody Record and Sample Receipt Checklist.

Shealy Environmental Services, Inc.
106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Case Narrative
Buxton Environmental
Lot Number: IF09001

This Report of Analysis contains the analytical result(s) for the sample(s) listed on the Sample Summary following this Case Narrative. The sample receiving date is documented in the header information associated with each sample.

Sample receipt, sample analysis, and data review have been performed in accordance with the most current approved NELAC standards, the Shealy Environmental Services, Inc. ("Shealy") Quality Assurance Management Plan (QAMP), standard operating procedures (SOPs), and Shealy policies. Any exceptions to the NELAC standards, the QAMP, SOPs or policies are qualified on the results page or discussed below.

If you have any questions regarding this report please contact the Shealy Project Manager listed on the cover page.

Sample Summary
Buxton Environmental
Lot Number: IF09001

Sample Number	Sample ID	Matrix	Date Sampled	Date Received
001	MW-1	Aqueous	06/07/2007 1345	06/08/2007
002	MW-2	Aqueous	06/07/2007 1415	06/08/2007
003	MW-2D	Aqueous	06/07/2007 1445	06/08/2007
004	MW-3	Aqueous	06/07/2007 1650	06/08/2007
005	MW-4	Aqueous	06/07/2007 1545	06/08/2007
006	MW-4D	Aqueous	06/07/2007 1600	06/08/2007
007	MW-5	Aqueous	06/07/2007 1515	06/08/2007
008	Upstream	Aqueous	06/07/2007 1530	06/08/2007
009	Downstream	Aqueous	06/07/2007 1700	06/08/2007
010	Trip Blank	Aqueous	04/17/2007 1430	06/08/2007

(10 samples)

Executive Summary
Buxton Environmental
Lot Number: IF09001

Sample	Sample ID	Matrix	Parameter	Method	Result	Q	Units	Page
001	MW-1	Aqueous	cis-1,2-Dichloroethene	8260B	6.7		ug/L	6
001	MW-1	Aqueous	Methylene chloride	8260B	6.1		ug/L	6
001	MW-1	Aqueous	Xylenes (total)	8260B	18		ug/L	7
001	MW-1	Aqueous	Barium	6010B	0.027		mg/L	7
001	MW-1	Aqueous	Chromium	6010B	0.0036	J	mg/L	7
001	MW-1	Aqueous	Mercury	7470A	0.000068	J	mg/L	7
001	MW-1	Aqueous	Silver	6010B	0.00095	J	mg/L	7
002	MW-2	Aqueous	Benzene	8260B	5.9		ug/L	8
002	MW-2	Aqueous	1,4-Dichlorobenzene	8260B	5.6		ug/L	8
002	MW-2	Aqueous	cis-1,2-Dichloroethene	8260B	260		ug/L	8
002	MW-2	Aqueous	Methylene chloride	8260B	5.0		ug/L	8
002	MW-2	Aqueous	Vinyl chloride	8260B	26		ug/L	9
002	MW-2	Aqueous	Barium	6010B	0.20		mg/L	9
002	MW-2	Aqueous	Cadmium	6010B	0.0035		mg/L	9
002	MW-2	Aqueous	Lead	6010B	0.0034		mg/L	9
002	MW-2	Aqueous	Selenium	6010B	0.0026	J	mg/L	9
002	MW-2	Aqueous	Silver	6010B	0.00098	J	mg/L	9
003	MW-2D	Aqueous	Barium	6010B	0.022	J	mg/L	11
003	MW-2D	Aqueous	Silver	6010B	0.0017	J	mg/L	11
004	MW-3	Aqueous	Barium	6010B	0.035		mg/L	13
004	MW-3	Aqueous	Lead	6010B	0.0026	J	mg/L	13
004	MW-3	Aqueous	Silver	6010B	0.00091	J	mg/L	13
005	MW-4	Aqueous	Benzene	8260B	5.6		ug/L	14
005	MW-4	Aqueous	Chlorobenzene	8260B	9.7		ug/L	14
005	MW-4	Aqueous	1,2-Dichlorobenzene	8260B	13		ug/L	14
005	MW-4	Aqueous	1,4-Dichlorobenzene	8260B	12		ug/L	14
005	MW-4	Aqueous	1,1-Dichloroethane	8260B	8.1		ug/L	14
005	MW-4	Aqueous	cis-1,2-Dichloroethene	8260B	9.0		ug/L	14
005	MW-4	Aqueous	Vinyl chloride	8260B	9.6		ug/L	15
005	MW-4	Aqueous	Arsenic	6010B	0.019		mg/L	15
005	MW-4	Aqueous	Barium	6010B	0.11		mg/L	15
005	MW-4	Aqueous	Lead	6010B	0.0088		mg/L	15
005	MW-4	Aqueous	Silver	6010B	0.011		mg/L	15
006	MW-4D	Aqueous	Chlorobenzene	8260B	11		ug/L	16
006	MW-4D	Aqueous	1,2-Dichlorobenzene	8260B	13		ug/L	16
006	MW-4D	Aqueous	1,4-Dichlorobenzene	8260B	11		ug/L	16
006	MW-4D	Aqueous	cis-1,2-Dichloroethene	8260B	9.2		ug/L	16
006	MW-4D	Aqueous	Vinyl chloride	8260B	5.0		ug/L	17
006	MW-4D	Aqueous	Barium	6010B	0.13		mg/L	17
006	MW-4D	Aqueous	Cadmium	6010B	0.051		mg/L	17
006	MW-4D	Aqueous	Chromium	6010B	0.0039	J	mg/L	17
006	MW-4D	Aqueous	Selenium	6010B	0.0029	J	mg/L	17
006	MW-4D	Aqueous	Silver	6010B	0.0039	J	mg/L	17
007	MW-5	Aqueous	Acetone	8260B	35		ug/L	18
007	MW-5	Aqueous	Chlorobenzene	8260B	37		ug/L	18

Executive Summary (Continued)

Lot Number: IF09001

Sample	Sample ID	Matrix	Parameter	Method	Result	Q	Units	Page
007	MW-5	Aqueous	1,2-Dichlorobenzene	8260B	8.7		ug/L	18
007	MW-5	Aqueous	1,4-Dichlorobenzene	8260B	7.9		ug/L	18
007	MW-5	Aqueous	Toluene	8260B	6.0		ug/L	18
007	MW-5	Aqueous	Barium	6010B	0.18		mg/L	19
007	MW-5	Aqueous	Cadmium	6010B	0.0015	J	mg/L	19
007	MW-5	Aqueous	Lead	6010B	0.0023	J	mg/L	19
007	MW-5	Aqueous	Mercury	7470A	0.00010		mg/L	19
007	MW-5	Aqueous	Silver	6010B	0.0012	J	mg/L	19
008	Upstream	Aqueous	Barium	6010B	0.010	J	mg/L	21
009	Downstream	Aqueous	Arsenic	6010B	0.0040	J	mg/L	23
009	Downstream	Aqueous	Barium	6010B	0.0091	J	mg/L	23
009	Downstream	Aqueous	Silver	6010B	0.00074	J	mg/L	23

(57 detections)

Client: **Buxton Environmental**
Description: **MW-1**
Date Sampled: **06/07/2007 1345**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-001**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1251	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acetone	67-64-1	8260B	ND		20	1.2	ug/L	1
Acrylonitrile	107-13-1	8260B	ND		20	1.2	ug/L	1
Benzene	71-43-2	8260B	ND		1.0	0.13	ug/L	1
Bromochloromethane	74-97-5	8260B	ND		1.0	0.16	ug/L	1
Bromodichloromethane	75-27-4	8260B	ND		1.0	0.15	ug/L	1
Bromoform	75-25-2	8260B	ND		1.0	0.66	ug/L	1
Bromomethane (Methyl bromide)	74-83-9	8260B	ND		2.0	0.81	ug/L	1
2-Butanone (MEK)	78-93-3	8260B	ND		10	2.0	ug/L	1
Carbon disulfide	75-15-0	8260B	ND		1.0	0.097	ug/L	1
Carbon tetrachloride	56-23-5	8260B	ND		1.0	0.14	ug/L	1
Chlorobenzene	108-90-7	8260B	ND		1.0	0.14	ug/L	1
Chloroethane	75-00-3	8260B	ND		2.0	0.47	ug/L	1
Chloroform	67-66-3	8260B	ND		1.0	0.12	ug/L	1
Chloromethane (Methyl chloride)	74-87-3	8260B	ND		1.0	0.35	ug/L	1
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	8260B	ND		1.0	0.60	ug/L	1
Dibromochloromethane	124-48-1	8260B	ND		1.0	0.11	ug/L	1
1,2-Dibromoethane (EDB)	106-93-4	8260B	ND		1.0	0.30	ug/L	1
Dibromomethane (Methylene bromide)	74-95-3	8260B	ND		1.0	0.35	ug/L	1
trans-1,4-Dichloro-2-butene	110-57-6	8260B	ND		2.0	0.83	ug/L	1
1,2-Dichlorobenzene	95-50-1	8260B	ND		1.0	0.30	ug/L	1
1,4-Dichlorobenzene	106-46-7	8260B	ND		1.0	0.20	ug/L	1
1,1-Dichloroethane	75-34-3	8260B	ND		1.0	0.13	ug/L	1
1,2-Dichloroethane	107-06-2	8260B	ND		1.0	0.15	ug/L	1
1,1-Dichloroethene	75-35-4	8260B	ND		1.0	0.16	ug/L	1
cis-1,2-Dichloroethene	**156-59-2**	**8260B**	**6.7**		**1.0**	**0.12**	**ug/L**	**1**
trans-1,2-Dichloroethene	156-60-5	8260B	ND		1.0	0.20	ug/L	1
1,2-Dichloropropane	78-87-5	8260B	ND		1.0	0.19	ug/L	1
cis-1,3-Dichloropropene	10061-01-5	8260B	ND		1.0	0.092	ug/L	1
trans-1,3-Dichloropropene	10061-02-6	8260B	ND		1.0	0.10	ug/L	1
Ethylbenzene	100-41-4	8260B	ND		1.0	0.17	ug/L	1
2-Hexanone	591-78-6	8260B	ND		10	0.27	ug/L	1
Methyl iodide (Iodomethane)	74-88-4	8260B	ND		5.0	1.2	ug/L	1
4-Methyl-2-pentanone	108-10-1	8260B	ND		10	0.31	ug/L	1
Methylene chloride	**75-09-2**	**8260B**	**6.1**		**1.0**	**0.13**	**ug/L**	**1**
Styrene	100-42-5	8260B	ND		1.0	0.12	ug/L	1
1,1,1,2-Tetrachloroethane	630-20-6	8260B	ND		1.0	0.20	ug/L	1
1,1,2,2-Tetrachloroethane	79-34-5	8260B	ND		1.0	0.16	ug/L	1
Tetrachloroethene	127-18-4	8260B	ND		1.0	0.13	ug/L	1
Toluene	108-88-3	8260B	ND		1.0	0.17	ug/L	1
1,1,1-Trichloroethane	71-55-6	8260B	ND		1.0	0.074	ug/L	1
1,1,2-Trichloroethane	79-00-5	8260B	ND		1.0	0.21	ug/L	1
Trichloroethene	79-01-6	8260B	ND		1.0	0.18	ug/L	1

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Client: **Buxton Environmental**
Description: **MW-1**
Date Sampled: **06/07/2007 1345**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-001**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1251	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Trichlorofluoromethane	75-69-4	8260B	ND		1.0	0.30	ug/L	1
1,2,3-Trichloropropane	96-18-4	8260B	ND		1.0	0.27	ug/L	1
Vinyl acetate	108-05-4	8260B	ND		5.0	1.3	ug/L	1
Vinyl chloride	75-01-4	8260B	ND		1.0	0.054	ug/L	1
Xylenes (total)	**1330-20-7**	**8260B**	**18**		**1.0**	**0.22**	**ug/L**	**1**

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		103	52-138
Bromofluorobenzene		91	70-147
Toluene-d8		91	76-125

RCRA Metals

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1		7470A	1	06/11/2007 1942	FLW	06/11/2007 1609	59023
1	3005A	6010B	1	06/13/2007 1845	MNM	06/11/2007 1000	58980
2	3005A	6010B	1	06/15/2007 1237	MNM	06/11/2007 1000	58980

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Arsenic	7440-38-2	6010B	ND		0.0050	0.0040	mg/L	1
Barium	**7440-39-3**	**6010B**	**0.027**		**0.025**	**0.0075**	**mg/L**	**1**
Cadmium	7440-43-9	6010B	ND		0.0020	0.00060	mg/L	1
Chromium	**7440-47-3**	**6010B**	**0.0036**	**J**	**0.0050**	**0.0021**	**mg/L**	**1**
Lead	7439-92-1	6010B	ND		0.0030	0.0019	mg/L	2
Mercury	**7439-97-6**	**7470A**	**0.000068**	**J**	**0.00010**	**0.000060**	**mg/L**	**1**
Selenium	7782-49-2	6010B	ND		0.0050	0.0026	mg/L	1
Silver	**7440-22-4**	**6010B**	**0.00095**	**J**	**0.0050**	**0.00040**	**mg/L**	**1**

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Client: **Buxton Environmental**
Description: **MW-2**
Date Sampled: **06/07/2007 1415**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-002**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1312	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acetone	67-64-1	8260B	ND		20	1.2	ug/L	1
Acrylonitrile	107-13-1	8260B	ND		20	1.2	ug/L	1
Benzene	**71-43-2**	**8260B**	**5.9**		**1.0**	**0.13**	**ug/L**	**1**
Bromochloromethane	74-97-5	8260B	ND		1.0	0.16	ug/L	1
Bromodichloromethane	75-27-4	8260B	ND		1.0	0.15	ug/L	1
Bromoform	75-25-2	8260B	ND		1.0	0.66	ug/L	1
Bromomethane (Methyl bromide)	74-83-9	8260B	ND		2.0	0.81	ug/L	1
2-Butanone (MEK)	78-93-3	8260B	ND		10	2.0	ug/L	1
Carbon disulfide	75-15-0	8260B	ND		1.0	0.097	ug/L	1
Carbon tetrachloride	56-23-5	8260B	ND		1.0	0.14	ug/L	1
Chlorobenzene	108-90-7	8260B	ND		1.0	0.14	ug/L	1
Chloroethane	75-00-3	8260B	ND		2.0	0.47	ug/L	1
Chloroform	67-66-3	8260B	ND		1.0	0.12	ug/L	1
Chloromethane (Methyl chloride)	74-87-3	8260B	ND		1.0	0.35	ug/L	1
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	8260B	ND		1.0	0.60	ug/L	1
Dibromochloromethane	124-48-1	8260B	ND		1.0	0.11	ug/L	1
1,2-Dibromoethane (EDB)	106-93-4	8260B	ND		1.0	0.30	ug/L	1
Dibromomethane (Methylene bromide)	74-95-3	8260B	ND		1.0	0.35	ug/L	1
trans-1,4-Dichloro-2-butene	110-57-6	8260B	ND		2.0	0.83	ug/L	1
1,2-Dichlorobenzene	95-50-1	8260B	ND		1.0	0.30	ug/L	1
1,4-Dichlorobenzene	**106-46-7**	**8260B**	**5.6**		**1.0**	**0.20**	**ug/L**	**1**
1,1-Dichloroethane	75-34-3	8260B	ND		1.0	0.13	ug/L	1
1,2-Dichloroethane	107-06-2	8260B	ND		1.0	0.15	ug/L	1
1,1-Dichloroethene	75-35-4	8260B	ND		1.0	0.16	ug/L	1
cis-1,2-Dichloroethene	**156-59-2**	**8260B**	**260**		**1.0**	**0.12**	**ug/L**	**1**
trans-1,2-Dichloroethene	156-60-5	8260B	ND		1.0	0.20	ug/L	1
1,2-Dichloropropane	78-87-5	8260B	ND		1.0	0.19	ug/L	1
cis-1,3-Dichloropropene	10061-01-5	8260B	ND		1.0	0.092	ug/L	1
trans-1,3-Dichloropropene	10061-02-6	8260B	ND		1.0	0.10	ug/L	1
Ethylbenzene	100-41-4	8260B	ND		1.0	0.17	ug/L	1
2-Hexanone	591-78-6	8260B	ND		10	0.27	ug/L	1
Methyl iodide (Iodomethane)	74-88-4	8260B	ND		5.0	1.2	ug/L	1
4-Methyl-2-pentanone	108-10-1	8260B	ND		10	0.31	ug/L	1
Methylene chloride	**75-09-2**	**8260B**	**5.0**		**1.0**	**0.13**	**ug/L**	**1**
Styrene	100-42-5	8260B	ND		1.0	0.12	ug/L	1
1,1,1,2-Tetrachloroethane	630-20-6	8260B	ND		1.0	0.20	ug/L	1
1,1,2,2-Tetrachloroethane	79-34-5	8260B	ND		1.0	0.16	ug/L	1
Tetrachloroethene	127-18-4	8260B	ND		1.0	0.13	ug/L	1
Toluene	108-88-3	8260B	ND		1.0	0.17	ug/L	1
1,1,1-Trichloroethane	71-55-6	8260B	ND		1.0	0.074	ug/L	1
1,1,2-Trichloroethane	79-00-5	8260B	ND		1.0	0.21	ug/L	1
Trichloroethene	79-01-6	8260B	ND		1.0	0.18	ug/L	1

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Client: **Buxton Environmental**
Description: **MW-2**
Date Sampled: **06/07/2007 1415**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-002**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1312	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Trichlorofluoromethane	75-69-4	8260B	ND		1.0	0.30	ug/L	1
1,2,3-Trichloropropane	96-18-4	8260B	ND		1.0	0.27	ug/L	1
Vinyl acetate	108-05-4	8260B	ND		5.0	1.3	ug/L	1
Vinyl chloride	**75-01-4**	**8260B**	**26**		**1.0**	**0.054**	**ug/L**	**1**
Xylenes (total)	1330-20-7	8260B	ND		1.0	0.22	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		103	52-138
Bromofluorobenzene		92	70-147
Toluene-d8		92	76-125

RCRA Metals

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1		7470A	1	06/11/2007 1948	FLW	06/11/2007 1609	59023
1	3005A	6010B	1	06/13/2007 1851	MNM	06/11/2007 1000	58980
2	3005A	6010B	1	06/15/2007 1243	MNM	06/11/2007 1000	58980

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Arsenic	7440-38-2	6010B	ND		0.0050	0.0040	mg/L	2
Barium	**7440-39-3**	**6010B**	**0.20**		**0.025**	**0.0075**	**mg/L**	**1**
Cadmium	**7440-43-9**	**6010B**	**0.0035**		**0.0020**	**0.00060**	**mg/L**	**1**
Chromium	7440-47-3	6010B	ND		0.0050	0.0021	mg/L	1
Lead	**7439-92-1**	**6010B**	**0.0034**		**0.0030**	**0.0019**	**mg/L**	**2**
Mercury	7439-97-6	7470A	ND		0.00010	0.000060	mg/L	1
Selenium	**7782-49-2**	**6010B**	**0.0026**	**J**	**0.0050**	**0.0026**	**mg/L**	**1**
Silver	**7440-22-4**	**6010B**	**0.00098**	**J**	**0.0050**	**0.00040**	**mg/L**	**1**

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Client: **Buxton Environmental**
Description: **MW-2D**
Date Sampled: **06/07/2007 1445**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-003**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1334	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acetone	67-64-1	8260B	ND		20	1.2	ug/L	1
Acrylonitrile	107-13-1	8260B	ND		20	1.2	ug/L	1
Benzene	71-43-2	8260B	ND		1.0	0.13	ug/L	1
Bromochloromethane	74-97-5	8260B	ND		1.0	0.16	ug/L	1
Bromodichloromethane	75-27-4	8260B	ND		1.0	0.15	ug/L	1
Bromoform	75-25-2	8260B	ND		1.0	0.66	ug/L	1
Bromomethane (Methyl bromide)	74-83-9	8260B	ND		2.0	0.81	ug/L	1
2-Butanone (MEK)	78-93-3	8260B	ND		10	2.0	ug/L	1
Carbon disulfide	75-15-0	8260B	ND		1.0	0.097	ug/L	1
Carbon tetrachloride	56-23-5	8260B	ND		1.0	0.14	ug/L	1
Chlorobenzene	108-90-7	8260B	ND		1.0	0.14	ug/L	1
Chloroethane	75-00-3	8260B	ND		2.0	0.47	ug/L	1
Chloroform	67-66-3	8260B	ND		1.0	0.12	ug/L	1
Chloromethane (Methyl chloride)	74-87-3	8260B	ND		1.0	0.35	ug/L	1
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	8260B	ND		1.0	0.60	ug/L	1
Dibromochloromethane	124-48-1	8260B	ND		1.0	0.11	ug/L	1
1,2-Dibromoethane (EDB)	106-93-4	8260B	ND		1.0	0.30	ug/L	1
Dibromomethane (Methylene bromide)	74-95-3	8260B	ND		1.0	0.35	ug/L	1
trans-1,4-Dichloro-2-butene	110-57-6	8260B	ND		2.0	0.83	ug/L	1
1,2-Dichlorobenzene	95-50-1	8260B	ND		1.0	0.30	ug/L	1
1,4-Dichlorobenzene	106-46-7	8260B	ND		1.0	0.20	ug/L	1
1,1-Dichloroethane	75-34-3	8260B	ND		1.0	0.13	ug/L	1
1,2-Dichloroethane	107-06-2	8260B	ND		1.0	0.15	ug/L	1
1,1-Dichloroethene	75-35-4	8260B	ND		1.0	0.16	ug/L	1
cis-1,2-Dichloroethene	156-59-2	8260B	ND		1.0	0.12	ug/L	1
trans-1,2-Dichloroethene	156-60-5	8260B	ND		1.0	0.20	ug/L	1
1,2-Dichloropropane	78-87-5	8260B	ND		1.0	0.19	ug/L	1
cis-1,3-Dichloropropene	10061-01-5	8260B	ND		1.0	0.092	ug/L	1
trans-1,3-Dichloropropene	10061-02-6	8260B	ND		1.0	0.10	ug/L	1
Ethylbenzene	100-41-4	8260B	ND		1.0	0.17	ug/L	1
2-Hexanone	591-78-6	8260B	ND		10	0.27	ug/L	1
Methyl iodide (Iodomethane)	74-88-4	8260B	ND		5.0	1.2	ug/L	1
4-Methyl-2-pentanone	108-10-1	8260B	ND		10	0.31	ug/L	1
Methylene chloride	75-09-2	8260B	ND		1.0	0.13	ug/L	1
Styrene	100-42-5	8260B	ND		1.0	0.12	ug/L	1
1,1,1,2-Tetrachloroethane	630-20-6	8260B	ND		1.0	0.20	ug/L	1
1,1,2,2-Tetrachloroethane	79-34-5	8260B	ND		1.0	0.16	ug/L	1
Tetrachloroethene	127-18-4	8260B	ND		1.0	0.13	ug/L	1
Toluene	108-88-3	8260B	ND		1.0	0.17	ug/L	1
1,1,1-Trichloroethane	71-55-6	8260B	ND		1.0	0.074	ug/L	1
1,1,2-Trichloroethane	79-00-5	8260B	ND		1.0	0.21	ug/L	1
Trichloroethene	79-01-6	8260B	ND		1.0	0.18	ug/L	1

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Client: **Buxton Environmental**
Description: **MW-2D**
Date Sampled: **06/07/2007 1445**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-003**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1334	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Trichlorofluoromethane	75-69-4	8260B	ND		1.0	0.30	ug/L	1
1,2,3-Trichloropropane	96-18-4	8260B	ND		1.0	0.27	ug/L	1
Vinyl acetate	108-05-4	8260B	ND		5.0	1.3	ug/L	1
Vinyl chloride	75-01-4	8260B	ND		1.0	0.054	ug/L	1
Xylenes (total)	1330-20-7	8260B	ND		1.0	0.22	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		101	52-138
Bromofluorobenzene		90	70-147
Toluene-d8		90	76-125

RCRA Metals

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1		7470A	1	06/11/2007 1949	FLW	06/11/2007 1609	59023
1	3005A	6010B	1	06/13/2007 1857	MNM	06/11/2007 1000	58980
2	3005A	6010B	1	06/15/2007 1249	MNM	06/11/2007 1000	58980

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Arsenic	7440-38-2	6010B	ND		0.0050	0.0040	mg/L	1
Barium	**7440-39-3**	**6010B**	**0.022**	**J**	**0.025**	**0.0075**	**mg/L**	**1**
Cadmium	7440-43-9	6010B	ND		0.0020	0.00060	mg/L	1
Chromium	7440-47-3	6010B	ND		0.0050	0.0021	mg/L	1
Lead	7439-92-1	6010B	ND		0.0030	0.0019	mg/L	2
Mercury	7439-97-6	7470A	ND		0.00010	0.000060	mg/L	1
Selenium	7782-49-2	6010B	ND		0.0050	0.0026	mg/L	1
Silver	**7440-22-4**	**6010B**	**0.0017**	**J**	**0.0050**	**0.00040**	**mg/L**	**1**

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Shealy Environmental Services, Inc.
106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Client: **Buxton Environmental**
Description: **MW-3**
Date Sampled: **06/07/2007 1650**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-004**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1355	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acetone	67-64-1	8260B	ND		20	1.2	ug/L	1
Acrylonitrile	107-13-1	8260B	ND		20	1.2	ug/L	1
Benzene	71-43-2	8260B	ND		1.0	0.13	ug/L	1
Bromochloromethane	74-97-5	8260B	ND		1.0	0.16	ug/L	1
Bromodichloromethane	75-27-4	8260B	ND		1.0	0.15	ug/L	1
Bromoform	75-25-2	8260B	ND		1.0	0.66	ug/L	1
Bromomethane (Methyl bromide)	74-83-9	8260B	ND		2.0	0.81	ug/L	1
2-Butanone (MEK)	78-93-3	8260B	ND		10	2.0	ug/L	1
Carbon disulfide	75-15-0	8260B	ND		1.0	0.097	ug/L	1
Carbon tetrachloride	56-23-5	8260B	ND		1.0	0.14	ug/L	1
Chlorobenzene	108-90-7	8260B	ND		1.0	0.14	ug/L	1
Chloroethane	75-00-3	8260B	ND		2.0	0.47	ug/L	1
Chloroform	67-66-3	8260B	ND		1.0	0.12	ug/L	1
Chloromethane (Methyl chloride)	74-87-3	8260B	ND		1.0	0.35	ug/L	1
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	8260B	ND		1.0	0.60	ug/L	1
Dibromochloromethane	124-48-1	8260B	ND		1.0	0.11	ug/L	1
1,2-Dibromoethane (EDB)	106-93-4	8260B	ND		1.0	0.30	ug/L	1
Dibromomethane (Methylene bromide)	74-95-3	8260B	ND		1.0	0.35	ug/L	1
trans-1,4-Dichloro-2-butene	110-57-6	8260B	ND		2.0	0.83	ug/L	1
1,2-Dichlorobenzene	95-50-1	8260B	ND		1.0	0.30	ug/L	1
1,4-Dichlorobenzene	106-46-7	8260B	ND		1.0	0.20	ug/L	1
1,1-Dichloroethane	75-34-3	8260B	ND		1.0	0.13	ug/L	1
1,2-Dichloroethane	107-06-2	8260B	ND		1.0	0.15	ug/L	1
1,1-Dichloroethene	75-35-4	8260B	ND		1.0	0.16	ug/L	1
cis-1,2-Dichloroethene	156-59-2	8260B	ND		1.0	0.12	ug/L	1
trans-1,2-Dichloroethene	156-60-5	8260B	ND		1.0	0.20	ug/L	1
1,2-Dichloropropane	78-87-5	8260B	ND		1.0	0.19	ug/L	1
cis-1,3-Dichloropropene	10061-01-5	8260B	ND		1.0	0.092	ug/L	1
trans-1,3-Dichloropropene	10061-02-6	8260B	ND		1.0	0.10	ug/L	1
Ethylbenzene	100-41-4	8260B	ND		1.0	0.17	ug/L	1
2-Hexanone	591-78-6	8260B	ND		10	0.27	ug/L	1
Methyl iodide (Iodomethane)	74-88-4	8260B	ND		5.0	1.2	ug/L	1
4-Methyl-2-pentanone	108-10-1	8260B	ND		10	0.31	ug/L	1
Methylene chloride	75-09-2	8260B	ND		1.0	0.13	ug/L	1
Styrene	100-42-5	8260B	ND		1.0	0.12	ug/L	1
1,1,1,2-Tetrachloroethane	630-20-6	8260B	ND		1.0	0.20	ug/L	1
1,1,2,2-Tetrachloroethane	79-34-5	8260B	ND		1.0	0.16	ug/L	1
Tetrachloroethene	127-18-4	8260B	ND		1.0	0.13	ug/L	1
Toluene	108-88-3	8260B	ND		1.0	0.17	ug/L	1
1,1,1-Trichloroethane	71-55-6	8260B	ND		1.0	0.074	ug/L	1
1,1,2-Trichloroethane	79-00-5	8260B	ND		1.0	0.21	ug/L	1
Trichloroethene	79-01-6	8260B	ND		1.0	0.18	ug/L	1

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Client: **Buxton Environmental**
Description: **MW-3**
Date Sampled: **06/07/2007 1650**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-004**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1355	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Trichlorofluoromethane	75-69-4	8260B	ND		1.0	0.30	ug/L	1
1,2,3-Trichloropropane	96-18-4	8260B	ND		1.0	0.27	ug/L	1
Vinyl acetate	108-05-4	8260B	ND		5.0	1.3	ug/L	1
Vinyl chloride	75-01-4	8260B	ND		1.0	0.054	ug/L	1
Xylenes (total)	1330-20-7	8260B	ND		1.0	0.22	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		102	52-138
Bromofluorobenzene		92	70-147
Toluene-d8		91	76-125

RCRA Metals

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1		7470A	1	06/11/2007 1953	FLW	06/11/2007 1609	59023
1	3005A	6010B	1	06/13/2007 1903	MNM	06/11/2007 1000	58980
2	3005A	6010B	1	06/15/2007 1255	MNM	06/11/2007 1000	58980

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Arsenic	7440-38-2	6010B	ND		0.0050	0.0040	mg/L	1
Barium	**7440-39-3**	**6010B**	**0.035**		**0.025**	**0.0075**	**mg/L**	**1**
Cadmium	7440-43-9	6010B	ND		0.0020	0.00060	mg/L	1
Chromium	7440-47-3	6010B	ND		0.0050	0.0021	mg/L	1
Lead	**7439-92-1**	**6010B**	**0.0026**	**J**	**0.0030**	**0.0019**	**mg/L**	**2**
Mercury	7439-97-6	7470A	ND		0.00010	0.000060	mg/L	1
Selenium	7782-49-2	6010B	ND		0.0050	0.0026	mg/L	1
Silver	**7440-22-4**	**6010B**	**0.00091**	**J**	**0.0050**	**0.00040**	**mg/L**	**1**

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Client: **Buxton Environmental**
Description: **MW-4**
Date Sampled: **06/07/2007 1545**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-005**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1416	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acetone	67-64-1	8260B	ND		20	1.2	ug/L	1
Acrylonitrile	107-13-1	8260B	ND		20	1.2	ug/L	1
Benzene	**71-43-2**	**8260B**	**5.6**		**1.0**	**0.13**	**ug/L**	**1**
Bromochloromethane	74-97-5	8260B	ND		1.0	0.16	ug/L	1
Bromodichloromethane	75-27-4	8260B	ND		1.0	0.15	ug/L	1
Bromoform	75-25-2	8260B	ND		1.0	0.66	ug/L	1
Bromomethane (Methyl bromide)	74-83-9	8260B	ND		2.0	0.81	ug/L	1
2-Butanone (MEK)	78-93-3	8260B	ND		10	2.0	ug/L	1
Carbon disulfide	75-15-0	8260B	ND		1.0	0.097	ug/L	1
Carbon tetrachloride	56-23-5	8260B	ND		1.0	0.14	ug/L	1
Chlorobenzene	**108-90-7**	**8260B**	**9.7**		**1.0**	**0.14**	**ug/L**	**1**
Chloroethane	75-00-3	8260B	ND		2.0	0.47	ug/L	1
Chloroform	67-66-3	8260B	ND		1.0	0.12	ug/L	1
Chloromethane (Methyl chloride)	74-87-3	8260B	ND		1.0	0.35	ug/L	1
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	8260B	ND		1.0	0.60	ug/L	1
Dibromochloromethane	124-48-1	8260B	ND		1.0	0.11	ug/L	1
1,2-Dibromoethane (EDB)	106-93-4	8260B	ND		1.0	0.30	ug/L	1
Dibromomethane (Methylene bromide)	74-95-3	8260B	ND		1.0	0.35	ug/L	1
trans-1,4-Dichloro-2-butene	110-57-6	8260B	ND		2.0	0.83	ug/L	1
1,2-Dichlorobenzene	**95-50-1**	**8260B**	**13**		**1.0**	**0.30**	**ug/L**	**1**
1,4-Dichlorobenzene	**106-46-7**	**8260B**	**12**		**1.0**	**0.20**	**ug/L**	**1**
1,1-Dichloroethane	**75-34-3**	**8260B**	**8.1**		**1.0**	**0.13**	**ug/L**	**1**
1,2-Dichloroethane	107-06-2	8260B	ND		1.0	0.15	ug/L	1
1,1-Dichloroethene	75-35-4	8260B	ND		1.0	0.16	ug/L	1
cis-1,2-Dichloroethene	**156-59-2**	**8260B**	**9.0**		**1.0**	**0.12**	**ug/L**	**1**
trans-1,2-Dichloroethene	156-60-5	8260B	ND		1.0	0.20	ug/L	1
1,2-Dichloropropane	78-87-5	8260B	ND		1.0	0.19	ug/L	1
cis-1,3-Dichloropropene	10061-01-5	8260B	ND		1.0	0.092	ug/L	1
trans-1,3-Dichloropropene	10061-02-6	8260B	ND		1.0	0.10	ug/L	1
Ethylbenzene	100-41-4	8260B	ND		1.0	0.17	ug/L	1
2-Hexanone	591-78-6	8260B	ND		10	0.27	ug/L	1
Methyl iodide (Iodomethane)	74-88-4	8260B	ND		5.0	1.2	ug/L	1
4-Methyl-2-pentanone	108-10-1	8260B	ND		10	0.31	ug/L	1
Methylene chloride	75-09-2	8260B	ND		1.0	0.13	ug/L	1
Styrene	100-42-5	8260B	ND		1.0	0.12	ug/L	1
1,1,1,2-Tetrachloroethane	630-20-6	8260B	ND		1.0	0.20	ug/L	1
1,1,2,2-Tetrachloroethane	79-34-5	8260B	ND		1.0	0.16	ug/L	1
Tetrachloroethene	127-18-4	8260B	ND		1.0	0.13	ug/L	1
Toluene	108-88-3	8260B	ND		1.0	0.17	ug/L	1
1,1,1-Trichloroethane	71-55-6	8260B	ND		1.0	0.074	ug/L	1
1,1,2-Trichloroethane	79-00-5	8260B	ND		1.0	0.21	ug/L	1
Trichloroethene	79-01-6	8260B	ND		1.0	0.18	ug/L	1

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Client: **Buxton Environmental**
Description: **MW-4**
Date Sampled: **06/07/2007 1545**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-005**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1416	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Trichlorofluoromethane	75-69-4	8260B	ND		1.0	0.30	ug/L	1
1,2,3-Trichloropropane	96-18-4	8260B	ND		1.0	0.27	ug/L	1
Vinyl acetate	108-05-4	8260B	ND		5.0	1.3	ug/L	1
Vinyl chloride	**75-01-4**	**8260B**	**9.6**		**1.0**	**0.054**	**ug/L**	**1**
Xylenes (total)	1330-20-7	8260B	ND		1.0	0.22	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		102	52-138
Bromofluorobenzene		92	70-147
Toluene-d8		91	76-125

RCRA Metals

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1		7470A	1	06/11/2007 1954	FLW	06/11/2007 1609	59023
1	3005A	6010B	1	06/13/2007 1909	MNM	06/11/2007 1000	58980
2	3005A	6010B	1	06/15/2007 1313	MNM	06/11/2007 1000	58980

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Arsenic	**7440-38-2**	**6010B**	**0.019**		**0.0050**	**0.0040**	**mg/L**	**1**
Barium	**7440-39-3**	**6010B**	**0.11**		**0.025**	**0.0075**	**mg/L**	**1**
Cadmium	7440-43-9	6010B	ND		0.0020	0.00060	mg/L	1
Chromium	7440-47-3	6010B	ND		0.0050	0.0021	mg/L	1
Lead	**7439-92-1**	**6010B**	**0.0088**		**0.0030**	**0.0019**	**mg/L**	**2**
Mercury	7439-97-6	7470A	ND		0.00010	0.000060	mg/L	1
Selenium	7782-49-2	6010B	ND		0.0050	0.0026	mg/L	1
Silver	**7440-22-4**	**6010B**	**0.011**		**0.0050**	**0.00040**	**mg/L**	**1**

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Client: **Buxton Environmental**
Description: **MW-4D**
Date Sampled: **06/07/2007 1600**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-006**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1437	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acetone	67-64-1	8260B	ND		20	1.2	ug/L	1
Acrylonitrile	107-13-1	8260B	ND		20	1.2	ug/L	1
Benzene	71-43-2	8260B	ND		1.0	0.13	ug/L	1
Bromochloromethane	74-97-5	8260B	ND		1.0	0.16	ug/L	1
Bromodichloromethane	75-27-4	8260B	ND		1.0	0.15	ug/L	1
Bromoform	75-25-2	8260B	ND		1.0	0.66	ug/L	1
Bromomethane (Methyl bromide)	74-83-9	8260B	ND		2.0	0.81	ug/L	1
2-Butanone (MEK)	78-93-3	8260B	ND		10	2.0	ug/L	1
Carbon disulfide	75-15-0	8260B	ND		1.0	0.097	ug/L	1
Carbon tetrachloride	56-23-5	8260B	ND		1.0	0.14	ug/L	1
Chlorobenzene	**108-90-7**	**8260B**	**11**		**1.0**	**0.14**	**ug/L**	**1**
Chloroethane	75-00-3	8260B	ND		2.0	0.47	ug/L	1
Chloroform	67-66-3	8260B	ND		1.0	0.12	ug/L	1
Chloromethane (Methyl chloride)	74-87-3	8260B	ND		1.0	0.35	ug/L	1
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	8260B	ND		1.0	0.60	ug/L	1
Dibromochloromethane	124-48-1	8260B	ND		1.0	0.11	ug/L	1
1,2-Dibromoethane (EDB)	106-93-4	8260B	ND		1.0	0.30	ug/L	1
Dibromomethane (Methylene bromide)	74-95-3	8260B	ND		1.0	0.35	ug/L	1
trans-1,4-Dichloro-2-butene	110-57-6	8260B	ND		2.0	0.83	ug/L	1
1,2-Dichlorobenzene	**95-50-1**	**8260B**	**13**		**1.0**	**0.30**	**ug/L**	**1**
1,4-Dichlorobenzene	**106-46-7**	**8260B**	**11**		**1.0**	**0.20**	**ug/L**	**1**
1,1-Dichloroethane	75-34-3	8260B	ND		1.0	0.13	ug/L	1
1,2-Dichloroethane	107-06-2	8260B	ND		1.0	0.15	ug/L	1
1,1-Dichloroethene	75-35-4	8260B	ND		1.0	0.16	ug/L	1
cis-1,2-Dichloroethene	**156-59-2**	**8260B**	**9.2**		**1.0**	**0.12**	**ug/L**	**1**
trans-1,2-Dichloroethene	156-60-5	8260B	ND		1.0	0.20	ug/L	1
1,2-Dichloropropane	78-87-5	8260B	ND		1.0	0.19	ug/L	1
cis-1,3-Dichloropropene	10061-01-5	8260B	ND		1.0	0.092	ug/L	1
trans-1,3-Dichloropropene	10061-02-6	8260B	ND		1.0	0.10	ug/L	1
Ethylbenzene	100-41-4	8260B	ND		1.0	0.17	ug/L	1
2-Hexanone	591-78-6	8260B	ND		10	0.27	ug/L	1
Methyl iodide (Iodomethane)	74-88-4	8260B	ND		5.0	1.2	ug/L	1
4-Methyl-2-pentanone	108-10-1	8260B	ND		10	0.31	ug/L	1
Methylene chloride	75-09-2	8260B	ND		1.0	0.13	ug/L	1
Styrene	100-42-5	8260B	ND		1.0	0.12	ug/L	1
1,1,1,2-Tetrachloroethane	630-20-6	8260B	ND		1.0	0.20	ug/L	1
1,1,2,2-Tetrachloroethane	79-34-5	8260B	ND		1.0	0.16	ug/L	1
Tetrachloroethene	127-18-4	8260B	ND		1.0	0.13	ug/L	1
Toluene	108-88-3	8260B	ND		1.0	0.17	ug/L	1
1,1,1-Trichloroethane	71-55-6	8260B	ND		1.0	0.074	ug/L	1
1,1,2-Trichloroethane	79-00-5	8260B	ND		1.0	0.21	ug/L	1
Trichloroethene	79-01-6	8260B	ND		1.0	0.18	ug/L	1

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Client: **Buxton Environmental**
Description: **MW-4D**
Date Sampled: **06/07/2007 1600**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-006**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1437	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Trichlorofluoromethane	75-69-4	8260B	ND		1.0	0.30	ug/L	1
1,2,3-Trichloropropane	96-18-4	8260B	ND		1.0	0.27	ug/L	1
Vinyl acetate	108-05-4	8260B	ND		5.0	1.3	ug/L	1
Vinyl chloride	**75-01-4**	**8260B**	**5.0**		**1.0**	**0.054**	**ug/L**	**1**
Xylenes (total)	1330-20-7	8260B	ND		1.0	0.22	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		104	52-138
Bromofluorobenzene		90	70-147
Toluene-d8		92	76-125

RCRA Metals

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1		7470A	1	06/11/2007 1956	FLW	06/11/2007 1609	59023
1	3005A	6010B	1	06/13/2007 1915	MNM	06/11/2007 1000	58980
2	3005A	6010B	1	06/15/2007 1319	MNM	06/11/2007 1000	58980

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Arsenic	7440-38-2	6010B	ND		0.0050	0.0040	mg/L	1
Barium	**7440-39-3**	**6010B**	**0.13**		**0.025**	**0.0075**	**mg/L**	**1**
Cadmium	**7440-43-9**	**6010B**	**0.051**		**0.0020**	**0.00060**	**mg/L**	**1**
Chromium	**7440-47-3**	**6010B**	**0.0039**	**J**	**0.0050**	**0.0021**	**mg/L**	**1**
Lead	7439-92-1	6010B	ND		0.0030	0.0019	mg/L	2
Mercury	7439-97-6	7470A	ND		0.00010	0.000060	mg/L	1
Selenium	**7782-49-2**	**6010B**	**0.0029**	**J**	**0.0050**	**0.0026**	**mg/L**	**1**
Silver	**7440-22-4**	**6010B**	**0.0039**	**J**	**0.0050**	**0.00040**	**mg/L**	**1**

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Client: **Buxton Environmental**
Description: **MW-5**
Date Sampled: **06/07/2007 1515**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-007**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1459	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acetone	**67-64-1**	**8260B**	**35**		**20**	**1.2**	**ug/L**	**1**
Acrylonitrile	107-13-1	8260B	ND		20	1.2	ug/L	1
Benzene	71-43-2	8260B	ND		1.0	0.13	ug/L	1
Bromochloromethane	74-97-5	8260B	ND		1.0	0.16	ug/L	1
Bromodichloromethane	75-27-4	8260B	ND		1.0	0.15	ug/L	1
Bromoform	75-25-2	8260B	ND		1.0	0.66	ug/L	1
Bromomethane (Methyl bromide)	74-83-9	8260B	ND		2.0	0.81	ug/L	1
2-Butanone (MEK)	78-93-3	8260B	ND		10	2.0	ug/L	1
Carbon disulfide	75-15-0	8260B	ND		1.0	0.097	ug/L	1
Carbon tetrachloride	56-23-5	8260B	ND		1.0	0.14	ug/L	1
Chlorobenzene	**108-90-7**	**8260B**	**37**		**1.0**	**0.14**	**ug/L**	**1**
Chloroethane	75-00-3	8260B	ND		2.0	0.47	ug/L	1
Chloroform	67-66-3	8260B	ND		1.0	0.12	ug/L	1
Chloromethane (Methyl chloride)	74-87-3	8260B	ND		1.0	0.35	ug/L	1
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	8260B	ND		1.0	0.60	ug/L	1
Dibromochloromethane	124-48-1	8260B	ND		1.0	0.11	ug/L	1
1,2-Dibromoethane (EDB)	106-93-4	8260B	ND		1.0	0.30	ug/L	1
Dibromomethane (Methylene bromide)	74-95-3	8260B	ND		1.0	0.35	ug/L	1
trans-1,4-Dichloro-2-butene	110-57-6	8260B	ND		2.0	0.83	ug/L	1
1,2-Dichlorobenzene	**95-50-1**	**8260B**	**8.7**		**1.0**	**0.30**	**ug/L**	**1**
1,4-Dichlorobenzene	**106-46-7**	**8260B**	**7.9**		**1.0**	**0.20**	**ug/L**	**1**
1,1-Dichloroethane	75-34-3	8260B	ND		1.0	0.13	ug/L	1
1,2-Dichloroethane	107-06-2	8260B	ND		1.0	0.15	ug/L	1
1,1-Dichloroethene	75-35-4	8260B	ND		1.0	0.16	ug/L	1
cis-1,2-Dichloroethene	156-59-2	8260B	ND		1.0	0.12	ug/L	1
trans-1,2-Dichloroethene	156-60-5	8260B	ND		1.0	0.20	ug/L	1
1,2-Dichloropropane	78-87-5	8260B	ND		1.0	0.19	ug/L	1
cis-1,3-Dichloropropene	10061-01-5	8260B	ND		1.0	0.092	ug/L	1
trans-1,3-Dichloropropene	10061-02-6	8260B	ND		1.0	0.10	ug/L	1
Ethylbenzene	100-41-4	8260B	ND		1.0	0.17	ug/L	1
2-Hexanone	591-78-6	8260B	ND		10	0.27	ug/L	1
Methyl iodide (Iodomethane)	74-88-4	8260B	ND		5.0	1.2	ug/L	1
4-Methyl-2-pentanone	108-10-1	8260B	ND		10	0.31	ug/L	1
Methylene chloride	75-09-2	8260B	ND		1.0	0.13	ug/L	1
Styrene	100-42-5	8260B	ND		1.0	0.12	ug/L	1
1,1,1,2-Tetrachloroethane	630-20-6	8260B	ND		1.0	0.20	ug/L	1
1,1,2,2-Tetrachloroethane	79-34-5	8260B	ND		1.0	0.16	ug/L	1
Tetrachloroethene	127-18-4	8260B	ND		1.0	0.13	ug/L	1
Toluene	**108-88-3**	**8260B**	**6.0**		**1.0**	**0.17**	**ug/L**	**1**
1,1,1-Trichloroethane	71-55-6	8260B	ND		1.0	0.074	ug/L	1
1,1,2-Trichloroethane	79-00-5	8260B	ND		1.0	0.21	ug/L	1
Trichloroethene	79-01-6	8260B	ND		1.0	0.18	ug/L	1

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Client: **Buxton Environmental**
Description: **MW-5**
Date Sampled: **06/07/2007 1515**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-007**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1459	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Trichlorofluoromethane	75-69-4	8260B	ND		1.0	0.30	ug/L	1
1,2,3-Trichloropropane	96-18-4	8260B	ND		1.0	0.27	ug/L	1
Vinyl acetate	108-05-4	8260B	ND		5.0	1.3	ug/L	1
Vinyl chloride	75-01-4	8260B	ND		1.0	0.054	ug/L	1
Xylenes (total)	1330-20-7	8260B	ND		1.0	0.22	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		104	52-138
Bromofluorobenzene		93	70-147
Toluene-d8		91	76-125

RCRA Metals

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1		7470A	1	06/11/2007 1957	FLW	06/11/2007 1609	59023
1	3005A	6010B	1	06/13/2007 1921	MNM	06/11/2007 1000	58980
2	3005A	6010B	1	06/15/2007 1325	MNM	06/11/2007 1000	58980

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Arsenic	7440-38-2	6010B	ND		0.0050	0.0040	mg/L	1
Barium	**7440-39-3**	**6010B**	**0.18**		**0.025**	**0.0075**	**mg/L**	**1**
Cadmium	**7440-43-9**	**6010B**	**0.0015**	**J**	**0.0020**	**0.00060**	**mg/L**	**1**
Chromium	7440-47-3	6010B	ND		0.0050	0.0021	mg/L	1
Lead	**7439-92-1**	**6010B**	**0.0023**	**J**	**0.0030**	**0.0019**	**mg/L**	**2**
Mercury	**7439-97-6**	**7470A**	**0.00010**		**0.00010**	**0.000060**	**mg/L**	**1**
Selenium	7782-49-2	6010B	ND		0.0050	0.0026	mg/L	1
Silver	**7440-22-4**	**6010B**	**0.0012**	**J**	**0.0050**	**0.00040**	**mg/L**	**1**

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Client: **Buxton Environmental**
Description: **Upstream**
Date Sampled: **06/07/2007 1530**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-008**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1520	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acetone	67-64-1	8260B	ND		20	1.2	ug/L	1
Acrylonitrile	107-13-1	8260B	ND		20	1.2	ug/L	1
Benzene	71-43-2	8260B	ND		1.0	0.13	ug/L	1
Bromochloromethane	74-97-5	8260B	ND		1.0	0.16	ug/L	1
Bromodichloromethane	75-27-4	8260B	ND		1.0	0.15	ug/L	1
Bromoform	75-25-2	8260B	ND		1.0	0.66	ug/L	1
Bromomethane (Methyl bromide)	74-83-9	8260B	ND		2.0	0.81	ug/L	1
2-Butanone (MEK)	78-93-3	8260B	ND		10	2.0	ug/L	1
Carbon disulfide	75-15-0	8260B	ND		1.0	0.097	ug/L	1
Carbon tetrachloride	56-23-5	8260B	ND		1.0	0.14	ug/L	1
Chlorobenzene	108-90-7	8260B	ND		1.0	0.14	ug/L	1
Chloroethane	75-00-3	8260B	ND		2.0	0.47	ug/L	1
Chloroform	67-66-3	8260B	ND		1.0	0.12	ug/L	1
Chloromethane (Methyl chloride)	74-87-3	8260B	ND		1.0	0.35	ug/L	1
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	8260B	ND		1.0	0.60	ug/L	1
Dibromochloromethane	124-48-1	8260B	ND		1.0	0.11	ug/L	1
1,2-Dibromoethane (EDB)	106-93-4	8260B	ND		1.0	0.30	ug/L	1
Dibromomethane (Methylene bromide)	74-95-3	8260B	ND		1.0	0.35	ug/L	1
trans-1,4-Dichloro-2-butene	110-57-6	8260B	ND		2.0	0.83	ug/L	1
1,2-Dichlorobenzene	95-50-1	8260B	ND		1.0	0.30	ug/L	1
1,4-Dichlorobenzene	106-46-7	8260B	ND		1.0	0.20	ug/L	1
1,1-Dichloroethane	75-34-3	8260B	ND		1.0	0.13	ug/L	1
1,2-Dichloroethane	107-06-2	8260B	ND		1.0	0.15	ug/L	1
1,1-Dichloroethene	75-35-4	8260B	ND		1.0	0.16	ug/L	1
cis-1,2-Dichloroethene	156-59-2	8260B	ND		1.0	0.12	ug/L	1
trans-1,2-Dichloroethene	156-60-5	8260B	ND		1.0	0.20	ug/L	1
1,2-Dichloropropane	78-87-5	8260B	ND		1.0	0.19	ug/L	1
cis-1,3-Dichloropropene	10061-01-5	8260B	ND		1.0	0.092	ug/L	1
trans-1,3-Dichloropropene	10061-02-6	8260B	ND		1.0	0.10	ug/L	1
Ethylbenzene	100-41-4	8260B	ND		1.0	0.17	ug/L	1
2-Hexanone	591-78-6	8260B	ND		10	0.27	ug/L	1
Methyl iodide (Iodomethane)	74-88-4	8260B	ND		5.0	1.2	ug/L	1
4-Methyl-2-pentanone	108-10-1	8260B	ND		10	0.31	ug/L	1
Methylene chloride	75-09-2	8260B	ND		1.0	0.13	ug/L	1
Styrene	100-42-5	8260B	ND		1.0	0.12	ug/L	1
1,1,1,2-Tetrachloroethane	630-20-6	8260B	ND		1.0	0.20	ug/L	1
1,1,2,2-Tetrachloroethane	79-34-5	8260B	ND		1.0	0.16	ug/L	1
Tetrachloroethene	127-18-4	8260B	ND		1.0	0.13	ug/L	1
Toluene	108-88-3	8260B	ND		1.0	0.17	ug/L	1
1,1,1-Trichloroethane	71-55-6	8260B	ND		1.0	0.074	ug/L	1
1,1,2-Trichloroethane	79-00-5	8260B	ND		1.0	0.21	ug/L	1
Trichloroethene	79-01-6	8260B	ND		1.0	0.18	ug/L	1

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Client: **Buxton Environmental**
Description: **Upstream**
Date Sampled: **06/07/2007 1530**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-008**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1520	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Trichlorofluoromethane	75-69-4	8260B	ND		1.0	0.30	ug/L	1
1,2,3-Trichloropropane	96-18-4	8260B	ND		1.0	0.27	ug/L	1
Vinyl acetate	108-05-4	8260B	ND		5.0	1.3	ug/L	1
Vinyl chloride	75-01-4	8260B	ND		1.0	0.054	ug/L	1
Xylenes (total)	1330-20-7	8260B	ND		1.0	0.22	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		105	52-138
Bromofluorobenzene		90	70-147
Toluene-d8		90	76-125

RCRA Metals

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1		7470A	1	06/11/2007 1958	FLW	06/11/2007 1609	59023
1	3005A	6010B	1	06/13/2007 1939	MNM	06/11/2007 1000	58980
2	3005A	6010B	1	06/15/2007 1331	MNM	06/11/2007 1000	58980

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Arsenic	7440-38-2	6010B	ND		0.0050	0.0040	mg/L	2
Barium	**7440-39-3**	**6010B**	**0.010**	**J**	**0.025**	**0.0075**	**mg/L**	**1**
Cadmium	7440-43-9	6010B	ND		0.0020	0.00060	mg/L	1
Chromium	7440-47-3	6010B	ND		0.0050	0.0021	mg/L	1
Lead	7439-92-1	6010B	ND		0.0030	0.0019	mg/L	2
Mercury	7439-97-6	7470A	ND		0.00010	0.000060	mg/L	1
Selenium	7782-49-2	6010B	ND		0.0050	0.0026	mg/L	1
Silver	7440-22-4	6010B	ND		0.0050	0.00040	mg/L	1

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Shealy Environmental Services, Inc.
106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Client: **Buxton Environmental**
Description: **Downstream**
Date Sampled: **06/07/2007 1700**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-009**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1541	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acetone	67-64-1	8260B	ND		20	1.2	ug/L	1
Acrylonitrile	107-13-1	8260B	ND		20	1.2	ug/L	1
Benzene	71-43-2	8260B	ND		1.0	0.13	ug/L	1
Bromochloromethane	74-97-5	8260B	ND		1.0	0.16	ug/L	1
Bromodichloromethane	75-27-4	8260B	ND		1.0	0.15	ug/L	1
Bromoform	75-25-2	8260B	ND		1.0	0.66	ug/L	1
Bromomethane (Methyl bromide)	74-83-9	8260B	ND		2.0	0.81	ug/L	1
2-Butanone (MEK)	78-93-3	8260B	ND		10	2.0	ug/L	1
Carbon disulfide	75-15-0	8260B	ND		1.0	0.097	ug/L	1
Carbon tetrachloride	56-23-5	8260B	ND		1.0	0.14	ug/L	1
Chlorobenzene	108-90-7	8260B	ND		1.0	0.14	ug/L	1
Chloroethane	75-00-3	8260B	ND		2.0	0.47	ug/L	1
Chloroform	67-66-3	8260B	ND		1.0	0.12	ug/L	1
Chloromethane (Methyl chloride)	74-87-3	8260B	ND		1.0	0.35	ug/L	1
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	8260B	ND		1.0	0.60	ug/L	1
Dibromochloromethane	124-48-1	8260B	ND		1.0	0.11	ug/L	1
1,2-Dibromoethane (EDB)	106-93-4	8260B	ND		1.0	0.30	ug/L	1
Dibromomethane (Methylene bromide)	74-95-3	8260B	ND		1.0	0.35	ug/L	1
trans-1,4-Dichloro-2-butene	110-57-6	8260B	ND		2.0	0.83	ug/L	1
1,2-Dichlorobenzene	95-50-1	8260B	ND		1.0	0.30	ug/L	1
1,4-Dichlorobenzene	106-46-7	8260B	ND		1.0	0.20	ug/L	1
1,1-Dichloroethane	75-34-3	8260B	ND		1.0	0.13	ug/L	1
1,2-Dichloroethane	107-06-2	8260B	ND		1.0	0.15	ug/L	1
1,1-Dichloroethene	75-35-4	8260B	ND		1.0	0.16	ug/L	1
cis-1,2-Dichloroethene	156-59-2	8260B	ND		1.0	0.12	ug/L	1
trans-1,2-Dichloroethene	156-60-5	8260B	ND		1.0	0.20	ug/L	1
1,2-Dichloropropane	78-87-5	8260B	ND		1.0	0.19	ug/L	1
cis-1,3-Dichloropropene	10061-01-5	8260B	ND		1.0	0.092	ug/L	1
trans-1,3-Dichloropropene	10061-02-6	8260B	ND		1.0	0.10	ug/L	1
Ethylbenzene	100-41-4	8260B	ND		1.0	0.17	ug/L	1
2-Hexanone	591-78-6	8260B	ND		10	0.27	ug/L	1
Methyl iodide (Iodomethane)	74-88-4	8260B	ND		5.0	1.2	ug/L	1
4-Methyl-2-pentanone	108-10-1	8260B	ND		10	0.31	ug/L	1
Methylene chloride	75-09-2	8260B	ND		1.0	0.13	ug/L	1
Styrene	100-42-5	8260B	ND		1.0	0.12	ug/L	1
1,1,1,2-Tetrachloroethane	630-20-6	8260B	ND		1.0	0.20	ug/L	1
1,1,2,2-Tetrachloroethane	79-34-5	8260B	ND		1.0	0.16	ug/L	1
Tetrachloroethene	127-18-4	8260B	ND		1.0	0.13	ug/L	1
Toluene	108-88-3	8260B	ND		1.0	0.17	ug/L	1
1,1,1-Trichloroethane	71-55-6	8260B	ND		1.0	0.074	ug/L	1
1,1,2-Trichloroethane	79-00-5	8260B	ND		1.0	0.21	ug/L	1
Trichloroethene	79-01-6	8260B	ND		1.0	0.18	ug/L	1

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Shealy Environmental Services, Inc.
106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Client: **Buxton Environmental**
Description: **Downstream**
Date Sampled: **06/07/2007 1700**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-009**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1541	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Trichlorofluoromethane	75-69-4	8260B	ND		1.0	0.30	ug/L	1
1,2,3-Trichloropropane	96-18-4	8260B	ND		1.0	0.27	ug/L	1
Vinyl acetate	108-05-4	8260B	ND		5.0	1.3	ug/L	1
Vinyl chloride	75-01-4	8260B	ND		1.0	0.054	ug/L	1
Xylenes (total)	1330-20-7	8260B	ND		1.0	0.22	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		103	52-138
Bromofluorobenzene		91	70-147
Toluene-d8		90	76-125

RCRA Metals

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1		7470A	1	06/11/2007 1959	FLW	06/11/2007 1609	59023
1	3005A	6010B	1	06/13/2007 1945	MNM	06/11/2007 1000	58980
2	3005A	6010B	1	06/15/2007 1337	MNM	06/11/2007 1000	58980

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Arsenic	**7440-38-2**	**6010B**	**0.0040**	**J**	**0.0050**	**0.0040**	**mg/L**	**1**
Barium	**7440-39-3**	**6010B**	**0.0091**	**J**	**0.025**	**0.0075**	**mg/L**	**1**
Cadmium	7440-43-9	6010B	ND		0.0020	0.00060	mg/L	1
Chromium	7440-47-3	6010B	ND		0.0050	0.0021	mg/L	1
Lead	7439-92-1	6010B	ND		0.0030	0.0019	mg/L	2
Mercury	7439-97-6	7470A	ND		0.00010	0.000060	mg/L	1
Selenium	7782-49-2	6010B	ND		0.0050	0.0026	mg/L	1
Silver	**7440-22-4**	**6010B**	**0.00074**	**J**	**0.0050**	**0.00040**	**mg/L**	**1**

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Client: **Buxton Environmental**
Description: **Trip Blank**
Date Sampled: **04/17/2007 1430**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-010**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1602	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acetone	67-64-1	8260B	ND		20	1.2	ug/L	1
Acrylonitrile	107-13-1	8260B	ND		20	1.2	ug/L	1
Benzene	71-43-2	8260B	ND		1.0	0.13	ug/L	1
Bromochloromethane	74-97-5	8260B	ND		1.0	0.16	ug/L	1
Bromodichloromethane	75-27-4	8260B	ND		1.0	0.15	ug/L	1
Bromoform	75-25-2	8260B	ND		1.0	0.66	ug/L	1
Bromomethane (Methyl bromide)	74-83-9	8260B	ND		2.0	0.81	ug/L	1
2-Butanone (MEK)	78-93-3	8260B	ND		10	2.0	ug/L	1
Carbon disulfide	75-15-0	8260B	ND		1.0	0.097	ug/L	1
Carbon tetrachloride	56-23-5	8260B	ND		1.0	0.14	ug/L	1
Chlorobenzene	108-90-7	8260B	ND		1.0	0.14	ug/L	1
Chloroethane	75-00-3	8260B	ND		2.0	0.47	ug/L	1
Chloroform	67-66-3	8260B	ND		1.0	0.12	ug/L	1
Chloromethane (Methyl chloride)	74-87-3	8260B	ND		1.0	0.35	ug/L	1
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	8260B	ND		1.0	0.60	ug/L	1
Dibromochloromethane	124-48-1	8260B	ND		1.0	0.11	ug/L	1
1,2-Dibromoethane (EDB)	106-93-4	8260B	ND		1.0	0.30	ug/L	1
Dibromomethane (Methylene bromide)	74-95-3	8260B	ND		1.0	0.35	ug/L	1
trans-1,4-Dichloro-2-butene	110-57-6	8260B	ND		2.0	0.83	ug/L	1
1,2-Dichlorobenzene	95-50-1	8260B	ND		1.0	0.30	ug/L	1
1,4-Dichlorobenzene	106-46-7	8260B	ND		1.0	0.20	ug/L	1
1,1-Dichloroethane	75-34-3	8260B	ND		1.0	0.13	ug/L	1
1,2-Dichloroethane	107-06-2	8260B	ND		1.0	0.15	ug/L	1
1,1-Dichloroethene	75-35-4	8260B	ND		1.0	0.16	ug/L	1
cis-1,2-Dichloroethene	156-59-2	8260B	ND		1.0	0.12	ug/L	1
trans-1,2-Dichloroethene	156-60-5	8260B	ND		1.0	0.20	ug/L	1
1,2-Dichloropropane	78-87-5	8260B	ND		1.0	0.19	ug/L	1
cis-1,3-Dichloropropene	10061-01-5	8260B	ND		1.0	0.092	ug/L	1
trans-1,3-Dichloropropene	10061-02-6	8260B	ND		1.0	0.10	ug/L	1
Ethylbenzene	100-41-4	8260B	ND		1.0	0.17	ug/L	1
2-Hexanone	591-78-6	8260B	ND		10	0.27	ug/L	1
Methyl iodide (Iodomethane)	74-88-4	8260B	ND		5.0	1.2	ug/L	1
4-Methyl-2-pentanone	108-10-1	8260B	ND		10	0.31	ug/L	1
Methylene chloride	75-09-2	8260B	ND		1.0	0.13	ug/L	1
Styrene	100-42-5	8260B	ND		1.0	0.12	ug/L	1
1,1,1,2-Tetrachloroethane	630-20-6	8260B	ND		1.0	0.20	ug/L	1
1,1,2,2-Tetrachloroethane	79-34-5	8260B	ND		1.0	0.16	ug/L	1
Tetrachloroethene	127-18-4	8260B	ND		1.0	0.13	ug/L	1
Toluene	108-88-3	8260B	ND		1.0	0.17	ug/L	1
1,1,1-Trichloroethane	71-55-6	8260B	ND		1.0	0.074	ug/L	1
1,1,2-Trichloroethane	79-00-5	8260B	ND		1.0	0.21	ug/L	1
Trichloroethene	79-01-6	8260B	ND		1.0	0.18	ug/L	1

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Client: **Buxton Environmental**
Description: **Trip Blank**
Date Sampled: **04/17/2007 1430**
Date Received: **06/08/2007**

Laboratory ID: **IF09001-010**
Matrix: **Aqueous**

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/11/2007 1602	DLB		59034

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Trichlorofluoromethane	75-69-4	8260B	ND		1.0	0.30	ug/L	1
1,2,3-Trichloropropane	96-18-4	8260B	ND		1.0	0.27	ug/L	1
Vinyl acetate	108-05-4	8260B	ND		5.0	1.3	ug/L	1
Vinyl chloride	75-01-4	8260B	ND		1.0	0.054	ug/L	1
Xylenes (total)	1330-20-7	8260B	ND		1.0	0.22	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		104	52-138
Bromofluorobenzene		90	70-147
Toluene-d8		91	76-125

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

SHEALY Chain of Custody Record

SHEALY ENVIRONMENTAL SERVICES, INC.
106 Vantage Point Drive
West Columbia, South Carolina 29172
Telephone No. (803) 791-9700 Fax No. (803) 791-9111

Number 75484

Client: Buxton Environmental Fac	Report to Contact: Ross Kilgore	Telephone No. / Fax No. / E-mail: 704-344-1450	Quote No.
Address: 1101 South Blvd Ste 101	Sampler's Signature: X	Waybill No.	Page 1 of 1
City: Charlotte; State: NC; Zip Code: 28203	Printed Name	Analysis (Attach list if more space is needed.)	
Project Name: Gaston Co Landfill – Bissenstaff Site			
Project No.	P.O. No.		Lot No. IF0901

Sample ID / Description (Containers for each sample may be combined on one line.)	Date	Time	G=Grab C=Composite	Matrix: Aqueous	Solid	Non-Aqueous	No. of Containers by Preservative Type: Unpres.	H2SO4	HNO3	HCl	NaOH	5035 Kit	App I VOCs	Total Metals	Remarks / Cooler I.D.
MW-1	6-7-07	13:45	G	✓									X	X	
MW-2	"	14:15	G	✓									X	X	
MW-2D	"	14:45	G	✓									X	X	
MW-3	"	16:30 ~~17:00~~	G	✓									X	X	
MW-4	"	15:45	G	✓									X	X	
MW-4D	"	16:00	G	✓									X	X	
MW-5	"	15:15	G	✓									X	X	
UPSTREAM	"	15:30	G	✓									X	X	
DOWNSTREAM	"	17:00	G	✓									X	X	
TRIP BLANK	6-7-07	14:30	G	✓									X		

Possible Hazard Identification: ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison ☐ Unknown

Sample Disposal: ☐ Return to Client ☐ Disposal by Lab

Note: All samples are retained for six weeks from receipt unless other arrangements are made.

Turn Around Time Required (Prior lab approval required for expedited TAT.): ☐ Standard ☐ Rush (Specify)

QC Requirements (Specify): NEW Analyze per NC Solid Waste Rule (4 J + 8 Flag)

1. Relinquished by	Date 6-8-07	Time 8:30	1. Received by	Date 6-8-07	Time 12:55
2. Relinquished by	Date 6-8-07	Time 1355	2. Received by	Date 6-8-07	Time 1355
3. Relinquished by	Date 6-8-07	Time 1530	3. Laboratory received by	Date 6-8-07	Time 1530

Comments

LAB USE ONLY
Received on ice (Circle) Yes No Ice Pack
Receipt Temp. 5.4 °C

DISTRIBUTION: WHITE & YELLOW-Return to laboratory with Sample(s); PINK-Field/Client Copy

Sample Receipt Checklist

Client: Burton Envl. Cooler Inspected by/date: ECL 6/9/07 Lot #: IF09001

Means of receipt: ☑ SESI ☐ Client ☐ UPS ☐ FedEx ☐ Airborne Exp ☐ Other

Yes ☐	No ☑	NA ☐	1. Were custody seals present on the cooler?
Yes ☐	No ☐	NA ☑	2. If custody seals were present, were they intact and unbroken?

Cooler temperature upon receipt 5.4 °C _____ °C _____ °C _____ °C _____ °C

Method: ☑ Temperature Blank ☐ Against Bottles

Method of coolant: ☑ Wet Ice ☐ Blue Ice ☐ Dry Ice ☐ None

If response is No (or Yes for 13,14,15), an explanation/resolution must be provided.

Yes ☐	No ☐	NA ☑	3. Is the commercial courier's packing slip attached to this form?
Yes ☑	No ☐	NA ☐	4. Were proper custody procedures (relinquished/received) followed?
Yes ☑	No ☐	NA ☐	5. Were sample IDs listed?
Yes ☑	No ☐	NA ☐	6. Was collection date & time listed?
Yes ☑	No ☐	NA ☐	7. Were tests to be performed listed on the COC or was quote # provided?
Yes ☑	No ☐	NA ☐	8. Did all samples arrive in the proper containers for each test?
Yes ☑	No ☐	NA ☐	9. Did all container label information (ID, date, time) agree with COC?
Yes ☑	No ☐	NA ☐	10. Did all containers arrive in good condition (unbroken, lids on, etc.)?
Yes ☑	No ☐	NA ☐	11. Was adequate sample volume available?
Yes ☑	No ☐	NA ☐	12. Were all samples received within ½ the holding time or 48 hours, whichever comes first?
Yes ☐	No ☑	NA ☐	13. Were any samples containers missing?
Yes ☐	No ☑	NA ☐	14. Were there any excess samples not listed on COC?
Yes ☐	No ☑	NA ☐	15. Were bubbles present >"pea-size" (¼"or 6mm in diameter) in any VOA vials?
Yes ☑	No ☐	NA ☐	16. Were all metals/O&G/HEM/nutrient samples received at a pH of <2?
Yes ☐	No ☐	NA ☑	17. Were all cyanide and/or sulfide samples received at a pH >12?
Yes ☐	No ☐	NA ☑	18. Were all applicable NH3/TKN/cyanide/phenol/BNA/pest/PCB/herb (<0.2mg/L) and toxicity (<0.1mg/L) samples free of residual chlorine?
Yes ☐	No ☐	NA ☑	19. Were collection temperatures documented on the COC for NC samples?

Sample Preservation (Must be completed for any sample(s) incorrectly preserved or with headspace.)

Sample(s)_____ were received incorrectly preserved and were adjusted accordingly in sample receiving.

Sample(s)_____ were received with bubbles >6 mm in diameter.

Sample(s)_____ were received with TRC >0.2 mg/L for NH3/ TKN/cyanide/BNA/pest/PCB/herb.

Toxicity sample(s)_____ were received with TRC >0.1 mg/L and were analyzed by method 330.5.

Corrective Action taken, if necessary:

Was client notified: Yes ☐ No ☐

SESI employee:_____

Did client respond: Yes ☐ No ☐

Date of response: _____

Comments:

Client: Buxton Environmental
Description: Equipment Blank
Date Sampled: 05/31/2007 1100
Date Received: 06/01/2007

Laboratory ID: IF01047-025
Matrix: Aqueous

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/05/2007 1036	DLB		58759

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Acetone	67-64-1	8260B	1.4	J	20	1.2	ug/L	1
Acrylonitrile	107-13-1	8260B	ND		20	1.2	ug/L	1
Benzene	71-43-2	8260B	ND		1.0	0.13	ug/L	1
Bromochloromethane	74-97-5	8260B	ND		1.0	0.16	ug/L	1
Bromodichloromethane	75-27-4	8260B	ND		1.0	0.15	ug/L	1
Bromoform	75-25-2	8260B	ND		1.0	0.66	ug/L	1
Bromomethane (Methyl bromide)	74-83-9	8260B	ND		2.0	0.81	ug/L	1
2-Butanone (MEK)	78-93-3	8260B	ND		10	2.0	ug/L	1
Carbon disulfide	75-15-0	8260B	ND		1.0	0.097	ug/L	1
Carbon tetrachloride	56-23-5	8260B	ND		1.0	0.14	ug/L	1
Chlorobenzene	108-90-7	8260B	ND		1.0	0.14	ug/L	1
Chloroethane	75-00-3	8260B	ND		2.0	0.47	ug/L	1
Chloroform	67-66-3	8260B	ND		1.0	0.12	ug/L	1
Chloromethane (Methyl chloride)	74-87-3	8260B	ND		1.0	0.35	ug/L	1
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	8260B	ND		1.0	0.60	ug/L	1
Dibromochloromethane	124-48-1	8260B	ND		1.0	0.11	ug/L	1
1,2-Dibromoethane (EDB)	106-93-4	8260B	ND		1.0	0.30	ug/L	1
Dibromomethane (Methylene bromide)	74-95-3	8260B	ND		1.0	0.35	ug/L	1
trans-1,4-Dichloro-2-butene	110-57-6	8260B	ND		2.0	0.83	ug/L	1
1,2-Dichlorobenzene	95-50-1	8260B	ND		1.0	0.30	ug/L	1
1,4-Dichlorobenzene	106-46-7	8260B	ND		1.0	0.20	ug/L	1
1,1-Dichloroethane	75-34-3	8260B	ND		1.0	0.13	ug/L	1
1,2-Dichloroethane	107-06-2	8260B	ND		1.0	0.15	ug/L	1
1,1-Dichloroethene	75-35-4	8260B	ND		1.0	0.16	ug/L	1
cis-1,2-Dichloroethene	156-59-2	8260B	ND		1.0	0.12	ug/L	1
trans-1,2-Dichloroethene	156-60-5	8260B	ND		1.0	0.20	ug/L	1
1,2-Dichloropropane	78-87-5	8260B	ND		1.0	0.19	ug/L	1
cis-1,3-Dichloropropene	10061-01-5	8260B	ND		1.0	0.092	ug/L	1
trans-1,3-Dichloropropene	10061-02-6	8260B	ND		1.0	0.10	ug/L	1
Ethylbenzene	100-41-4	8260B	ND		1.0	0.17	ug/L	1
2-Hexanone	591-78-6	8260B	ND		10	0.27	ug/L	1
Methyl iodide (Iodomethane)	74-88-4	8260B	ND		5.0	1.2	ug/L	1
4-Methyl-2-pentanone	108-10-1	8260B	ND		10	0.31	ug/L	1
Methylene chloride	75-09-2	8260B	ND		1.0	0.13	ug/L	1
Styrene	100-42-5	8260B	ND		1.0	0.12	ug/L	1
1,1,1,2-Tetrachloroethane	630-20-6	8260B	ND		1.0	0.20	ug/L	1
1,1,2,2-Tetrachloroethane	79-34-5	8260B	ND		1.0	0.16	ug/L	1
Tetrachloroethene	127-18-4	8260B	ND		1.0	0.13	ug/L	1
Toluene	108-88-3	8260B	ND		1.0	0.17	ug/L	1
1,1,1-Trichloroethane	71-55-6	8260B	ND		1.0	0.074	ug/L	1
1,1,2-Trichloroethane	79-00-5	8260B	ND		1.0	0.21	ug/L	1
Trichloroethene	79-01-6	8260B	ND		1.0	0.18	ug/L	1

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL

E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria

Shealy Environmental Services, Inc.
106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

Client: Buxton Environmental
Description: Equipment Blank
Date Sampled: 05/31/2007 1100
Date Received: 06/01/2007

Laboratory ID: IF01047-025
Matrix: Aqueous

Volatile Organic Compounds by GC/MS

Run	Prep Method	Analytical Method	Dilution	Analysis Date	Analyst	Prep Date	Batch
1	5030B	8260B	1	06/05/2007 1036	DLB		58759

Parameter	CAS Number	Analytical Method	Result	Q	PQL	MDL	Units	Run
Trichlorofluoromethane	75-69-4	8260B	ND		1.0	0.30	ug/L	1
1,2,3-Trichloropropane	96-18-4	8260B	ND		1.0	0.27	ug/L	1
Vinyl acetate	108-05-4	8260B	ND		5.0	1.3	ug/L	1
Vinyl chloride	75-01-4	8260B	ND		1.0	0.054	ug/L	1
Xylenes (total)	1330-20-7	8260B	ND		1.0	0.22	ug/L	1

Surrogate	Q	Run 1 % Recovery	Acceptance Limits
1,2-Dichloroethane-d4		79	52-138
Bromofluorobenzene		101	70-147
Toluene-d8		93	76-125

PQL = Practical quantitation limit
ND = Not detected at or above the MDL
B = Detected in the method blank
J = Estimated result < PQL and ≥ MDL
E = Quantitation of compound exceeded the calibration range
P = The RPD between two GC columns exceeds 40%
N = Recovery is out of criteria
Where applicable, all soil sample analysis are reported on a dry weight basis unless flagged with a "W"

Shealy Environmental Services, Inc.
106 Vantage Point Drive West Columbia, SC 29172 (803) 791-9700 Fax (803) 791-9111 www.shealylab.com

SHEALY *Chain of Custody Record*

SHEALY ENVIRONMENTAL SERVICES, INC.
106 Vantage Point Drive
West Columbia, South Carolina 29172
Telephone No. (803) 791-9700 Fax No. (803) 791-9111

Number 75483

Client: BUXTON ENVIRONMENTAL, INC	Report to Contact: Ross Kling MW	Telephone No. / Fax No. / E-mail: 704-344-1450	Quote No.
Address: 1101 SOUTH BLVD, STE 101	Sampler's Signature: X	Waybill No.	Page 3 of 3
City: Charlotte; State: NC; Zip Code: 28203	Printed Name	Analysis (Attach list if more space is needed.)	
Project Name: COASTAL CO LANDFILLS			
Project No.	P.O. No.		Lot No. IF01047

Sample ID / Description (Containers for each sample may be combined on one line.)	Date	Time	G=Grab C=Composite	Matrix: Aqueous	Solid	Non-Aqueous	No. of Containers by Preservative Type: Unpres.	H2SO4	HNO3	HCl	NaOH	5035 Kit		ADP I VOCS									Remarks / Cooler I.D.
EQUIPMENT BLANK	5-31-07	11:00	G											X									

Possible Hazard Identification: ☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison ☐ Unknown

Sample Disposal: ☐ Return to Client ☐ Disposal by Lab

Note: All samples are retained for six weeks from receipt unless other arrangements are made.

Turn Around Time Required (Prior lab approval required for expedited TAT.): ☑ Standard ☐ Rush (Specify)

QC Requirements (Specify): ANALYZE PER NEW NC SOLID WASTE Rules (W1 J+5 Flags)

1. Relinquished by	Date 5-31-07	Time 11:30	1. Received by	Date 5-31-07	Time 1130
2. Relinquished by	Date 5/31/07	Time 1700	2. Received by Federal Express	Date 5-31-07	Time 1700
3. Relinquished by Federal Express	Date 6-1-07	Time 0955	3. Laboratory received by	Date 6-1-07	Time 0955

Comments

LAB USE ONLY
Received on ice (Circle) Yes No Ice Pack

Receipt Temp. 2.3 °C

DISTRIBUTION: WHITE & YELLOW-Return to laboratory with Sample(s); PINK-Field/Client Copy

APPENDIX B
HISTORICAL GROUNDWATER ANALYTICAL RESULTS

MW-1

HISTORICAL GROUNDWATER ANALYTICAL RESULTS
GASTON COUNTY - CLOSED BIGGERSTAFF LANDFILL
GASTON COUNTY, NORTH CAROLINA

Date	*4/97*	*9/97*	*4/98*	*9/98*	*4/99*	*9/99*	*5/00*	*9/00*	*5/01*	*12/01*	*8/02*	*12/02*	*5/03*	*11/03*	*5/04*	*11/04*	*4/05*	*11/05*	*5/06*	*11/06*	*6/07*	*NCGPS*
Appendix I VOC's																						
Acetone	BDL	BDL	BDL	BDL	BDL	BDL	BDL	210	BDL	NT	NT	NT	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	700
Benzene	BDL	BDL	BDL	BDL	BDL	[illegible]	BDL	BDL	BDL	NT	NT	NT	[illegible]	BDL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	BDL	1
Chlorobenzene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	NT	NT	1.5	BDL	1	1.2	BDL	1.3	1.2	BDL	BDL	50
1,2-Dichlorobenzene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	NT	NT	BDL	1.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	24
1,4-Dichlorobenzene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	NT	NT	BDL	BDL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	BDL	1.4
1,1-Dichloroethene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	NT	NT	BDL	BDL	BDL	BDL	BDL	BDL	1	1.1	BDL	70
cis-1,2-Dichloroethene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	NT	NT	3	BDL	5.5	6.3	6.2	7.1	7.6	6.8	6.7	70
Methylene Chloride	BDL	BDL	[illegible]	BDL	BDL	BDL	BDL	BDL	BDL	NT	NT	NT	BDL	BDL	BDL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	4.6
Tetrachloroethene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	NT	NT	BDL	BDL	BDL	BDL	[illegible]	BDL	BDL	[illegible]	BDL	0.7
Trichloroethene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	NT	NT	BDL	BDL	BDL	BDL	BDL	BDL	1	1.2	BDL	2.8
Xylenes	27	BDL	BDL	25	21	10	BDL	25	14	NT	NT	NT	53	17	19	BDL	18	19	18	13	18	530
RCRA Metals																						
Arsenic	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	NT	NT	BDL	12	BDL	20	BDL	12	15	BDL	BDL	50
Barium	53	62	56	610	BDL	BDL	BDL	BDL	BDL	NT	NT	NT	61	73	30	130	50	61	58	30	27	2,000
Cadmium	BDL	[illegible]	BDL	BDL	BDL	BDL	1	BDL	BDL	NT	NT	NT	BDL	BDL	BDL	BDL	1.1	BDL	[illegible]	BDL	BDL	1.75
Chromium	38	[illegible]	[illegible]	[illegible]	33	20	11	20	BDL	NT	NT	NT	20	[illegible]	BDL	[illegible]	14	[illegible]	[illegible]	BDL	**3.6J**	50
Lead	8	[illegible]	9	9.8	BDL	BDL	BDL	BDL	BDL	NT	NT	NT	13	[illegible]	BDL	[illegible]	8.2	12	10	BDL	9	15
Mercury	BDL	0.2	0.2	[illegible]	BDL	BDL	BDL	BDL	BDL	NT	NT	NT	BDL	0.51	0.51	0.29	BDL	0.18	0.24	BDL	0.068J	1.05
Selenium	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	NT	NT	BDL	BDL	BDL	BDL	BDL	BDL	6.3	BDL	BDL	50
Silver	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	NT	NT	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.95J	17.5

Notes:

Groundwater samples collected on above listed dates and analyzed for Appendix I VOC's and RCRA metals.
BDL = below detection limit
NCGPS = North Carolina Groundwater Quality Standard
VOC's = volatile organic compounds
PC = suspected laboratory contaminant
NT = not tested, due to dry well
bold and shade denotes above NCGQS
data presented in micrograms per liter (ug/l)
J = estimated result <PQL and >=MDL

MW-2
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
GASTON COUNTY - CLOSED BIGGERSTAFF LANDFILL
GASTON COUNTY, NORTH CAROLINA

Date	*4/97*	*9/97*	*4/98*	*9/98*	*4/99*	*9/99*	*5/00*	*9/00*	*5/01*	*12/01*	*8/02*	*12/02*	*5/03*	*11/03*	*5/04*	*11/04*	*4/05*	*11/05*	*5/06*	*11/06*	*6/07*	*NCGPS*
Appendix I VOC's																						
Acetone	BDL	BDL	BDL	BDL	BDL	BDL	BDL	76	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	700
Benzene	BDL	BDL	BDL	BDL	[illegible]	BDL	BDL	[illegible]	BDL	BDL	BDL	[illegible]	BDL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1
Carbon Disulfide	17	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	700
1,4-Dichlorobenzene	BDL	BDL	BDL	BDL	[illegible]	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	[illegible]	[illegible]	BDL	[illegible]	[illegible]	[illegible]	[illegible]	1.4
1,1-Dichloroethane	14	BDL	BDL	16	32	10	5	56	8.9	15.4	4.6	11	BDL	2.8	7.2	7.4	1	22	12	2.7	BDL	70
cis-1,2-Dichloroethene	[illegible]	62	[illegible]	[illegible]	[illegible]	28	[illegible]	[illegible]	[illegible]	20.9	12.1	[illegible]	4	[illegible]	[illegible]	[illegible]	34	[illegible]	[illegible]	[illegible]	[illegible]	70
trans-1,2-Dichloroethene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.3	BDL	BDL	BDL	100
Methylene Chloride	BDL	BDL	BDL	BDL	BDL	BDL	BDL	[illegible]	BDL	BDL	BDL	BDL	BDL	BDL	BDL	[illegible]	BDL	[illegible]	[illegible]	BDL	[illegible]	4.6
Tetrachloroethene	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	BDL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	BDL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	BDL	0.7
Trichloroethene	[illegible]	BDL	BDL	[illegible]	[illegible]	BDL	BDL	[illegible]	[illegible]	[illegible]	2.6	[illegible]	BDL	[illegible]	[illegible]	[illegible]	2.1	[illegible]	[illegible]	[illegible]	BDL	2.8
Vinyl Chloride	**20**	BDL	**16**	**18**	**26**	**10**	**54**	**37**	**84**	**11.5**	**5.3**	BDL	**4.1**	BDL	**30**	**21**	**22**	**40**	**17**	**18**	**26**	0.015
Xylenes	BDL	BDL	BDL	BDL	12	BDL	BDL	25	BDL	14.3	BDL	5	BDL	BDL	2.9	3.2	BDL	32	16	1	BDL	530
RCRA Metals																						
Arsenic	17	11	7	6	BDL	BDL	BDL	BDL	17	BDL	BDL	BDL	BDL	BDL	5	BDL	BDL	BDL	BDL	8.8	BDL	50
Barium	1,200	[illegible]	830	560	BDL	BDL	BDL	BDL	BDL	129	113	150	130	170	270	110	130	220	260	270	200	2,000
Cadmium	[illegible]	[illegible]	BDL	BDL	[illegible]	[illegible]	[illegible]	[illegible]	BDL	BDL	[illegible]	BDL	BDL	BDL	BDL	[illegible]	[illegible]	BDL	[illegible]	[illegible]	[illegible]	1.75
Chromium	19	21	13	19	BDL	BDL	BDL	BDL	BDL	BDL	8	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6	9.6	BDL	50
Lead	[illegible]	[illegible]	[illegible]	[illegible]	BDL	[illegible]	12	[illegible]	BDL	BDL	BDL	BDL	8.5	9	11	7.6	4.9	BDL	9.4	12	3.4	15
Mercury	BDL	0.2	BDL	0.87	BDL	BDL	BDL	BDL	BDL	0.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.05
Selenium	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.6J	50
Silver	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	[illegible]	BDL	7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.98J	17.5

Notes:
Groundwater samples collected on above listed dates and analyzed for Appendix I VOC's and RCRA metals.
BDL = below detection limit
NCGPS = North Carolina Groundwater Protection Standard
VOC's = volatile organic compounds
bold and shade denotes above NCGQS
data presented in micrograms per liter (ug/l)
J = estimated result <PQL and >=MDL

rk:table:bighistgw.mw2

MW-2D
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
GASTON COUNTY - CLOSED BIGGERSTAFF LANDFILL
GASTON COUNTY, NORTH CAROLINA

Date	*9/00*	*5/01*	*12/01*	*8/02*	*12/02*	*5/03*	*11/03*	*5/04*	*11/04*	*4/05*	*11/05*	*5/06*	*11/06*	*6/07*	*NCGPS*
Appendix I VOC's	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NA
RCRA Metals															
Arsenic	47	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	50
Barium	1,600	BDL	27	26	29	26	26	BDL	29	BDL	BDL	BDL	36	22J	2,000
Cadmium		1	1	BDL	BDL	BDL	BDL	BDL	1.1		BDL	1.2	BDL	BDL	1.75
Chromium	44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	50
Lead		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.2	BDL	BDL	15
Mercury	BDL	BDL	0.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.05
Silver	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.7J	17.5

Notes:
Groundwater samples collected on above listed dates and analyzed for Appendix I VOC's and RCRA metals.
BDL = below detection limit
NCGPS = North Carolina Groundwater Protection Standard
VOC's = volatile organic compounds
NA = not applicable
bold and shade denotes above NCGQS
data presented in micrograms per liter (ug/l)
J = estimated result <PQL and >=MDL

rk:table:bighistgw.mw2D

MW-3
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
GASTON COUNTY - CLOSED BIGGERSTAFF LANDFILL
GASTON COUNTY, NORTH CAROLINA

Date	*4/97*	*9/97*	*4/98*	*9/98*	*4/99*	*9/99*	*5/00*	*9/00*	*5/01*	*12/01*	*8/02*	*12/02*	*5/03*	*11/03*	*5/04*	*11/04*	*4/05*	*11/05*	*5/06*	*11/06*	*6/07*	*NCGPS*
Appendix I VOC's																						
Benzene	BDL	BDL	BDL	BDL	[illegible]	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1
Chlorobenzene	BDL	BDL	BDL	BDL	6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	50
1,4-Dichlorobenzene	BDL	BDL	BDL	BDL	[illegible]	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.4
1,1-Dichloroethane	BDL	BDL	BDL	BDL	39	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	70
cis-1,2-Dichloroethene	BDL	BDL	BDL	BDL	19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	70
Vinyl Chloride	BDL	BDL	BDL	BDL	[illegible]	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.015
RCRA Metals																						
Arsenic	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.1	BDL	14	BDL	50
Barium	180	260	190	260	BDL	BDL	BDL	BDL	BDL	41	65	100	54	90	110	87	44	120	120	180	35	2,000
Cadmium	BDL	[illegible]	BDL	BDL	1	1	[illegible]	[illegible]	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.1	BDL	BDL	1.3	BDL	1.75
Chromium	BDL	10	12	24	BDL	BDL	BDL	14	BDL	BDL	BDL	BDL	BDL	5	BDL	BDL	BDL	6.5	BDL	12	2.6J	50
Lead	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	12	[illegible]	BDL	[illegible]	12	[illegible]	5.2	14	[illegible]	13	BDL	[illegible]	12	[illegible]	BDL	15
Mercury	BDL	BDL	BDL	0.56	BDL	BDL	BDL	BDL	BDL	0.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.05
Selenium	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	50
Silver	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.91J	17.5

Notes:
Groundwater samples collected on above listed dates and analyzed for Appendix I VOC's and RCRA metals.
BDL = below detection limit
NCGPS = North Carolina Groundwater Protection Standard
VOC's = volatile organic compounds
bold and shade denotes above NCGQS
data presented in micrograms per liter (ug/l)
J = estimated result <PQL and >=MDL

rk:table:bighistgw.mw3

MW-4
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
GASTON COUNTY - CLOSED BIGGERSTAFF LANDFILL
GASTON COUNTY, NORTH CAROLINA

Date	*4/97*	*9/97*	*4/98*	*9/98*	*4/99*	*9/99*	*5/00*	*9/00*	*5/01*	*12/01*	*8/02*	*12/02*	*5/03*	*11/03*	*5/04*	*11/04*	*4/05*	*11/05*	*5/06*	*11/06*	*6/07*	*NCGPS*
Appendix I VOC's																						
Acetone	BDL	130	BDL	BDL	BDL	BDL	BDL	140	BDL	BDL	BDL	BDL	51	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	700
Benzene				BDL			BDL	BDL	BDL		BDL	BDL	BDL									1
Chlorobenzene	BDL	BDL	BDL	BDL	6	7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	2.5	7.4	1.4	3.6	6.8	9.2	1.6	9.7	50
Chloroethane	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.3	2.3	BDL	BDL	2.9	2.1	BDL	BDL	2,800
1,2-Dichlorobenzene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.8	BDL	BDL	2	2.5	BDL	13	24
1,4-Dichlorobenzene		BDL	BDL				BDL	BDL	BDL	BDL	BDL	BDL	BDL			1.3				1.2		1.4
1,1-Dichloroethane	56	49	27	32	37	48	14	16	14	20	BDL	BDL	BDL	7.9	12	4	5.6	9.3	8.2	2.4	8.1	70
1,2-Dichloroethane		BDL	BDL	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL		BDL	BDL			BDL	BDL	0.38
cis-1,2-Dichloroethene	28	38	26	20	18	41	5	17	5.5	11.1	BDL	BDL	2.1	4.4	10	3.3	5.2	10	9.6	2.5	9	70
1,2-Dichloropropane	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL		BDL	BDL	BDL		BDL	BDL	0.51
Ethylbenzene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	550
Toluene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.2	BDL	1.2	BDL	BDL	BDL	BDL	BDL	BDL	1,000
Trichloroethene	BDL		BDL	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.8	BDL	1.6	2.1	2.9	1.1	BDL	2.8
Vinyl Chloride	BDL		BDL					BDL	BDL		BDL	BDL		BDL								0.015
Xylenes	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	530
RCRA Metals																						
Arsenic	12	13	5	BDL	BDL	BDL	BDL	BDL	19	8	6	BDL	BDL	16	12	5.3	BDL	12	18	7.4	19	50
Barium	290	250	110	160	BDL	BDL	BDL	BDL	BDL	92	180	BDL	BDL	88	91	39	43	110	150	36	110	2,000
Cadmium											BDL	BDL	BDL	BDL		BDL	BDL	BDL	BDL	BDL	BDL	1.75
Chromium	15	10	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	50
Lead			13	6.3	BDL		BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6.6	BDL	BDL	BDL	8.8	15
Mercury	BDL	BDL	BDL		BDL	0.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.05
Selenium	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	6	BDL	BDL	BDL	5.6	BDL	BDL	BDL	6.5	BDL	BDL	BDL	50
Silver	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	11	50

Notes:

Groundwater samples collected on above listed dates and analyzed for Appendix I VOC's and RCRA metals.

BDL = below detection limit

NCGPS = North Carolina Groundwater Protection Standard

VOC's = volatile organic compounds

bold and shade denotes above NCGQS

data presented in micrograms per liter (ug/l)

J = estimated result <PQL and >=MDL

rk:table:bighistgw.mw4

MW-4D
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
GASTON COUNTY - CLOSED BIGGERSTAFF LANDFILL
GASTON COUNTY, NORTH CAROLINA

Date	*9/00*	*5/01*	*12/01*	*8/02*	*12/02*	*5/03*	*11/03*	*5/04*	*11/04*	*4/05*	*11/05*	*5/06*	*11/06*	*6/07*	*NCGPS*
Appendix I VOC's															
Benzene	BDL	BDL	BDL	BDL	[illegible]	BDL	BDL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	BDL	1
Chlorobenzene	BDL	5.6	BDL	BDL	4.1	5.7	4.3	6.7	7.5	7.6	8.5	10	9.6	11	50
1,2-Dichlorobenzene	BDL	BDL	2.4	BDL	2.7	3.4	2	3.9	3.9	3.7	4	4.3	3.9	13	24
1,4-Dichlorobenzene	BDL	[illegible]	BDL	BDL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.4
1,1-Dichloroethane	8	8.1	8.2	BDL	6.3	4.9	1.8	4.5	4.2	4.4	4.2	3.4	3.5	BDL	70
cis-1,2-Dichloroethene	BDL	BDL	5.2	BDL	5.2	4	BDL	5.2	6.3	7	8	7.8	8.9	9.2	70
1,2-Dichloropropane	BDL	BDL	BDL	BDL	[illegible]	[illegible]	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.51
Vinyl Chloride	BDL	BDL	[illegible]	BDL	BDL	[illegible]	BDL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	0.015
RCRA Metals															
Barium	BDL	BDL	108	97	100	110	110	110	120	120	110	120	120	130	2,000
Cadmium	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	1.75
Chromium	BDL	BDL	7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.9J	50
Lead	22	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3	BDL	15
Selenium	BDL	BDL	10	8	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.1	BDL	2.9J	50
Silver	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	3.9J	17.5

Notes:
Groundwater samples collected on above listed dates and analyzed for Appendix I VOC's and RCRA metals.
BDL = below detection limit
NCGPS = North Carolina Groundwater Quality Standard
VOC's = volatile organic compounds
bold and shade denotes above NCGQS
data presented in micrograms per liter (ug/l)
J = estimated result <PQL and >=MDL

rk:table:bighistgw.mw4D

MW-5

HISTORICAL GROUNDWATER ANALYTICAL RESULTS

GASTON COUNTY - CLOSED BIGGERSTAFF LANDFILL

GASTON COUNTY, NORTH CAROLINA

Date	*4/97*	*9/97*	*4/98*	*9/98*	*4/99*	*9/99*	*5/00*	*9/00*	*5/01*	*12/01*	*8/02*	*12/02*	*5/03*	*11/03*	*5/04*	*11/04*	*4/05*	*11/05*	*5/06*	*11/06*	*6/07*	*NCGPS*
Appendix I VOC's																						
Acetone	BDL	BDL	BDL	BDL	BDL	BDL	BDL	110	BDL	NT	BDL	BDL	120	BDL	BDL	28	240	BDL	25	BDL	35	700
Benzene	[illegible]	BDL	BDL	BDL	BDL	[illegible]	BDL	[illegible]	BDL	NT	[illegible]	BDL	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	BDL	1
Carbon Disulfide	BDL	6.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	700
Chlorobenzene	6.8	BDL	8.5	8.3	10	13	13	12	12	NT	13.2	15	21	21	18	25	24	19	34	24	37	50
1,2-Dichlorobenzene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	BDL	1.2	1.6	BDL	BDL	1.2	1	BDL	1.3	1.1	8.7	24
1,4-Dichlorobenzene	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	BDL	11	NT	9.3	11	11	[illegible]	6.1	7.4	6.5	[illegible]	[illegible]	[illegible]	[illegible]	1.4
1,1-Dichloroethane	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	BDL	BDL	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	70
cis-1,2-Dichloroethene	BDL	BDL	BDL	BDL	BDL	9	BDL	6	BDL	NT	2.7	2.3	BDL	BDL	1.2	BDL	1.2	1	BDL	1.1	BDL	70
Tetrachloroethene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	BDL	BDL	BDL	BDL	BDL	BDL	[illegible]	BDL	BDL	BDL	BDL	0.7
Toluene	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	BDL	BDL	940	8.5	BDL	BDL	BDL	BDL	1.1	BDL	6	1,000
Xylenes	26	BDL	BDL	BDL	7	BDL	BDL	BDL	BDL	NT	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	530
RCRA Metals																						
Arsenic	BDL	BDL	6	BDL	15	14	BDL	BDL	BDL	NT	NT	BDL	25	7.2	6.7	BDL	BDL	BDL	BDL	6.5	BDL	50
Barium	730	1,500	1,300	1,600	720	1,500	BDL	BDL	BDL	NT	NT	250	370	260	220	250	320	180	250	350	180	2,000
Cadmium	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	BDL	NT	NT	2.1	[illegible]	[illegible]	[illegible]	[illegible]	2.4	1.5	[illegible]	[illegible]	1.5J	1.75
Chromium	BDL	18	25	22	BDL	BDL	BDL	BDL	BDL	NT	NT	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	50
Lead	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	BDL	[illegible]	BDL	NT	NT	14	[illegible]	[illegible]	12	9.8	13	3.6	BDL	[illegible]	2.3J	15
Mercury	[illegible]	0.3	[illegible]	[illegible]	BDL	0.4	0.2	0.6	BDL	NT	NT	BDL	0.53	BDL	0.36	BDL	BDL	BDL	0.13	0.31	0.1	1.05
Selenium	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	NT	BDL	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	50
Silver	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	NT	NT	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.2J	50

Notes:

Groundwater samples collected on above listed dates and analyzed for Appendix I VOC's and RCRA metals.

BDL = below detection limit

NCGPS = North Carolina Groundwater Protection Standard

VOC's = volatile organic compounds

NT = not tested, due to dry conditions

bold and shade denotes above NCGQS

data presented in micrograms per liter (ug/l)

J = estimated result <PQL and >=MDL

rk:table:bighistgw.mw5