

Fac/Perm/Co ID #	Initials Trail	Date	Doc ID #
4304	GL	8/19/2010	11411

Little, Geof

From: Nick Parks [NParks@garrett-moore.com]
Sent: Thursday, August 19, 2010 1:36 PM
To: Little, Geof
Cc: Vance Moore; timbmcn@msn.com
Subject: Central Carolina Tire Phase 1 & 2 Monofill
Attachments: Depth Check Verification August 2010 Figure.pdf; Phase 1-2 Final Cover Thickness Certification Letter AUGUST 2010.pdf

Mr. Little,

Please find the attached Final Cover Thickness Certification for Central Carolina Tire Phase 1 & 2 Monofill for your review. A hard copy is in the mail. Please call with any questions or for additional information.

Nick Parks, P.E.



GARRETT & MOORE, INC.

1258 Benson Road
Garner, NC 27529

Office: (919) 792-1908
Mobile: (919) 413-8322
Fax: (866) 311-7206

www.garrett-moore.com

August 18, 2010

Mr. Geoffrey Little
NCDENR Division of Waste Management
Solid Waste Section
401 Oberlin Road, Suite 150
Raleigh, NC 27605

Re: Central Carolina Tire Phase 1 & 2 Monofill
Final Cover Thickness Investigation & Certification, August 2010

Mr. Little,

Garrett & Moore, Inc. (G&M) is pleased to submit findings for Engineering Services for the Central Carolina Tire (CCT) Monofill Landfill. The purpose of the work was to verify adequate cover soils are in-place for portions of the landfill that have reached final waste disposal limits.

The CCT Phase 1 & 2 Monofill is permitted under a DENR-issued solid waste Permit To Operate (Permit No. 43-08). In accordance with Condition 10.b of the Permit, a cover consisting of a minimum of 24-inches of suitable compacted earth must be provided to areas of the landfill that have reached final termination of disposal activities.

In accordance with the September 2008 Closure Certification Plan, field activities were conducted on June 9, 2010 and August 17, 2010 during which a steel T-rod was utilized to check the depth of soil cover. Through this process, a minimum of 24-inches of suitable compacted earth was observed throughout the 4.7-acre area and 8.7-acre area identified on the attached Figure 1. The area is seeded and/or has grass established. At this time all Phase 1 & 2 areas have certified cover thickness in accordance with the September 2008 Closure Certification Plan.

If you have additional questions or require additional information, please do not hesitate to give me a call at 919-792-1908.

Sincerely,

Garrett & Moore





Nick Parks, PE
Project Engineer

Cc: Vance Moore, G&M
Thomas Womble, CCT



V:\Liberty Tire Projects\Central Carolina Tire\Projects\Phase 1-2\Grade Check AUG 2010\CCT Thickness Checks AUG 2010.pro Mod Aug 18, 2010 2:21:38PM



REVISION	DATE
1)	
2)	
3)	
4)	

GARRETT & MOORE
Engineering for the Power and Waste Industries

1258 BENSON ROAD
GARNER, N.C. 27529
TEL: 919 - 792 - 1900
FAX: 866 - 311 - 7206
www.garrett-moore.com

**CENTRAL CAROLINA TIRE
PHASE 1 & 2
CLOSURE CERTIFICATION**

**DEPTH CHECK
VERIFICATION
AUGUST 2010**

JOB NUMBER

SHEET

Received: 08/19/2010
NC DENR P&W Solid Waste Section