DENR USE ONLY: ☐ Paper Report ☐ Electronic Data - Email CD (data loaded: Yes / No) Doc/Event #:

NC DENR
Division of Waste Management - Solid Waste

Environmental Monitoring Reporting Form

Notice: This form and any information attached to it are "Public Records" as defined in NC General Statute 132-1. As such, these documents are available for inspection and examination by any person upon request (NC General Statute 132-6).

Instructions:

- **Prepare one form for each individually monitored unit.**
- **Please type or print legibly.**
- Attach a notification table with values that attain or exceed NC 2L groundwater standards or NC 2B surface water standards. The notification must include a preliminary analysis of the cause and significance of each value. (e.g. naturally occurring, off-site source, pre-existing condition, etc.).
- Attach a notification table of any groundwater or surface water values that equal or exceed the reporting limits.
- Attach a notification table of any methane gas values that attain or exceed explosive gas levels. This includes any structures on or nearby the facility (NCAC 13B .1629 (4)(a)(i).
- In accordance with NC General Statutes Chapter 89C and 89E and NC Solid Waste Management Rules 15A NCAC 13B, be sure to affix a seal to the bottom of this page, when applicable.
- Send the original signed and sealed form, any tables, and Electronic Data Deliverable to: Compliance Unit, NCDENR-DWM, Solid Waste Section, 1646 Mail Service Center, Raleigh, NC 27699-1646.

Solid Waste Monitoring Data Submittal Information

Name of entity submitting data (laboratory, consultant, facility owner):

Bunnell-Lammons Engineering, Inc

Contact for questions about data formatting. Include data preparer's name, telephone number and E-mail address:

Name: Trevor J. Benton, P.G. Phone: (864) 288-1265

E-mail: trevor@blecorp.com

Facility name:	Facility Address:	Facility Permit #	NC Landfill Rule: (.0500 or .1600)	Actual sampling dates (e.g., October 20-24, 2006)
Closed Francis Farm Landfill	Francis Farm Road Haywood County	44-03	.1600	August 13, 2007

Environmental Status: (Check all that apply)

☐ Initial/Background Monitoring ☒ Detection Monitoring ☐ Assessment Monitoring ☐ Corrective Action

Type of data submitted: (Check all that apply)

☒ Groundwater monitoring data from monitoring wells
☐ Groundwater monitoring data from private water supply wells
☐ Leachate monitoring data
☒ Surface water monitoring data
☐ Methane gas monitoring data
☐ Corrective action data (specify) _____
☐ Other(specify)

Notification attached?

☐ No. No groundwater or surface water standards were exceeded.
☒ Yes, a notification of values exceeding a groundwater or surface water standard is attached. It includes a list of groundwater and surface water monitoring points, dates, analytical values, NC 2L groundwater standard, NC 2B surface water standard or NC Solid Waste GWPS and preliminary analysis of the cause and significance of any concentration.
☐ Yes, a notification of values exceeding an explosive methane gas limit is attached. It includes the methane monitoring points, dates, sample values and explosive methane gas limits.

Certification

To the best of my knowledge, the information reported and statements made on this data submittal and attachments are true and correct. Furthermore, I have attached complete notification of any sampling values meeting or exceeding groundwater standards or explosive gas levels, and a preliminary analysis of the cause and significance of concentrations exceeding groundwater standards. I am aware that there are significant penalties for making any false statement, representation, or certification including the possibility of a fine and imprisonment.

Trevor J. Benton, P.G.	Hydrogeologist	(864) 288-1265
Facility Representative Name (Print)	Title	(Area Code) Telephone Number

Signature: 03/21/2008 Date

Affix NC Licensed/ Professional Geologist/Engineer Seal here:

NORTH CAROLINA LICENSED SEAL 2025 GEOLOGIST TREVOR J. BENTON

Revised 01/2007

BLE INC.

BUNNELL-LAMMONS ENGINEERING, INC.

GEOTECHNICAL, ENVIRONMENTAL AND CONSTRUCTION MATERIALS CONSULTANTS

REPORT OF GROUNDWATER QUALITY RESULTS & STATISTICAL ANALYSIS

SECOND SEMI-ANNUAL SAMPLING EVENT OF 2007

CLOSED FRANCIS FARM LANDFILL
PERMIT NUMBER: 44-03
HAYWOOD COUNTY, NORTH CAROLINA

Prepared for:

HAYWOOD COUNTY SOLID WASTE MANAGEMENT
278 Recycle Road
Clyde, North Carolina 28721

NORTH CAROLINA LICENSED SEAL 2025 GEOLOGIST TREVOR J. BENTON 3/24/08

Prepared By:

BUNNELL-LAMMONS ENGINEERING, INC.
6004 Ponder Court
Greenville, South Carolina 29615

NORTH CAROLINA LICENSED SEAL 1043 GEOLOGIST MARK S. PREDDY 3/24/08

March 21, 2008

BLE Project Number J07-1957-03

BLE INC.
BUNNELL-LAMMONS ENGINEERING, INC.
GEOTECHNICAL, ENVIRONMENTAL AND CONSTRUCTION MATERIALS CONSULTANTS

March 21, 2008

Haywood County Solid Waste Management
278 Recycle Road
Clyde, NC 28721

Attention: Mr. Stephen King
Solid Waste Director

Subject: **Report of Groundwater Quality Results & Statistical Analysis**
Second Semi-Annual Sampling Event of 2007
Closed Francis Farm Landfill
Permit Number: 44-03
Haywood County, North Carolina
BLE Project Number J07-1957-03

Dear Mr. King:

As authorized, Bunnell-Lammons Engineering, Inc. (BLE) has performed the statistical analysis of groundwater quality data obtained from the subject site. The enclosed report describes the work performed and presents the results obtained with our conclusions. The purpose of this work was to statistically compare the laboratory analytical results of groundwater samples from the background monitoring wells to the downgradient monitoring wells at the subject closed municipal solid waste (MSW) landfill in accordance with Title 15A NCAC 13B .1632 (g), (h), and (i). This report of the sampling and statistical analysis has been prepared for submittal to the North Carolina Division of Waste Management (NCDWM) in accordance with Rule 15A NCAC 13B .1632 (j).

We appreciate the opportunity to serve as your hydrogeological consultant on this project and look forward to working with you on future projects. If you have any questions, please contact us at (864) 288-1265.

Sincerely,
BUNNELL-LAMMONS ENGINEERING, INC.

NORTH CAROLINA LICENSED SEAL 2025 GEOLOGIST TREVOR J. BENTON 3/24/08

NORTH CAROLINA LICENSED SEAL 1043 GEOLOGIST MARK S. PREDDY 3/24/08

Trevor J. ~~Benton,~~ P.G.
Project Hydrogeologist
Registered, North Carolina No. 2025

Mark S. Preddy, P.G.
Senior Hydrogeologist
Registered, North Carolina No. 1043

c.c: Mr. Ervin Lane – NC DENR Solid Waste Section, 401 Oberlin Road, Ste. 150, Raleigh, NC 27605

6004 PONDERS COURT
GREENVILLE, SOUTH CAROLINA 29615

PHONE (864) 288-1265
FAX (864) 288-4430

PROJECT INFORMATION

The subject closed municipal solid waste landfill site is located in Haywood County, North Carolina, approximately two miles northeast of Waynesville on Francis Farm Road (Figure 1). The landfill has five groundwater monitoring wells consisting of two upgradient (MW-4 and MW-5) and three downgradient wells (MW-1A, MW-2A, and MW-3A). Additionally, there are three surface water sampling locations consisting of one upgradient (SW-1) and two downgradient (SW-2 and Blanton Branch) sampling points.

BLE was retained by Haywood County to prepare the semi-annual sampling reports for 2007. Historical data from multiple sources and in multiple formats had to be gathered and synthesized into this report.

This report presents data from the second semi-annual sampling event in 2007 for the site. The water samples were collected and analyzed as required in North Carolina's regulations for operation of municipal solid waste landfills. This report incorporates the sixteen sampling events between February 1999 and August 2007.

FIELD ACTIVITIES, SAMPLING, AND ANALYSIS

Groundwater and surface water samples were collected for the second semi-annual sampling event of 2007 by personnel from Pace Analytical Services, Inc. (Pace) of Asheville, North Carolina on August 13. Groundwater samples were collected from four of the five well locations and each of the three surface water locations at the site. Monitoring well MW-3A was dry at the time of sampling and therefore was not sampled. Summary tables of analytical results are attached in Appendix A (groundwater) and Appendix B (surface water). The samples were analyzed in the laboratory for North Carolina's *Appendix I* list of volatile organic compounds (VOCs), the RCRA metals constituents, and in the field for pH, specific conductance, and temperature. A copy of the Pace laboratory and field data is included in Appendix C.

The water level data collected during the groundwater sampling is presented in Table 1. A water table surface elevation contour map is presented as Figure 2 along with generalized groundwater flow directions. Data required to calculate groundwater flow velocities is currently unavailable for the site. We have recommended to Haywood County that this data be collected and reported in 2008.

SUMMARY OF LABORATORY RESULTS

Total barium was detected in each of the monitoring wells, total cadmium was detected in MW-1A, and total selenium was detected in MW-2A; however, the detected metals concentrations were below North Carolina maximum contaminant levels[1] (MCLs). Concentrations of benzene (MW-4 and MW-5), chlorobenzene (MW-1A), chloroethane (MW-1A, MW-2A, MW-4, and MW-5), 1,4-dichlorobenzene (MW-2A and MW-4), 1,1-dichloroethane (MW-1A, MW-2A, MW-4, and MW-5),

[1] North Carolina Department of Environment and Natural Resources, Classifications of Water Quality Standards, Section 15A NCAC 2L.202, December 1, 2005.

1,2-dichloroethane (MW-1A and MW-4), cis-1,2-dichloroethene (MW-1A, MW-2A, MW-4, and MW-5), ethylbenzene (MW-4), dichloromethane (MW-4 and MW-5), tetrachloroethene (MW-4 and MW-5), toluene (MW-4), trichloroethene (MW-4 and MW-5), vinyl chloride (MW-2A), and xylenes (MW-4) were detected at the site. The concentrations of benzene (MW-4 and MW-5), 1,4-dichlorobenzene (MW-2A and MW-4), 1,2-dichloroethane (MW-1A and MW-4), dichloromethane (MW-4), tetrachloroethene (MW-4 and MW-5), trichloroethene (MW-4), and vinyl chloride (MW-2A) were detected above North Carolina MCLs. A summary of the detected concentrations is included in Appendix A.

Total barium was detected in each of the surface water samples during the current sampling event; but North Carolina has not established a surface water[2] MCL for this constituent. No VOCs were detected in the surface water samples. A summary of the detected concentrations is included in Appendix B.

STATISTICAL METHODS PERFORMED

The purpose of performing statistical analysis of groundwater quality data is to determine if a release of leachate has occurred from the landfill cells to the groundwater at the site. The US EPA has prepared guidance documents for evaluating groundwater quality data, which include the *Statistical Analysis of Groundwater Monitoring Data at RCRA Facilities – Interim Final Guidance* (April 1989) and the *Addendum to the Interim Final Guidance* (July 1992). The procedures and methodology used for data analysis of this project are consistent with these US EPA guidance documents, and meet or exceed the performance criteria specified in the North Carolina solid waste management rules Title 15A NCAC 13B .1632(g-i). Four methods of statistical analysis were performed depending on the number of detected concentrations and the distribution of the data for a specific compound, as follows:

1. If greater than 90% of the data were not detected, Poisson Tolerance Limits were performed. Additionally, Wilcoxon rank-sum tests were performed for those compounds that failed the initial Poisson Tolerance Limits test;

2. If 15% to 90% of the data were not detected, the one-way non-parametric analysis of variance (ANOVA) Kruskal-Wallis rank-sum test was performed;

3. If less than 15% of the data were not detected, and if the data was normally distributed and homogeneous, then one-way parametric ANOVA was performed. If the data were not normally distributed and homogeneous, then a non-parametric type test was used (Kruskal-Wallis);

4. Alternatively, if greater than 50% of the data were not detected, Poisson Prediction Limits may be performed, or if less than 50% of the data were not detected, Normal Prediction Limits may be performed.

[2] North Carolina Department of Environment and Natural Resources, "Redbook", Surface Waters and Wetlands Standards, Section 15A NCAC 02B.0100, .0200, and .0300, May 1, 2007.

SUMMARY OF STATISTICAL RESULTS

The statistical results of the sixteen sampling events summarized on Table 2 and included in Appendix D indicate that:

1. The Poisson Prediction Limit test performed for total arsenic, acetone, carbon disulfide, chlorobenzene, chloroethane, 1,2-dichlorobenzene, 1,2-dichloroethane, 1,1-dichloroethene, cis-1,3-dichloropropene, ethylbenzene, toluene, vinyl chloride, and xylenes did not calculate SSIs. However a SSI was calculated for 1,4-dichlorobenzene in MW-2S; and

2. The Kruskal-Wallis test used for total barium, total cadmium, total chromium, total lead, total mercury, total selenium, total silver, benzene, 1,1-dichloroethane, cis-1,2-dichloroethene, dichloromethane, tetrachloroethene, and trichloroethene did not calculate SSIs. However, multiple VOC detections have been detected in the background wells during the current and historical sampling events for benzene, 1,1-dichloroethane, cis-1,2-dichloroethene, dichloromethane, tetrachloroethene, and trichloroethene.

CONCLUSION

Concentrations of total metals (barium, cadmium, and selenium) were detected at the site, but none were detected above North Carolina MCLs. Additionally, various VOCs were detected in MW-1A, MW-2A, MW-4, and MW-5. The concentrations of benzene (MW-4 and MW-5), 1,4-dichlorobenzene (MW-2A and MW-4), 1,2-dichloroethane (MW-1A and MW-4), dichloromethane (MW-4), tetrachloroethene (MW-4 and MW-5), trichloroethene (MW-4), and vinyl chloride (MW-2A) were detected above North Carolina MCLs.

In summary, the detected concentrations of total metals are most likely naturally occurring and related to sample turbidity. Metal cations typically adsorb to the surface of platy particles (clay and silt). Therefore, turbidity of the groundwater and surface water samples will relate to detected concentrations of the metal cations. Consequently, the metal concentrations detected should be considered natural background concentrations.

We understand that a Groundwater Assessment and Corrective Measures Plan was submitted and subsequently approved by the NCDWM in 2004 to address the VOC detections in groundwater at the site. However, this plan was not executed due to apparent difficulties in obtaining off-site access for new well installations. We understand that performance of the plan will need to be reevaluated in 2008.

We recommend that sampling continue on a semi-annual basis for the *Appendix I* list of VOCs and RCRA metals constituents.

TABLES

TABLE 1

POTENTIOMETRIC SURFACE DATA
Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Monitoring Well	TOC Elevation	Groundwater Elevation Data									
		8/11/03	2/9/04	8/16/04	2/14/05	9/1/05	2/16/06	2/16/06	8/30/06	2/26/07	8/13/07
MW-1A	2552.59	2508.89	2506.70	2507.02	2506.95	2507.34	2506.96	2506.96	2505.78	2506.14	2504.59
MW-2A	2505.64	2480.42	2483.85	2479.56	2480.40	2481.87	2481.44	2481.44	2477.90	2479.77	2476.86
MW-3A	2535.92	2499.12	2500.32	2497.07	2497.94	2499.47	2498.57	2498.57	2494.72	2495.75	dry
MW-4	2651.13	2581.57	2580.78	2580.95	2581.65	2582.06	2582.00	2582.00	2581.73	2580.88	2580.54
MW-5	2661.25	2584.42	2584.45	2584.95	2585.99	2587.11	2587.76	2587.76	2587.05	2585.81	2585.20

NOTES:

1. Elevations are in FEET above mean sea level (MSL)
2. *TOC* = top of casing
3. Current water level measurements are from Pace field sampling notes
4. *NP* = Not Present during sampling event
5. Water level data prior to 2003 was not available

Prepared By: TJB
Checked By: MSP

TABLE 2

SUMMARY OF STATISTICAL ANALYSIS RESULTS
Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Chemical/ Compound	Percent ND	Primary Statistical Test	Primary Pass/Fail	Secondary Statistical Test	Secondary Pass/Fail	SSI Calculated
Total Arsenic	81%	Poisson Prediction Limits	Pass	-	-	No
Total Barium *	7%	Kruskal-Wallis	Pass	-	-	No
Total Cadmium	66%	Kruskal-Wallis	Pass	-	-	No
Total Chromium	44%	Kruskal-Wallis	Pass	-	-	No
Total Lead	66%	Kruskal-Wallis	Fail	Kruskal-Wallis	Pass	No
Total Mercury	89%	Kruskal-Wallis	Pass	-	-	No
Total Selenium	77%	Kruskal-Wallis	Fail	Kruskal-Wallis	Pass	No
Total Silver	81%	Kruskal-Wallis	Pass	-	-	No
Acetone	95%	Poisson Prediction Limits	Pass	-	-	No
Benzene	73%	Kruskal-Wallis	Fail	Kruskal-Wallis	Pass	No (multiple historic detections in background wells)
Carbon Disulfide	98%	Poisson Prediction Limits	Pass	-	-	No
Chlorobenzene	98%	Poisson Prediction Limits	Pass	-	-	No
Chloroethane	80%	Poisson Prediction Limits	Pass	-	-	No
1,2-Dichlorobenzene	98%	Poisson Prediction Limits	Pass	-	-	No
1,4-Dichlorobenzene	84%	Poisson Prediction Limits	Fail	Wilcoxon	Fail	Yes (MW-2A)
1,1-Dichloroethane	30%	Kruskal-Wallis	Fail	Kruskal-Wallis	Pass	No (multiple historic detections in background wells)
1,2-Dichloroethane	91%	Poisson Prediction Limits	Pass	-	-	No
1,1-Dichloroethene	98%	Poisson Prediction Limits	Pass	-	-	No
cis-1,2-Dichloroethene	23%	Kruskal-Wallis	Fail	Kruskal-Wallis	Pass	No (multiple historic detections in background wells)
cis-1,3-Dichloropropene	98%	Poisson Prediction Limits	Pass	-	-	No
Ethylbenzene	98%	Poisson Prediction Limits	Pass	-	-	No
Dichloromethane	75%	Kruskal-Wallis	Fail	Kruskal-Wallis	Pass	No (multiple historic detections in background wells)
Tetrachloroethene	70%	Kruskal-Wallis	Fail	Kruskal-Wallis	Pass	No (multiple historic detections in background wells)
Toluene	86%	Poisson Prediction Limits	Pass	-	-	No
Trichloroethene	70%	Kruskal-Wallis	Fail	Kruskal-Wallis	Pass	No (multiple historic detections in background wells)
Vinyl Chloride	98%	Poisson Prediction Limits	Pass	-	-	No
Xylenes	98%	Poisson Prediction Limits	Pass	-	-	No

Notes:
1. MCL = *Maximum Contaminant Level*
2. SSI = *Statistically Significant Increase*
3. * = The dataset for total barium was not homogeneous and normally distributed. Therefore, a non-parametric ANOVA testing procedure was used (Kruskal-Wallis) rather than parametric ANOVA.

Prepared By: TJB
Checked By: MSP

FIGURES



2000 1000 0 2000 4000

APPROXIMATE SCALE IN FEET

REFERENCE:
USGS TOPOGRAPHIC MAP, 7.5 MINUTE SERIES, CLYDE AND WAYNESVILLE, N.C. QUADRANGLES, 1978 AND PHOTOREVISED 1979.

DRAWN: AEH	DATE: 06-20-07	BLE INC. BUNNELL-LAMMONS ENGINEERING, INC. 6004 PONDERS COURT GREENVILLE, SOUTH CAROLINA 29615 PHONE: (864)288-1265 FAX: (864)288-4430	SITE LOCATION MAP HAYWOOD COUNTY LANDFILL CLOSED FRANCIS FARM LANDFILL HAYWOOD COUNTY, NORTH CAROLINA	FIGURE 1
CHECKED: AWA	CAD: HAYWOODFF-SLM			
APPROVED:	JOB NO: J07-1957-03			



LEGEND

◕	EXISTING MONITORING WELL
⊕	PROPOSED MONITORING WELL LOCATION FROM 2004 ACM PLAN. WELL LOCATIONS TO BE REEVALUATED IN 2008.
△	METHANE VENTS
▲	PROPOSED METHANE MONITORING PROBE
○	METHANE MONITORING PROBE (SURVEYED)
●	METHANE MONITORING PROBE (NOT SURVEYED)
□	EXISTING SURFACE WATER SAMPLE
◓	PROPOSED PIEZOMETER
2506.14	GROUNDWATER ELEVATION (IN FEET)
2540	GROUNDWATER ELEVATION CONTOUR CONTOUR INTERVAL = 10 FEET
< - - -	GROUNDWATER FLOW DIRECTION

NOTE:
WATER LEVELS MEASURED ON AUGUST 13, 2007
BY PACE ANALYTICAL SERVICES, INC.

CAUTION:

THIS MAP WAS CREATED BY DIGITIZING THE REFERENCED MAPS. THE MAP FEATURES HAVE NOT BEEN FIELD VERIFIED OR SURVEYED.

100 50 0 100 200
APPROXIMATE SCALE IN FEET

REFERENCS:
1. DRAWING TITLED "PROPOSED ASSESSMENT PLAN" BY MUNICIPAL ENGINEERING IN A REPORT DATED AUGUST 11, 2006.
2. DRAWING TITLED "POTENTIOMETRIC MAP" BY MUNICIPAL ENGINEERING DATED MARCH 19, 2001.

REVISIONS		
No.	DESCRIPTION	BY

DRAWN: AEH
CHECKED: TJB
APPROVED:

DATE: 03-10-08
CAD FILE: HAYWOODCFF-81307POT
JOB NO: J07-1957-03

BLE INC.
BUNNELL-LAMMONS ENGINEERING, INC.
6004 PONDERS COURT
GREENVILLE, SOUTH CAROLINA 29615
PHONE: (864)288-1265 FAX: (864)288-4430

GROUNDWATER POTENTIOMETRIC MAP - AUGUST 13, 2007
CLOSED FRANCIS FARM LANDFILL
HAYWOOD COUNTY, NORTH CAROLINA

FIGURE NO. 2

APPENDICES

APPENDIX A

Summary Tables of Groundwater Analytical Results

Closed Francis Farm Landfill - Haywood Co., NC
Groundwater Sampling Event (2-18-1999)

TEST	UNITS	MDL	MCL	MW-4	MW-5A	MW-1A	MW-2	MW-3A	EQUIP. BLANK
pH	pH units (on-site)	-	NE	**6.5**	NS	**5.4**	NS	**6**	NT
Specific Conductance	µmhos/cm (on-site)	1	NE	**72**	NS	**310**	NS	**420**	NT
Temperature	°C (on-site)	-	NE	**12**	NS	**13**	NS	**12**	NT
Turbidity	NTU (on-site)	0.1	NE	NT	NS	NT	NS	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NS	NT	NS	NT	NT
Total Arsenic (As)	µg/l	5	50	ND	NS	ND	NS	ND	ND
Total Barium (Ba)	µg/l	100	2000	**100**	NS	**300**	NS	**400**	ND
Total Beryllium (Be)	µg/l	2	NE	NT	NS	NT	NS	NT	NT
Total Cadmium (Cd)	µg/l	10	1.75	ND	NS	ND	NS	ND	ND
Total Chromium (Cr)	µg/l	20	50	ND	NS	ND	NS	ND	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NS	NT	NS	NT	NT
Total Copper (Cu)	µg/l	200	1000	NT	NS	NT	NS	NT	NT
Total Lead (Pb)	µg/l	100	15	ND	NS	ND	NS	ND	ND
Total Mercury (Hg)	µg/l	0.2	1.05	ND	NS	ND	NS	ND	ND
Total Nickel (Ni)	µg/l	50	100	NT	NS	NT	NS	NT	NT
Total Selenium (Se)	µg/l	5	50	ND	NS	ND	NS	ND	ND
Total Silver (Ag)	µg/l	50	17.5	ND	NS	ND	NS	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NS	NT	NS	NT	NT
Total Vanadium (V)	µg/l	40	NE	NT	NS	NT	NS	NT	ND
Total Zinc (Zn)	µg/l	50	1050	NT	NS	NT	NS	NT	ND
Acetone	µg/l	100	700	NT	NS	NT	NS	NT	NT
Acrylonitrile	µg/l	200	NE	NT	NS	NT	NS	NT	NT
Benzene	µg/l	5	1	NT	NS	NT	NS	NT	NT
Bromochloromethane	µg/l	5	NE	NT	NS	NT	NS	NT	NT
Bromodichloromethane	µg/l	5	0.56	NT	NS	NT	NS	NT	NT
Bromoform	µg/l	5	0.19	NT	NS	NT	NS	NT	NT
Carbon Disulfide	µg/l	100	700	NT	NS	NT	NS	NT	NT
Bromomethane (Methylbromide)	µg/l	10	NE	NT	NS	NT	NS	NT	NT
Carbon tetrachloride	µg/l	10	0.269	NT	NS	NT	NS	NT	NT
Chlorobenzene (mono)	µg/l	5	50	NT	NS	NT	NS	NT	NT
Chloroethane	µg/l	10	2800	NT	NS	NT	NS	NT	NT
Chloroform	µg/l	5	70	NT	NS	NT	NS	NT	NT
Chloromethane (Methylchloride)	µg/l	10	2.6	NT	NS	NT	NS	NT	NT
Dibromochloromethane	µg/l	5	NE	NT	NS	NT	NS	NT	NT
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	NT	NS	NT	NS	NT	NT
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.00047	NT	NS	NT	NS	NT	NT
Dibromomethane	µg/l	10	NE	NT	NS	NT	NS	NT	NT
1,2-Dichlorobenzene	µg/l	5	24	NT	NS	NT	NS	NT	NT
1,4-Dichlorobenzene	µg/l	5	1.4	NT	NS	NT	NS	NT	NT
trans-1,4-Dichloro-2-butene	µg/l	100	NE	NT	NS	NT	NS	NT	NT
1,1-Dichloroethane	µg/l	5	70	NT	NS	NT	NS	NT	NT
1,2-Dichloroethane	µg/l	5	0.38	NT	NS	NT	NS	NT	NT
1,1-Dichloroethene (-ethylene)	µg/l	5	7	NT	NS	NT	NS	NT	NT
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	NT	NS	NT	NS	NT	NT
trans-1,2-Dichloroethene (-ylene)	µg/l	5	100	NT	NS	NT	NS	NT	NT
1,2-Dichloropropane	µg/l	5	0.51	NT	NS	NT	NS	NT	NT
cis-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	NT	NS	NT	NS	NT	NT
trans-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	NT	NS	NT	NS	NT	NT
Ethylbenzene	µg/l	5	550	NT	NS	NT	NS	NT	NT
2-Hexanone	µg/l	50	NE	NT	NS	NT	NS	NT	NT
Iodomethane	µg/l	10	NE	NT	NS	NT	NS	NT	NT
Dichloromethane (Methylene chloride)	µg/l	10	4.6	NT	NS	NT	NS	NT	NT
2-Butanone (Methyl ethyl ketone)	µg/l	100	4200	NT	NS	NT	NS	NT	NT
4-Methyl-2-Pentanone	µg/l	100	NE	NT	NS	NT	NS	NT	NT
Styrene	µg/l	10	100	NT	NS	NT	NS	NT	NT
1,1,1,2-Tetrachloroethane	µg/l	5	NE	NT	NS	NT	NS	NT	NT
1,1,2,2-Tetrachloroethane	µg/l	5	NE	NT	NS	NT	NS	NT	NT
Tetrachloroethene (-ethylene)	µg/l	5	0.7	NT	NS	NT	NS	NT	NT
Toluene	µg/l	5	1000	NT	NS	NT	NS	NT	NT
1,1,1-Trichloroethane	µg/l	5	200	NT	NS	NT	NS	NT	NT
1,1,2-Trichloroethane	µg/l	5	NE	NT	NS	NT	NS	NT	NT
Trichloroethene (-ethylene)	µg/l	5	2.8	NT	NS	NT	NS	NT	NT
Trichlorofluoromethane	µg/l	5	2100	NT	NS	NT	NS	NT	NT
1,2,3-Trichloropropane	µg/l	15	0.005	NT	NS	NT	NS	NT	NT
Vinyl acetate	µg/l	50	NE	NT	NS	NT	NS	NT	NT
Vinyl chloride	µg/l	10	0.015	NT	NS	NT	NS	NT	NT
Xylene	µg/l	5	530	NT	NS	NT	NS	NT	NT

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, Classifications of Water Quality Standards Applicable to Groundwaters of North Carolina, Section 15A NCAC 2L.202.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Groundwater Sampling Event (8-16-1999)

TEST	UNITS	MDL	MCL	MW-4	MW-5A	MW-1A	MW-2	MW-3A	EQUIP. BLANK
pH	pH units (on-site)	-	NE	**5.5**	NS	**5.3**	NS	**5.7**	NT
Specific Conductance	µmhos/cm (on-site)	1	NE	**100**	NS	**430**	NS	**670**	NT
Temperature	°C (on-site)	-	NE	**15**	NS	**15**	NS	**14**	NT
Turbidity	NTU (on-site)	0.1	NE	NT	NS	NT	NS	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NS	NT	NS	NT	NT
Total Arsenic (As)	µg/l	5	50	ND	NS	ND	NS	ND	ND
Total Barium (Ba)	µg/l	100	2000	**120**	NS	**230**	NS	**260**	ND
Total Beryllium (Be)	µg/l	2	NE	NT	NS	NT	NS	NT	NT
Total Cadmium (Cd)	µg/l	10	1.75	ND	NS	**2.5**	NS	**7.4**	ND
Total Chromium (Cr)	µg/l	20	50	**35**	NS	**61**	NS	**14**	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NS	NT	NS	NT	NT
Total Copper (Cu)	µg/l	200	1000	NT	NS	NT	NS	NT	NT
Total Lead (Pb)	µg/l	100	15	ND	NS	ND	NS	ND	ND
Total Mercury (Hg)	µg/l	0.2	1.05	ND	NS	ND	NS	ND	ND
Total Nickel (Ni)	µg/l	50	100	NT	NS	NT	NS	NT	NT
Total Selenium (Se)	µg/l	5	50	ND	NS	ND	NS	ND	NT
Total Silver (Ag)	µg/l	50	17.5	ND	NS	ND	NS	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NS	NT	NS	NT	NT
Total Vanadium (V)	µg/l	40	NE	NT	NS	NT	NS	NT	ND
Total Zinc (Zn)	µg/l	50	1050	NT	NS	NT	NS	NT	ND
Acetone	µg/l	100	700	NT	NS	NT	NS	NT	NT
Acrylonitrile	µg/l	200	NE	NT	NS	NT	NS	NT	NT
Benzene	µg/l	5	1	NT	NS	NT	NS	NT	NT
Bromochloromethane	µg/l	5	NE	NT	NS	NT	NS	NT	NT
Bromodichloromethane	µg/l	5	0.56	NT	NS	NT	NS	NT	NT
Bromoform	µg/l	5	0.19	NT	NS	NT	NS	NT	NT
Carbon Disulfide	µg/l	100	700	NT	NS	NT	NS	NT	NT
Bromomethane (Methylbromide)	µg/l	10	NE	NT	NS	NT	NS	NT	NT
Carbon tetrachloride	µg/l	10	0.269	NT	NS	NT	NS	NT	NT
Chlorobenzene (mono)	µg/l	5	50	NT	NS	NT	NS	NT	NT
Chloroethane	µg/l	10	2800	NT	NS	NT	NS	NT	NT
Chloroform	µg/l	5	70	NT	NS	NT	NS	NT	NT
Chloromethane (Methylchloride)	µg/l	10	2.6	NT	NS	NT	NS	NT	NT
Dibromochloromethane	µg/l	5	NE	NT	NS	NT	NS	NT	NT
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	NT	NS	NT	NS	NT	NT
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.00047	NT	NS	NT	NS	NT	NT
Dibromomethane	µg/l	10	NE	NT	NS	NT	NS	NT	NT
1,2-Dichlorobenzene	µg/l	5	24	NT	NS	NT	NS	NT	NT
1,4-Dichlorobenzene	µg/l	5	1.4	NT	NS	NT	NS	NT	NT
trans-1,4-Dichloro-2-butene	µg/l	100	NE	NT	NS	NT	NS	NT	NT
1,1-Dichloroethane	µg/l	5	70	NT	NS	NT	NS	NT	NT
1,2-Dichloroethane	µg/l	5	0.38	NT	NS	NT	NS	NT	NT
1,1-Dichloroethene (-ethylene)	µg/l	5	7	NT	NS	NT	NS	NT	NT
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	NT	NS	NT	NS	NT	NT
trans-1,2-Dichloroethene (-ylene)	µg/l	5	100	NT	NS	NT	NS	NT	NT
1,2-Dichloropropane	µg/l	5	0.51	NT	NS	NT	NS	NT	NT
cis-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	NT	NS	NT	NS	NT	NT
trans-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	NT	NS	NT	NS	NT	NT
Ethylbenzene	µg/l	5	550	NT	NS	NT	NS	NT	NT
2-Hexanone	µg/l	50	NE	NT	NS	NT	NS	NT	NT
Iodomethane	µg/l	10	NE	NT	NS	NT	NS	NT	NT
Dichloromethane (Methylene chloride)	µg/l	10	4.6	NT	NS	NT	NS	NT	NT
2-Butanone (Methyl ethyl ketone)	µg/l	100	4200	NT	NS	NT	NS	NT	NT
4-Methyl-2-Pentanone	µg/l	100	NE	NT	NS	NT	NS	NT	NT
Styrene	µg/l	10	100	NT	NS	NT	NS	NT	NT
1,1,1,2-Tetrachloroethane	µg/l	5	NE	NT	NS	NT	NS	NT	NT
1,1,2,2-Tetrachloroethane	µg/l	5	NE	NT	NS	NT	NS	NT	NT
Tetrachloroethene (-ethylene)	µg/l	5	0.7	NT	NS	NT	NS	NT	NT
Toluene	µg/l	5	1000	NT	NS	NT	NS	NT	NT
1,1,1-Trichloroethane	µg/l	5	200	NT	NS	NT	NS	NT	NT
1,1,2-Trichloroethane	µg/l	5	NE	NT	NS	NT	NS	NT	NT
Trichloroethene (-ethylene)	µg/l	5	2.8	NT	NS	NT	NS	NT	NT
Trichlorofluoromethane	µg/l	5	2100	NT	NS	NT	NS	NT	NT
1,2,3-Trichloropropane	µg/l	15	0.005	NT	NS	NT	NS	NT	NT
Vinyl acetate	µg/l	50	NE	NT	NS	NT	NS	NT	NT
Vinyl chloride	µg/l	10	0.015	NT	NS	NT	NS	NT	NT
Xylene	µg/l	5	530	NT	NS	NT	NS	NT	NT

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, Classifications of Water Quality Standards Applicable to Groundwaters of North Carolina, Section 15A NCAC 2L.202.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Groundwater Sampling Event (2-14-2000)

TEST	UNITS	MDL	MCL	MW-4	MW-5A	MW-1A	MW-2A	MW-3A	EQUIP. BLANK
pH	pH units (on-site)	-	NE	**5**	NS	**5.1**	NS	**6.7**	NT
Specific Conductance	µmhos/cm (on-site)	1	NE	**180**	NS	**300**	NS	**500**	NT
Temperature	°C (on-site)	-	NE	**13**	NS	**13**	NS	**13**	NT
Turbidity	NTU (on-site)	0.1	NE	NT	NS	NT	NS	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NS	NT	NS	NT	NT
Total Arsenic (As)	µg/l	5	50	ND	NS	ND	NS	ND	ND
Total Barium (Ba)	µg/l	100	2000	**150**	NS	**270**	NS	**240**	ND
Total Beryllium (Be)	µg/l	2	NE	NT	NS	NT	NS	NT	NT
Total Cadmium (Cd)	µg/l	10	1.75	**1.4**	NS	**2**	NS	**9.1**	ND
Total Chromium (Cr)	µg/l	20	50	**11**	NS	**7.2**	NS	**5.6**	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NS	NT	NS	NT	NT
Total Copper (Cu)	µg/l	200	1000	NT	NS	NT	NS	NT	NT
Total Lead (Pb)	µg/l	100	15	ND	NS	ND	NS	ND	ND
Total Mercury (Hg)	µg/l	0.2	1.05	ND	NS	ND	NS	ND	ND
Total Nickel (Ni)	µg/l	50	100	NT	NS	NT	NS	NT	NT
Total Selenium (Se)	µg/l	5	50	ND	NS	ND	NS	ND	NT
Total Silver (Ag)	µg/l	50	17.5	ND	NS	**4.3**	NS	**4.9**	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NS	NT	NS	NT	NT
Total Vanadium (V)	µg/l	40	NE	NT	NS	NT	NS	NT	ND
Total Zinc (Zn)	µg/l	50	1050	NT	NS	NT	NS	NT	ND
Acetone	µg/l	100	700	NT	NS	NT	NS	NT	NT
Acrylonitrile	µg/l	200	NE	NT	NS	NT	NS	NT	NT
Benzene	µg/l	5	1	NT	NS	NT	NS	NT	NT
Bromochloromethane	µg/l	5	NE	NT	NS	NT	NS	NT	NT
Bromodichloromethane	µg/l	5	0.56	NT	NS	NT	NS	NT	NT
Bromoform	µg/l	5	0.19	NT	NS	NT	NS	NT	NT
Carbon Disulfide	µg/l	100	700	NT	NS	NT	NS	NT	NT
Bromomethane (Methylbromide)	µg/l	10	NE	NT	NS	NT	NS	NT	NT
Carbon tetrachloride	µg/l	10	0.269	NT	NS	NT	NS	NT	NT
Chlorobenzene (mono)	µg/l	5	50	NT	NS	NT	NS	NT	NT
Chloroethane	µg/l	10	2800	NT	NS	NT	NS	NT	NT
Chloroform	µg/l	5	70	NT	NS	NT	NS	NT	NT
Chloromethane (Methylchloride)	µg/l	10	2.6	NT	NS	NT	NS	NT	NT
Dibromochloromethane	µg/l	5	NE	NT	NS	NT	NS	NT	NT
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	NT	NS	NT	NS	NT	NT
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.00047	NT	NS	NT	NS	NT	NT
Dibromomethane	µg/l	10	NE	NT	NS	NT	NS	NT	NT
1,2-Dichlorobenzene	µg/l	5	24	NT	NS	NT	NS	NT	NT
1,4-Dichlorobenzene	µg/l	5	1.4	NT	NS	NT	NS	NT	NT
trans-1,4-Dichloro-2-butene	µg/l	100	NE	NT	NS	NT	NS	NT	NT
1,1-Dichloroethane	µg/l	5	70	NT	NS	NT	NS	NT	NT
1,2-Dichloroethane	µg/l	5	0.38	NT	NS	NT	NS	NT	NT
1,1-Dichloroethene (-ethylene)	µg/l	5	7	NT	NS	NT	NS	NT	NT
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	NT	NS	NT	NS	NT	NT
trans-1,2-Dichloroethene (-ylene)	µg/l	5	100	NT	NS	NT	NS	NT	NT
1,2-Dichloropropane	µg/l	5	0.51	NT	NS	NT	NS	NT	NT
cis-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	NT	NS	NT	NS	NT	NT
trans-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	NT	NS	NT	NS	NT	NT
Ethylbenzene	µg/l	5	550	NT	NS	NT	NS	NT	NT
2-Hexanone	µg/l	50	NE	NT	NS	NT	NS	NT	NT
Iodomethane	µg/l	10	NE	NT	NS	NT	NS	NT	NT
Dichloromethane (Methylene chloride)	µg/l	10	4.6	NT	NS	NT	NS	NT	NT
2-Butanone (Methyl ethyl ketone)	µg/l	100	4200	NT	NS	NT	NS	NT	NT
4-Methyl-2-Pentanone	µg/l	100	NE	NT	NS	NT	NS	NT	NT
Styrene	µg/l	10	100	NT	NS	NT	NS	NT	NT
1,1,1,2-Tetrachloroethane	µg/l	5	NE	NT	NS	NT	NS	NT	NT
1,1,2,2-Tetrachloroethane	µg/l	5	NE	NT	NS	NT	NS	NT	NT
Tetrachloroethene (-ethylene)	µg/l	5	0.7	NT	NS	NT	NS	NT	NT
Toluene	µg/l	5	1000	NT	NS	NT	NS	NT	NT
1,1,1-Trichloroethane	µg/l	5	200	NT	NS	NT	NS	NT	NT
1,1,2-Trichloroethane	µg/l	5	NE	NT	NS	NT	NS	NT	NT
Trichloroethene (-ethylene)	µg/l	5	2.8	NT	NS	NT	NS	NT	NT
Trichlorofluoromethane	µg/l	5	2100	NT	NS	NT	NS	NT	NT
1,2,3-Trichloropropane	µg/l	15	0.005	NT	NS	NT	NS	NT	NT
Vinyl acetate	µg/l	50	NE	NT	NS	NT	NS	NT	NT
Vinyl chloride	µg/l	10	0.015	NT	NS	NT	NS	NT	NT
Xylene	µg/l	5	530	NT	NS	NT	NS	NT	NT

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, Classifications of Water Quality Standards Applicable to Groundwaters of North Carolina, Section 15A NCAC 2L.202.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Groundwater Sampling Event (8-14-2000)

TEST	UNITS	MDL	MCL	MW-4A	MW-5	MW-1A	MW-2	MW-3A	EQUIP. BLANK
pH	pH units (on-site)	-	NE	**4.9**	NT	**5.2**	NS	**5.8**	NT
Specific Conductance	µmhos/cm (on-site)	1	NE	**100**	NT	**440**	NS	**600**	NT
Temperature	°C (on-site)	-	NE	**16**	NT	**15**	NS	**14**	NT
Turbidity	NTU (on-site)	0.1	NE	NT	NT	NT	NS	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT	NS	NT	NT
Total Arsenic (As)	µg/l	5	50	ND	NT	ND	NS	**10**	ND
Total Barium (Ba)	µg/l	100	2000	**180**	NT	**410**	NS	**310**	ND
Total Beryllium (Be)	µg/l	2	NE	NT	NT	NT	NS	NT	NT
Total Cadmium (Cd)	µg/l	10	1.75	**1.3**	NT	**4.9**	NS	**13**	ND
Total Chromium (Cr)	µg/l	20	50	**5.4**	NT	**7.4**	NS	ND	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT	NS	NT	NT
Total Copper (Cu)	µg/l	200	1000	NT	NT	NT	NS	NT	NT
Total Lead (Pb)	µg/l	100	15	ND	NT	ND	NS	ND	ND
Total Mercury (Hg)	µg/l	0.2	1.05	ND	NT	**0.4**	NS	ND	ND
Total Nickel (Ni)	µg/l	50	100	NT	NT	NT	NS	NT	NT
Total Selenium (Se)	µg/l	5	50	ND	NT	ND	NS	ND	ND
Total Silver (Ag)	µg/l	50	17.5	**4**	NT	**8.9**	NS	**7.8**	**3**
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT	NS	NT	NT
Total Vanadium (V)	µg/l	40	NE	NT	NT	NT	NS	NT	NT
Total Zinc (Zn)	µg/l	50	1050	NT	NT	NT	NS	NT	NT
Acetone	µg/l	100	700	NT	NT	NT	NS	NT	NT
Acrylonitrile	µg/l	200	NE	NT	NT	NT	NS	NT	NT
Benzene	µg/l	5	1	NT	NT	NT	NS	NT	NT
Bromochloromethane	µg/l	5	NE	NT	NT	NT	NS	NT	NT
Bromodichloromethane	µg/l	5	0.56	NT	NT	NT	NS	NT	NT
Bromoform	µg/l	5	0.19	NT	NT	NT	NS	NT	NT
Carbon Disulfide	µg/l	100	700	NT	NT	NT	NS	NT	NT
Bromomethane (Methylbromide)	µg/l	10	NE	NT	NT	NT	NS	NT	NT
Carbon tetrachloride	µg/l	10	0.269	NT	NT	NT	NS	NT	NT
Chlorobenzene (mono)	µg/l	5	50	NT	NT	NT	NS	NT	NT
Chloroethane	µg/l	10	2800	NT	NT	NT	NS	NT	NT
Chloroform	µg/l	5	70	NT	NT	NT	NS	NT	NT
Chloromethane (Methylchloride)	µg/l	10	2.6	NT	NT	NT	NS	NT	NT
Dibromochloromethane	µg/l	5	NE	NT	NT	NT	NS	NT	NT
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	NT	NT	NT	NS	NT	NT
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.00047	NT	NT	NT	NS	NT	NT
Dibromomethane	µg/l	10	NE	NT	NT	NT	NS	NT	NT
1,2-Dichlorobenzene	µg/l	5	24	NT	NT	NT	NS	NT	NT
1,4-Dichlorobenzene	µg/l	5	1.4	NT	NT	NT	NS	NT	NT
trans-1,4-Dichloro-2-butene	µg/l	100	NE	NT	NT	NT	NS	NT	NT
1,1-Dichloroethane	µg/l	5	70	NT	NT	NT	NS	NT	NT
1,2-Dichloroethane	µg/l	5	0.38	NT	NT	NT	NS	NT	NT
1,1-Dichloroethene (-ethylene)	µg/l	5	7	NT	NT	NT	NS	NT	NT
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	NT	NT	NT	NS	NT	NT
trans-1,2-Dichloroethene (-ylene)	µg/l	5	100	NT	NT	NT	NS	NT	NT
1,2-Dichloropropane	µg/l	5	0.51	NT	NT	NT	NS	NT	NT
cis-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	NT	NT	NT	NS	NT	NT
trans-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	NT	NT	NT	NS	NT	NT
Ethylbenzene	µg/l	5	550	NT	NT	NT	NS	NT	NT
2-Hexanone	µg/l	50	NE	NT	NT	NT	NS	NT	NT
Iodomethane	µg/l	10	NE	NT	NT	NT	NS	NT	NT
Dichloromethane (Methylene chloride)	µg/l	10	4.6	NT	NT	NT	NS	NT	NT
2-Butanone (Methyl ethyl ketone)	µg/l	100	4200	NT	NT	NT	NS	NT	NT
4-Methyl-2-Pentanone	µg/l	100	NE	NT	NT	NT	NS	NT	NT
Styrene	µg/l	10	100	NT	NT	NT	NS	NT	NT
1,1,1,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT	NS	NT	NT
1,1,2,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT	NS	NT	NT
Tetrachloroethene (-ethylene)	µg/l	5	0.7	NT	NT	NT	NS	NT	NT
Toluene	µg/l	5	1000	NT	NT	NT	NS	NT	NT
1,1,1-Trichloroethane	µg/l	5	200	NT	NT	NT	NS	NT	NT
1,1,2-Trichloroethane	µg/l	5	NE	NT	NT	NT	NS	NT	NT
Trichloroethene (-ethylene)	µg/l	5	2.8	NT	NT	NT	NS	NT	NT
Trichlorofluoromethane	µg/l	5	2100	NT	NT	NT	NS	NT	NT
1,2,3-Trichloropropane	µg/l	15	0.005	NT	NT	NT	NS	NT	NT
Vinyl acetate	µg/l	50	NE	NT	NT	NT	NS	NT	NT
Vinyl chloride	µg/l	10	0.015	NT	NT	NT	NS	NT	NT
Xylene	µg/l	5	530	NT	NT	NT	NS	NT	NT

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, Classifications of Water Quality Standards Applicable to Groundwaters of North Carolina, Section 15A NCAC 2L.202.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Groundwater Sampling Event (3-19-2001)

TEST	UNITS	MDL	MCL	MW-4A	MW-5	MW-1A	MW-2A	MW-3A	EQUIP. BLANK
pH	pH units (on-site)	-	NE	**5.4**	**5.8**	**6.0**	**6.2**	**6.1**	NT
Specific Conductance	µmhos/cm (on-site)	1	NE	**98**	**130**	**350**	**550**	**470**	NT
Temperature	°C (on-site)	-	NE	**14**	**12.1**	**13**	**13**	**13**	NT
Turbidity	NTU (on-site)	0.1	NE	NT	NT	NT	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT	NT	NT	NT
Total Arsenic (As)	µg/l	5	50	ND	**11**	ND	ND	ND	ND
Total Barium (Ba)	µg/l	100	2000	**120**	**2000**	**340**	**830**	**310**	ND
Total Beryllium (Be)	µg/l	2	NE	NT	NT	NT	NT	NT	NT
Total Cadmium (Cd)	µg/l	10	1.75	ND	**18**	**2.6**	**12**	**6.9**	ND
Total Chromium (Cr)	µg/l	20	50	**5.2**	**140**	**12**	**32**	**7.7**	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Copper (Cu)	µg/l	200	1000	NT	NT	NT	NT	NT	NT
Total Lead (Pb)	µg/l	100	15	ND	**38**	ND	**16**	ND	ND
Total Mercury (Hg)	µg/l	0.2	1.05	ND	ND	ND	**0.2**	ND	ND
Total Nickel (Ni)	µg/l	50	100	NT	NT	NT	NT	NT	NT
Total Selenium (Se)	µg/l	5	50	ND	ND	ND	ND	ND	NT
Total Silver (Ag)	µg/l	50	17.5	ND	ND	ND	**6.6**	**4.7**	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Vanadium (V)	µg/l	40	NE	NT	NT	NT	NT	NT	ND
Total Zinc (Zn)	µg/l	50	1050	NT	NT	NT	NT	NT	ND
Acetone	µg/l	100	700	NT	NT	NT	NT	NT	NT
Acrylonitrile	µg/l	200	NE	NT	NT	NT	NT	NT	NT
Benzene	µg/l	5	1	NT	NT	NT	NT	NT	NT
Bromochloromethane	µg/l	5	NE	NT	NT	NT	NT	NT	NT
Bromodichloromethane	µg/l	5	0.56	NT	NT	NT	NT	NT	NT
Bromoform	µg/l	5	0.19	NT	NT	NT	NT	NT	NT
Carbon Disulfide	µg/l	100	700	NT	NT	NT	NT	NT	NT
Bromomethane (Methylbromide)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Carbon tetrachloride	µg/l	10	0.269	NT	NT	NT	NT	NT	NT
Chlorobenzene (mono)	µg/l	5	50	NT	NT	NT	NT	NT	NT
Chloroethane	µg/l	10	2800	NT	NT	NT	NT	NT	NT
Chloroform	µg/l	5	70	NT	NT	NT	NT	NT	NT
Chloromethane (Methylchloride)	µg/l	10	2.6	NT	NT	NT	NT	NT	NT
Dibromochloromethane	µg/l	5	NE	NT	NT	NT	NT	NT	NT
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	NT	NT	NT	NT	NT	NT
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.00047	NT	NT	NT	NT	NT	NT
Dibromomethane	µg/l	10	NE	NT	NT	NT	NT	NT	NT
1,2-Dichlorobenzene	µg/l	5	24	NT	NT	NT	NT	NT	NT
1,4-Dichlorobenzene	µg/l	5	1.4	NT	NT	NT	NT	NT	NT
trans-1,4-Dichloro-2-butene	µg/l	100	NE	NT	NT	NT	NT	NT	NT
1,1-Dichloroethane	µg/l	5	70	NT	NT	NT	NT	NT	NT
1,2-Dichloroethane	µg/l	5	0.38	NT	NT	NT	NT	NT	NT
1,1-Dichloroethene (-ethylene)	µg/l	5	7	NT	NT	NT	NT	NT	NT
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	NT	NT	NT	NT	NT	NT
trans-1,2-Dichloroethene (-ylene)	µg/l	5	100	NT	NT	NT	NT	NT	NT
1,2-Dichloropropane	µg/l	5	0.51	NT	NT	NT	NT	NT	NT
cis-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	NT	NT	NT	NT	NT	NT
trans-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	NT	NT	NT	NT	NT	NT
Ethylbenzene	µg/l	5	550	NT	NT	NT	NT	NT	NT
2-Hexanone	µg/l	50	NE	NT	NT	NT	NT	NT	NT
Iodomethane	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Dichloromethane (Methylene chloride)	µg/l	10	4.6	NT	NT	NT	NT	NT	NT
2-Butanone (Methyl ethyl ketone)	µg/l	100	4200	NT	NT	NT	NT	NT	NT
4-Methyl-2-Pentanone	µg/l	100	NE	NT	NT	NT	NT	NT	NT
Styrene	µg/l	10	100	NT	NT	NT	NT	NT	NT
1,1,1,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT	NT	NT	NT
1,1,2,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT	NT	NT	NT
Tetrachloroethene (-ethylene)	µg/l	5	0.7	NT	NT	NT	NT	NT	NT
Toluene	µg/l	5	1000	NT	NT	NT	NT	NT	NT
1,1,1-Trichloroethane	µg/l	5	200	NT	NT	NT	NT	NT	NT
1,1,2-Trichloroethane	µg/l	5	NE	NT	NT	NT	NT	NT	NT
Trichloroethene (-ethylene)	µg/l	5	2.8	NT	NT	NT	NT	NT	NT
Trichlorofluoromethane	µg/l	5	2100	NT	NT	NT	NT	NT	NT
1,2,3-Trichloropropane	µg/l	15	0.005	NT	NT	NT	NT	NT	NT
Vinyl acetate	µg/l	50	NE	NT	NT	NT	NT	NT	NT
Vinyl chloride	µg/l	10	0.015	NT	NT	NT	NT	NT	NT
Xylene	µg/l	5	530	NT	NT	NT	NT	NT	NT

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, Classifications of Water Quality Standards Applicable to Groundwaters of North Carolina, Section 15A NCAC 2L.202.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Groundwater Sampling Event (8-27-2002)

TEST	UNITS	MDL	MCL	MW-4	MW-5	MW-1A	MW-2A	MW-3A	EQUIP. BLANK
pH	pH units (on-site)	-	NE	**5.5**	**5.83**	**5.9**	**5.92**	NT	NT
Specific Conductance	µmhos/cm (on-site)	1	NE	**110**	**170**	**331**	**460**	NT	NT
Temperature	°C (on-site)	-	NE	**16.2**	**14.4**	**16.5**	**17.8**	NT	NT
Turbidity	NTU (on-site)	0.1	NE	NT	NT	NT	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT	NT	NT	NT
Total Arsenic (As)	µg/l	5	50	**5.8**	**25**	ND	**23**	NT	ND
Total Barium (Ba)	µg/l	100	2000	**150**	**2800**	**250**	**2700**	NT	ND
Total Beryllium (Be)	µg/l	2	NE	NT	NT	NT	NT	NT	NT
Total Cadmium (Cd)	µg/l	10	1.75	ND	**21**	ND	**25**	NT	ND
Total Chromium (Cr)	µg/l	20	50	**5.4**	**210**	ND	**130**	NT	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Copper (Cu)	µg/l	200	1000	NT	NT	NT	NT	NT	NT
Total Lead (Pb)	µg/l	100	15	ND	**47**	ND	**31**	NT	ND
Total Mercury (Hg)	µg/l	0.2	1.05	ND	ND	ND	ND	NT	ND
Total Nickel (Ni)	µg/l	50	100	ND	ND	ND	ND	NT	ND
Total Selenium (Se)	µg/l	5	50	NT	NT	NT	NT	NT	NT
Total Silver (Ag)	µg/l	50	17.5	ND	ND	ND	ND	NT	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Vanadium (V)	µg/l	40	NE	NT	NT	NT	NT	NT	NT
Total Zinc (Zn)	µg/l	50	1050	NT	NT	NT	NT	NT	NT
Acetone	µg/l	100	700	NT	NT	NT	NT	NT	NT
Acrylonitrile	µg/l	200	NE	NT	NT	NT	NT	NT	NT
Benzene	µg/l	5	1	NT	NT	NT	NT	NT	NT
Bromochloromethane	µg/l	5	NE	NT	NT	NT	NT	NT	NT
Bromodichloromethane	µg/l	5	0.56	NT	NT	NT	NT	NT	NT
Bromoform	µg/l	5	0.19	NT	NT	NT	NT	NT	NT
Carbon Disulfide	µg/l	100	700	NT	NT	NT	NT	NT	NT
Bromomethane (Methylbromide)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Carbon tetrachloride	µg/l	10	0.269	NT	NT	NT	NT	NT	NT
Chlorobenzene (mono)	µg/l	5	50	NT	NT	NT	NT	NT	NT
Chloroethane	µg/l	10	2800	NT	NT	NT	NT	NT	NT
Chloroform	µg/l	5	70	NT	NT	NT	NT	NT	NT
Chloromethane (Methylchloride)	µg/l	10	2.6	NT	NT	NT	NT	NT	NT
Dibromochloromethane	µg/l	5	NE	NT	NT	NT	NT	NT	NT
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	NT	NT	NT	NT	NT	NT
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.00047	NT	NT	NT	NT	NT	NT
Dibromomethane	µg/l	10	NE	NT	NT	NT	NT	NT	NT
1,2-Dichlorobenzene	µg/l	5	24	NT	NT	NT	NT	NT	NT
1,4-Dichlorobenzene	µg/l	5	1.4	NT	NT	NT	NT	NT	NT
trans-1,4-Dichloro-2-butene	µg/l	100	NE	NT	NT	NT	NT	NT	NT
1,1-Dichloroethane	µg/l	5	70	NT	NT	NT	NT	NT	NT
1,2-Dichloroethane	µg/l	5	0.38	NT	NT	NT	NT	NT	NT
1,1-Dichloroethene (-ethylene)	µg/l	5	7	NT	NT	NT	NT	NT	NT
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	NT	NT	NT	NT	NT	NT
trans-1,2-Dichloroethene (-ylene)	µg/l	5	100	NT	NT	NT	NT	NT	NT
1,2-Dichloropropane	µg/l	5	0.51	NT	NT	NT	NT	NT	NT
cis-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	NT	NT	NT	NT	NT	NT
trans-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	NT	NT	NT	NT	NT	NT
Ethylbenzene	µg/l	5	550	NT	NT	NT	NT	NT	NT
2-Hexanone	µg/l	50	NE	NT	NT	NT	NT	NT	NT
Iodomethane	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Dichloromethane (Methylene chloride)	µg/l	10	4.6	NT	NT	NT	NT	NT	NT
2-Butanone (Methyl ethyl ketone)	µg/l	100	4200	NT	NT	NT	NT	NT	NT
4-Methyl-2-Pentanone	µg/l	100	NE	NT	NT	NT	NT	NT	NT
Styrene	µg/l	10	100	NT	NT	NT	NT	NT	NT
1,1,1,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT	NT	NT	NT
1,1,2,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT	NT	NT	NT
Tetrachloroethene (-ethylene)	µg/l	5	0.7	NT	NT	NT	NT	NT	NT
Toluene	µg/l	5	1000	NT	NT	NT	NT	NT	NT
1,1,1-Trichloroethane	µg/l	5	200	NT	NT	NT	NT	NT	NT
1,1,2-Trichloroethane	µg/l	5	NE	NT	NT	NT	NT	NT	NT
Trichloroethene (-ethylene)	µg/l	5	2.8	NT	NT	NT	NT	NT	NT
Trichlorofluoromethane	µg/l	5	2100	NT	NT	NT	NT	NT	NT
1,2,3-Trichloropropane	µg/l	15	0.005	NT	NT	NT	NT	NT	NT
Vinyl acetate	µg/l	50	NE	NT	NT	NT	NT	NT	NT
Vinyl chloride	µg/l	10	0.015	NT	NT	NT	NT	NT	NT
Xylene	µg/l	5	530	NT	NT	NT	NT	NT	NT

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, Classifications of Water Quality Standards Applicable to Groundwaters of North Carolina, Section 15A NCAC 2L.202.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Groundwater Sampling Event (2-24-2003)

TEST	UNITS	MDL	MCL	MW-4	MW-5	MW-1A	MW-2A	MW-3A	EQUIP. BLANK
pH	pH units (on-site)	-	NE	**5.21**	**5.59**	**5.85**	**6.1**	**6.15**	NT
Specific Conductance	µmhos/cm (on-site)	1	NE	**99**	**165**	**351**	**417**	**380**	NT
Temperature	°C (on-site)	-	NE	**13.1**	**12.2**	**13.7**	**13**	**13.7**	NT
Turbidity	NTU (on-site)	0.1	NE	NT	NT	NT	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT	NT	NT	NT
Total Arsenic (As)	µg/l	5	50	ND	**23**	ND	**16**	ND	ND
Total Barium (Ba)	µg/l	100	2000	**150**	**2500**	**310**	**1800**	**330**	ND
Total Beryllium (Be)	µg/l	2	NE	NT	NT	NT	NT	NT	NT
Total Cadmium (Cd)	µg/l	10	1.75	ND	**19**	**2.1**	**22**	**6.2**	ND
Total Chromium (Cr)	µg/l	20	50	ND	**200**	**5.1**	**79**	**14**	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Copper (Cu)	µg/l	200	1000	NT	NT	NT	NT	NT	NT
Total Lead (Pb)	µg/l	100	15	ND	**41**	ND	**27**	ND	ND
Total Mercury (Hg)	µg/l	0.2	1.05	NT	NT	NT	NT	NT	NT
Total Nickel (Ni)	µg/l	50	100	NT	NT	NT	NT	NT	NT
Total Selenium (Se)	µg/l	5	50	NT	NT	NT	NT	NT	NT
Total Silver (Ag)	µg/l	50	17.5	**4.1**	ND	**7.3**	**3.5**	**8.5**	**3.3**
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Vanadium (V)	µg/l	40	NE	NT	NT	NT	NT	NT	NT
Total Zinc (Zn)	µg/l	50	1050	NT	NT	NT	NT	NT	NT
Acetone	µg/l	100	700	NT	NT	NT	NT	NT	NT
Acrylonitrile	µg/l	200	NE	NT	NT	NT	NT	NT	NT
Benzene	µg/l	5	1	NT	NT	NT	NT	NT	NT
Bromochloromethane	µg/l	5	NE	NT	NT	NT	NT	NT	NT
Bromodichloromethane	µg/l	5	0.56	NT	NT	NT	NT	NT	NT
Bromoform	µg/l	5	0.19	NT	NT	NT	NT	NT	NT
Carbon Disulfide	µg/l	100	700	NT	NT	NT	NT	NT	NT
Bromomethane (Methylbromide)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Carbon tetrachloride	µg/l	10	0.269	NT	NT	NT	NT	NT	NT
Chlorobenzene (mono)	µg/l	5	50	NT	NT	NT	NT	NT	NT
Chloroethane	µg/l	10	2800	NT	NT	NT	NT	NT	NT
Chloroform	µg/l	5	70	NT	NT	NT	NT	NT	NT
Chloromethane (Methylchloride)	µg/l	10	2.6	NT	NT	NT	NT	NT	NT
Dibromochloromethane	µg/l	5	NE	NT	NT	NT	NT	NT	NT
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	NT	NT	NT	NT	NT	NT
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.00047	NT	NT	NT	NT	NT	NT
Dibromomethane	µg/l	10	NE	NT	NT	NT	NT	NT	NT
1,2-Dichlorobenzene	µg/l	5	24	NT	NT	NT	NT	NT	NT
1,4-Dichlorobenzene	µg/l	5	1.4	NT	NT	NT	NT	NT	NT
trans-1,4-Dichloro-2-butene	µg/l	100	NE	NT	NT	NT	NT	NT	NT
1,1-Dichloroethane	µg/l	5	70	NT	NT	NT	NT	NT	NT
1,2-Dichloroethane	µg/l	5	0.38	NT	NT	NT	NT	NT	NT
1,1-Dichloroethene (-ethylene)	µg/l	5	7	NT	NT	NT	NT	NT	NT
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	NT	NT	NT	NT	NT	NT
trans-1,2-Dichloroethene (-ylene)	µg/l	5	100	NT	NT	NT	NT	NT	NT
1,2-Dichloropropane	µg/l	5	0.51	NT	NT	NT	NT	NT	NT
cis-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	NT	NT	NT	NT	NT	NT
trans-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	NT	NT	NT	NT	NT	NT
Ethylbenzene	µg/l	5	550	NT	NT	NT	NT	NT	NT
2-Hexanone	µg/l	50	NE	NT	NT	NT	NT	NT	NT
Iodomethane	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Dichloromethane (Methylene chloride)	µg/l	10	4.6	NT	NT	NT	NT	NT	NT
2-Butanone (Methyl ethyl ketone)	µg/l	100	4200	NT	NT	NT	NT	NT	NT
4-Methyl-2-Pentanone	µg/l	100	NE	NT	NT	NT	NT	NT	NT
Styrene	µg/l	10	100	NT	NT	NT	NT	NT	NT
1,1,1,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT	NT	NT	NT
1,1,2,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT	NT	NT	NT
Tetrachloroethene (-ethylene)	µg/l	5	0.7	NT	NT	NT	NT	NT	NT
Toluene	µg/l	5	1000	NT	NT	NT	NT	NT	NT
1,1,1-Trichloroethane	µg/l	5	200	NT	NT	NT	NT	NT	NT
1,1,2-Trichloroethane	µg/l	5	NE	NT	NT	NT	NT	NT	NT
Trichloroethene (-ethylene)	µg/l	5	2.8	NT	NT	NT	NT	NT	NT
Trichlorofluoromethane	µg/l	5	2100	NT	NT	NT	NT	NT	NT
1,2,3-Trichloropropane	µg/l	15	0.005	NT	NT	NT	NT	NT	NT
Vinyl acetate	µg/l	50	NE	NT	NT	NT	NT	NT	NT
Vinyl chloride	µg/l	10	0.015	NT	NT	NT	NT	NT	NT
Xylene	µg/l	5	530	NT	NT	NT	NT	NT	NT

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, Classifications of Water Quality Standards Applicable to Groundwaters of North Carolina, Section 15A NCAC 2L.202.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Groundwater Sampling Event (8-11-2003)

TEST	UNITS	MDL	MCL	MW-4	MW-5	MW-1A	MW-2A	MW-3A	EQUIP. BLANK
pH	pH units (on-site)	-	NE	**5.69**	**5.89**	**6.27**	**6.34**	**6.28**	NT
Specific Conductance	µmhos/cm (on-site)	1	NE	**100**	**189**	**5.25**	**580**	**510**	NT
Temperature	°C (on-site)	-	NE	**16.4**	**15.2**	**16.9**	**14**	**14**	NT
Turbidity	NTU (on-site)	0.1	NE	NT	NT	NT	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT	NT	NT	NT
Total Arsenic (As)	µg/l	5	50	ND	**9.9**	ND	**6.5**	ND	ND
Total Barium (Ba)	µg/l	5	2000	**150**	**1200**	**530**	**950**	**350**	ND
Total Beryllium (Be)	µg/l	2	NE	NT	NT	NT	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	1.75	ND	ND	**2**	**3.1**	ND	ND
Total Chromium (Cr)	µg/l	2	50	**81**	**81**	**19**	**38**	**6.7**	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Copper (Cu)	µg/l	200	1000	NT	NT	NT	NT	NT	NT
Total Lead (Pb)	µg/l	5	15	**30**	**30**	**10**	**28**	**17**	ND
Total Mercury (Hg)	µg/l	0.2	1.05	ND	ND	ND	ND	ND	ND
Total Nickel (Ni)	µg/l	50	100	NT	NT	NT	NT	NT	NT
Total Selenium (Se)	µg/l	5	50	ND	ND	ND	**7.3**	ND	ND
Total Silver (Ag)	µg/l	2	17.5	ND	ND	ND	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Vanadium (V)	µg/l	40	NE	NT	NT	NT	NT	NT	NT
Total Zinc (Zn)	µg/l	50	1050	NT	NT	NT	NT	NT	NT
Acetone	µg/l	10	700	ND	ND	ND	ND	ND	ND
Acrylonitrile	µg/l	25	NE	ND	ND	ND	ND	ND	ND
Benzene	µg/l	5	1	**7.2**	**9**	ND	ND	ND	ND
Bromochloromethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Bromodichloromethane	µg/l	5	0.56	ND	ND	ND	ND	ND	ND
Bromoform	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
Carbon Disulfide	µg/l	10	700	ND	ND	ND	ND	ND	ND
Bromomethane (Methylbromide)	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	µg/l	5	0.269	ND	ND	ND	ND	ND	ND
Chlorobenzene (mono)	µg/l	5	50	ND	ND	ND	ND	ND	ND
Chloroethane	µg/l	10	2800	**52**	**33**	**20**	**11**	ND	ND
Chloroform	µg/l	5	70	ND	ND	ND	ND	ND	ND
Chloromethane (Methylchloride)	µg/l	5	2.6	ND	ND	ND	ND	ND	ND
Dibromochloromethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	5	0.025	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.00047	ND	ND	ND	ND	ND	ND
Dibromomethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	µg/l	5	24	ND	ND	ND	**22**	ND	ND
1,4-Dichlorobenzene	µg/l	5	1.4	ND	ND	ND	ND	ND	ND
trans-1,4-Dichloro-2-butene	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	µg/l	5	70	**22**	**23**	**8.8**	**5.2**	**10**	ND
1,2-Dichloroethane	µg/l	5	0.38	ND	ND	ND	ND	**5**	ND
1,1-Dichloroethene (-ethylene)	µg/l	5	7	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	**16**	**21**	**13**	**50**	**5.6**	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	5	100	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	µg/l	5	0.51	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
Ethylbenzene	µg/l	5	550	ND	ND	ND	ND	ND	ND
2-Hexanone	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Iodomethane	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Dichloromethane (Methylene chloride)	µg/l	5	4.6	ND	**21**	ND	ND	ND	ND
2-Butanone (Methyl ethyl ketone)	µg/l	10	4200	ND	ND	ND	ND	ND	ND
4-Methyl-2-Pentanone	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Styrene	µg/l	5	100	ND	ND	ND	ND	ND	ND
1,1,1,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Tetrachloroethene (-ethylene)	µg/l	5	0.7	ND	**8.9**	ND	ND	ND	ND
Toluene	µg/l	5	1000	ND	ND	ND	ND	**4500**	ND
1,1,1-Trichloroethane	µg/l	5	200	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Trichloroethene (-ethylene)	µg/l	5	2.8	**5.6**	**11**	ND	ND	ND	ND
Trichlorofluoromethane	µg/l	10	2100	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	µg/l	5	0.005	ND	ND	ND	ND	ND	ND
Vinyl acetate	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Vinyl chloride	µg/l	5	0.015	ND	ND	ND	ND	ND	ND
Xylene	µg/l	10	530	ND	ND	ND	ND	ND	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, Classifications of Water Quality Standards Applicable to Groundwaters of North Carolina, Section 15A NCAC 2L.202.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Groundwater Sampling Event (2-9-2004)

TEST	UNITS	MDL	MCL	MW-4	MW-5	MW-1A	MW-2A	MW-3A	EQUIP. BLANK
pH	pH units (on-site)	-	NE	5.54	5.4	5.91	6.06	5.95	NT
Specific Conductance	µmhos/cm (on-site)	1	NE	99	165	322	349	259	NT
Temperature	°C (on-site)	-	NE	12.1	11.8	13.5	12.4	12	NT
Turbidity	NTU (on-site)	0.1	NE	NT	NT	NT	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT	NT	NT	NT
Total Arsenic (As)	µg/l	5	50	ND	8.3	ND	ND	ND	ND
Total Barium (Ba)	µg/l	5	2000	120	890	260	370	310	ND
Total Beryllium (Be)	µg/l	2	NE	NT	NT	NT	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	1.75	ND	ND	ND	ND	ND	ND
Total Chromium (Cr)	µg/l	2	50	ND	57	ND	2.1	4.9	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Copper (Cu)	µg/l	200	1000	NT	NT	NT	NT	NT	NT
Total Lead (Pb)	µg/l	5	15	ND	18	ND	9.4	7.4	ND
Total Mercury (Hg)	µg/l	0.2	1.05	ND	ND	ND	ND	ND	ND
Total Nickel (Ni)	µg/l	50	100	ND	ND	ND	ND	ND	ND
Total Selenium (Se)	µg/l	5	50	ND	ND	6.9	13	16	ND
Total Silver (Ag)	µg/l	2	17.5	ND	ND	ND	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Vanadium (V)	µg/l	40	NE	NT	NT	NT	NT	NT	NT
Total Zinc (Zn)	µg/l	50	1050	NT	NT	NT	NT	NT	NT
Acetone	µg/l	10	700	ND	ND	ND	25	ND	ND
Acrylonitrile	µg/l	25	NE	ND	ND	ND	ND	ND	ND
Benzene	µg/l	5	1	14	ND	ND	ND	ND	ND
Bromochloromethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Bromodichloromethane	µg/l	5	0.56	ND	ND	ND	ND	ND	ND
Bromoform	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
Carbon Disulfide	µg/l	10	700	ND	ND	12	ND	ND	ND
Bromomethane (Methylbromide)	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	µg/l	5	0.269	ND	ND	ND	ND	ND	ND
Chlorobenzene (mono)	µg/l	5	50	ND	ND	ND	ND	ND	ND
Chloroethane	µg/l	10	2800	ND	ND	ND	ND	ND	ND
Chloroform	µg/l	5	70	ND	ND	ND	ND	ND	ND
Chloromethane (Methylchloride)	µg/l	5	2.6	ND	ND	ND	ND	ND	ND
Dibromochloromethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	5	0.025	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.00047	ND	ND	ND	ND	ND	ND
Dibromomethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	µg/l	5	24	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	µg/l	5	1.4	ND	ND	ND	5.9	ND	ND
trans-1,4-Dichloro-2-butene	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	µg/l	5	70	40	ND	6.2	ND	8.2	ND
1,2-Dichloroethane	µg/l	5	0.38	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene (-ethylene)	µg/l	5	7	ND	11	ND	ND	ND	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	24	ND	11	7.6	ND	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	5	100	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	µg/l	5	0.51	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	5	0.19	ND	8.1	ND	ND	ND	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
Ethylbenzene	µg/l	5	550	ND	ND	ND	ND	ND	ND
2-Hexanone	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Iodomethane	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Dichloromethane (Methylene chloride)	µg/l	5	4.6	ND	8.7	ND	ND	ND	ND
2-Butanone (Methyl ethyl ketone)	µg/l	10	4200	ND	ND	ND	ND	ND	ND
4-Methyl-2-Pentanone	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Styrene	µg/l	5	100	ND	ND	ND	ND	ND	ND
1,1,1,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Tetrachloroethene (-ethylene)	µg/l	5	0.7	9.6	6.2	ND	ND	ND	ND
Toluene	µg/l	5	1000	ND	ND	ND	ND	34	ND
1,1,1-Trichloroethane	µg/l	5	200	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Trichloroethene (-ethylene)	µg/l	5	2.8	13	6.2	ND	ND	ND	ND
Trichlorofluoromethane	µg/l	10	2100	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	µg/l	5	0.005	ND	ND	ND	ND	ND	ND
Vinyl acetate	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Vinyl chloride	µg/l	5	0.015	ND	ND	ND	ND	ND	ND
Xylene	µg/l	10	530	ND	ND	ND	ND	ND	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, Classifications of Water Quality Standards Applicable to Groundwaters of North Carolina, Section 15A NCAC 2L.202.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Groundwater Sampling Event (8-16-2004)

TEST	UNITS	MDL	MCL	MW-4	MW-5	MW-1A	MW-2A	MW-3A	EQUIP. BLANK
pH	pH units (on-site)	-	NE	**5.64**	**5.84**	**6.14**	**6.14**	**6.15**	NT
Specific Conductance	µmhos/cm (on-site)	1	NE	**115**	**170**	**345**	**465**	**410**	NT
Temperature	°C (on-site)	-	NE	**17.3**	**15.3**	**16.9**	**13.5**	**14.1**	NT
Turbidity	NTU (on-site)	0.1	NE	NT	NT	NT	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT	NT	NT	NT
Total Arsenic (As)	µg/l	5	50	ND	**6.1**	ND	ND	ND	ND
Total Barium (Ba)	µg/l	5	2000	**140**	**1100**	**280**	**300**	**310**	ND
Total Beryllium (Be)	µg/l	2	NE	NT	NT	NT	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	1.75	ND	ND	ND	ND	ND	ND
Total Chromium (Cr)	µg/l	2	50	**3.3**	**52**	**4**	**2.8**	**2**	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Copper (Cu)	µg/l	200	1000	NT	NT	NT	NT	NT	NT
Total Lead (Pb)	µg/l	5	15	ND	**23**	ND	**11**	**9.4**	ND
Total Mercury (Hg)	µg/l	0.2	1.05	**0.3**	ND	**1.4**	**3.5**	**0.6**	**0.7**
Total Nickel (Ni)	µg/l	50	100	NT	NT	NT	NT	NT	NT
Total Selenium (Se)	µg/l	5	50	ND	ND	**5.5**	ND	ND	ND
Total Silver (Ag)	µg/l	2	17.5	ND	ND	ND	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Vanadium (V)	µg/l	40	NE	NT	NT	NT	NT	NT	NT
Total Zinc (Zn)	µg/l	50	1050	NT	NT	NT	NT	NT	NT
Acetone	µg/l	100	700	ND	ND	ND	ND	ND	ND
Acrylonitrile	µg/l	200	NE	ND	ND	ND	ND	ND	ND
Benzene	µg/l	5	1	**13**	**6.1**	ND	ND	ND	ND
Bromochloromethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Bromodichloromethane	µg/l	5	0.56	ND	ND	ND	ND	ND	ND
Bromoform	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
Carbon Disulfide	µg/l	100	700	ND	ND	ND	ND	ND	ND
Bromomethane (Methylbromide)	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	µg/l	10	0.269	ND	ND	ND	ND	ND	ND
Chlorobenzene (mono)	µg/l	5	50	ND	ND	ND	ND	ND	ND
Chloroethane	µg/l	10	2800	ND	ND	ND	ND	ND	ND
Chloroform	µg/l	5	70	ND	ND	ND	ND	ND	ND
Chloromethane (Methylchloride)	µg/l	10	2.6	ND	ND	ND	ND	ND	ND
Dibromochloromethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.00047	ND	ND	ND	ND	ND	ND
Dibromomethane	µg/l	10	NE	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	µg/l	5	24	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	µg/l	5	1.4	ND	ND	ND	**11**	ND	ND
trans-1,4-Dichloro-2-butene	µg/l	100	NE	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	µg/l	5	70	**38**	**12**	ND	ND	**12**	ND
1,2-Dichloroethane	µg/l	5	0.38	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene (-ethylene)	µg/l	5	7	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	**29**	**15**	**9.7**	**12**	ND	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	5	100	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	µg/l	5	0.51	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	ND	ND	ND	ND	ND	ND
Ethylbenzene	µg/l	5	550	ND	ND	ND	ND	ND	ND
2-Hexanone	µg/l	50	NE	ND	ND	ND	ND	ND	ND
Iodomethane	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Dichloromethane (Methylene chloride)	µg/l	10	4.6	**6.1**	ND	ND	ND	ND	ND
2-Butanone (Methyl ethyl ketone)	µg/l	100	4200	ND	ND	ND	ND	ND	ND
4-Methyl-2-Pentanone	µg/l	100	NE	ND	ND	ND	ND	ND	ND
Styrene	µg/l	10	100	ND	ND	ND	ND	ND	ND
1,1,1,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Tetrachloroethene (-ethylene)	µg/l	5	0.7	**7.9**	**5.8**	ND	ND	ND	ND
Toluene	µg/l	5	1000	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	µg/l	5	200	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Trichloroethene (-ethylene)	µg/l	5	2.8	**10**	**5.5**	ND	ND	ND	ND
Trichlorofluoromethane	µg/l	5	2100	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	µg/l	15	0.005	ND	ND	ND	ND	ND	ND
Vinyl acetate	µg/l	50	NE	ND	ND	ND	ND	ND	ND
Vinyl chloride	µg/l	10	0.015	ND	ND	ND	ND	ND	ND
Xylene	µg/l	5	530	ND	ND	ND	ND	ND	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, Classifications of Water Quality Standards Applicable to Groundwaters of North Carolina, Section 15A NCAC 2L.202.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Groundwater Sampling Event (2-14-2005)

TEST	UNITS	MDL	MCL	MW-4	MW-5	MW-1A	MW-2A	MW-3A	EQUIP. BLANK
pH	pH units (on-site)	-	NE	5.38	5.6	6.09	6.06	6.07	NT
Specific Conductance	µmhos/cm (on-site)	1	NE	95	131	270	360	278	NT
Temperature	°C (on-site)	-	NE	11.3	11.3	12.3	13.3	12.8	NT
Turbidity	NTU (on-site)	0.1	NE	NT	NT	NT	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT	NT	NT	NT
Total Arsenic (As)	µg/l	5	50	ND	6.2	ND	ND	ND	ND
Total Barium (Ba)	µg/l	5	2000	160	520	310	300	300	ND
Total Beryllium (Be)	µg/l	2	NE	NT	NT	NT	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	1.75	ND	ND	2.4	7	4	ND
Total Chromium (Cr)	µg/l	2	50	4.1	11	7.6	18	12	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Copper (Cu)	µg/l	200	1000	NT	NT	NT	NT	NT	NT
Total Lead (Pb)	µg/l	5	15	ND	7.9	ND	ND	ND	ND
Total Mercury (Hg)	µg/l	0.2	1.05	ND	ND	ND	ND	ND	ND
Total Nickel (Ni)	µg/l	50	100	NT	NT	NT	NT	NT	NT
Total Selenium (Se)	µg/l	5	50	5.3	ND	16	39	24	5.8
Total Silver (Ag)	µg/l	2	17.5	ND	ND	ND	5.8	3.6	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Vanadium (V)	µg/l	40	NE	NT	NT	NT	NT	NT	NT
Total Zinc (Zn)	µg/l	50	1050	NT	NT	NT	NT	NT	NT
Acetone	µg/l	100	700	53	ND	ND	ND	ND	ND
Acrylonitrile	µg/l	200	NE	ND	ND	ND	ND	ND	ND
Benzene	µg/l	5	1	20	7.1	ND	ND	ND	ND
Bromochloromethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Bromodichloromethane	µg/l	5	0.56	ND	ND	ND	ND	ND	ND
Bromoform	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
Carbon Disulfide	µg/l	100	700	ND	ND	ND	ND	ND	ND
Bromomethane (Methylbromide)	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	µg/l	10	0.269	ND	ND	ND	ND	ND	ND
Chlorobenzene (mono)	µg/l	5	50	ND	ND	ND	ND	ND	ND
Chloroethane	µg/l	10	2800	16	ND	ND	ND	ND	ND
Chloroform	µg/l	5	70	ND	ND	ND	ND	ND	ND
Chloromethane (Methylchloride)	µg/l	10	2.6	ND	ND	ND	ND	ND	ND
Dibromochloromethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.00047	ND	ND	ND	ND	ND	ND
Dibromomethane	µg/l	10	NE	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	µg/l	5	24	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	µg/l	5	1.4	ND	ND	ND	14	ND	ND
trans-1,4-Dichloro-2-butene	µg/l	100	NE	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	µg/l	5	70	70	15	5.5	ND	11	ND
1,2-Dichloroethane	µg/l	5	0.38	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene (-ethylene)	µg/l	5	7	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	48	20	10	26	6	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	5	100	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	µg/l	5	0.51	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	10	0.19	ND	ND	ND	ND	ND	ND
Ethylbenzene	µg/l	5	550	ND	ND	ND	ND	ND	ND
2-Hexanone	µg/l	50	NE	ND	ND	ND	ND	ND	ND
Iodomethane	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Dichloromethane (Methylene chloride)	µg/l	10	4.6	12	12	ND	ND	ND	ND
2-Butanone (Methyl ethyl ketone)	µg/l	100	4200	ND	ND	ND	ND	ND	ND
4-Methyl-2-Pentanone	µg/l	100	NE	ND	ND	ND	ND	ND	ND
Styrene	µg/l	10	100	ND	ND	ND	ND	ND	ND
1,1,1,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Tetrachloroethene (-ethylene)	µg/l	5	0.7	15	6.4	ND	ND	ND	ND
Toluene	µg/l	5	1000	ND	ND	ND	ND	6.5	ND
1,1,1-Trichloroethane	µg/l	5	200	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Trichloroethene (-ethylene)	µg/l	5	2.8	17	7	ND	ND	ND	ND
Trichlorofluoromethane	µg/l	5	2100	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	µg/l	15	0.005	ND	ND	ND	ND	ND	ND
Vinyl acetate	µg/l	50	NE	ND	ND	ND	ND	ND	ND
Vinyl chloride	µg/l	10	0.015	ND	ND	ND	ND	ND	ND
Xylene	µg/l	5	530	ND	ND	ND	ND	ND	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, Classifications of Water Quality Standards Applicable to Groundwaters of North Carolina, Section 15A NCAC 2L.202.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Groundwater Sampling Event (9-1-2005)

TEST	UNITS	MDL	MCL	MW-4	MW-5	MW-1A	MW-2A	MW-3A	EQUIP. BLANK
pH	pH units (on-site)	-	NE	**5.58**	**5.63**	**6.21**	**6.42**	**6.45**	NT
Specific Conductance	µmhos/cm (on-site)	1	NE	**122**	**150**	**355**	**485**	**300**	NT
Temperature	°C (on-site)	-	NE	**15.2**	**13.7**	**16**	**13.7**	**14**	NT
Turbidity	NTU (on-site)	0.1	NE	NT	NT	NT	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT	NT	NT	NT
Total Arsenic (As)	µg/l	5	50	ND	ND	ND	ND	ND	ND
Total Barium (Ba)	µg/l	5	2000	**140**	**330**	**280**	**280**	**210**	ND
Total Beryllium (Be)	µg/l	2	NE	NT	NT	NT	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	1.75	ND	ND	ND	ND	ND	ND
Total Chromium (Cr)	µg/l	2	50	ND	ND	ND	ND	ND	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Copper (Cu)	µg/l	200	1000	NT	NT	NT	NT	NT	NT
Total Lead (Pb)	µg/l	5	15	ND	ND	ND	**14**	**7.4**	ND
Total Mercury (Hg)	µg/l	0.2	1.05	**0.2**	ND	ND	ND	ND	ND
Total Nickel (Ni)	µg/l	50	100	NT	NT	NT	NT	NT	NT
Total Selenium (Se)	µg/l	5	50	**6.9**	ND	**10**	**8.9**	**9.5**	ND
Total Silver (Ag)	µg/l	2	17.5	ND	ND	ND	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Vanadium (V)	µg/l	40	NE	NT	NT	NT	NT	NT	NT
Total Zinc (Zn)	µg/l	50	1050	NT	NT	NT	NT	NT	NT
Acetone	µg/l	10	700	ND	ND	ND	ND	ND	ND
Acrylonitrile	µg/l	25	NE	ND	ND	ND	ND	ND	ND
Benzene	µg/l	5	1	**13**	ND	ND	ND	ND	ND
Bromochloromethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Bromodichloromethane	µg/l	5	0.56	ND	ND	ND	ND	ND	ND
Bromoform	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
Carbon Disulfide	µg/l	10	700	ND	ND	ND	ND	ND	ND
Bromomethane (Methylbromide)	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	µg/l	5	0.269	ND	ND	ND	ND	ND	ND
Chlorobenzene (mono)	µg/l	5	50	ND	ND	ND	ND	ND	ND
Chloroethane	µg/l	10	2800	ND	ND	ND	ND	ND	ND
Chloroform	µg/l	5	70	ND	ND	ND	ND	ND	ND
Chloromethane (Methylchloride)	µg/l	5	2.6	ND	ND	ND	ND	ND	ND
Dibromochloromethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	5	0.025	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.00047	ND	ND	ND	ND	ND	ND
Dibromomethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	µg/l	5	24	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	µg/l	5	1.4	ND	ND	ND	**13**	ND	ND
trans-1,4-Dichloro-2-butene	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	µg/l	5	70	**42**	**10**	**6.3**	ND	**8.6**	ND
1,2-Dichloroethane	µg/l	5	0.38	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene (-ethylene)	µg/l	5	7	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	**31**	**13**	**11**	**27**	**9.4**	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	5	100	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	µg/l	5	0.51	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
Ethylbenzene	µg/l	5	550	ND	ND	ND	ND	ND	ND
2-Hexanone	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Iodomethane	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Dichloromethane (Methylene chloride)	µg/l	5	4.6	**7.3**	**7.4**	ND	ND	ND	ND
2-Butanone (Methyl ethyl ketone)	µg/l	10	4200	ND	ND	ND	ND	ND	ND
4-Methyl-2-Pentanone	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Styrene	µg/l	5	100	ND	ND	ND	ND	ND	ND
1,1,1,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Tetrachloroethene (-ethylene)	µg/l	5	0.7	**9**	**5.4**	ND	ND	ND	ND
Toluene	µg/l	5	1000	ND	ND	ND	ND	**120**	ND
1,1,1-Trichloroethane	µg/l	5	200	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Trichloroethene (-ethylene)	µg/l	5	2.8	**11**	ND	ND	ND	ND	ND
Trichlorofluoromethane	µg/l	10	2100	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	µg/l	5	0.005	ND	ND	ND	ND	ND	ND
Vinyl acetate	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Vinyl chloride	µg/l	5	0.015	ND	ND	ND	ND	ND	ND
Xylene	µg/l	10	530	ND	ND	ND	ND	ND	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, Classifications of Water Quality Standards Applicable to Groundwaters of North Carolina, Section 15A NCAC 2L.202.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Groundwater Sampling Event (2-16-2006)

TEST	UNITS	MDL	MCL	MW-4	MW-5	MW-1A	MW-2A	MW-3A	EQUIP. BLANK
pH	pH units (on-site)	-	NE	**5.71**	**5.65**	**6.03**	**6.16**	**6.35**	NT
Specific Conductance	µmhos/cm (on-site)	1	NE	**181**	**168**	**460**	**590**	**380**	NT
Temperature	°C (on-site)	-	NE	**15.1**	**12.4**	**13.8**	**13.3**	**13.3**	NT
Turbidity	NTU (on-site)	0.1	NE	NT	NT	NT	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT	NT	NT	NT
Total Arsenic (As)	µg/l	5	50	ND	ND	ND	ND	ND	ND
Total Barium (Ba)	µg/l	5	2000	ND	ND	ND	ND	ND	ND
Total Beryllium (Be)	µg/l	2	NE	NT	NT	NT	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	1.75	ND	ND	ND	ND	ND	ND
Total Chromium (Cr)	µg/l	2	50	ND	**16**	ND	ND	ND	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Copper (Cu)	µg/l	200	1000	NT	NT	NT	NT	NT	NT
Total Lead (Pb)	µg/l	5	15	ND	ND	ND	ND	ND	ND
Total Mercury (Hg)	µg/l	0.2	1.05	ND	ND	ND	ND	ND	ND
Total Nickel (Ni)	µg/l	50	100	NT	NT	NT	NT	NT	NT
Total Selenium (Se)	µg/l	5	50	ND	ND	ND	ND	ND	ND
Total Silver (Ag)	µg/l	2	17.5	ND	ND	ND	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Vanadium (V)	µg/l	40	NE	NT	NT	NT	NT	NT	NT
Total Zinc (Zn)	µg/l	50	1050	NT	NT	NT	NT	NT	NT
Acetone	µg/l	10	700	ND	ND	ND	ND	ND	ND
Acrylonitrile	µg/l	25	NE	ND	ND	ND	ND	ND	ND
Benzene	µg/l	5	1	ND	ND	ND	ND	ND	ND
Bromochloromethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Bromodichloromethane	µg/l	5	0.56	ND	ND	ND	ND	ND	ND
Bromoform	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
Carbon Disulfide	µg/l	10	700	ND	ND	ND	ND	ND	ND
Bromomethane (Methylbromide)	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	µg/l	5	0.269	ND	ND	ND	ND	ND	ND
Chlorobenzene (mono)	µg/l	5	50	ND	ND	ND	ND	ND	ND
Chloroethane	µg/l	10	2800	ND	ND	ND	ND	ND	ND
Chloroform	µg/l	5	70	ND	ND	ND	ND	ND	ND
Chloromethane (Methylchloride)	µg/l	5	2.6	ND	ND	ND	ND	ND	ND
Dibromochloromethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	5	0.025	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.00047	ND	ND	ND	ND	ND	ND
Dibromomethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	µg/l	5	24	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	µg/l	5	1.4	ND	ND	ND	**10**	ND	ND
trans-1,4-Dichloro-2-butene	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	µg/l	5	70	ND	**7.1**	ND	ND	**13**	ND
1,2-Dichloroethane	µg/l	5	0.38	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene (-ethylene)	µg/l	5	7	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	ND	**7.4**	ND	**17**	ND	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	5	100	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	µg/l	5	0.51	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
Ethylbenzene	µg/l	5	550	ND	ND	ND	ND	ND	ND
2-Hexanone	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Iodomethane	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Dichloromethane (Methylene chloride)	µg/l	5	4.6	ND	ND	ND	ND	ND	ND
2-Butanone (Methyl ethyl ketone)	µg/l	10	4200	ND	ND	ND	ND	ND	ND
4-Methyl-2-Pentanone	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Styrene	µg/l	5	100	ND	ND	ND	ND	ND	ND
1,1,1,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Tetrachloroethene (-ethylene)	µg/l	5	0.7	ND	ND	ND	ND	ND	ND
Toluene	µg/l	5	1000	ND	ND	ND	ND	**6.5**	ND
1,1,1-Trichloroethane	µg/l	5	200	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Trichloroethene (-ethylene)	µg/l	5	2.8	ND	ND	ND	ND	ND	ND
Trichlorofluoromethane	µg/l	10	2100	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	µg/l	5	0.005	ND	ND	ND	ND	ND	ND
Vinyl acetate	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Vinyl chloride	µg/l	5	0.015	ND	ND	ND	ND	ND	ND
Xylene	µg/l	10	530	ND	ND	ND	ND	ND	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, Classifications of Water Quality Standards Applicable to Groundwaters of North Carolina, Section 15A NCAC 2L.202.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Groundwater Sampling Event (8-30-2006)

TEST	UNITS	MDL	MCL	MW-4	MW-5	MW-1A	MW-2A	MW-3A	EQUIP. BLANK
pH	pH units (on-site)	-	NE	**5.62**	**5.95**	**5.9**	**6.44**	**6.29**	NT
Specific Conductance	µmhos/cm (on-site)	1	NE	**177**	**213**	**409**	**642**	**545**	NT
Temperature	°C (on-site)	-	NE	**16.5**	**15.4**	**18.3**	**14.7**	**15.4**	NT
Turbidity	NTU (on-site)	0.1	NE	NT	NT	NT	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT	NT	NT	NT
Total Arsenic (As)	µg/l	5	50	ND	ND	ND	ND	ND	ND
Total Barium (Ba)	µg/l	5	2000	**160**	**250**	**290**	**220**	**240**	ND
Total Beryllium (Be)	µg/l	2	NE	NT	NT	NT	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	1.75	ND	ND	ND	ND	ND	ND
Total Chromium (Cr)	µg/l	2	50	ND	ND	ND	ND	ND	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Copper (Cu)	µg/l	200	1000	NT	NT	NT	NT	NT	NT
Total Lead (Pb)	µg/l	5	15	**7.6**	**6.5**	**5.2**	**5.7**	ND	ND
Total Mercury (Hg)	µg/l	0.2	1.05	ND	ND	ND	ND	ND	NT
Total Nickel (Ni)	µg/l	50	100	NT	NT	NT	NT	NT	NT
Total Selenium (Se)	µg/l	5	50	ND	ND	ND	ND	ND	ND
Total Silver (Ag)	µg/l	2	17.5	ND	ND	ND	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Vanadium (V)	µg/l	40	NE	NT	NT	NT	NT	NT	NT
Total Zinc (Zn)	µg/l	50	1050	NT	NT	NT	NT	NT	NT
Acetone	µg/l	25	700	ND	ND	ND	ND	ND	ND
Acrylonitrile	µg/l	25	NE	ND	ND	ND	ND	ND	ND
Benzene	µg/l	5	1	**16**	ND	ND	ND	ND	ND
Bromochloromethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Bromodichloromethane	µg/l	5	0.56	ND	ND	ND	ND	ND	ND
Bromoform	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
Carbon Disulfide	µg/l	10	700	ND	ND	ND	ND	ND	ND
Bromomethane (Methylbromide)	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	µg/l	5	0.269	ND	ND	ND	ND	ND	ND
Chlorobenzene (mono)	µg/l	5	50	ND	ND	ND	ND	ND	ND
Chloroethane	µg/l	10	2800	ND	ND	ND	ND	ND	ND
Chloroform	µg/l	5	70	ND	ND	ND	ND	ND	ND
Chloromethane (Methylchloride)	µg/l	5	2.6	ND	ND	ND	ND	ND	ND
Dibromochloromethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	5	0.025	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.00047	ND	ND	ND	ND	ND	ND
Dibromomethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	µg/l	5	24	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	µg/l	5	1.4	ND	ND	ND	ND	ND	ND
trans-1,4-Dichloro-2-butene	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	µg/l	5	70	**42**	**5.7**	ND	**7.6**	**23**	ND
1,2-Dichloroethane	µg/l	5	0.38	ND	ND	ND	ND	**5**	ND
1,1-Dichloroethene (-ethylene)	µg/l	5	7	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	**34**	ND	**6.8**	**16**	**5.8**	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	5	100	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	µg/l	5	0.51	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
Ethylbenzene	µg/l	5	550	ND	ND	ND	ND	ND	ND
2-Hexanone	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Iodomethane	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Dichloromethane (Methylene chloride)	µg/l	5	4.6	**17**	ND	ND	ND	ND	ND
2-Butanone (Methyl ethyl ketone)	µg/l	10	4200	ND	ND	ND	ND	ND	ND
4-Methyl-2-Pentanone	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Styrene	µg/l	5	100	ND	ND	ND	ND	ND	ND
1,1,1,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Tetrachloroethene (-ethylene)	µg/l	5	0.7	**8.3**	ND	ND	ND	ND	ND
Toluene	µg/l	5	1000	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	µg/l	5	200	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Trichloroethene (-ethylene)	µg/l	5	2.8	**11**	ND	ND	ND	ND	ND
Trichlorofluoromethane	µg/l	10	2100	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	µg/l	5	0.005	ND	ND	ND	ND	ND	ND
Vinyl acetate	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Vinyl chloride	µg/l	5	0.015	ND	ND	ND	ND	ND	ND
Xylene	µg/l	10	530	ND	ND	ND	ND	ND	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, Classifications of Water Quality Standards Applicable to Groundwaters of North Carolina, Section 15A NCAC 2L.202.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Groundwater Sampling Event (2-26-2007)

TEST	UNITS	MDL	MCL	MW-4	MW-5	MW-1A	MW-2A	MW-3A	EQUIP. BLANK
pH	pH units (on-site)	-	NE	**6.14**	**5.36**	**6.07**	**6.6**	**6.29**	NT
Specific Conductance	µmhos/cm (on-site)	1	NE	**175**	**180**	**388**	**756**	**548**	NT
Temperature	°C (on-site)	-	NE	**13.8**	**12.2**	**14.1**	**12.1**	**13.1**	NT
Turbidity	NTU (on-site)	0.1	NE	NT	NT	NT	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT	NT	NT	NT
Total Arsenic (As)	µg/l	5	50	ND	ND	ND	**5.9**	ND	NT
Total Barium (Ba)	µg/l	5	2000	**140**	**280**	**210**	**240**	**300**	NT
Total Beryllium (Be)	µg/l	2	NE	NT	NT	NT	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	1.75	ND	ND	ND	ND	ND	NT
Total Chromium (Cr)	µg/l	5	50	ND	ND	ND	ND	ND	NT
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Copper (Cu)	µg/l	200	1000	NT	NT	NT	NT	NT	NT
Total Lead (Pb)	µg/l	5	15	ND	ND	ND	ND	ND	NT
Total Mercury (Hg)	µg/l	0.2	1.05	ND	ND	ND	ND	ND	NT
Total Nickel (Ni)	µg/l	50	100	NT	NT	NT	NT	NT	NT
Total Selenium (Se)	µg/l	10	50	ND	ND	ND	ND	ND	NT
Total Silver (Ag)	µg/l	5	17.5	ND	ND	ND	ND	ND	NT
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT	NT	NT	NT
Total Vanadium (V)	µg/l	40	NE	NT	NT	NT	NT	NT	NT
Total Zinc (Zn)	µg/l	50	1050	NT	NT	NT	NT	NT	NT
Acetone	µg/l	25	700	ND	ND	ND	ND	ND	ND
Acrylonitrile	µg/l	25	NE	ND	ND	ND	ND	ND	ND
Benzene	µg/l	5	1	**15**	ND	ND	ND	ND	ND
Bromochloromethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Bromodichloromethane	µg/l	5	0.56	ND	ND	ND	ND	ND	ND
Bromoform	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
Carbon Disulfide	µg/l	10	700	ND	ND	ND	ND	ND	ND
Bromomethane (Methylbromide)	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Carbon tetrachloride	µg/l	5	0.269	ND	ND	ND	ND	ND	ND
Chlorobenzene (mono)	µg/l	5	50	ND	ND	ND	ND	ND	ND
Chloroethane	µg/l	10	2800	ND	ND	ND	ND	ND	ND
Chloroform	µg/l	5	70	ND	ND	ND	ND	ND	ND
Chloromethane (Methylchloride)	µg/l	5	2.6	ND	ND	ND	ND	ND	ND
Dibromochloromethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	5	0.025	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.00047	ND	ND	ND	ND	ND	ND
Dibromomethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	µg/l	5	24	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	µg/l	5	1.4	ND	ND	ND	ND	ND	ND
trans-1,4-Dichloro-2-butene	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	µg/l	5	70	**36**	ND	ND	ND	**17**	ND
1,2-Dichloroethane	µg/l	5	0.38	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene (-ethylene)	µg/l	5	7	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	**30**	ND	ND	**12**	ND	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	5	100	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	µg/l	5	0.51	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	5	0.19	ND	ND	ND	ND	ND	ND
Ethylbenzene	µg/l	5	550	ND	ND	ND	ND	ND	ND
2-Hexanone	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Iodomethane	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Dichloromethane (Methylene chloride)	µg/l	5	4.6	**15**	ND	ND	ND	ND	ND
2-Butanone (Methyl ethyl ketone)	µg/l	10	4200	ND	ND	ND	ND	ND	ND
4-Methyl-2-Pentanone	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Styrene	µg/l	5	100	ND	ND	ND	ND	ND	ND
1,1,1,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Tetrachloroethene (-ethylene)	µg/l	5	0.7	**8.5**	ND	ND	ND	ND	ND
Toluene	µg/l	5	1000	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	µg/l	5	200	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	µg/l	5	NE	ND	ND	ND	ND	ND	ND
Trichloroethene (-ethylene)	µg/l	5	2.8	**11**	ND	ND	ND	ND	ND
Trichlorofluoromethane	µg/l	10	2100	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	µg/l	5	0.005	ND	ND	ND	ND	ND	ND
Vinyl acetate	µg/l	10	NE	ND	ND	ND	ND	ND	ND
Vinyl chloride	µg/l	5	0.015	ND	ND	ND	ND	ND	ND
Xylene	µg/l	10	530	ND	ND	ND	ND	ND	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, Classifications of Water Quality Standards Applicable to Groundwaters of North Carolina, Section 15A NCAC 2L.202.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Groundwater Sampling Event (8-13-2007)

TEST	UNITS	MDL	MCL	MW-4	MW-5	MW-1A	MW-2A	MW-3A	EQUIP. BLANK
pH	pH units (on-site)	-	NE	**5.46**	**5.76**	**6.14**	**6.2**	dry	NT
Specific Conductance	µmhos/cm (on-site)	10	NE	**159**	**148**	**284**	**512**	dry	NT
Temperature	°C (on-site)	-	NE	**16.5**	**15**	**17.8**	**13.3**	dry	NT
Turbidity	NTU (on-site)	0.1	NE	NT	NT	NT	NT	dry	NT
Total Antimony (Sb)	µg/l	10	NE	NT	NT	NT	NT	dry	NT
Total Arsenic (As)	µg/l	5	50	ND	ND	ND	ND	dry	NT
Total Barium (Ba)	µg/l	5	2000	**137**	**208**	**176**	**256**	dry	NT
Total Beryllium (Be)	µg/l	NT	NE	NT	NT	NT	NT	dry	NT
Total Cadmium (Cd)	µg/l	1	1.75	ND	ND	**1.5**	ND	dry	NT
Total Chromium (Cr)	µg/l	5	50	ND	ND	ND	ND	dry	NT
Total Cobalt (Co)	µg/l	NT	NE	NT	NT	NT	NT	dry	NT
Total Copper (Cu)	µg/l	NT	1000	NT	NT	NT	NT	dry	NT
Total Lead (Pb)	µg/l	5	15	ND	ND	ND	ND	dry	NT
Total Mercury (Hg)	µg/l	0.2	1.05	ND	ND	ND	ND	dry	NT
Total Nickel (Ni)	µg/l	NT	100	NT	NT	NT	NT	dry	NT
Total Selenium (Se)	µg/l	10	50	ND	ND	ND	**29.2**	dry	NT
Total Silver (Ag)	µg/l	5	17.5	ND	ND	ND	ND	dry	NT
Total Thallium (Tl)	µg/l	NT	NE	NT	NT	NT	NT	dry	NT
Total Vanadium (V)	µg/l	NT	NE	NT	NT	NT	NT	dry	NT
Total Zinc (Zn)	µg/l	NT	1050	NT	NT	NT	NT	dry	NT
Acetone	µg/l	25	700	ND	ND	ND	ND	dry	ND
Acrylonitrile	µg/l	10	NE	ND	ND	ND	ND	dry	ND
Benzene	µg/l	1	1	**17**	**1.7**	ND	ND	dry	ND
Bromochloromethane	µg/l	1	NE	ND	ND	ND	ND	dry	ND
Bromodichloromethane	µg/l	1	0.56	ND	ND	ND	ND	dry	ND
Bromoform	µg/l	1	0.19	ND	ND	ND	ND	dry	ND
Carbon Disulfide	µg/l	2	700	ND	ND	ND	ND	dry	ND
Bromomethane (Methylbromide)	µg/l	5	NE	ND	ND	ND	ND	dry	ND
Carbon tetrachloride	µg/l	1	0.269	ND	ND	ND	ND	dry	ND
Chlorobenzene (mono)	µg/l	1	50	ND	ND	**2.5**	ND	dry	ND
Chloroethane	µg/l	1	2800	**5.5**	**2.7**	**2.3**	**4.8**	dry	ND
Chloroform	µg/l	1	70	ND	ND	ND	ND	dry	ND
Chloromethane (Methylchloride)	µg/l	1	2.6	ND	ND	ND	ND	dry	ND
Dibromochloromethane	µg/l	1	NE	ND	ND	ND	ND	dry	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	3	0.025	ND	ND	ND	ND	dry	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	1	0.00047	ND	ND	ND	ND	dry	ND
Dibromomethane	µg/l	1	NE	ND	ND	ND	ND	dry	ND
1,2-Dichlorobenzene	µg/l	1	24	ND	ND	ND	ND	dry	ND
1,4-Dichlorobenzene	µg/l	1	1.4	**3.7**	ND	ND	**12.1**	dry	ND
trans-1,4-Dichloro-2-butene	µg/l	1	NE	ND	ND	ND	ND	dry	ND
1,1-Dichloroethane	µg/l	1	70	**40.3**	**4.3**	**1.8**	**4.4**	dry	ND
1,2-Dichloroethane	µg/l	1	0.38	**1.3**	ND	**1.1**	ND	dry	ND
1,1-Dichloroethene (-ethylene)	µg/l	1	7	ND	ND	ND	ND	dry	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	1	70	**31.6**	**4.3**	**5.1**	**9.7**	dry	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	1	100	ND	ND	ND	ND	dry	ND
1,2-Dichloropropane	µg/l	1	0.51	ND	ND	ND	ND	dry	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	1	0.19	ND	ND	ND	ND	dry	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	1	0.19	ND	ND	ND	ND	dry	ND
Ethylbenzene	µg/l	1	550	**1.1**	ND	ND	ND	dry	ND
2-Hexanone	µg/l	5	NE	ND	ND	ND	ND	dry	ND
Iodomethane	µg/l	5	NE	ND	ND	ND	ND	dry	ND
Dichloromethane (Methylene chloride)	µg/l	2	4.6	**38.8**	**2.9**	ND	ND	dry	ND
2-Butanone (Methyl ethyl ketone)	µg/l	5	4200	ND	ND	ND	ND	dry	ND
4-Methyl-2-Pentanone	µg/l	5	NE	ND	ND	ND	ND	dry	ND
Styrene	µg/l	1	100	ND	ND	ND	ND	dry	ND
1,1,1,2-Tetrachloroethane	µg/l	1	NE	ND	ND	ND	ND	dry	ND
1,1,2,2-Tetrachloroethane	µg/l	1	NE	ND	ND	ND	ND	dry	ND
Tetrachloroethene (-ethylene)	µg/l	1	0.7	**8.1**	**3.6**	ND	ND	dry	ND
Toluene	µg/l	1	1000	**7.4**	ND	ND	ND	dry	ND
1,1,1-Trichloroethane	µg/l	1	200	ND	ND	ND	ND	dry	ND
1,1,2-Trichloroethane	µg/l	1	NE	ND	ND	ND	ND	dry	ND
Trichloroethene (-ethylene)	µg/l	1	2.8	**9.9**	**2.7**	ND	ND	dry	ND
Trichlorofluoromethane	µg/l	1	2100	ND	ND	ND	ND	dry	ND
1,2,3-Trichloropropane	µg/l	1	0.005	ND	ND	ND	ND	dry	ND
Vinyl acetate	µg/l	2	NE	ND	ND	ND	ND	dry	ND
Vinyl chloride	µg/l	1	0.015	ND	ND	ND	**1.5**	dry	ND
Xylene	µg/l	2	530	**6.1**	ND	ND	ND	dry	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, Classifications of Water Quality Standards Applicable to Groundwaters of North Carolina, Section 15A NCAC 2L.202.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

APPENDIX B

Summary Tables of Surface Water Analytical Results

Closed Francis Farm Landfill - Haywood Co., NC
Surface Water Sampling Event (2-18-1999)

TEST	UNITS	MDL	MCL	SW-1	SW-2	Blanton Branch
pH	pH units (on-site)	-	<6.0; >8.5	7	7	6.7
Specific Conductance	µmhos/cm (on-site)	1	NE	32	41	75
Temperature	°C (on-site)	-	29	9.4	10	12
Turbidity	NTU (on-site)	0.1	50	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT
Total Arsenic (As)	µg/l	10	50	ND	ND	ND
Total Barium (Ba)	µg/l	500	NE	ND	ND	ND
Total Beryllium (Be)	µg/l	2	6.5	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	2	ND	ND	ND
Total Chromium (Cr)	µg/l	10	50	ND	ND	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT
Total Copper (Cu)	µg/l	200	NE	NT	NT	NT
Total Lead (Pb)	µg/l	10	25	ND	ND	ND
Total Nickel (Ni)	µg/l	50	88	NT	ND	NT
Total Selenium (Se)	µg/l	20	5	ND	ND	ND
Total Silver (Ag)	µg/l	10	NE	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT
Total Zinc (Zn)	µg/l	50	NE	NT	NT	NT
Mercury	µg/l	0.2	0.012	ND	ND	ND
Acetone	µg/l	100	NE	NT	NT	NT
Acrylonitrile	µg/l	200	NE	NT	NT	NT
Benzene	µg/l	5	51	NT	NT	NT
Bromochloromethane	µg/l	5	NE	NT	NT	NT
Bromodichloromethane	µg/l	5	NE	NT	NT	NT
Bromoform	µg/l	5	NE	NT	NT	NT
Carbon Disulfide	µg/l	100	NE	NT	NT	NT
Bromomethane (Methylbromide)	µg/l	10	NE	NT	NT	NT
Carbon tetrachloride	µg/l	10	0.3	NT	NT	NT
Chlorobenzene (mono)	µg/l	5	50	NT	NT	NT
Chloroethane	µg/l	10	NE	NT	NT	NT
Chloroform	µg/l	5	0.19	NT	NT	NT
Chloromethane (Methylchloride)	µg/l	10	NE	NT	NT	NT
Dibromochloromethane	µg/l	5	NE	NT	NT	NT
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	NT	NT	NT
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.0004	NT	NT	NT
Dibromomethane	µg/l	10	NE	NT	NT	NT
1,2-Dichlorobenzene	µg/l	5	620	NT	NT	NT
1,4-Dichlorobenzene	µg/l	5	75	NT	NT	NT
trans-1,4-Dichloro-2butene	µg/l	100	NE	NT	NT	NT
1,1-Dichloroethane	µg/l	5	700	NT	NT	NT
1,2-Dichloroethane	µg/l	5	0.38	NT	NT	NT
1,1-Dichloroethene (-ethylene)	µg/l	5	7	NT	NT	NT
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	NT	NT	NT
trans-1,2-Dichloroethene (-ylene)	µg/l	5	70	NT	NT	NT
1,2-Dichloropropane	µg/l	5	0.56	NT	NT	NT
cis-1,3-Dichloropropene (-propylene)	µg/l	10	NE	NT	NT	NT
trans-1,3-Dichloropropene (-propylene)	µg/l	10	NE	NT	NT	NT
Ethylbenzene	µg/l	5	29	NT	NT	NT
2-Hexanone	µg/l	50	NE	NT	NT	NT
Iodomethane	µg/l	10	NE	NT	NT	NT
Dichloromethane (Methylene chloride)	µg/l	10	5	NT	NT	NT
2-Butanone (Methyl ethyl ketone)	µg/l	100	170	NT	NT	NT
4-Methyl-2-Pentanone	µg/l	100	NE	NT	NT	NT
Styrene	µg/l	10	100	NT	NT	NT
1,1,1,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT
1,1,2,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT
Tetrachloroethene (-ethylene)	µg/l	5	0.7	NT	NT	NT
Toluene	µg/l	5	1000	NT	NT	NT
1,1,1-Trichloroethane	µg/l	5	200	NT	NT	NT
1,1,2-Trichloroethane	µg/l	5	NE	NT	NT	NT
Trichloroethene (-ethylene)	µg/l	5	2.8	NT	NT	NT
Trichlorofluoromethane	µg/l	5	2100	NT	NT	NT
1,2,3-Trichloropropane	µg/l	15	NE	NT	NT	NT
Vinyl acetate	µg/l	50	NE	NT	NT	NT
Vinyl chloride	µg/l	10	0.015	NT	NT	NT
Xylene	µg/l	5	530	NT	NT	NT

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, "Redbook" Surface Waters and Wetlands Standards Section 15A NCAC 02B.0100, .0200, and .0300.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Surface Water Sampling Event (8-16-1999)

TEST	UNITS	MDL	MCL	SW-1	SW-2	Blanton Branch
pH	pH units (on-site)	-	<6.0; >8.5	6.2	6.3	6.3
Specific Conductance	µmhos/cm (on-site)	1	NE	60	80	100
Temperature	°C (on-site)	-	29	19	21	22
Turbidity	NTU (on-site)	0.1	50	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT
Total Arsenic (As)	µg/l	10	50	ND	ND	ND
Total Barium (Ba)	µg/l	500	NE	29	29	29
Total Beryllium (Be)	µg/l	2	6.5	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	2	ND	ND	ND
Total Chromium (Cr)	µg/l	10	50	ND	ND	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT
Total Copper (Cu)	µg/l	200	NE	NT	NT	NT
Total Lead (Pb)	µg/l	10	25	ND	ND	ND
Total Nickel (Ni)	µg/l	50	88	NT	NT	NT
Total Selenium (Se)	µg/l	20	5	ND	ND	ND
Total Silver (Ag)	µg/l	10	NE	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT
Total Zinc (Zn)	µg/l	50	NE	NT	NT	NT
Mercury	µg/l	0.2	0.012	ND	ND	ND
Acetone	µg/l	100	NE	NT	NT	NT
Acrylonitrile	µg/l	200	NE	NT	NT	NT
Benzene	µg/l	5	51	NT	NT	NT
Bromochloromethane	µg/l	5	NE	NT	NT	NT
Bromoform	µg/l	5	NE	NT	NT	NT
Bromofrom	µg/l	5	NE	NT	NT	NT
Carbon Disulfide	µg/l	100	NE	NT	NT	NT
Bromomethane (Methylbromide)	µg/l	10	NE	NT	NT	NT
Carbon tetrachloride	µg/l	10	0.3	NT	NT	NT
Chlorobenzene (mono)	µg/l	5	50	NT	NT	NT
Chloroethane	µg/l	10	NE	NT	NT	NT
Chloroform	µg/l	5	0.19	NT	NT	NT
Chloromethane (Methylchloride)	µg/l	10	NE	NT	NT	NT
Dibromochloromethane	µg/l	5	NE	NT	NT	NT
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	NT	NT	NT
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.0004	NT	NT	NT
Dibromomethane	µg/l	10	NE	NT	NT	NT
1,2-Dichlorobenzene	µg/l	5	620	NT	NT	NT
1,4-Dichlorobenzene	µg/l	5	75	NT	NT	NT
trans-1,4-Dichloro-2butene	µg/l	100	NE	NT	NT	NT
1,1-Dichloroethane	µg/l	5	700	NT	NT	NT
1,2-Dichloroethane	µg/l	5	0.38	NT	NT	NT
1,1-Dichloroethene (-ethylene)	µg/l	5	7	NT	NT	NT
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	NT	NT	NT
trans-1,2-Dichloroethene (-ylene)	µg/l	5	70	NT	NT	NT
1,2-Dichloropropane	µg/l	5	0.56	NT	NT	NT
cis-1,3-Dichloropropene (-propylene)	µg/l	10	NE	NT	NT	NT
trans-1,3-Dichloropropene (-propylene)	µg/l	10	NE	NT	NT	NT
Ethylbenzene	µg/l	5	29	NT	NT	NT
2-Hexanone	µg/l	50	NE	NT	NT	NT
Iodomethane	µg/l	10	NE	NT	NT	NT
Dichloromethane (Methylene chloride)	µg/l	10	5	NT	NT	NT
2-Butanone (Methyl ethyl ketone)	µg/l	100	170	NT	NT	NT
4-Methyl-2-Pentanone	µg/l	100	NE	NT	NT	NT
Styrene	µg/l	10	100	NT	NT	NT
1,1,1,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT
1,1,2,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT
Tetrachloroethene (-ethylene)	µg/l	5	0.7	NT	NT	NT
Toluene	µg/l	5	1000	NT	NT	NT
1,1,1-Trichloroethane	µg/l	5	200	NT	NT	NT
1,1,2-Trichloroethane	µg/l	5	NE	NT	NT	NT
Trichloroethene (-ethylene)	µg/l	5	2.8	NT	NT	NT
Trichlorofluoromethane	µg/l	5	2100	NT	NT	NT
1,2,3-Trichloropropane	µg/l	15	NE	NT	NT	NT
Vinyl acetate	µg/l	50	NE	NT	NT	NT
Vinyl chloride	µg/l	10	0.015	NT	NT	NT
Xylene	µg/l	5	530	NT	NT	NT

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, "Redbook" Surface Waters and Wetlands Standards Section 15A NCAC 02B.0100, .0200, and .0300.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Surface Water Sampling Event (2-14-2000)

TEST	UNITS	MDL	MCL	SW-1	SW-2	Blanton Branch
pH	pH units (on-site)	-	<6.0; >8.5	6.2	6.2	6.4
Specific Conductance	µmhos/cm (on-site)	1	NE	55	70	110
Temperature	°C (on-site)	-	29	10	10	9
Turbidity	NTU (on-site)	0.1	50	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT
Total Arsenic (As)	µg/l	10	50	ND	ND	ND
Total Barium (Ba)	µg/l	500	NE	43	69	56
Total Beryllium (Be)	µg/l	2	6.5	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	2	ND	ND	ND
Total Chromium (Cr)	µg/l	10	50	ND	7.5	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT
Total Copper (Cu)	µg/l	200	NE	NT	NT	NT
Total Lead (Pb)	µg/l	10	25	ND	ND	ND
Total Nickel (Ni)	µg/l	50	88	NT	ND	NT
Total Selenium (Se)	µg/l	20	5	ND	ND	ND
Total Silver (Ag)	µg/l	10	NE	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT
Total Zinc (Zn)	µg/l	50	NE	NT	NT	NT
Mercury	µg/l	0.2	0.012	ND	ND	ND
Acetone	µg/l	100	NE	NT	NT	NT
Acrylonitrile	µg/l	200	NE	NT	NT	NT
Benzene	µg/l	5	51	NT	NT	NT
Bromochloromethane	µg/l	5	NE	NT	NT	NT
Bromodichloromethane	µg/l	5	NE	NT	NT	NT
Bromoform	µg/l	5	NE	NT	NT	NT
Carbon Disulfide	µg/l	100	NE	NT	NT	NT
Bromomethane (Methylbromide)	µg/l	10	NE	NT	NT	NT
Carbon tetrachloride	µg/l	10	0.3	NT	NT	NT
Chlorobenzene (mono)	µg/l	5	50	NT	NT	NT
Chloroethane	µg/l	10	NE	NT	NT	NT
Chloroform	µg/l	5	0.19	NT	NT	NT
Chloromethane (Methylchloride)	µg/l	10	NE	NT	NT	NT
Dibromochloromethane	µg/l	5	NE	NT	NT	NT
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	NT	NT	NT
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.0004	NT	NT	NT
Dibromomethane	µg/l	10	NE	NT	NT	NT
1,2-Dichlorobenzene	µg/l	5	620	NT	NT	NT
1,4-Dichlorobenzene	µg/l	5	75	NT	NT	NT
trans-1,4-Dichloro-2butene	µg/l	100	NE	NT	NT	NT
1,1-Dichloroethane	µg/l	5	700	NT	NT	NT
1,2-Dichloroethane	µg/l	5	0.38	NT	NT	NT
1,1-Dichloroethene (-ethylene)	µg/l	5	7	NT	NT	NT
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	NT	NT	NT
trans-1,2-Dichloroethene (-ylene)	µg/l	5	70	NT	NT	NT
1,2-Dichloropropane	µg/l	5	0.56	NT	NT	NT
cis-1,3-Dichloropropene (-propylene)	µg/l	10	NE	NT	NT	NT
trans-1,3-Dichloropropene (-propylene)	µg/l	10	NE	NT	NT	NT
Ethylbenzene	µg/l	5	29	NT	NT	NT
2-Hexanone	µg/l	50	NE	NT	NT	NT
Iodomethane	µg/l	10	NE	NT	NT	NT
Dichloromethane (Methylene chloride)	µg/l	10	5	NT	NT	NT
2-Butanone (Methyl ethyl ketone)	µg/l	100	170	NT	NT	NT
4-Methyl-2-Pentanone	µg/l	100	NE	NT	NT	NT
Styrene	µg/l	10	100	NT	NT	NT
1,1,1,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT
1,1,2,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT
Tetrachloroethene (-ethylene)	µg/l	5	0.7	NT	NT	NT
Toluene	µg/l	5	1000	NT	NT	NT
1,1,1-Trichloroethane	µg/l	5	200	NT	NT	NT
1,1,2-Trichloroethane	µg/l	5	NE	NT	NT	NT
Trichloroethene (-ethylene)	µg/l	5	2.8	NT	NT	NT
Trichlorofluoromethane	µg/l	5	2100	NT	NT	NT
1,2,3-Trichloropropane	µg/l	15	NE	NT	NT	NT
Vinyl acetate	µg/l	50	NE	NT	NT	NT
Vinyl chloride	µg/l	10	0.015	NT	NT	NT
Xylene	µg/l	5	530	NT	NT	NT

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, "Redbook" Surface Waters and Wetlands Standards Section 15A NCAC 02B.0100, .0200, and .0300.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Surface Water Sampling Event (8-14-2000)

TEST	UNITS	MDL	MCL	SW-1	SW-2	Blanton Branch
pH	pH units (on-site)	-	<6.0; >8.5	6.4	6.8	6.6
Specific Conductance	µmhos/cm (on-site)	1	NE	52	78	110
Temperature	°C (on-site)	-	29	17	19	20
Turbidity	NTU (on-site)	0.1	50	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT
Total Arsenic (As)	µg/l	10	50	ND	ND	ND
Total Barium (Ba)	µg/l	500	NE	28	35	36
Total Beryllium (Be)	µg/l	2	6.5	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	2	ND	ND	ND
Total Chromium (Cr)	µg/l	10	50	ND	ND	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT
Total Copper (Cu)	µg/l	200	NE	NT	NT	NT
Total Lead (Pb)	µg/l	10	25	ND	ND	ND
Total Nickel (Ni)	µg/l	50	88	NT	NT	NT
Total Selenium (Se)	µg/l	20	5	ND	ND	ND
Total Silver (Ag)	µg/l	10	NE	18	12	9.6
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT
Total Zinc (Zn)	µg/l	50	NE	NT	NT	NT
Mercury	µg/l	0.2	0.012	ND	ND	ND
Acetone	µg/l	100	NE	NT	NT	NT
Acrylonitrile	µg/l	200	NE	NT	NT	NT
Benzene	µg/l	5	51	NT	NT	NT
Bromochloromethane	µg/l	5	NE	NT	NT	NT
Bromodichloromethane	µg/l	5	NE	NT	NT	NT
Bromoform	µg/l	5	NE	NT	NT	NT
Carbon Disulfide	µg/l	100	NE	NT	NT	NT
Bromomethane (Methylbromide)	µg/l	10	NE	NT	NT	NT
Carbon tetrachloride	µg/l	10	0.3	NT	NT	NT
Chlorobenzene (mono)	µg/l	5	50	NT	NT	NT
Chloroethane	µg/l	10	NE	NT	NT	NT
Chloroform	µg/l	5	0.19	NT	NT	NT
Chloromethane (Methylchloride)	µg/l	10	NE	NT	NT	NT
Dibromochloromethane	µg/l	5	NE	NT	NT	NT
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	NT	NT	NT
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.0004	NT	NT	NT
Dibromomethane	µg/l	10	NE	NT	NT	NT
1,2-Dichlorobenzene	µg/l	5	620	NT	NT	NT
1,4-Dichlorobenzene	µg/l	5	75	NT	NT	NT
trans-1,4-Dichloro-2butene	µg/l	100	NE	NT	NT	NT
1,1-Dichloroethane	µg/l	5	700	NT	NT	NT
1,2-Dichloroethane	µg/l	5	0.38	NT	NT	NT
1,1-Dichloroethene (-ethylene)	µg/l	5	7	NT	NT	NT
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	NT	NT	NT
trans-1,2-Dichloroethene (-ylene)	µg/l	5	70	NT	NT	NT
1,2-Dichloropropane	µg/l	5	0.56	NT	NT	NT
cis-1,3-Dichloropropene (-propylene)	µg/l	10	NE	NT	NT	NT
trans-1,3-Dichloropropene (-propylene)	µg/l	10	NE	NT	NT	NT
Ethylbenzene	µg/l	5	29	NT	NT	NT
2-Hexanone	µg/l	50	NE	NT	NT	NT
Iodomethane	µg/l	10	NE	NT	NT	NT
Dichloromethane (Methylene chloride)	µg/l	10	5	NT	NT	NT
2-Butanone (Methyl ethyl ketone)	µg/l	100	170	NT	NT	NT
4-Methyl-2-Pentanone	µg/l	100	NE	NT	NT	NT
Styrene	µg/l	10	100	NT	NT	NT
1,1,1,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT
1,1,2,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT
Tetrachloroethene (-ethylene)	µg/l	5	0.7	NT	NT	NT
Toluene	µg/l	5	1000	NT	NT	NT
1,1,1-Trichloroethane	µg/l	5	200	NT	NT	NT
1,1,2-Trichloroethane	µg/l	5	NE	NT	NT	NT
Trichloroethene (-ethylene)	µg/l	5	2.8	NT	NT	NT
Trichlorofluoromethane	µg/l	5	2100	NT	NT	NT
1,2,3-Trichloropropane	µg/l	15	NE	NT	NT	NT
Vinyl acetate	µg/l	50	NE	NT	NT	NT
Vinyl chloride	µg/l	10	0.015	NT	NT	NT
Xylene	µg/l	5	530	NT	NT	NT

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, "Redbook" Surface Waters and Wetlands Standards Section 15A NCAC 02B.0100, .0200, and .0300.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Surface Water Sampling Event (3-19-2001)

TEST	UNITS	MDL	MCL	SW-1	SW-2	Blanton Branch
pH	pH units (on-site)	-	<6.0; >8.5	**6.3**	**6.9**	**7**
Specific Conductance	µmhos/cm (on-site)	1	NE	**40**	**52**	**110**
Temperature	°C (on-site)	-	29	**10.8**	**9.7**	**9.6**
Turbidity	NTU (on-site)	0.1	50	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT
Total Arsenic (As)	µg/l	10	50	ND	ND	ND
Total Barium (Ba)	µg/l	500	NE	**32**	**32**	**30**
Total Beryllium (Be)	µg/l	2	6.5	NT	NT	ND
Total Cadmium (Cd)	µg/l	1	2	ND	ND	ND
Total Chromium (Cr)	µg/l	10	50	ND	ND	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	ND
Total Copper (Cu)	µg/l	200	NE	NT	NT	NT
Total Lead (Pb)	µg/l	10	25	ND	ND	ND
Total Nickel (Ni)	µg/l	50	88	NT	ND	ND
Total Selenium (Se)	µg/l	20	5	ND	ND	ND
Total Silver (Ag)	µg/l	10	NE	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT
Total Zinc (Zn)	µg/l	50	NE	NT	NT	NT
Mercury	µg/l	0.2	0.012	ND	ND	ND
Acetone	µg/l	100	NE	NT	NT	NT
Acrylonitrile	µg/l	200	NE	NT	NT	NT
Benzene	µg/l	5	51	NT	NT	NT
Bromochloromethane	µg/l	5	NE	NT	NT	NT
Bromodichloromethane	µg/l	5	NE	NT	NT	NT
Bromoform	µg/l	5	NE	NT	NT	NT
Carbon Disulfide	µg/l	100	NE	NT	NT	NT
Bromomethane (Methylbromide)	µg/l	10	NE	NT	NT	NT
Carbon tetrachloride	µg/l	10	0.3	NT	NT	NT
Chlorobenzene (mono)	µg/l	5	50	NT	NT	NT
Chloroethane	µg/l	10	NE	NT	NT	NT
Chloroform	µg/l	5	0.19	NT	NT	NT
Chloromethane (Methylchloride)	µg/l	10	NE	NT	NT	NT
Dibromochloromethane	µg/l	5	NE	NT	NT	NT
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	NT	NT	NT
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.0004	NT	NT	NT
Dibromomethane	µg/l	10	NE	NT	NT	NT
1,2-Dichlorobenzene	µg/l	5	620	NT	NT	NT
1,4-Dichlorobenzene	µg/l	5	75	NT	NT	NT
trans-1,4-Dichloro-2butene	µg/l	100	NE	NT	NT	NT
1,1-Dichloroethane	µg/l	5	700	NT	NT	NT
1,2-Dichloroethane	µg/l	5	0.38	NT	NT	NT
1,1-Dichloroethene (-ethylene)	µg/l	5	7	NT	NT	NT
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	NT	NT	NT
trans-1,2-Dichloroethene (-ylene)	µg/l	5	70	NT	NT	NT
1,2-Dichloropropane	µg/l	5	0.56	NT	NT	NT
cis-1,3-Dichloropropene (-propylene)	µg/l	10	NE	NT	NT	NT
trans-1,3-Dichloropropene (-propylene)	µg/l	10	NE	NT	NT	NT
Ethylbenzene	µg/l	5	29	NT	NT	NT
2-Hexanone	µg/l	50	NE	NT	NT	NT
Iodomethane	µg/l	10	NE	NT	NT	NT
Dichloromethane (Methylene chloride)	µg/l	10	5	NT	NT	NT
2-Butanone (Methyl ethyl ketone)	µg/l	100	170	NT	NT	NT
4-Methyl-2-Pentanone	µg/l	100	NE	NT	NT	NT
Styrene	µg/l	10	100	NT	NT	NT
1,1,1,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT
1,1,2,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT
Tetrachloroethene (-ethylene)	µg/l	5	0.7	NT	NT	NT
Toluene	µg/l	5	1000	NT	NT	NT
1,1,1-Trichloroethane	µg/l	5	200	NT	NT	NT
1,1,2-Trichloroethane	µg/l	5	NE	NT	NT	NT
Trichloroethene (-ethylene)	µg/l	5	2.8	NT	NT	NT
Trichlorofluoromethane	µg/l	5	2100	NT	NT	NT
1,2,3-Trichloropropane	µg/l	15	NE	NT	NT	NT
Vinyl acetate	µg/l	50	NE	NT	NT	NT
Vinyl chloride	µg/l	10	0.015	NT	NT	NT
Xylene	µg/l	5	530	NT	NT	NT

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, "Redbook" Surface Waters and Wetlands Standards Section 15A NCAC 02B.0100, .0200, and .0300.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Surface Water Sampling Event (8-27-2002)

TEST	UNITS	MDL	MCL	SW-1	SW-2	Blanton Branch
pH	pH units (on-site)	-	<6.0; >8.5	6.37	6.84	6.8
Specific Conductance	µmhos/cm (on-site)	1	NE	55	80	149
Temperature	°C (on-site)	-	29	18.5	20	22.6
Turbidity	NTU (on-site)	0.1	50	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT
Total Arsenic (As)	µg/l	10	50	ND	ND	ND
Total Barium (Ba)	µg/l	500	NE	ND	49	71
Total Beryllium (Be)	µg/l	2	6.5	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	2	ND	ND	ND
Total Chromium (Cr)	µg/l	10	50	ND	ND	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT
Total Copper (Cu)	µg/l	200	NE	NT	NT	NT
Total Lead (Pb)	µg/l	10	25	ND	ND	ND
Total Nickel (Ni)	µg/l	50	88	NT	NT	NT
Total Selenium (Se)	µg/l	20	5	ND	ND	ND
Total Silver (Ag)	µg/l	10	NE	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT
Total Zinc (Zn)	µg/l	50	NE	NT	NT	NT
Mercury	µg/l	0.2	0.012	ND	ND	ND
Acetone	µg/l	100	NE	NT	NT	NT
Acrylonitrile	µg/l	200	NE	NT	NT	NT
Benzene	µg/l	5	51	NT	NT	NT
Bromochloromethane	µg/l	5	NE	NT	NT	NT
Bromodichloromethane	µg/l	5	NE	NT	NT	NT
Bromoform	µg/l	5	NE	NT	NT	NT
Carbon Disulfide	µg/l	100	NE	NT	NT	NT
Bromomethane (Methylbromide)	µg/l	10	NE	NT	NT	NT
Carbon tetrachloride	µg/l	10	0.3	NT	NT	NT
Chlorobenzene (mono)	µg/l	5	50	NT	NT	NT
Chloroethane	µg/l	10	NE	NT	NT	NT
Chloroform	µg/l	5	0.19	NT	NT	NT
Chloromethane (Methylchloride)	µg/l	10	NE	NT	NT	NT
Dibromochloromethane	µg/l	5	NE	NT	NT	NT
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	NT	NT	NT
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.0004	NT	NT	NT
Dibromomethane	µg/l	10	NE	NT	NT	NT
1,2-Dichlorobenzene	µg/l	5	620	NT	NT	NT
1,4-Dichlorobenzene	µg/l	5	75	NT	NT	NT
trans-1,4-Dichloro-2butene	µg/l	100	NE	NT	NT	NT
1,1-Dichloroethane	µg/l	5	700	NT	NT	NT
1,2-Dichloroethane	µg/l	5	0.38	NT	NT	NT
1,1-Dichloroethene (-ethylene)	µg/l	5	7	NT	NT	NT
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	NT	NT	NT
trans-1,2-Dichloroethene (-ylene)	µg/l	5	70	NT	NT	NT
1,2-Dichloropropane	µg/l	5	0.56	NT	NT	NT
cis-1,3-Dichloropropene (-propylene)	µg/l	10	NE	NT	NT	NT
trans-1,3-Dichloropropene (-propylene)	µg/l	10	NE	NT	NT	NT
Ethylbenzene	µg/l	5	29	NT	NT	NT
2-Hexanone	µg/l	50	NE	NT	NT	NT
Iodomethane	µg/l	10	NE	NT	NT	NT
Dichloromethane (Methylene chloride)	µg/l	10	5	NT	NT	NT
2-Butanone (Methyl ethyl ketone)	µg/l	100	170	NT	NT	NT
4-Methyl-2-Pentanone	µg/l	100	NE	NT	NT	NT
Styrene	µg/l	10	100	NT	NT	NT
1,1,1,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT
1,1,2,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT
Tetrachloroethene (-ethylene)	µg/l	5	0.7	NT	NT	NT
Toluene	µg/l	5	1000	NT	NT	NT
1,1,1-Trichloroethane	µg/l	5	200	NT	NT	NT
1,1,2-Trichloroethane	µg/l	5	NE	NT	NT	NT
Trichloroethene (-ethylene)	µg/l	5	2.8	NT	NT	NT
Trichlorofluoromethane	µg/l	5	2100	NT	NT	NT
1,2,3-Trichloropropane	µg/l	15	NE	NT	NT	NT
Vinyl acetate	µg/l	50	NE	NT	NT	NT
Vinyl chloride	µg/l	10	0.015	NT	NT	NT
Xylene	µg/l	5	530	NT	NT	NT

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, "Redbook" Surface Waters and Wetlands Standards Section 15A NCAC 02B.0100, .0200, and .0300.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Surface Water Sampling Event (2-24-2003)

TEST	UNITS	MDL	MCL	SW-1	SW-2	Blanton Branch
pH	pH units (on-site)	-	<6.0; >8.5	7.05	6.84	6.8
Specific Conductance	µmhos/cm (on-site)	1	NE	41	50	110
Temperature	°C (on-site)	-	29	11.6	12.2	13
Turbidity	NTU (on-site)	0.1	50	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT
Total Arsenic (As)	µg/l	10	50	ND	ND	ND
Total Barium (Ba)	µg/l	500	NE	35	42	45
Total Beryllium (Be)	µg/l	2	6.5	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	2	ND	ND	ND
Total Chromium (Cr)	µg/l	10	50	ND	ND	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT
Total Copper (Cu)	µg/l	200	NE	NT	NT	NT
Total Lead (Pb)	µg/l	10	25	ND	ND	ND
Total Nickel (Ni)	µg/l	50	88	NT	NT	NT
Total Selenium (Se)	µg/l	20	5	ND	ND	ND
Total Silver (Ag)	µg/l	10	NE	2.9	4.4	4.1
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT
Total Zinc (Zn)	µg/l	50	NE	NT	NT	NT
Mercury	µg/l	0.2	0.012	ND	ND	ND
Acetone	µg/l	100	NE	NT	NT	NT
Acrylonitrile	µg/l	200	NE	NT	NT	NT
Benzene	µg/l	5	51	NT	NT	NT
Bromochloromethane	µg/l	5	NE	NT	NT	NT
Bromodichloromethane	µg/l	5	NE	NT	NT	NT
Bromoform	µg/l	5	NE	NT	NT	NT
Carbon Disulfide	µg/l	100	NE	NT	NT	NT
Bromomethane (Methylbromide)	µg/l	10	NE	NT	NT	NT
Carbon tetrachloride	µg/l	10	0.3	NT	NT	NT
Chlorobenzene (mono)	µg/l	5	50	NT	NT	NT
Chloroethane	µg/l	10	NE	NT	NT	NT
Chloroform	µg/l	5	0.19	NT	NT	NT
Chloromethane (Methylchloride)	µg/l	10	NE	NT	NT	NT
Dibromochloromethane	µg/l	5	NE	NT	NT	NT
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	NT	NT	NT
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.0004	NT	NT	NT
Dibromomethane	µg/l	10	NE	NT	NT	NT
1,2-Dichlorobenzene	µg/l	5	620	NT	NT	NT
1,4-Dichlorobenzene	µg/l	5	75	NT	NT	NT
trans-1,4-Dichloro-2butene	µg/l	100	NE	NT	NT	NT
1,1-Dichloroethane	µg/l	5	700	NT	NT	NT
1,2-Dichloroethane	µg/l	5	0.38	NT	NT	NT
1,1-Dichloroethene (-ethylene)	µg/l	5	7	NT	NT	NT
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	NT	NT	NT
trans-1,2-Dichloroethene (-ylene)	µg/l	5	70	NT	NT	NT
1,2-Dichloropropane	µg/l	5	0.56	NT	NT	NT
cis-1,3-Dichloropropene (-propylene)	µg/l	10	NE	NT	NT	NT
trans-1,3-Dichloropropene (-propylene)	µg/l	10	NE	NT	NT	NT
Ethylbenzene	µg/l	5	29	NT	NT	NT
2-Hexanone	µg/l	50	NE	NT	NT	NT
Iodomethane	µg/l	10	NE	NT	NT	NT
Dichloromethane (Methylene chloride)	µg/l	10	5	NT	NT	NT
2-Butanone (Methyl ethyl ketone)	µg/l	100	170	NT	NT	NT
4-Methyl-2-Pentanone	µg/l	100	NE	NT	NT	NT
Styrene	µg/l	10	100	NT	NT	NT
1,1,1,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT
1,1,2,2-Tetrachloroethane	µg/l	5	NE	NT	NT	NT
Tetrachloroethene (-ethylene)	µg/l	5	0.7	NT	NT	NT
Toluene	µg/l	5	1000	NT	NT	NT
1,1,1-Trichloroethane	µg/l	5	200	NT	NT	NT
1,1,2-Trichloroethane	µg/l	5	NE	NT	NT	NT
Trichloroethene (-ethylene)	µg/l	5	2.8	NT	NT	NT
Trichlorofluoromethane	µg/l	5	2100	NT	NT	NT
1,2,3-Trichloropropane	µg/l	15	NE	NT	NT	NT
Vinyl acetate	µg/l	50	NE	NT	NT	NT
Vinyl chloride	µg/l	10	0.015	NT	NT	NT
Xylene	µg/l	5	530	NT	NT	NT

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, "Redbook" Surface Waters and Wetlands Standards Section 15A NCAC 02B.0100, .0200, and .0300.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Surface Water Sampling Event (8-11-2003)

TEST	UNITS	MDL	MCL	SW-1	SW-2	Blanton Branch
pH	pH units (on-site)	-	<6.0; >8.5	7.24	7.15	7.1
Specific Conductance	µmhos/cm (on-site)	1	NE	51	75	111
Temperature	°C (on-site)	-	29	19	21.6	23
Turbidity	NTU (on-site)	0.1	50	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT
Total Arsenic (As)	µg/l	10	50	ND	ND	ND
Total Barium (Ba)	µg/l	500	NE	29	45	28
Total Beryllium (Be)	µg/l	2	6.5	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	2	ND	ND	ND
Total Chromium (Cr)	µg/l	10	50	ND	2.6	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT
Total Copper (Cu)	µg/l	200	NE	NT	NT	NT
Total Lead (Pb)	µg/l	10	25	ND	ND	ND
Total Nickel (Ni)	µg/l	50	88	NT	NT	NT
Total Selenium (Se)	µg/l	20	5	ND	ND	ND
Total Silver (Ag)	µg/l	10	NE	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT
Total Zinc (Zn)	µg/l	50	NE	NT	NT	NT
Mercury	µg/l	0.2	0.012	ND	ND	ND
Acetone	µg/l	100	NE	ND	ND	ND
Acrylonitrile	µg/l	200	NE	ND	ND	ND
Benzene	µg/l	5	51	ND	ND	ND
Bromochloromethane	µg/l	5	NE	ND	ND	ND
Bromodichloromethane	µg/l	5	NE	ND	ND	ND
Bromoform	µg/l	5	NE	ND	ND	ND
Carbon Disulfide	µg/l	100	NE	ND	ND	ND
Bromomethane (Methylbromide)	µg/l	10	NE	ND	ND	ND
Carbon tetrachloride	µg/l	10	0.3	ND	ND	ND
Chlorobenzene (mono)	µg/l	5	50	ND	ND	ND
Chloroethane	µg/l	10	NE	ND	ND	ND
Chloroform	µg/l	5	0.19	ND	ND	ND
Chloromethane (Methylchloride)	µg/l	10	NE	ND	ND	ND
Dibromochloromethane	µg/l	5	NE	ND	ND	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	ND	ND	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.0004	ND	ND	ND
Dibromomethane	µg/l	10	NE	ND	ND	ND
1,2-Dichlorobenzene	µg/l	5	620	ND	ND	ND
1,4-Dichlorobenzene	µg/l	5	75	ND	ND	ND
trans-1,4-Dichloro-2butene	µg/l	100	NE	ND	ND	ND
1,1-Dichloroethane	µg/l	5	700	ND	ND	ND
1,2-Dichloroethane	µg/l	5	0.38	ND	ND	ND
1,1-Dichloroethene (-ethylene)	µg/l	5	7	ND	ND	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	ND	ND	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	5	70	ND	ND	ND
1,2-Dichloropropane	µg/l	5	0.56	ND	ND	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	10	NE	ND	ND	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	10	NE	ND	ND	ND
Ethylbenzene	µg/l	5	29	ND	ND	ND
2-Hexanone	µg/l	50	NE	ND	ND	ND
Iodomethane	µg/l	10	NE	ND	ND	ND
Dichloromethane (Methylene chloride)	µg/l	10	5	ND	ND	ND
2-Butanone (Methyl ethyl ketone)	µg/l	100	170	ND	ND	ND
4-Methyl-2-Pentanone	µg/l	100	NE	ND	ND	ND
Styrene	µg/l	10	100	ND	ND	ND
1,1,1,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND
1,1,2,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND
Tetrachloroethene (-ethylene)	µg/l	5	0.7	ND	ND	ND
Toluene	µg/l	5	1000	ND	ND	ND
1,1,1-Trichloroethane	µg/l	5	200	ND	ND	ND
1,1,2-Trichloroethane	µg/l	5	NE	ND	ND	ND
Trichloroethene (-ethylene)	µg/l	5	2.8	ND	ND	ND
Trichlorofluoromethane	µg/l	5	2100	ND	ND	ND
1,2,3-Trichloropropane	µg/l	15	NE	ND	ND	ND
Vinyl acetate	µg/l	50	NE	ND	ND	ND
Vinyl chloride	µg/l	10	0.015	ND	ND	ND
Xylene	µg/l	5	530	ND	ND	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, "Redbook" Surface Waters and Wetlands Standards Section 15A NCAC 02B.0100, .0200, and .0300.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Surface Water Sampling Event (2-9-2004)

TEST	UNITS	MDL	MCL	SW-1	SW-2	Blanton Branch
pH	pH units (on-site)	-	<6.0; >8.5	6.22	6.71	6.38
Specific Conductance	µmhos/cm (on-site)	1	NE	39	42	80
Temperature	°C (on-site)	-	29	7.8	7.8	8.1
Turbidity	NTU (on-site)	0.1	50	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT
Total Arsenic (As)	µg/l	10	50	ND	ND	ND
Total Barium (Ba)	µg/l	500	NE	30	37	34
Total Beryllium (Be)	µg/l	2	6.5	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	2	ND	ND	ND
Total Chromium (Cr)	µg/l	10	50	ND	ND	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT
Total Copper (Cu)	µg/l	200	NE	NT	NT	NT
Total Lead (Pb)	µg/l	10	25	ND	ND	ND
Total Nickel (Ni)	µg/l	50	88	NT	NT	NT
Total Selenium (Se)	µg/l	20	5	ND	ND	ND
Total Silver (Ag)	µg/l	10	NE	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT
Total Zinc (Zn)	µg/l	50	NE	NT	NT	NT
Mercury	µg/l	0.2	0.012	ND	ND	ND
Acetone	µg/l	100	NE	ND	ND	14
Acrylonitrile	µg/l	200	NE	ND	ND	ND
Benzene	µg/l	5	51	ND	ND	ND
Bromochloromethane	µg/l	5	NE	ND	ND	ND
Bromodichloromethane	µg/l	5	NE	ND	ND	ND
Bromoform	µg/l	5	NE	ND	ND	ND
Carbon Disulfide	µg/l	100	NE	ND	ND	ND
Bromomethane (Methylbromide)	µg/l	10	NE	ND	ND	ND
Carbon tetrachloride	µg/l	10	0.3	ND	ND	ND
Chlorobenzene (mono)	µg/l	5	50	ND	ND	ND
Chloroethane	µg/l	10	NE	ND	ND	ND
Chloroform	µg/l	5	0.19	ND	ND	ND
Chloromethane (Methylchloride)	µg/l	10	NE	ND	ND	ND
Dibromochloromethane	µg/l	5	NE	ND	ND	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	ND	ND	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.0004	ND	ND	ND
Dibromomethane	µg/l	10	NE	ND	ND	ND
1,2-Dichlorobenzene	µg/l	5	620	ND	ND	ND
1,4-Dichlorobenzene	µg/l	5	75	ND	ND	ND
trans-1,4-Dichloro-2butene	µg/l	100	NE	ND	ND	ND
1,1-Dichloroethane	µg/l	5	700	ND	ND	ND
1,2-Dichloroethane	µg/l	5	0.38	ND	ND	ND
1,1-Dichloroethene (-ethylene)	µg/l	5	7	ND	ND	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	ND	ND	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	5	70	ND	ND	ND
1,2-Dichloropropane	µg/l	5	0.56	ND	ND	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	10	NE	ND	ND	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	10	NE	ND	ND	ND
Ethylbenzene	µg/l	5	29	ND	ND	ND
2-Hexanone	µg/l	50	NE	ND	ND	ND
Iodomethane	µg/l	10	NE	ND	ND	ND
Dichloromethane (Methylene chloride)	µg/l	10	5	ND	ND	ND
2-Butanone (Methyl ethyl ketone)	µg/l	100	170	ND	ND	ND
4-Methyl-2-Pentanone	µg/l	100	NE	ND	ND	ND
Styrene	µg/l	10	100	ND	ND	ND
1,1,1,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND
1,1,2,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND
Tetrachloroethene (-ethylene)	µg/l	5	0.7	ND	ND	ND
Toluene	µg/l	5	1000	ND	ND	ND
1,1,1-Trichloroethane	µg/l	5	200	ND	ND	ND
1,1,2-Trichloroethane	µg/l	5	NE	ND	ND	ND
Trichloroethene (-ethylene)	µg/l	5	2.8	ND	ND	ND
Trichlorofluoromethane	µg/l	5	2100	ND	ND	ND
1,2,3-Trichloropropane	µg/l	15	NE	ND	ND	ND
Vinyl acetate	µg/l	50	NE	ND	ND	ND
Vinyl chloride	µg/l	10	0.015	ND	ND	ND
Xylene	µg/l	5	530	ND	ND	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, "Redbook" Surface Waters and Wetlands Standards Section 15A NCAC 02B.0100, .0200, and .0300.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Surface Water Sampling Event (8-16-2004)

TEST	UNITS	MDL	MCL	SW-1	SW-2	Blanton Branch
pH	pH units (on-site)	-	<6.0; >8.5	6.98	7.11	6.8
Specific Conductance	µmhos/cm (on-site)	1	NE	59	80	125
Temperature	°C (on-site)	-	29	19.4	22.3	24.8
Turbidity	NTU (on-site)	0.1	50	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT
Total Arsenic (As)	µg/l	10	50	ND	ND	ND
Total Barium (Ba)	µg/l	500	NE	34	40	43
Total Beryllium (Be)	µg/l	2	6.5	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	2	ND	ND	ND
Total Chromium (Cr)	µg/l	10	50	ND	ND	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT
Total Copper (Cu)	µg/l	200	NE	NT	NT	NT
Total Lead (Pb)	µg/l	10	25	ND	ND	ND
Total Nickel (Ni)	µg/l	50	88	NT	NT	NT
Total Selenium (Se)	µg/l	20	5	ND	ND	ND
Total Silver (Ag)	µg/l	10	NE	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT
Total Zinc (Zn)	µg/l	50	NE	NT	NT	NT
Mercury	µg/l	0.2	0.012	0.25	0.67	0.29
Acetone	µg/l	100	NE	ND	ND	ND
Acrylonitrile	µg/l	200	NE	ND	ND	ND
Benzene	µg/l	5	51	ND	ND	ND
Bromochloromethane	µg/l	5	NE	ND	ND	ND
Bromodichloromethane	µg/l	5	NE	ND	ND	ND
Bromoform	µg/l	5	NE	ND	ND	ND
Carbon Disulfide	µg/l	100	NE	ND	ND	ND
Bromomethane (Methylbromide)	µg/l	10	NE	ND	ND	ND
Carbon tetrachloride	µg/l	10	0.3	ND	ND	ND
Chlorobenzene (mono)	µg/l	5	50	ND	ND	ND
Chloroethane	µg/l	10	NE	ND	ND	ND
Chloroform	µg/l	5	0.19	ND	ND	ND
Chloromethane (Methylchloride)	µg/l	10	NE	ND	ND	ND
Dibromochloromethane	µg/l	5	NE	ND	ND	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	ND	ND	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.0004	ND	ND	ND
Dibromomethane	µg/l	10	NE	ND	ND	ND
1,2-Dichlorobenzene	µg/l	5	620	ND	ND	ND
1,4-Dichlorobenzene	µg/l	5	75	ND	ND	ND
trans-1,4-Dichloro-2butene	µg/l	100	NE	ND	ND	ND
1,1-Dichloroethane	µg/l	5	700	ND	ND	ND
1,2-Dichloroethane	µg/l	5	0.38	ND	ND	ND
1,1-Dichloroethene (-ethylene)	µg/l	5	7	ND	ND	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	ND	ND	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	5	70	ND	ND	ND
1,2-Dichloropropane	µg/l	5	0.56	ND	ND	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	10	NE	ND	ND	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	10	NE	ND	ND	ND
Ethylbenzene	µg/l	5	29	ND	ND	ND
2-Hexanone	µg/l	50	NE	ND	ND	ND
Iodomethane	µg/l	10	NE	ND	ND	ND
Dichloromethane (Methylene chloride)	µg/l	10	5	ND	ND	ND
2-Butanone (Methyl ethyl ketone)	µg/l	100	170	ND	ND	ND
4-Methyl-2-Pentanone	µg/l	100	NE	ND	ND	ND
Styrene	µg/l	10	100	ND	ND	ND
1,1,1,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND
1,1,2,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND
Tetrachloroethene (-ethylene)	µg/l	5	0.7	ND	ND	ND
Toluene	µg/l	5	1000	ND	ND	ND
1,1,1-Trichloroethane	µg/l	5	200	ND	ND	ND
1,1,2-Trichloroethane	µg/l	5	NE	ND	ND	ND
Trichloroethene (-ethylene)	µg/l	5	2.8	ND	ND	ND
Trichlorofluoromethane	µg/l	5	2100	ND	ND	ND
1,2,3-Trichloropropane	µg/l	15	NE	ND	ND	ND
Vinyl acetate	µg/l	50	NE	ND	ND	ND
Vinyl chloride	µg/l	10	0.015	ND	ND	ND
Xylene	µg/l	5	530	ND	ND	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, "Redbook" Surface Waters and Wetlands Standards Section 15A NCAC 02B.0100, .0200, and .0300.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Surface Water Sampling Event (2-14-2005)

TEST	UNITS	MDL	MCL	SW-1	SW-2	Blanton Branch
pH	pH units (on-site)	-	<6.0; >8.5	8.06	7.32	7.97
Specific Conductance	µmhos/cm (on-site)	1	NE	38	120	45
Temperature	°C (on-site)	-	29	8.2	10.7	9.3
Turbidity	NTU (on-site)	0.1	50	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT
Total Arsenic (As)	µg/l	10	50	ND	ND	ND
Total Barium (Ba)	µg/l	500	NE	35	52	52
Total Beryllium (Be)	µg/l	2	6.5	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	2	ND	ND	ND
Total Chromium (Cr)	µg/l	10	50	ND	5.6	3.7
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT
Total Copper (Cu)	µg/l	200	NE	NT	NT	NT
Total Lead (Pb)	µg/l	10	25	ND	ND	ND
Total Nickel (Ni)	µg/l	50	88	NT	NT	NT
Total Selenium (Se)	µg/l	20	5	8.6	ND	5.5
Total Silver (Ag)	µg/l	10	NE	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT
Total Zinc (Zn)	µg/l	50	NE	NT	NT	NT
Mercury	µg/l	0.2	0.012	ND	ND	ND
Acetone	µg/l	100	NE	ND	ND	ND
Acrylonitrile	µg/l	200	NE	ND	ND	ND
Benzene	µg/l	5	51	ND	ND	ND
Bromochloromethane	µg/l	5	NE	ND	ND	ND
Bromodichloromethane	µg/l	5	NE	ND	ND	ND
Bromoform	µg/l	5	NE	ND	ND	ND
Carbon Disulfide	µg/l	100	NE	ND	ND	ND
Bromomethane (Methylbromide)	µg/l	10	NE	ND	ND	ND
Carbon tetrachloride	µg/l	10	0.3	ND	ND	ND
Chlorobenzene (mono)	µg/l	5	50	ND	ND	ND
Chloroethane	µg/l	10	NE	ND	ND	ND
Chloroform	µg/l	5	0.19	ND	ND	ND
Chloromethane (Methylchloride)	µg/l	10	NE	ND	ND	ND
Dibromochloromethane	µg/l	5	NE	ND	ND	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	ND	ND	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.0004	ND	ND	ND
Dibromomethane	µg/l	10	NE	ND	ND	ND
1,2-Dichlorobenzene	µg/l	5	620	ND	ND	ND
1,4-Dichlorobenzene	µg/l	5	75	ND	ND	ND
trans-1,4-Dichloro-2butene	µg/l	100	NE	ND	ND	ND
1,1-Dichloroethane	µg/l	5	700	ND	ND	ND
1,2-Dichloroethane	µg/l	5	0.38	ND	ND	ND
1,1-Dichloroethene (-ethylene)	µg/l	5	7	ND	ND	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	ND	ND	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	5	70	ND	ND	ND
1,2-Dichloropropane	µg/l	5	0.56	ND	ND	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	10	NE	ND	ND	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	10	NE	ND	ND	ND
Ethylbenzene	µg/l	5	29	ND	ND	ND
2-Hexanone	µg/l	50	NE	ND	ND	ND
Iodomethane	µg/l	10	NE	ND	ND	ND
Dichloromethane (Methylene chloride)	µg/l	10	5	ND	ND	ND
2-Butanone (Methyl ethyl ketone)	µg/l	100	170	ND	ND	ND
4-Methyl-2-Pentanone	µg/l	100	NE	ND	ND	ND
Styrene	µg/l	10	100	ND	ND	ND
1,1,1,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND
1,1,2,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND
Tetrachloroethene (-ethylene)	µg/l	5	0.7	ND	ND	ND
Toluene	µg/l	5	1000	ND	ND	ND
1,1,1-Trichloroethane	µg/l	5	200	ND	ND	ND
1,1,2-Trichloroethane	µg/l	5	NE	ND	ND	ND
Trichloroethene (-ethylene)	µg/l	5	2.8	ND	ND	ND
Trichlorofluoromethane	µg/l	5	2100	ND	ND	ND
1,2,3-Trichloropropane	µg/l	15	NE	ND	ND	ND
Vinyl acetate	µg/l	50	NE	ND	ND	ND
Vinyl chloride	µg/l	10	0.015	ND	ND	ND
Xylene	µg/l	5	530	ND	ND	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, "Redbook" Surface Waters and Wetlands Standards Section 15A NCAC 02B.0100, .0200, and .0300.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Surface Water Sampling Event (9-1-2005)

TEST	UNITS	MDL	MCL	SW-1	SW-2	Blanton Branch
pH	pH units (on-site)	-	<6.0; >8.5	**7.21**	**7.13**	**7.5**
Specific Conductance	µmhos/cm (on-site)	1	NE	**61**	**78**	**120**
Temperature	°C (on-site)	-	29	**19.8**	**22.6**	**24.1**
Turbidity	NTU (on-site)	0.1	50	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT
Total Arsenic (As)	µg/l	10	50	ND	ND	ND
Total Barium (Ba)	µg/l	500	NE	**41**	**48**	**41**
Total Beryllium (Be)	µg/l	2	6.5	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	2	ND	ND	ND
Total Chromium (Cr)	µg/l	10	50	ND	ND	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT
Total Copper (Cu)	µg/l	200	NE	NT	NT	NT
Total Lead (Pb)	µg/l	10	25	ND	ND	ND
Total Nickel (Ni)	µg/l	50	88	NT	NT	NT
Total Selenium (Se)	µg/l	20	5	ND	ND	ND
Total Silver (Ag)	µg/l	10	NE	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT
Total Zinc (Zn)	µg/l	50	NE	NT	NT	NT
Mercury	µg/l	0.2	0.012	ND	ND	ND
Acetone	µg/l	100	NE	ND	ND	ND
Acrylonitrile	µg/l	200	NE	ND	ND	ND
Benzene	µg/l	5	51	ND	ND	ND
Bromochloromethane	µg/l	5	NE	ND	ND	ND
Bromodichloromethane	µg/l	5	NE	ND	ND	ND
Bromoform	µg/l	5	NE	ND	ND	ND
Carbon Disulfide	µg/l	100	NE	ND	ND	ND
Bromomethane (Methylbromide)	µg/l	10	NE	ND	ND	ND
Carbon tetrachloride	µg/l	10	0.3	ND	ND	ND
Chlorobenzene (mono)	µg/l	5	50	ND	ND	ND
Chloroethane	µg/l	10	NE	ND	ND	ND
Chloroform	µg/l	5	0.19	ND	ND	ND
Chloromethane (Methylchloride)	µg/l	10	NE	ND	ND	ND
Dibromochloromethane	µg/l	5	NE	ND	ND	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	ND	ND	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.0004	ND	ND	ND
Dibromomethane	µg/l	10	NE	ND	ND	ND
1,2-Dichlorobenzene	µg/l	5	620	ND	ND	ND
1,4-Dichlorobenzene	µg/l	5	75	ND	ND	ND
trans-1,4-Dichloro-2butene	µg/l	100	NE	ND	ND	ND
1,1-Dichloroethane	µg/l	5	700	ND	ND	ND
1,2-Dichloroethane	µg/l	5	0.38	ND	ND	ND
1,1-Dichloroethene (-ethylene)	µg/l	5	7	ND	ND	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	ND	ND	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	5	70	ND	ND	ND
1,2-Dichloropropane	µg/l	5	0.56	ND	ND	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	10	NE	ND	ND	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	10	NE	ND	ND	ND
Ethylbenzene	µg/l	5	29	ND	ND	ND
2-Hexanone	µg/l	50	NE	ND	ND	ND
Iodomethane	µg/l	10	NE	ND	ND	ND
Dichloromethane (Methylene chloride)	µg/l	10	5	ND	ND	ND
2-Butanone (Methyl ethyl ketone)	µg/l	100	170	ND	ND	ND
4-Methyl-2-Pentanone	µg/l	100	NE	ND	ND	ND
Styrene	µg/l	10	100	ND	ND	ND
1,1,1,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND
1,1,2,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND
Tetrachloroethene (-ethylene)	µg/l	5	0.7	ND	ND	ND
Toluene	µg/l	5	1000	ND	ND	ND
1,1,1-Trichloroethane	µg/l	5	200	ND	ND	ND
1,1,2-Trichloroethane	µg/l	5	NE	ND	ND	ND
Trichloroethene (-ethylene)	µg/l	5	2.8	ND	ND	ND
Trichlorofluoromethane	µg/l	5	2100	ND	ND	ND
1,2,3-Trichloropropane	µg/l	15	NE	ND	ND	ND
Vinyl acetate	µg/l	50	NE	ND	ND	ND
Vinyl chloride	µg/l	10	0.015	ND	ND	ND
Xylene	µg/l	5	530	ND	ND	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, "Redbook" Surface Waters and Wetlands Standards Section 15A NCAC 02B.0100, .0200, and .0300.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Surface Water Sampling Event (2-16-2006)

TEST	UNITS	MDL	MCL	SW-1	SW-2	Blanton Branch
pH	pH units (on-site)	-	<6.0; >8.5	NT	NT	NT
Specific Conductance	µmhos/cm (on-site)	1	NE	NT	NT	NT
Temperature	°C (on-site)	-	29	NT	NT	NT
Turbidity	NTU (on-site)	0.1	50	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT
Total Arsenic (As)	µg/l	10	50	ND	ND	ND
Total Barium (Ba)	µg/l	500	NE	ND	ND	ND
Total Beryllium (Be)	µg/l	2	6.5	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	2	ND	ND	ND
Total Chromium (Cr)	µg/l	10	50	ND	ND	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT
Total Copper (Cu)	µg/l	200	NE	NT	NT	NT
Total Lead (Pb)	µg/l	10	25	ND	ND	ND
Total Nickel (Ni)	µg/l	50	88	NT	NT	NT
Total Selenium (Se)	µg/l	20	5	ND	ND	ND
Total Silver (Ag)	µg/l	10	NE	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT
Total Zinc (Zn)	µg/l	50	NE	NT	NT	NT
Mercury	µg/l	0.2	0.012	ND	ND	ND
Acetone	µg/l	100	NE	ND	ND	ND
Acrylonitrile	µg/l	200	NE	ND	ND	ND
Benzene	µg/l	5	51	ND	ND	ND
Bromochloromethane	µg/l	5	NE	ND	ND	ND
Bromodichloromethane	µg/l	5	NE	ND	ND	ND
Bromoform	µg/l	5	NE	ND	ND	ND
Carbon Disulfide	µg/l	100	NE	ND	ND	ND
Bromomethane (Methylbromide)	µg/l	10	NE	ND	ND	ND
Carbon tetrachloride	µg/l	10	0.3	ND	ND	ND
Chlorobenzene (mono)	µg/l	5	50	ND	ND	ND
Chloroethane	µg/l	10	NE	ND	ND	ND
Chloroform	µg/l	5	0.19	ND	ND	ND
Chloromethane (Methylchloride)	µg/l	10	NE	ND	ND	ND
Dibromochloromethane	µg/l	5	NE	ND	ND	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	ND	ND	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.0004	ND	ND	ND
Dibromomethane	µg/l	10	NE	ND	ND	ND
1,2-Dichlorobenzene	µg/l	5	620	ND	ND	ND
1,4-Dichlorobenzene	µg/l	5	75	ND	ND	ND
trans-1,4-Dichloro-2butene	µg/l	100	NE	ND	ND	ND
1,1-Dichloroethane	µg/l	5	700	ND	ND	ND
1,2-Dichloroethane	µg/l	5	0.38	ND	ND	ND
1,1-Dichloroethene (-ethylene)	µg/l	5	7	ND	ND	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	ND	ND	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	5	70	ND	ND	ND
1,2-Dichloropropane	µg/l	5	0.56	ND	ND	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	10	NE	ND	ND	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	10	NE	ND	ND	ND
Ethylbenzene	µg/l	5	29	ND	ND	ND
2-Hexanone	µg/l	50	NE	ND	ND	ND
Iodomethane	µg/l	10	NE	ND	ND	ND
Dichloromethane (Methylene chloride)	µg/l	10	5	ND	ND	ND
2-Butanone (Methyl ethyl ketone)	µg/l	100	170	ND	ND	ND
4-Methyl-2-Pentanone	µg/l	100	NE	ND	ND	ND
Styrene	µg/l	10	100	ND	ND	ND
1,1,1,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND
1,1,2,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND
Tetrachloroethene (-ethylene)	µg/l	5	0.7	ND	ND	ND
Toluene	µg/l	5	1000	ND	ND	ND
1,1,1-Trichloroethane	µg/l	5	200	ND	ND	ND
1,1,2-Trichloroethane	µg/l	5	NE	ND	ND	ND
Trichloroethene (-ethylene)	µg/l	5	2.8	ND	ND	ND
Trichlorofluoromethane	µg/l	5	2100	ND	ND	ND
1,2,3-Trichloropropane	µg/l	15	NE	ND	ND	ND
Vinyl acetate	µg/l	50	NE	ND	ND	ND
Vinyl chloride	µg/l	10	0.015	ND	ND	ND
Xylene	µg/l	5	530	ND	ND	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, "Redbook" Surface Waters and Wetlands Standards Section 15A NCAC 02B.0100, .0200, and .0300.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Surface Water Sampling Event (8-30-2006)

TEST	UNITS	MDL	MCL	SW-1	SW-2	Blanton Branch
pH	pH units (on-site)	-	<6.0; >8.5	7.12	7.33	7.05
Specific Conductance	µmhos/cm (on-site)	1	NE	75	96	134
Temperature	°C (on-site)	-	29	21.3	26.2	27.6
Turbidity	NTU (on-site)	0.1	50	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT
Total Arsenic (As)	µg/l	10	50	ND	ND	ND
Total Barium (Ba)	µg/l	500	NE	33	37	48
Total Beryllium (Be)	µg/l	2	6.5	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	2	ND	ND	ND
Total Chromium (Cr)	µg/l	10	50	ND	ND	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT
Total Copper (Cu)	µg/l	200	NE	NT	NT	NT
Total Lead (Pb)	µg/l	10	25	ND	ND	ND
Total Nickel (Ni)	µg/l	50	88	NT	NT	NT
Total Selenium (Se)	µg/l	20	5	ND	ND	ND
Total Silver (Ag)	µg/l	10	NE	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT
Total Zinc (Zn)	µg/l	50	NE	NT	NT	NT
Mercury	µg/l	0.2	0.012	ND	ND	ND
Acetone	µg/l	100	NE	ND	ND	ND
Acrylonitrile	µg/l	200	NE	ND	ND	ND
Benzene	µg/l	5	51	ND	ND	ND
Bromochloromethane	µg/l	5	NE	ND	ND	ND
Bromodichloromethane	µg/l	5	NE	ND	ND	ND
Bromoform	µg/l	5	NE	ND	ND	ND
Carbon Disulfide	µg/l	100	NE	ND	ND	ND
Bromomethane (Methylbromide)	µg/l	10	NE	ND	ND	ND
Carbon tetrachloride	µg/l	10	0.3	ND	ND	ND
Chlorobenzene (mono)	µg/l	5	50	ND	ND	ND
Chloroethane	µg/l	10	NE	ND	ND	ND
Chloroform	µg/l	5	0.19	ND	ND	ND
Chloromethane (Methylchloride)	µg/l	10	NE	ND	ND	ND
Dibromochloromethane	µg/l	5	NE	ND	ND	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	25	0.025	ND	ND	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.0004	ND	ND	ND
Dibromomethane	µg/l	10	NE	ND	ND	ND
1,2-Dichlorobenzene	µg/l	5	620	ND	ND	ND
1,4-Dichlorobenzene	µg/l	5	75	ND	ND	ND
trans-1,4-Dichloro-2butene	µg/l	100	NE	ND	ND	ND
1,1-Dichloroethane	µg/l	5	700	ND	ND	ND
1,2-Dichloroethane	µg/l	5	0.38	ND	ND	ND
1,1-Dichloroethene (-ethylene)	µg/l	5	7	ND	ND	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	ND	ND	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	5	70	ND	ND	ND
1,2-Dichloropropane	µg/l	5	0.56	ND	ND	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	10	NE	ND	ND	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	10	NE	ND	ND	ND
Ethylbenzene	µg/l	5	29	ND	ND	ND
2-Hexanone	µg/l	50	NE	ND	ND	ND
Iodomethane	µg/l	10	NE	ND	ND	ND
Dichloromethane (Methylene chloride)	µg/l	10	5	ND	ND	ND
2-Butanone (Methyl ethyl ketone)	µg/l	100	170	ND	ND	ND
4-Methyl-2-Pentanone	µg/l	100	NE	ND	ND	ND
Styrene	µg/l	10	100	ND	ND	ND
1,1,1,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND
1,1,2,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND
Tetrachloroethene (-ethylene)	µg/l	5	0.7	ND	ND	ND
Toluene	µg/l	5	1000	ND	ND	ND
1,1,1-Trichloroethane	µg/l	5	200	ND	ND	ND
1,1,2-Trichloroethane	µg/l	5	NE	ND	ND	ND
Trichloroethene (-ethylene)	µg/l	5	2.8	ND	ND	ND
Trichlorofluoromethane	µg/l	5	2100	ND	ND	ND
1,2,3-Trichloropropane	µg/l	15	NE	ND	ND	ND
Vinyl acetate	µg/l	50	NE	ND	ND	ND
Vinyl chloride	µg/l	10	0.015	ND	ND	ND
Xylene	µg/l	5	530	ND	ND	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, "Redbook" Surface Waters and Wetlands Standards Section 15A NCAC 02B.0100, .0200, and .0300.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Surface Water Sampling Event (2-26-2007)

TEST	UNITS	MDL	MCL	SW-1	SW-2	Blanton Branch
pH	pH units (on-site)	-	<6.0; >8.5	7.18	7.36	7.36
Specific Conductance	µmhos/cm (on-site)	1	NE	62	206	91
Temperature	°C (on-site)	-	29	12.3	12.3	12.6
Turbidity	NTU (on-site)	0.1	50	NT	NT	NT
Total Antimony (Sb)	µg/l	30	NE	NT	NT	NT
Total Arsenic (As)	µg/l	5	50	ND	ND	ND
Total Barium (Ba)	µg/l	5	NE	34	36	36
Total Beryllium (Be)	µg/l	2	6.5	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	2	ND	ND	ND
Total Chromium (Cr)	µg/l	5	50	ND	ND	ND
Total Cobalt (Co)	µg/l	10	NE	NT	NT	NT
Total Copper (Cu)	µg/l	200	NE	NT	NT	NT
Total Lead (Pb)	µg/l	5	25	ND	ND	ND
Total Nickel (Ni)	µg/l	50	88	NT	NT	NT
Total Selenium (Se)	µg/l	10	5	ND	ND	ND
Total Silver (Ag)	µg/l	5	NE	ND	ND	ND
Total Thallium (Tl)	µg/l	10	NE	NT	NT	NT
Total Zinc (Zn)	µg/l	50	NE	NT	NT	NT
Mercury	µg/l	0.2	0.012	ND	ND	ND
Acetone	µg/l	25	NE	ND	ND	ND
Acrylonitrile	µg/l	25	NE	ND	ND	ND
Benzene	µg/l	5	51	ND	ND	ND
Bromochloromethane	µg/l	5	NE	ND	ND	ND
Bromodichloromethane	µg/l	5	NE	ND	ND	ND
Bromoform	µg/l	5	NE	ND	ND	ND
Carbon Disulfide	µg/l	10	NE	ND	ND	ND
Bromomethane (Methylbromide)	µg/l	5	NE	ND	ND	ND
Carbon tetrachloride	µg/l	5	0.3	ND	ND	ND
Chlorobenzene (mono)	µg/l	5	50	ND	ND	ND
Chloroethane	µg/l	10	NE	ND	ND	ND
Chloroform	µg/l	5	0.19	ND	ND	ND
Chloromethane (Methylchloride)	µg/l	5	NE	ND	ND	ND
Dibromochloromethane	µg/l	5	NE	ND	ND	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	5	0.025	ND	ND	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	5	0.0004	ND	ND	ND
Dibromomethane	µg/l	5	NE	ND	ND	ND
1,2-Dichlorobenzene	µg/l	5	620	ND	ND	ND
1,4-Dichlorobenzene	µg/l	5	75	ND	ND	ND
trans-1,4-Dichloro-2butene	µg/l	5	NE	ND	ND	ND
1,1-Dichloroethane	µg/l	5	700	ND	ND	ND
1,2-Dichloroethane	µg/l	5	0.38	ND	ND	ND
1,1-Dichloroethene (-ethylene)	µg/l	5	7	ND	ND	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	5	70	ND	ND	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	5	70	ND	ND	ND
1,2-Dichloropropane	µg/l	5	0.56	ND	ND	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	5	NE	ND	ND	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	5	NE	ND	ND	ND
Ethylbenzene	µg/l	5	29	ND	ND	ND
2-Hexanone	µg/l	10	NE	ND	ND	ND
Iodomethane	µg/l	10	NE	ND	ND	ND
Dichloromethane (Methylene chloride)	µg/l	5	5	ND	ND	ND
2-Butanone (Methyl ethyl ketone)	µg/l	10	170	ND	ND	ND
4-Methyl-2-Pentanone	µg/l	10	NE	ND	ND	ND
Styrene	µg/l	5	100	ND	ND	ND
1,1,1,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND
1,1,2,2-Tetrachloroethane	µg/l	5	NE	ND	ND	ND
Tetrachloroethene (-ethylene)	µg/l	5	0.7	ND	ND	ND
Toluene	µg/l	5	1000	ND	ND	ND
1,1,1-Trichloroethane	µg/l	5	200	ND	ND	ND
1,1,2-Trichloroethane	µg/l	5	NE	ND	ND	ND
Trichloroethene (-ethylene)	µg/l	5	2.8	ND	ND	ND
Trichlorofluoromethane	µg/l	10	2100	ND	ND	ND
1,2,3-Trichloropropane	µg/l	5	NE	ND	ND	ND
Vinyl acetate	µg/l	10	NE	ND	ND	ND
Vinyl chloride	µg/l	5	0.015	ND	ND	ND
Xylene	µg/l	10	530	ND	ND	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, "Redbook" Surface Waters and Wetlands Standards Section 15A NCAC 02B.0100, .0200, and .0300.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

Closed Francis Farm Landfill - Haywood Co., NC
Surface Water Sampling Event (8-13-2007)

TEST	UNITS	MDL	MCL	SW-1	SW-2	Blanton Branch
pH	pH units (on-site)	-	<6.0; >8.5	7.38	7.2	7.2
Specific Conductance	µmhos/cm (on-site)	10	NE	63.6	84.2	83
Temperature	°C (on-site)	-	29	21	25.4	26.1
Turbidity	NTU (on-site)	0.1	50	NT	NT	NT
Total Antimony (Sb)	µg/l	NT	NE	NT	NT	NT
Total Arsenic (As)	µg/l	5	50	ND	ND	ND
Total Barium (Ba)	µg/l	5	NE	31.6	34.7	34.3
Total Beryllium (Be)	µg/l	NT	6.5	NT	NT	NT
Total Cadmium (Cd)	µg/l	1	2	ND	ND	ND
Total Chromium (Cr)	µg/l	5	50	ND	ND	ND
Total Cobalt (Co)	µg/l	NT	NE	NT	NT	NT
Total Copper (Cu)	µg/l	NT	NE	NT	NT	NT
Total Lead (Pb)	µg/l	5	25	ND	ND	ND
Total Nickel (Ni)	µg/l	NT	88	NT	NT	NT
Total Selenium (Se)	µg/l	10	5	ND	ND	ND
Total Silver (Ag)	µg/l	5	NE	ND	ND	ND
Total Thallium (Tl)	µg/l	NT	NE	NT	NT	NT
Total Zinc (Zn)	µg/l	NT	NE	NT	NT	NT
Mercury	µg/l	0.2	0.012	ND	ND	ND
Acetone	µg/l	25	NE	ND	ND	ND
Acrylonitrile	µg/l	10	NE	ND	ND	ND
Benzene	µg/l	1	51	ND	ND	ND
Bromochloromethane	µg/l	1	NE	ND	ND	ND
Bromodichloromethane	µg/l	1	NE	ND	ND	ND
Bromoform	µg/l	1	NE	ND	ND	ND
Carbon Disulfide	µg/l	2	NE	ND	ND	ND
Bromomethane (Methylbromide)	µg/l	5	NE	ND	ND	ND
Carbon tetrachloride	µg/l	1	0.3	ND	ND	ND
Chlorobenzene (mono)	µg/l	1	50	ND	ND	ND
Chloroethane	µg/l	1	NE	ND	ND	ND
Chloroform	µg/l	1	0.19	ND	ND	ND
Chloromethane (Methylchloride)	µg/l	1	NE	ND	ND	ND
Dibromochloromethane	µg/l	1	NE	ND	ND	ND
1,2-Dibromo-3-chloropropane; DBCP	µg/l	3	0.025	ND	ND	ND
1,2-Dibromoethane; Ethylene dibromide	µg/l	1	0.0004	ND	ND	ND
Dibromomethane	µg/l	1	NE	ND	ND	ND
1,2-Dichlorobenzene	µg/l	1	620	ND	ND	ND
1,4-Dichlorobenzene	µg/l	1	75	ND	ND	ND
trans-1,4-Dichloro-2butene	µg/l	1	NE	ND	ND	ND
1,1-Dichloroethane	µg/l	1	700	ND	ND	ND
1,2-Dichloroethane	µg/l	1	0.38	ND	ND	ND
1,1-Dichloroethene (-ethylene)	µg/l	1	7	ND	ND	ND
cis-1,2-Dichloroethene (-ethylene)	µg/l	1	70	ND	ND	ND
trans-1,2-Dichloroethene (-ylene)	µg/l	1	70	ND	ND	ND
1,2-Dichloropropane	µg/l	1	0.56	ND	ND	ND
cis-1,3-Dichloropropene (-propylene)	µg/l	1	NE	ND	ND	ND
trans-1,3-Dichloropropene (-propylene)	µg/l	1	NE	ND	ND	ND
Ethylbenzene	µg/l	1	29	ND	ND	ND
2-Hexanone	µg/l	5	NE	ND	ND	ND
Iodomethane	µg/l	5	NE	ND	ND	ND
Dichloromethane (Methylene chloride)	µg/l	2	5	ND	ND	ND
2-Butanone (Methyl ethyl ketone)	µg/l	5	170	ND	ND	ND
4-Methyl-2-Pentanone	µg/l	5	NE	ND	ND	ND
Styrene	µg/l	1	100	ND	ND	ND
1,1,1,2-Tetrachloroethane	µg/l	1	NE	ND	ND	ND
1,1,2,2-Tetrachloroethane	µg/l	1	NE	ND	ND	ND
Tetrachloroethene (-ethylene)	µg/l	1	0.7	ND	ND	ND
Toluene	µg/l	1	1000	ND	ND	ND
1,1,1-Trichloroethane	µg/l	1	200	ND	ND	ND
1,1,2-Trichloroethane	µg/l	1	NE	ND	ND	ND
Trichloroethene (-ethylene)	µg/l	1	2.8	ND	ND	ND
Trichlorofluoromethane	µg/l	1	2100	ND	ND	ND
1,2,3-Trichloropropane	µg/l	1	NE	ND	ND	ND
Vinyl acetate	µg/l	2	NE	ND	ND	ND
Vinyl chloride	µg/l	1	0.015	ND	ND	ND
Xylene	µg/l	2	530	ND	ND	ND

Notes:
MCL = Maximum Contaminant Level, as established in the NCDENR, "Redbook" Surface Waters and Wetlands Standards Section 15A NCAC 02B.0100, .0200, and .0300.
MDL = Laboratory Method Detection Limit
ND = Not Detected at the method detection limit
NS = Not Sampled
NT = Not Tested
NE = Not Established; North Carolina has not established a MCL
NP = Not Present during sampling event
Shaded cells indicated exceedances of MCLs.

APPENDIX C

Laboratory Analytical Results

Sampling Event
August 13, 2007

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

February 29, 2008

Mr. Stephen King
Haywood Co. Solid Watse
278 Recycle Rd.
Clyde, NC 28721

RE: Project: Francis Farm LF-August 07
Pace Project No.: 921429

Dear Mr. King:
Enclosed are the analytical results for sample(s) received by the laboratory on August 14, 2007. The results relate only to the samples included in this report. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

Inorganic Wet Chemistry and Metals analyses were performed at our Pace Asheville laboratory and Organic testing was performed at our Pace Huntersville laboratory unless otherwise footnoted. All Microbiological analyses were performed at the laboratory where the samples were received.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Tom R. Williams

Tom Williams

tom.williams@pacelabs.com
Project Manager

Enclosures

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

CERTIFICATIONS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Charlotte Certification IDs

Florida/NELAP Certification Number: E87627
Kansas Certification Number: E-10364
Louisiana/LELAP Certification Number: 04034
North Carolina Drinking Water Certification Number: 37706
North Carolina Wastewater Certification Number: 12
North Carolina Field Services Certification Number: 5342
South Carolina Certification Number: 990060001
South Carolina Bioassay Certification Number: 990060003
Tennessee Certification Number: 04010
Virginia Certification Number: 00213

Asheville Certification IDs

Florida/NELAP Certification Number: E87648
Louisiana/LELAP Certification Number: 03095
New Jersey Certification Number: NC011
North Carolina Drinking Water Certification Number: 37712
North Carolina Wastewater Certification Number: 40
North Carolina Bioassay Certification Number: 9
Pennsylvania Certification Number: 68-03578
South Carolina Certification Number: 99030001
South Carolina Bioassay Certification Number: 99030002
Tennessee Certification Number: 2980
Virginia Certification Number: 00072

Eden Certification IDs

North Carolina Drinking Water Certification Number: 37738
Virginia Drinking Water Certification Number: 00424
North Carolina Wastewater Certification Number: 633

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: MW-1A **Lab ID: 921429001** Collected: 08/13/07 14:30 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Monitoring Well Data	Analytical Method:							
Collected By	**MPS**			1		08/27/07 11:31		
Collected Date	**8/13/07**			1		08/27/07 11:31		
Collected Time	**14:30**			1		08/27/07 11:31		
Field pH	**6.14**	Std. Units		1		08/27/07 11:31		
Field Temperature	**17.8**	deg C		1		08/27/07 11:31		
Elevation Water Level	**48.0**	feet		1		08/27/07 11:31		
6010 ICP Groundwater	Analytical Method: EPA 6010 GW North Carolina Preparation Method: EPA 3010							
Arsenic	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:06	7440-38-2	
Barium	**176**	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:06	7440-39-3	
Cadmium	**1.5**	ug/L	1.0	1	08/21/07 18:15	08/25/07 15:06	7440-43-9	
Chromium	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:06	7440-47-3	
Lead	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:06	7439-92-1	
Selenium	ND	ug/L	10.0	1	08/21/07 18:15	08/25/07 15:06	7782-49-2	
Silver	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:06	7440-22-4	
7470 Mercury	Analytical Method: EPA 7470 Preparation Method: EPA 7470							
Mercury	ND	ug/L	0.20	1	08/16/07 09:20	08/16/07 10:44	7439-97-6	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND	ug/L	25.0	1		08/24/07 14:38	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		08/24/07 14:38	107-13-1	
Benzene	ND	ug/L	1.0	1		08/24/07 14:38	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		08/24/07 14:38	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		08/24/07 14:38	75-27-4	
Bromoform	ND	ug/L	1.0	1		08/24/07 14:38	75-25-2	
Bromomethane	ND	ug/L	5.0	1		08/24/07 14:38	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		08/24/07 14:38	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		08/24/07 14:38	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		08/24/07 14:38	56-23-5	
Chlorobenzene	**2.5**	ug/L	1.0	1		08/24/07 14:38	108-90-7	
Chloroethane	**2.3**	ug/L	1.0	1		08/24/07 14:38	75-00-3	
Chloroform	ND	ug/L	1.0	1		08/24/07 14:38	67-66-3	
Chloromethane	ND	ug/L	1.0	1		08/24/07 14:38	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	1		08/24/07 14:38	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		08/24/07 14:38	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		08/24/07 14:38	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		08/24/07 14:38	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		08/24/07 14:38	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		08/24/07 14:38	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		08/24/07 14:38	110-57-6	
1,1-Dichloroethane	**1.8**	ug/L	1.0	1		08/24/07 14:38	75-34-3	
1,2-Dichloroethane	**1.1**	ug/L	1.0	1		08/24/07 14:38	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		08/24/07 14:38	75-35-4	
cis-1,2-Dichloroethene	**5.1**	ug/L	1.0	1		08/24/07 14:38	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		08/24/07 14:38	156-60-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: MW-1A **Lab ID: 921429001** Collected: 08/13/07 14:30 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
1,2-Dichloropropane	ND	ug/L	1.0	1		08/24/07 14:38	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		08/24/07 14:38	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		08/24/07 14:38	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		08/24/07 14:38	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		08/24/07 14:38	591-78-6	
Iodomethane	ND	ug/L	5.0	1		08/24/07 14:38	74-88-4	
Methylene Chloride	ND	ug/L	2.0	1		08/24/07 14:38	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		08/24/07 14:38	108-10-1	
Styrene	ND	ug/L	1.0	1		08/24/07 14:38	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		08/24/07 14:38	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		08/24/07 14:38	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		08/24/07 14:38	127-18-4	
Toluene	ND	ug/L	1.0	1		08/24/07 14:38	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		08/24/07 14:38	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		08/24/07 14:38	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		08/24/07 14:38	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		08/24/07 14:38	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		08/24/07 14:38	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		08/24/07 14:38	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		08/24/07 14:38	75-01-4	
Xylene (Total)	ND	ug/L	2.0	1		08/24/07 14:38	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		08/24/07 14:38	1330-20-7	
o-Xylene	ND	ug/L	1.0	1		08/24/07 14:38	95-47-6	
4-Bromofluorobenzene (S)	103	%	87-109	1		08/24/07 14:38	460-00-4	
Dibromofluoromethane (S)	94	%	85-115	1		08/24/07 14:38	1868-53-7	
1,2-Dichloroethane-d4 (S)	93	%	79-120	1		08/24/07 14:38	17060-07-0	
Toluene-d8 (S)	101	%	70-120	1		08/24/07 14:38	2037-26-5	
120.1 Specific Conductance	Analytical Method: EPA 120.1							
Specific Conductance	**284**	umhos/cm	10.0	1		08/19/07 21:32		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: MW-2A **Lab ID: 921429002** Collected: 08/13/07 16:00 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Monitoring Well Data	Analytical Method:							
Collected By	**MPS**			1		08/27/07 11:32		
Collected Date	**8/13/07**			1		08/27/07 11:32		
Collected Time	**16:00**			1		08/27/07 11:32		
Field pH	**6.20**	Std. Units		1		08/27/07 11:32		
Field Temperature	**13.3**	deg C		1		08/27/07 11:32		
Elevation Water Level	**28.78**	feet		1		08/27/07 11:32		
6010 ICP Groundwater	Analytical Method: EPA 6010 GW North Carolina Preparation Method: EPA 3010							
Arsenic	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:18	7440-38-2	
Barium	**256**	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:18	7440-39-3	
Cadmium	ND	ug/L	1.0	1	08/21/07 18:15	08/25/07 15:18	7440-43-9	
Chromium	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:18	7440-47-3	
Lead	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:18	7439-92-1	
Selenium	**29.2**	ug/L	10.0	1	08/21/07 18:15	08/25/07 15:18	7782-49-2	
Silver	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:18	7440-22-4	
7470 Mercury	Analytical Method: EPA 7470 Preparation Method: EPA 7470							
Mercury	ND	ug/L	0.20	1	08/16/07 09:20	08/16/07 10:46	7439-97-6	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND	ug/L	25.0	1		08/24/07 15:01	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		08/24/07 15:01	107-13-1	
Benzene	ND	ug/L	1.0	1		08/24/07 15:01	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		08/24/07 15:01	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		08/24/07 15:01	75-27-4	
Bromoform	ND	ug/L	1.0	1		08/24/07 15:01	75-25-2	
Bromomethane	ND	ug/L	5.0	1		08/24/07 15:01	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		08/24/07 15:01	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		08/24/07 15:01	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		08/24/07 15:01	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		08/24/07 15:01	108-90-7	
Chloroethane	**4.8**	ug/L	1.0	1		08/24/07 15:01	75-00-3	
Chloroform	ND	ug/L	1.0	1		08/24/07 15:01	67-66-3	
Chloromethane	ND	ug/L	1.0	1		08/24/07 15:01	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	1		08/24/07 15:01	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		08/24/07 15:01	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		08/24/07 15:01	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		08/24/07 15:01	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		08/24/07 15:01	95-50-1	
1,4-Dichlorobenzene	**12.1**	ug/L	1.0	1		08/24/07 15:01	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		08/24/07 15:01	110-57-6	
1,1-Dichloroethane	**4.4**	ug/L	1.0	1		08/24/07 15:01	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		08/24/07 15:01	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		08/24/07 15:01	75-35-4	
cis-1,2-Dichloroethene	**9.7**	ug/L	1.0	1		08/24/07 15:01	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		08/24/07 15:01	156-60-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: MW-2A **Lab ID: 921429002** Collected: 08/13/07 16:00 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
1,2-Dichloropropane	ND	ug/L	1.0	1		08/24/07 15:01	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		08/24/07 15:01	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		08/24/07 15:01	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		08/24/07 15:01	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		08/24/07 15:01	591-78-6	
Iodomethane	ND	ug/L	5.0	1		08/24/07 15:01	74-88-4	
Methylene Chloride	ND	ug/L	2.0	1		08/24/07 15:01	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		08/24/07 15:01	108-10-1	
Styrene	ND	ug/L	1.0	1		08/24/07 15:01	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		08/24/07 15:01	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		08/24/07 15:01	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		08/24/07 15:01	127-18-4	
Toluene	ND	ug/L	1.0	1		08/24/07 15:01	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		08/24/07 15:01	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		08/24/07 15:01	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		08/24/07 15:01	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		08/24/07 15:01	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		08/24/07 15:01	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		08/24/07 15:01	108-05-4	
Vinyl chloride	**1.5**	ug/L	1.0	1		08/24/07 15:01	75-01-4	
Xylene (Total)	ND	ug/L	2.0	1		08/24/07 15:01	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		08/24/07 15:01	1330-20-7	
o-Xylene	ND	ug/L	1.0	1		08/24/07 15:01	95-47-6	
4-Bromofluorobenzene (S)	106	%	87-109	1		08/24/07 15:01	460-00-4	
Dibromofluoromethane (S)	102	%	85-115	1		08/24/07 15:01	1868-53-7	
1,2-Dichloroethane-d4 (S)	94	%	79-120	1		08/24/07 15:01	17060-07-0	
Toluene-d8 (S)	100	%	70-120	1		08/24/07 15:01	2037-26-5	
120.1 Specific Conductance	Analytical Method: EPA 120.1							
Specific Conductance	**512**	umhos/cm	10.0	1		08/19/07 21:32		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: MW-4 **Lab ID: 921429004** Collected: 08/13/07 14:45 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Monitoring Well Data	Analytical Method:							
Collected By	**MPS**			1		08/27/07 11:33		
Collected Date	**8/13/07**			1		08/27/07 11:33		
Collected Time	**14:45**			1		08/27/07 11:33		
Field pH	**5.46**	Std. Units		1		08/27/07 11:33		
Field Temperature	**16.5**	deg C		1		08/27/07 11:33		
Elevation Water Level	**70.59**	feet		1		08/27/07 11:33		
6010 ICP Groundwater	Analytical Method: EPA 6010 GW North Carolina Preparation Method: EPA 3010							
Arsenic	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:28	7440-38-2	
Barium	**137**	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:28	7440-39-3	
Cadmium	ND	ug/L	1.0	1	08/21/07 18:15	08/25/07 15:28	7440-43-9	
Chromium	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:28	7440-47-3	
Lead	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:28	7439-92-1	
Selenium	ND	ug/L	10.0	1	08/21/07 18:15	08/25/07 15:28	7782-49-2	
Silver	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:28	7440-22-4	
7470 Mercury	Analytical Method: EPA 7470 Preparation Method: EPA 7470							
Mercury	ND	ug/L	0.20	1	08/16/07 09:20	08/16/07 10:49	7439-97-6	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND	ug/L	25.0	1		08/24/07 15:25	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		08/24/07 15:25	107-13-1	
Benzene	**17.0**	ug/L	1.0	1		08/24/07 15:25	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		08/24/07 15:25	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		08/24/07 15:25	75-27-4	
Bromoform	ND	ug/L	1.0	1		08/24/07 15:25	75-25-2	
Bromomethane	ND	ug/L	5.0	1		08/24/07 15:25	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		08/24/07 15:25	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		08/24/07 15:25	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		08/24/07 15:25	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		08/24/07 15:25	108-90-7	
Chloroethane	**5.5**	ug/L	1.0	1		08/24/07 15:25	75-00-3	
Chloroform	ND	ug/L	1.0	1		08/24/07 15:25	67-66-3	
Chloromethane	ND	ug/L	1.0	1		08/24/07 15:25	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	1		08/24/07 15:25	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		08/24/07 15:25	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		08/24/07 15:25	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		08/24/07 15:25	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		08/24/07 15:25	95-50-1	
1,4-Dichlorobenzene	**3.7**	ug/L	1.0	1		08/24/07 15:25	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		08/24/07 15:25	110-57-6	
1,1-Dichloroethane	**40.3**	ug/L	1.0	1		08/24/07 15:25	75-34-3	
1,2-Dichloroethane	**1.3**	ug/L	1.0	1		08/24/07 15:25	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		08/24/07 15:25	75-35-4	
cis-1,2-Dichloroethene	**31.6**	ug/L	1.0	1		08/24/07 15:25	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		08/24/07 15:25	156-60-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: MW-4 **Lab ID: 921429004** Collected: 08/13/07 14:45 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
1,2-Dichloropropane	ND	ug/L	1.0	1		08/24/07 15:25	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		08/24/07 15:25	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		08/24/07 15:25	10061-02-6	
Ethylbenzene	**1.1**	ug/L	1.0	1		08/24/07 15:25	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		08/24/07 15:25	591-78-6	
Iodomethane	ND	ug/L	5.0	1		08/24/07 15:25	74-88-4	
Methylene Chloride	**38.8**	ug/L	2.0	1		08/24/07 15:25	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		08/24/07 15:25	108-10-1	
Styrene	ND	ug/L	1.0	1		08/24/07 15:25	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		08/24/07 15:25	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		08/24/07 15:25	79-34-5	
Tetrachloroethene	**8.1**	ug/L	1.0	1		08/24/07 15:25	127-18-4	
Toluene	**7.4**	ug/L	1.0	1		08/24/07 15:25	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		08/24/07 15:25	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		08/24/07 15:25	79-00-5	
Trichloroethene	**9.9**	ug/L	1.0	1		08/24/07 15:25	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		08/24/07 15:25	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		08/24/07 15:25	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		08/24/07 15:25	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		08/24/07 15:25	75-01-4	
Xylene (Total)	**6.1**	ug/L	2.0	1		08/24/07 15:25	1330-20-7	
m&p-Xylene	**3.9**	ug/L	2.0	1		08/24/07 15:25	1330-20-7	
o-Xylene	**2.2**	ug/L	1.0	1		08/24/07 15:25	95-47-6	
4-Bromofluorobenzene (S)	104	%	87-109	1		08/24/07 15:25	460-00-4	
Dibromofluoromethane (S)	98	%	85-115	1		08/24/07 15:25	1868-53-7	
1,2-Dichloroethane-d4 (S)	95	%	79-120	1		08/24/07 15:25	17060-07-0	
Toluene-d8 (S)	101	%	70-120	1		08/24/07 15:25	2037-26-5	
120.1 Specific Conductance	Analytical Method: EPA 120.1							
Specific Conductance	**159**	umhos/cm	10.0	1		08/19/07 21:32		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: MW-5 **Lab ID: 921429005** Collected: 08/13/07 15:00 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Monitoring Well Data	Analytical Method:							
Collected By	**MPS**			1		08/27/07 11:36		
Collected Date	**8/13/07**			1		08/27/07 11:36		
Collected Time	**15:00**			1		08/27/07 11:36		
Field pH	**5.76**	Std. Units		1		08/27/07 11:36		
Field Temperature	**15.0**	deg C		1		08/27/07 11:36		
Elevation Water Level	**76.05**	feet		1		08/27/07 11:36		
6010 ICP Groundwater	Analytical Method: EPA 6010 GW North Carolina Preparation Method: EPA 3010							
Arsenic	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:33	7440-38-2	
Barium	**208**	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:33	7440-39-3	
Cadmium	ND	ug/L	1.0	1	08/21/07 18:15	08/25/07 15:33	7440-43-9	
Chromium	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:33	7440-47-3	
Lead	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:33	7439-92-1	
Selenium	ND	ug/L	10.0	1	08/21/07 18:15	08/25/07 15:33	7782-49-2	
Silver	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:33	7440-22-4	
7470 Mercury	Analytical Method: EPA 7470 Preparation Method: EPA 7470							
Mercury	ND	ug/L	0.20	1	08/16/07 09:20	08/16/07 10:51	7439-97-6	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND	ug/L	25.0	1		08/24/07 15:49	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		08/24/07 15:49	107-13-1	
Benzene	**1.7**	ug/L	1.0	1		08/24/07 15:49	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		08/24/07 15:49	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		08/24/07 15:49	75-27-4	
Bromoform	ND	ug/L	1.0	1		08/24/07 15:49	75-25-2	
Bromomethane	ND	ug/L	5.0	1		08/24/07 15:49	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		08/24/07 15:49	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		08/24/07 15:49	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		08/24/07 15:49	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		08/24/07 15:49	108-90-7	
Chloroethane	**2.7**	ug/L	1.0	1		08/24/07 15:49	75-00-3	
Chloroform	ND	ug/L	1.0	1		08/24/07 15:49	67-66-3	
Chloromethane	ND	ug/L	1.0	1		08/24/07 15:49	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	1		08/24/07 15:49	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		08/24/07 15:49	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		08/24/07 15:49	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		08/24/07 15:49	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		08/24/07 15:49	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		08/24/07 15:49	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		08/24/07 15:49	110-57-6	
1,1-Dichloroethane	**4.3**	ug/L	1.0	1		08/24/07 15:49	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		08/24/07 15:49	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		08/24/07 15:49	75-35-4	
cis-1,2-Dichloroethene	**4.3**	ug/L	1.0	1		08/24/07 15:49	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		08/24/07 15:49	156-60-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: MW-5 **Lab ID: 921429005** Collected: 08/13/07 15:00 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
1,2-Dichloropropane	ND	ug/L	1.0	1		08/24/07 15:49	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		08/24/07 15:49	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		08/24/07 15:49	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		08/24/07 15:49	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		08/24/07 15:49	591-78-6	
Iodomethane	ND	ug/L	5.0	1		08/24/07 15:49	74-88-4	
Methylene Chloride	**2.9**	ug/L	2.0	1		08/24/07 15:49	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		08/24/07 15:49	108-10-1	
Styrene	ND	ug/L	1.0	1		08/24/07 15:49	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		08/24/07 15:49	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		08/24/07 15:49	79-34-5	
Tetrachloroethene	**3.6**	ug/L	1.0	1		08/24/07 15:49	127-18-4	
Toluene	ND	ug/L	1.0	1		08/24/07 15:49	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		08/24/07 15:49	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		08/24/07 15:49	79-00-5	
Trichloroethene	**2.7**	ug/L	1.0	1		08/24/07 15:49	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		08/24/07 15:49	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		08/24/07 15:49	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		08/24/07 15:49	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		08/24/07 15:49	75-01-4	
Xylene (Total)	ND	ug/L	2.0	1		08/24/07 15:49	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		08/24/07 15:49	1330-20-7	
o-Xylene	ND	ug/L	1.0	1		08/24/07 15:49	95-47-6	
4-Bromofluorobenzene (S)	104	%	87-109	1		08/24/07 15:49	460-00-4	
Dibromofluoromethane (S)	97	%	85-115	1		08/24/07 15:49	1868-53-7	
1,2-Dichloroethane-d4 (S)	93	%	79-120	1		08/24/07 15:49	17060-07-0	
Toluene-d8 (S)	100	%	70-120	1		08/24/07 15:49	2037-26-5	
120.1 Specific Conductance	Analytical Method: EPA 120.1							
Specific Conductance	**148**	umhos/cm	10.0	1		08/19/07 21:32		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: SW-1 **Lab ID: 921429006** Collected: 08/13/07 16:40 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Monitoring Well Data	Analytical Method:							
Collected By	**MPS**			1		08/27/07 11:37		
Collected Date	**8/13/07**			1		08/27/07 11:37		
Collected Time	**16:40**			1		08/27/07 11:37		
Field pH	**7.38**	Std. Units		1		08/27/07 11:37		
Field Temperature	**21.0**	deg C		1		08/27/07 11:37		
6010 ICP Groundwater	Analytical Method: EPA 6010 GW North Carolina Preparation Method: EPA 3010							
Arsenic	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:37	7440-38-2	
Barium	**31.6**	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:37	7440-39-3	
Cadmium	ND	ug/L	1.0	1	08/21/07 18:15	08/25/07 15:37	7440-43-9	
Chromium	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:37	7440-47-3	
Lead	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:37	7439-92-1	
Selenium	ND	ug/L	10.0	1	08/21/07 18:15	08/25/07 15:37	7782-49-2	
Silver	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:37	7440-22-4	
7470 Mercury	Analytical Method: EPA 7470 Preparation Method: EPA 7470							
Mercury	ND	ug/L	0.20	1	08/16/07 09:20	08/16/07 10:54	7439-97-6	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND	ug/L	25.0	1		08/24/07 16:12	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		08/24/07 16:12	107-13-1	
Benzene	ND	ug/L	1.0	1		08/24/07 16:12	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		08/24/07 16:12	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		08/24/07 16:12	75-27-4	
Bromoform	ND	ug/L	1.0	1		08/24/07 16:12	75-25-2	
Bromomethane	ND	ug/L	5.0	1		08/24/07 16:12	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		08/24/07 16:12	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		08/24/07 16:12	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		08/24/07 16:12	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		08/24/07 16:12	108-90-7	
Chloroethane	ND	ug/L	1.0	1		08/24/07 16:12	75-00-3	
Chloroform	ND	ug/L	1.0	1		08/24/07 16:12	67-66-3	
Chloromethane	ND	ug/L	1.0	1		08/24/07 16:12	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	1		08/24/07 16:12	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		08/24/07 16:12	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		08/24/07 16:12	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		08/24/07 16:12	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		08/24/07 16:12	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		08/24/07 16:12	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		08/24/07 16:12	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		08/24/07 16:12	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		08/24/07 16:12	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		08/24/07 16:12	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		08/24/07 16:12	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		08/24/07 16:12	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		08/24/07 16:12	78-87-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: SW-1 **Lab ID: 921429006** Collected: 08/13/07 16:40 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		08/24/07 16:12	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		08/24/07 16:12	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		08/24/07 16:12	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		08/24/07 16:12	591-78-6	
Iodomethane	ND	ug/L	5.0	1		08/24/07 16:12	74-88-4	
Methylene Chloride	ND	ug/L	2.0	1		08/24/07 16:12	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		08/24/07 16:12	108-10-1	
Styrene	ND	ug/L	1.0	1		08/24/07 16:12	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		08/24/07 16:12	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		08/24/07 16:12	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		08/24/07 16:12	127-18-4	
Toluene	ND	ug/L	1.0	1		08/24/07 16:12	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		08/24/07 16:12	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		08/24/07 16:12	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		08/24/07 16:12	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		08/24/07 16:12	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		08/24/07 16:12	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		08/24/07 16:12	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		08/24/07 16:12	75-01-4	
Xylene (Total)	ND	ug/L	2.0	1		08/24/07 16:12	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		08/24/07 16:12	1330-20-7	
o-Xylene	ND	ug/L	1.0	1		08/24/07 16:12	95-47-6	
4-Bromofluorobenzene (S)	104	%	87-109	1		08/24/07 16:12	460-00-4	
Dibromofluoromethane (S)	98	%	85-115	1		08/24/07 16:12	1868-53-7	
1,2-Dichloroethane-d4 (S)	95	%	79-120	1		08/24/07 16:12	17060-07-0	
Toluene-d8 (S)	100	%	70-120	1		08/24/07 16:12	2037-26-5	
120.1 Specific Conductance	Analytical Method: EPA 120.1							
Specific Conductance	**63.6**	umhos/cm	10.0	1		08/19/07 21:32		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: SW-2 **Lab ID: 921429007** Collected: 08/13/07 16:25 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Monitoring Well Data	Analytical Method:							
Collected By	**MPS**			1		08/27/07 11:38		
Collected Date	**8/13/07**			1		08/27/07 11:38		
Collected Time	**16:25**			1		08/27/07 11:38		
Field pH	**7.20**	Std. Units		1		08/27/07 11:38		
Field Temperature	**25.4**	deg C		1		08/27/07 11:38		
6010 ICP Groundwater	Analytical Method: EPA 6010 GW North Carolina Preparation Method: EPA 3010							
Arsenic	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:40	7440-38-2	
Barium	**34.7**	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:40	7440-39-3	
Cadmium	ND	ug/L	1.0	1	08/21/07 18:15	08/25/07 15:40	7440-43-9	
Chromium	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:40	7440-47-3	
Lead	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:40	7439-92-1	
Selenium	ND	ug/L	10.0	1	08/21/07 18:15	08/25/07 15:40	7782-49-2	
Silver	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:40	7440-22-4	
7470 Mercury	Analytical Method: EPA 7470 Preparation Method: EPA 7470							
Mercury	ND	ug/L	0.20	1	08/16/07 09:20	08/16/07 10:56	7439-97-6	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND	ug/L	25.0	1		08/25/07 02:08	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		08/25/07 02:08	107-13-1	
Benzene	ND	ug/L	1.0	1		08/25/07 02:08	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		08/25/07 02:08	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		08/25/07 02:08	75-27-4	
Bromoform	ND	ug/L	1.0	1		08/25/07 02:08	75-25-2	
Bromomethane	ND	ug/L	5.0	1		08/25/07 02:08	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		08/25/07 02:08	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		08/25/07 02:08	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		08/25/07 02:08	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		08/25/07 02:08	108-90-7	
Chloroethane	ND	ug/L	1.0	1		08/25/07 02:08	75-00-3	
Chloroform	ND	ug/L	1.0	1		08/25/07 02:08	67-66-3	
Chloromethane	ND	ug/L	1.0	1		08/25/07 02:08	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	1		08/25/07 02:08	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		08/25/07 02:08	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		08/25/07 02:08	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		08/25/07 02:08	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		08/25/07 02:08	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		08/25/07 02:08	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		08/25/07 02:08	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		08/25/07 02:08	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		08/25/07 02:08	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		08/25/07 02:08	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		08/25/07 02:08	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		08/25/07 02:08	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		08/25/07 02:08	78-87-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: SW-2 **Lab ID: 921429007** Collected: 08/13/07 16:25 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		08/25/07 02:08	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		08/25/07 02:08	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		08/25/07 02:08	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		08/25/07 02:08	591-78-6	
Iodomethane	ND	ug/L	5.0	1		08/25/07 02:08	74-88-4	
Methylene Chloride	ND	ug/L	2.0	1		08/25/07 02:08	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		08/25/07 02:08	108-10-1	
Styrene	ND	ug/L	1.0	1		08/25/07 02:08	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		08/25/07 02:08	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		08/25/07 02:08	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		08/25/07 02:08	127-18-4	
Toluene	ND	ug/L	1.0	1		08/25/07 02:08	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		08/25/07 02:08	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		08/25/07 02:08	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		08/25/07 02:08	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		08/25/07 02:08	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		08/25/07 02:08	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		08/25/07 02:08	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		08/25/07 02:08	75-01-4	
Xylene (Total)	ND	ug/L	2.0	1		08/25/07 02:08	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		08/25/07 02:08	1330-20-7	
o-Xylene	ND	ug/L	1.0	1		08/25/07 02:08	95-47-6	
4-Bromofluorobenzene (S)	105	%	87-109	1		08/25/07 02:08	460-00-4	
Dibromofluoromethane (S)	96	%	85-115	1		08/25/07 02:08	1868-53-7	
1,2-Dichloroethane-d4 (S)	95	%	79-120	1		08/25/07 02:08	17060-07-0	
Toluene-d8 (S)	101	%	70-120	1		08/25/07 02:08	2037-26-5	
120.1 Specific Conductance	Analytical Method: EPA 120.1							
Specific Conductance	**84.2**	umhos/cm	10.0	1		08/19/07 21:32		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: BLANTON BRANCH **Lab ID: 921429008** Collected: 08/13/07 16:10 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Monitoring Well Data	Analytical Method:							
Collected By	**MPS**			1		08/27/07 11:39		
Collected Date	**8/13/07**			1		08/27/07 11:39		
Collected Time	**16:10**			1		08/27/07 11:39		
Field pH	**7.20**	Std. Units		1		08/27/07 11:39		
Field Temperature	**26.1**	deg C		1		08/27/07 11:39		
6010 ICP Groundwater	Analytical Method: EPA 6010 GW North Carolina Preparation Method: EPA 3010							
Arsenic	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:52	7440-38-2	
Barium	**34.3**	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:52	7440-39-3	
Cadmium	ND	ug/L	1.0	1	08/21/07 18:15	08/25/07 15:52	7440-43-9	
Chromium	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:52	7440-47-3	
Lead	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:52	7439-92-1	
Selenium	ND	ug/L	10.0	1	08/21/07 18:15	08/25/07 15:52	7782-49-2	
Silver	ND	ug/L	5.0	1	08/21/07 18:15	08/25/07 15:52	7440-22-4	
7470 Mercury	Analytical Method: EPA 7470 Preparation Method: EPA 7470							
Mercury	ND	ug/L	0.20	1	08/16/07 09:20	08/16/07 10:59	7439-97-6	
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND	ug/L	25.0	1		08/25/07 02:31	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		08/25/07 02:31	107-13-1	
Benzene	ND	ug/L	1.0	1		08/25/07 02:31	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		08/25/07 02:31	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		08/25/07 02:31	75-27-4	
Bromoform	ND	ug/L	1.0	1		08/25/07 02:31	75-25-2	
Bromomethane	ND	ug/L	5.0	1		08/25/07 02:31	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		08/25/07 02:31	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		08/25/07 02:31	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		08/25/07 02:31	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		08/25/07 02:31	108-90-7	
Chloroethane	ND	ug/L	1.0	1		08/25/07 02:31	75-00-3	
Chloroform	ND	ug/L	1.0	1		08/25/07 02:31	67-66-3	
Chloromethane	ND	ug/L	1.0	1		08/25/07 02:31	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	1		08/25/07 02:31	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		08/25/07 02:31	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		08/25/07 02:31	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		08/25/07 02:31	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		08/25/07 02:31	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		08/25/07 02:31	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		08/25/07 02:31	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		08/25/07 02:31	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		08/25/07 02:31	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		08/25/07 02:31	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		08/25/07 02:31	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		08/25/07 02:31	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		08/25/07 02:31	78-87-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: BLANTON BRANCH **Lab ID: 921429008** Collected: 08/13/07 16:10 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		08/25/07 02:31	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		08/25/07 02:31	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		08/25/07 02:31	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		08/25/07 02:31	591-78-6	
Iodomethane	ND	ug/L	5.0	1		08/25/07 02:31	74-88-4	
Methylene Chloride	ND	ug/L	2.0	1		08/25/07 02:31	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		08/25/07 02:31	108-10-1	
Styrene	ND	ug/L	1.0	1		08/25/07 02:31	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		08/25/07 02:31	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		08/25/07 02:31	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		08/25/07 02:31	127-18-4	
Toluene	ND	ug/L	1.0	1		08/25/07 02:31	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		08/25/07 02:31	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		08/25/07 02:31	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		08/25/07 02:31	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		08/25/07 02:31	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		08/25/07 02:31	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		08/25/07 02:31	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		08/25/07 02:31	75-01-4	
Xylene (Total)	ND	ug/L	2.0	1		08/25/07 02:31	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		08/25/07 02:31	1330-20-7	
o-Xylene	ND	ug/L	1.0	1		08/25/07 02:31	95-47-6	
4-Bromofluorobenzene (S)	105	%	87-109	1		08/25/07 02:31	460-00-4	
Dibromofluoromethane (S)	95	%	85-115	1		08/25/07 02:31	1868-53-7	
1,2-Dichloroethane-d4 (S)	94	%	79-120	1		08/25/07 02:31	17060-07-0	
Toluene-d8 (S)	101	%	70-120	1		08/25/07 02:31	2037-26-5	
120.1 Specific Conductance	Analytical Method: EPA 120.1							
Specific Conductance	**83.0**	umhos/cm	10.0	1		08/19/07 21:32		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: TRAVEL BLANK **Lab ID: 921429009** Collected: 08/13/07 00:00 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND	ug/L	25.0	1		08/25/07 01:20	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		08/25/07 01:20	107-13-1	
Benzene	ND	ug/L	1.0	1		08/25/07 01:20	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		08/25/07 01:20	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		08/25/07 01:20	75-27-4	
Bromoform	ND	ug/L	1.0	1		08/25/07 01:20	75-25-2	
Bromomethane	ND	ug/L	5.0	1		08/25/07 01:20	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		08/25/07 01:20	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		08/25/07 01:20	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		08/25/07 01:20	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		08/25/07 01:20	108-90-7	
Chloroethane	ND	ug/L	1.0	1		08/25/07 01:20	75-00-3	
Chloroform	ND	ug/L	1.0	1		08/25/07 01:20	67-66-3	
Chloromethane	ND	ug/L	1.0	1		08/25/07 01:20	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	1		08/25/07 01:20	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		08/25/07 01:20	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		08/25/07 01:20	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		08/25/07 01:20	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		08/25/07 01:20	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		08/25/07 01:20	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		08/25/07 01:20	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		08/25/07 01:20	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		08/25/07 01:20	107-06-2	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		08/25/07 01:20	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		08/25/07 01:20	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		08/25/07 01:20	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		08/25/07 01:20	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		08/25/07 01:20	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		08/25/07 01:20	100-41-4	
Iodomethane	ND	ug/L	5.0	1		08/25/07 01:20	74-88-4	
Methylene Chloride	ND	ug/L	2.0	1		08/25/07 01:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		08/25/07 01:20	108-10-1	
Styrene	ND	ug/L	1.0	1		08/25/07 01:20	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		08/25/07 01:20	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		08/25/07 01:20	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		08/25/07 01:20	127-18-4	
Toluene	ND	ug/L	1.0	1		08/25/07 01:20	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		08/25/07 01:20	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		08/25/07 01:20	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		08/25/07 01:20	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		08/25/07 01:20	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		08/25/07 01:20	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		08/25/07 01:20	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		08/25/07 01:20	75-01-4	
Xylene (Total)	ND	ug/L	2.0	1		08/25/07 01:20	1330-20-7	
m&p-Xylene	ND	ug/L	2.0	1		08/25/07 01:20	1330-20-7	
o-Xylene	ND	ug/L	1.0	1		08/25/07 01:20	95-47-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: TRAVEL BLANK **Lab ID: 921429009** Collected: 08/13/07 00:00 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
4-Bromofluorobenzene (S)	105	%	87-109	1		08/25/07 01:20	460-00-4	
Dibromofluoromethane (S)	99	%	85-115	1		08/25/07 01:20	1868-53-7	
1,2-Dichloroethane-d4 (S)	95	%	79-120	1		08/25/07 01:20	17060-07-0	
Toluene-d8 (S)	101	%	70-120	1		08/25/07 01:20	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: EQUIPMENT BLANK **Lab ID: 921429010** Collected: 08/13/07 00:00 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
Acetone	ND	ug/L	25.0	1		08/25/07 01:44	67-64-1	
Acrylonitrile	ND	ug/L	10.0	1		08/25/07 01:44	107-13-1	
Benzene	ND	ug/L	1.0	1		08/25/07 01:44	71-43-2	
Bromochloromethane	ND	ug/L	1.0	1		08/25/07 01:44	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		08/25/07 01:44	75-27-4	
Bromoform	ND	ug/L	1.0	1		08/25/07 01:44	75-25-2	
Bromomethane	ND	ug/L	5.0	1		08/25/07 01:44	74-83-9	
2-Butanone (MEK)	ND	ug/L	5.0	1		08/25/07 01:44	78-93-3	
Carbon disulfide	ND	ug/L	2.0	1		08/25/07 01:44	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		08/25/07 01:44	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		08/25/07 01:44	108-90-7	
Chloroethane	ND	ug/L	1.0	1		08/25/07 01:44	75-00-3	
Chloroform	ND	ug/L	1.0	1		08/25/07 01:44	67-66-3	
Chloromethane	ND	ug/L	1.0	1		08/25/07 01:44	74-87-3	
1,2-Dibromo-3-chloropropane	ND	ug/L	3.0	1		08/25/07 01:44	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		08/25/07 01:44	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		08/25/07 01:44	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		08/25/07 01:44	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		08/25/07 01:44	95-50-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		08/25/07 01:44	106-46-7	
trans-1,4-Dichloro-2-butene	ND	ug/L	1.0	1		08/25/07 01:44	110-57-6	
1,1-Dichloroethane	ND	ug/L	1.0	1		08/25/07 01:44	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		08/25/07 01:44	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		08/25/07 01:44	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		08/25/07 01:44	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		08/25/07 01:44	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		08/25/07 01:44	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		08/25/07 01:44	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		08/25/07 01:44	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		08/25/07 01:44	100-41-4	
2-Hexanone	ND	ug/L	5.0	1		08/25/07 01:44	591-78-6	
Iodomethane	ND	ug/L	5.0	1		08/25/07 01:44	74-88-4	
Methylene Chloride	ND	ug/L	2.0	1		08/25/07 01:44	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		08/25/07 01:44	108-10-1	
Styrene	ND	ug/L	1.0	1		08/25/07 01:44	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		08/25/07 01:44	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		08/25/07 01:44	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		08/25/07 01:44	127-18-4	
Toluene	ND	ug/L	1.0	1		08/25/07 01:44	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		08/25/07 01:44	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		08/25/07 01:44	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		08/25/07 01:44	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		08/25/07 01:44	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	1.0	1		08/25/07 01:44	96-18-4	
Vinyl acetate	ND	ug/L	2.0	1		08/25/07 01:44	108-05-4	
Vinyl chloride	ND	ug/L	1.0	1		08/25/07 01:44	75-01-4	
Xylene (Total)	ND	ug/L	2.0	1		08/25/07 01:44	1330-20-7	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

Sample: EQUIPMENT BLANK **Lab ID: 921429010** Collected: 08/13/07 00:00 Received: 08/14/07 14:23 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV Low Level	Analytical Method: EPA 8260							
m&p-Xylene	ND	ug/L	2.0	1		08/25/07 01:44	1330-20-7	
o-Xylene	ND	ug/L	1.0	1		08/25/07 01:44	95-47-6	
4-Bromofluorobenzene (S)	104	%	87-109	1		08/25/07 01:44	460-00-4	
Dibromofluoromethane (S)	100	%	85-115	1		08/25/07 01:44	1868-53-7	
1,2-Dichloroethane-d4 (S)	96	%	79-120	1		08/25/07 01:44	17060-07-0	
Toluene-d8 (S)	100	%	70-120	1		08/25/07 01:44	2037-26-5	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: Francis Farm LF-August 07
Pace Project No.: 921429

QC Batch: MERP/1010 Analysis Method: EPA 7470
QC Batch Method: EPA 7470 Analysis Description: 7470 Mercury
Associated Lab Samples: 921429001, 921429002, 921429004, 921429005, 921429006, 921429007, 921429008

METHOD BLANK: 2625
Associated Lab Samples: 921429001, 921429002, 921429004, 921429005, 921429006, 921429007, 921429008

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
Mercury	ug/L	ND	0.20	

LABORATORY CONTROL SAMPLE: 2626

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	2.5	2.2	90	80-120	

MATRIX SPIKE SAMPLE: 2627

Parameter	Units	921356013 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	ND	2.5	2.4	95	75-125	

SAMPLE DUPLICATE: 2628

Parameter	Units	921356014 Result	Dup Result	RPD	Qualifiers
Mercury	ug/L	ND	ND		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: Francis Farm LF-August 07
Pace Project No.: 921429

QC Batch: WET/1095 — Analysis Method: EPA 120.1
QC Batch Method: EPA 120.1 — Analysis Description: 120.1 Specific Conductance
Associated Lab Samples: 921429001, 921429002, 921429004, 921429005, 921429006, 921429007, 921429008

METHOD BLANK: 5106
Associated Lab Samples: 921429001, 921429002, 921429004, 921429005, 921429006, 921429007, 921429008

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
Specific Conductance	umhos/cm	ND	10.0	

LABORATORY CONTROL SAMPLE: 5107

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Specific Conductance	umhos/cm	1410	1400	99	90-110	

SAMPLE DUPLICATE: 5108

Parameter	Units	921435002 Result	Dup Result	RPD	Qualifiers
Specific Conductance	umhos/cm	512	506	1	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: Francis Farm LF-August 07
Pace Project No.: 921429

QC Batch: MPRP/1079 — Analysis Method: EPA 6010 GW North Carolina
QC Batch Method: EPA 3010 — Analysis Description: 6010 MET NC Groundwater
Associated Lab Samples: 921429001, 921429002, 921429004, 921429005, 921429006, 921429007, 921429008

METHOD BLANK: 5967

Associated Lab Samples: 921429001, 921429002, 921429004, 921429005, 921429006, 921429007, 921429008

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
Arsenic	ug/L	ND	5.0	
Barium	ug/L	ND	5.0	
Cadmium	ug/L	ND	1.0	
Chromium	ug/L	ND	5.0	
Lead	ug/L	ND	5.0	
Selenium	ug/L	ND	10.0	
Silver	ug/L	ND	5.0	

LABORATORY CONTROL SAMPLE: 5968

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	500	492	98	80-120	
Barium	ug/L	500	466	93	80-120	
Cadmium	ug/L	500	490	98	80-120	
Chromium	ug/L	500	490	98	80-120	
Lead	ug/L	500	487	97	80-120	
Selenium	ug/L	500	482	96	80-120	
Silver	ug/L	250	266	106	80-120	

MATRIX SPIKE SAMPLE: 5969

Parameter	Units	921429001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	ND	500	473	95	75-125	
Barium	ug/L	176	500	611	87	75-125	
Cadmium	ug/L	1.5	500	455	91	75-125	
Chromium	ug/L	ND	500	455	91	75-125	
Lead	ug/L	ND	500	455	91	75-125	
Selenium	ug/L	ND	500	468	93	75-125	
Silver	ug/L	ND	250	256	102	75-125	

SAMPLE DUPLICATE: 5970

Parameter	Units	921429002 Result	Dup Result	RPD	Qualifiers
Arsenic	ug/L	ND	ND	16	
Barium	ug/L	256	274	7	
Cadmium	ug/L	ND	ND		
Chromium	ug/L	ND	ND		
Lead	ug/L	ND	ND		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: Francis Farm LF-August 07
Pace Project No.: 921429

SAMPLE DUPLICATE: 5970

Parameter	Units	921429002 Result	Dup Result	RPD	Qualifiers
Selenium	ug/L	29.2	29.2	0	
Silver	ug/L	ND	ND		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: Francis Farm LF-August 07
Pace Project No.: 921429

QC Batch: MSV/1101 — Analysis Method: EPA 8260
QC Batch Method: EPA 8260 — Analysis Description: 8260 MSV Low Level
Associated Lab Samples: 921429001, 921429002, 921429004, 921429005, 921429006

METHOD BLANK: 7593
Associated Lab Samples: 921429001, 921429002, 921429004, 921429005, 921429006

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	
1,1,1-Trichloroethane	ug/L	ND	1.0	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	
1,1,2-Trichloroethane	ug/L	ND	1.0	
1,1-Dichloroethane	ug/L	ND	1.0	
1,1-Dichloroethene	ug/L	ND	1.0	
1,2,3-Trichloropropane	ug/L	ND	1.0	
1,2-Dibromo-3-chloropropane	ug/L	ND	3.0	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	
1,2-Dichlorobenzene	ug/L	ND	1.0	
1,2-Dichloroethane	ug/L	ND	1.0	
1,2-Dichloropropane	ug/L	ND	1.0	
1,4-Dichlorobenzene	ug/L	ND	1.0	
2-Butanone (MEK)	ug/L	ND	5.0	
2-Hexanone	ug/L	ND	5.0	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	
Acetone	ug/L	ND	25.0	
Benzene	ug/L	ND	1.0	
Bromochloromethane	ug/L	ND	1.0	
Bromodichloromethane	ug/L	ND	1.0	
Bromoform	ug/L	ND	1.0	
Bromomethane	ug/L	ND	5.0	
Carbon tetrachloride	ug/L	ND	1.0	
Chlorobenzene	ug/L	ND	1.0	
Chloroethane	ug/L	ND	1.0	
Chloroform	ug/L	ND	1.0	
Chloromethane	ug/L	ND	1.0	
cis-1,2-Dichloroethene	ug/L	ND	1.0	
cis-1,3-Dichloropropene	ug/L	ND	1.0	
Dibromochloromethane	ug/L	ND	1.0	
Dibromomethane	ug/L	ND	1.0	
Ethylbenzene	ug/L	ND	1.0	
m&p-Xylene	ug/L	ND	2.0	
Methylene Chloride	ug/L	ND	2.0	
o-Xylene	ug/L	ND	1.0	
Styrene	ug/L	ND	1.0	
Tetrachloroethene	ug/L	ND	1.0	
Toluene	ug/L	ND	1.0	
trans-1,2-Dichloroethene	ug/L	ND	1.0	
trans-1,3-Dichloropropene	ug/L	ND	1.0	
Trichloroethene	ug/L	ND	1.0	
Trichlorofluoromethane	ug/L	ND	1.0	
Vinyl acetate	ug/L	ND	2.0	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: Francis Farm LF-August 07
Pace Project No.: 921429

METHOD BLANK: 7593

Associated Lab Samples: 921429001, 921429002, 921429004, 921429005, 921429006

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
Vinyl chloride	ug/L	ND	1.0	
1,2-Dichloroethane-d4 (S)	%	95	79-120	
4-Bromofluorobenzene (S)	%	105	87-109	
Dibromofluoromethane (S)	%	102	85-115	
Toluene-d8 (S)	%	100	70-120	

LABORATORY CONTROL SAMPLE: 7594

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	46.7	93	83-125	
1,1,1-Trichloroethane	ug/L	50	48.9	98	80-129	
1,1,2,2-Tetrachloroethane	ug/L	50	54.9	110	73-127	
1,1,2-Trichloroethane	ug/L	50	50.9	102	77-123	
1,1-Dichloroethane	ug/L	50	53.0	106	76-129	
1,1-Dichloroethene	ug/L	50	49.7	99	78-146	
1,2,3-Trichloropropane	ug/L	50	49.5	99	72-125	
1,2-Dibromo-3-chloropropane	ug/L	50	51.5	103	65-128	
1,2-Dibromoethane (EDB)	ug/L	50	52.7	105	81-125	
1,2-Dichlorobenzene	ug/L	50	52.6	105	82-126	
1,2-Dichloroethane	ug/L	50	52.2	104	72-126	
1,2-Dichloropropane	ug/L	50	50.6	101	80-127	
1,4-Dichlorobenzene	ug/L	50	51.7	103	79-125	
2-Butanone (MEK)	ug/L	100	103	103	50-134	
2-Hexanone	ug/L	100	116	116	58-138	
4-Methyl-2-pentanone (MIBK)	ug/L	100	109	109	70-131	
Acetone	ug/L	100	98.0	98	50-146	
Benzene	ug/L	50	51.1	102	78-128	
Bromochloromethane	ug/L	50	49.1	98	73-124	
Bromodichloromethane	ug/L	50	47.7	95	81-125	
Bromoform	ug/L	50	49.7	99	71-125	
Bromomethane	ug/L	50	62.2	124	50-150	
Carbon tetrachloride	ug/L	50	51.5	103	81-137	
Chlorobenzene	ug/L	50	49.2	98	82-126	
Chloroethane	ug/L	50	47.0	94	69-140	
Chloroform	ug/L	50	48.2	96	77-129	
Chloromethane	ug/L	50	54.2	108	54-139	
cis-1,2-Dichloroethene	ug/L	50	48.5	97	76-133	
cis-1,3-Dichloropropene	ug/L	50	48.1	96	76-127	
Dibromochloromethane	ug/L	50	48.2	96	77-125	
Dibromomethane	ug/L	50	50.9	102	77-125	
Ethylbenzene	ug/L	50	51.3	103	80-127	
m&p-Xylene	ug/L	100	103	103	82-127	
Methylene Chloride	ug/L	50	48.4	97	67-133	
o-Xylene	ug/L	50	52.5	105	83-124	
Styrene	ug/L	50	45.8	92	80-130	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: Francis Farm LF-August 07
Pace Project No.: 921429

LABORATORY CONTROL SAMPLE: 7594

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Tetrachloroethene	ug/L	50	50.2	100	78-128	
Toluene	ug/L	50	47.5	95	76-126	
trans-1,2-Dichloroethene	ug/L	50	53.0	106	78-134	
trans-1,3-Dichloropropene	ug/L	50	45.9	92	75-125	
Trichloroethene	ug/L	50	47.6	95	79-127	
Trichlorofluoromethane	ug/L	50	54.4	109	76-148	
Vinyl acetate	ug/L	100	136	136	50-150	
Vinyl chloride	ug/L	50	54.2	108	67-143	
1,2-Dichloroethane-d4 (S)	%			111	79-120	
4-Bromofluorobenzene (S)	%			100	87-109	
Dibromofluoromethane (S)	%			100	85-115	
Toluene-d8 (S)	%			99	70-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 7703 7704

Parameter	Units	921422001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
1,1-Dichloroethene	ug/L	ND	50	50	60.1	59.7	120	119	60-150	.7	
Benzene	ug/L	ND	50	50	56.6	56.4	112	112	74-136	.4	
Chlorobenzene	ug/L	ND	50	50	56.6	57.1	113	114	79-135	.9	
Toluene	ug/L	ND	50	50	53.1	52.8	106	105	73-131	.5	
Trichloroethene	ug/L	ND	50	50	52.6	52.3	105	105	73-131	.7	
1,2-Dichloroethane-d4 (S)	%						94	91	79-120		
4-Bromofluorobenzene (S)	%						98	99	87-109		
Dibromofluoromethane (S)	%						92	92	85-115		
Toluene-d8 (S)	%						100	100	70-120		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: Francis Farm LF-August 07
Pace Project No.: 921429

QC Batch: MSV/1104 Analysis Method: EPA 8260
QC Batch Method: EPA 8260 Analysis Description: 8260 MSV Low Level
Associated Lab Samples: 921429007, 921429008, 921429009, 921429010

METHOD BLANK: 7808
Associated Lab Samples: 921429007, 921429008, 921429009, 921429010

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	
1,1,1-Trichloroethane	ug/L	ND	1.0	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	
1,1,2-Trichloroethane	ug/L	ND	1.0	
1,1-Dichloroethane	ug/L	ND	1.0	
1,1-Dichloroethene	ug/L	ND	1.0	
1,2,3-Trichloropropane	ug/L	ND	1.0	
1,2-Dibromo-3-chloropropane	ug/L	ND	3.0	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	
1,2-Dichlorobenzene	ug/L	ND	1.0	
1,2-Dichloroethane	ug/L	ND	1.0	
1,2-Dichloropropane	ug/L	ND	1.0	
1,4-Dichlorobenzene	ug/L	ND	1.0	
2-Butanone (MEK)	ug/L	ND	5.0	
2-Hexanone	ug/L	ND	5.0	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	
Acetone	ug/L	ND	25.0	
Benzene	ug/L	ND	1.0	
Bromochloromethane	ug/L	ND	1.0	
Bromodichloromethane	ug/L	ND	1.0	
Bromoform	ug/L	ND	1.0	
Bromomethane	ug/L	ND	5.0	
Carbon tetrachloride	ug/L	ND	1.0	
Chlorobenzene	ug/L	ND	1.0	
Chloroethane	ug/L	ND	1.0	
Chloroform	ug/L	ND	1.0	
Chloromethane	ug/L	ND	1.0	
cis-1,2-Dichloroethene	ug/L	ND	1.0	
cis-1,3-Dichloropropene	ug/L	ND	1.0	
Dibromochloromethane	ug/L	ND	1.0	
Dibromomethane	ug/L	ND	1.0	
Ethylbenzene	ug/L	ND	1.0	
m&p-Xylene	ug/L	ND	2.0	
Methylene Chloride	ug/L	ND	2.0	
o-Xylene	ug/L	ND	1.0	
Styrene	ug/L	ND	1.0	
Tetrachloroethene	ug/L	ND	1.0	
Toluene	ug/L	ND	1.0	
trans-1,2-Dichloroethene	ug/L	ND	1.0	
trans-1,3-Dichloropropene	ug/L	ND	1.0	
Trichloroethene	ug/L	ND	1.0	
Trichlorofluoromethane	ug/L	ND	1.0	
Vinyl acetate	ug/L	ND	2.0	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: Francis Farm LF-August 07
Pace Project No.: 921429

METHOD BLANK: 7808

Associated Lab Samples: 921429007, 921429008, 921429009, 921429010

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
Vinyl chloride	ug/L	ND	1.0	
1,2-Dichloroethane-d4 (S)	%	95	79-120	
4-Bromofluorobenzene (S)	%	104	87-109	
Dibromofluoromethane (S)	%	96	85-115	
Toluene-d8 (S)	%	101	70-120	

LABORATORY CONTROL SAMPLE: 7809

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	51.5	103	83-125	
1,1,1-Trichloroethane	ug/L	50	56.6	113	80-129	
1,1,2,2-Tetrachloroethane	ug/L	50	51.2	102	73-127	
1,1,2-Trichloroethane	ug/L	50	55.8	112	77-123	
1,1-Dichloroethane	ug/L	50	60.9	122	76-129	
1,1-Dichloroethene	ug/L	50	75.1	150	78-146	L3
1,2,3-Trichloropropane	ug/L	50	50.9	102	72-125	
1,2-Dibromo-3-chloropropane	ug/L	50	50.0	100	65-128	
1,2-Dibromoethane (EDB)	ug/L	50	55.6	111	81-125	
1,2-Dichlorobenzene	ug/L	50	57.2	114	82-126	
1,2-Dichloroethane	ug/L	50	56.7	113	72-126	
1,2-Dichloropropane	ug/L	50	58.6	117	80-127	
1,4-Dichlorobenzene	ug/L	50	55.0	110	79-125	
2-Butanone (MEK)	ug/L	100	117	117	50-134	
2-Hexanone	ug/L	100	124	124	58-138	
4-Methyl-2-pentanone (MIBK)	ug/L	100	116	116	70-131	
Acetone	ug/L	100	132	132	50-146	
Benzene	ug/L	50	58.9	118	78-128	
Bromochloromethane	ug/L	50	56.8	114	73-124	
Bromodichloromethane	ug/L	50	55.1	110	81-125	
Bromoform	ug/L	50	53.2	106	71-125	
Bromomethane	ug/L	50	71.8	144	50-150	
Carbon tetrachloride	ug/L	50	59.4	119	81-137	
Chlorobenzene	ug/L	50	54.9	110	82-126	
Chloroethane	ug/L	50	54.6	109	69-140	
Chloroform	ug/L	50	56.8	114	77-129	
Chloromethane	ug/L	50	52.5	105	54-139	
cis-1,2-Dichloroethene	ug/L	50	58.9	118	76-133	
cis-1,3-Dichloropropene	ug/L	50	53.1	106	76-127	
Dibromochloromethane	ug/L	50	52.8	106	77-125	
Dibromomethane	ug/L	50	54.0	108	77-125	
Ethylbenzene	ug/L	50	56.8	114	80-127	
m&p-Xylene	ug/L	100	112	112	82-127	
Methylene Chloride	ug/L	50	56.6	113	67-133	
o-Xylene	ug/L	50	56.3	113	83-124	
Styrene	ug/L	50	48.0	96	80-130	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: Francis Farm LF-August 07
Pace Project No.: 921429

LABORATORY CONTROL SAMPLE: 7809

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Tetrachloroethene	ug/L	50	56.1	112	78-128	
Toluene	ug/L	50	53.8	108	76-126	
trans-1,2-Dichloroethene	ug/L	50	63.6	127	78-134	
trans-1,3-Dichloropropene	ug/L	50	49.8	100	75-125	
Trichloroethene	ug/L	50	57.6	115	79-127	
Trichlorofluoromethane	ug/L	50	57.1	114	76-148	
Vinyl acetate	ug/L	100	103	103	50-150	
Vinyl chloride	ug/L	50	59.0	118	67-143	
1,2-Dichloroethane-d4 (S)	%			114	79-120	
4-Bromofluorobenzene (S)	%			98	87-109	
Dibromofluoromethane (S)	%			93	85-115	
Toluene-d8 (S)	%			101	70-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 7810 7811

Parameter	Units	921429009 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
1,1-Dichloroethene	ug/L	ND	50	50	57.3	57.8	115	116	60-150	.9	
Benzene	ug/L	ND	50	50	53.9	53.6	108	107	74-136	.5	
Chlorobenzene	ug/L	ND	50	50	51.9	51.3	104	103	79-135	1	
Toluene	ug/L	ND	50	50	50.3	51.7	101	103	73-131	3	
Trichloroethene	ug/L	ND	50	50	49.5	50.1	99	100	73-131	1	
1,2-Dichloroethane-d4 (S)	%						93	95	79-120		
4-Bromofluorobenzene (S)	%						99	98	87-109		
Dibromofluoromethane (S)	%						96	88	85-115		
Toluene-d8 (S)	%						99	101	70-120		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALIFIERS

Project: Francis Farm LF-August 07
Pace Project No.: 921429

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

Pace Analytical is NELAP accredited. Contact your Pace PM for the current list of accredited analytes.

ANALYTE QUALIFIERS

L3 Analyte recovery in the laboratory control sample (LCS) exceeded QC limits. Analyte presence below reporting limits in associated samples. Results unaffected by high bias.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 1 of 1

1022765

Section A
Required Client Information:

Company	Haywood Co Solid Wst
Address	
Email To:	
Phone	Fax
Requested Due Date/TAT:	

Section B
Required Project Information:

Report To:	Stephen King
Copy To:	
Purchase Order No.:	
Project Name:	FLANDERS Farm LF
Project Number:	

Section C
Invoice Information:

Attention:	
Company Name:	
Address:	
Pace Quote Reference:	
Pace Project Manager:	
Pace Profile #:	

REGULATORY AGENCY

☐ NPDES ☐ GROUND WATER ☐ DRINKING WATER
☐ UST ☐ RCRA ☐ Other ____

SITE LOCATION ☐GA ☐IL ☐IN ☐MI ☐MN ☐NC ☐OH ☐SC ☐WI ☐OTHER ____

Section D
Required Client Information

Valid Matrix Codes

MATRIX	CODE
DRINKING WATER	DW
WATER	WT
WASTE WATER	WW
PRODUCT	P
SOIL/SOLID	SL
OIL	OL
WIPE	WP
AIR	AR
OTHER	OT
TISSUE	TS

SAMPLE ID

One Character per box. (A-Z, 0-9 / .-)
Samples IDs MUST BE UNIQUE

ITEM #	SAMPLE ID	MATRIX CODE	SAMPLE TYPE G=GRAB C=COMP	COMPOSITE START DATE	COMPOSITE START TIME	COMPOSITE END/GRAB DATE	COMPOSITE END/GRAB TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Unpreserved	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	Methanol	Other	Filtered (Y/N)	Requested Analysis: Fecal Coli	pH	Static Hg Level	Spec Conc - VOAS	Appendix VOAS	TCLP (Appendix II)	Residual Chlorine (Y/N)	Pace Project Number / Lab I.D
1	MW-1A	GW				8-13-07	1430		5	1		1	3						X	X	X	X	X			92429
2	MW-2A						1600		5	1		1	3						X	X	X	X	X			
3	MW-3A						1530													X				Dry		
4	MW-4						1445		5	1		1	3						X	X	X	X	X			
5	MW-5						1500		5	1		1	3						X	X	X	X	X			
6																										
7	SW-1	SW					1640		5	1		1	3						X		X	X	X			
8	SW-2						1625		5	1		1	3						X		X	X	X			
9	BLANTON BRANCH						1610		5	1		1	3						X		X	X	X			
10	TVC BIK	DI							2				2								X					
11	EQUIP BIK	DI							2				2								X					
12																										

Additional Comments:

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME
Kittie Smart	8-13-07	1655	Mark Swann Rsi	8-13	1655
Mark Swann Rsi	8-14			4/14/07	10:00

SAMPLE CONDITION

Temp in °C	Received on Ice	Custody Sealed Cooler	Samples Intact
	Y/N	Y/N	Y/N
2.7	Y/N	Y/N	Y/N
	Y/N	Y/N	Y/N

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: Mark L. Swann

SIGNATURE of SAMPLER: Mark L Swann Rsi

DATE Signed (MM / DD / YY): 8-13-07

SEE REVERSE SIDE FOR INSTRUCTIONS

ORIGINAL

ALL0020rev.3,31Mar05

APPENDIX D

Statistical Calculations

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

COMPOUND	TOTAL	ND	DETECTED	%ND	STATISTICAL TEST
Total Arsenic	70	57	13	81.4%	Poisson Prediction Limits
Total Barium *	70	5	65	7.1%	Kruskal-Wallis
Total Cadmium	70	46	24	65.7%	Kruskal-Wallis
Total Chromium	70	31	39	44.3%	Kruskal-Wallis
Total Lead	70	46	24	65.7%	Kruskal-Wallis
Total Mercury	65	58	7	89.2%	Kruskal-Wallis
Total Selenium	61	47	14	77.0%	Kruskal-Wallis
Total Silver	70	57	13	81.4%	Kruskal-Wallis
Acetone	44	42	2	95.5%	Poisson Prediction Limits
Benzene	44	32	12	72.7%	Kruskal-Wallis
Carbon Disulfide	44	43	1	97.7%	Poisson Prediction Limits
Chlorobenzene	44	43	1	97.7%	Poisson Prediction Limits
Chloroethane	44	35	9	79.5%	Poisson Prediction Limits
1,2-Dichlorobenzene	44	43	1	97.7%	Poisson Prediction Limits
1,4-Dichlorobenzene	44	37	7	84.1%	Poisson Prediction Limits
1,1-Dichloroethane	44	13	31	29.5%	Kruskal-Wallis
1,2-Dichloroethane	44	40	4	90.9%	Poisson Prediction Limits
1,1-Dichloroethene	44	43	1	97.7%	Poisson Prediction Limits
cis-1,2-Dichloroethene	44	10	34	22.7%	Kruskal-Wallis
cis-1,3-Dichloropropene	44	43	1	97.7%	Poisson Prediction Limits
Ethylbenzene	44	43	1	97.7%	Poisson Prediction Limits
Dichloromethane	44	33	11	75.0%	Kruskal-Wallis
Tetrachloroethene	44	31	13	70.5%	Kruskal-Wallis
Toluene	44	38	6	86.4%	Poisson Prediction Limits
Trichloroethene	44	31	13	70.5%	Kruskal-Wallis
Vinyl Chloride	44	43	1	97.7%	Poisson Prediction Limits
Xylenes	44	43	1	97.7%	Poisson Prediction Limits

Sampling Event	# Detected
N 1	3
N 2	8
N 3	11
N 4	13
N 5	20
N 6	14
N 7	21
N 8	43
N 9	33
N 10	34
N 11	42
N 12	29
N 13	7
N 14	22
N 15	14
N 16	35

LEGEND FOR THE FOLLOWING PAGES:

ND = *Not Detected* at the method detection limit
MCL = *Maximum Contaminant Level*; NCAC 2L Standard
NE = *Not Established*; NC has not established a MCL
NP = *Not Present* during sampling event
NS = *Not Sampled*
NT = *Not Tested*
NA = information *Not Available*
MDL = *Method Detection Limit*

Total Detected Concentrations (per compound) =	349
Total Detected Concentrations (per event) =	349
Are all accounted for ?	Yes
Statistical Package Prepared By:	TJB
Statistical Package Checked By:	MSP

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound: **Total Arsenic (As)**
MCL (µg/l): 50
Method: Poisson Prediction Limits
Background: MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	ND	NS	ND	NS	ND	5
08/16/99	ND	NS	ND	NS	ND	5
02/14/00	ND	NS	ND	NS	ND	5
08/14/00	ND	NT	ND	NS	**10**	5
03/19/01	ND	**11**	ND	ND	ND	5
08/27/02	**5.8**	**25**	ND	**23**	NT	5
02/24/03	ND	**23**	ND	**16**	ND	5
08/11/03	ND	**9.9**	ND	**6.5**	ND	5
02/09/04	ND	**8.3**	ND	ND	ND	5
08/16/04	ND	**6.1**	ND	ND	ND	5
02/14/05	ND	**6.2**	ND	ND	ND	5
09/01/05	ND	ND	ND	ND	ND	5
02/16/06	ND	ND	ND	ND	ND	5
08/30/06	ND	ND	ND	ND	ND	5
02/26/07	ND	ND	ND	**5.9**	ND	5
08/13/07	ND	ND	ND	ND	dry	5

1) If not detected (ND), use half of the detection limit.

02/18/99	2.5	-	2.5	-	2.5
08/16/99	2.5	-	2.5	-	2.5
02/14/00	2.5	-	2.5	-	2.5
08/14/00	2.5	-	2.5	-	10
03/19/01	2.5	11	2.5	2.5	2.5
08/27/02	5.8	25	2.5	23	-
02/24/03	2.5	23	2.5	16	2.5
08/11/03	2.5	9.9	2.5	6.5	2.5
02/09/04	2.5	8.3	2.5	2.5	2.5
08/16/04	2.5	6.1	2.5	2.5	2.5
02/14/05	2.5	6.2	2.5	2.5	2.5
09/01/05	2.5	2.5	2.5	2.5	2.5
02/16/06	2.5	2.5	2.5	2.5	2.5
08/30/06	2.5	2.5	2.5	2.5	2.5
02/26/07	2.5	2.5	2.5	5.9	2.5
08/13/07			2.5	2.5	-

2) Set the total number of data values for background wells (through the previous sampling event) equal to 'n' = 15.
Use 1/2 of the method detection limit to calculate the Total Poisson Count of the Sum (T_n).

$n = 26$
$T_{n1} = 140.3$

3) Using Gibbons' formula, calculate the upper Poisson Prediction limit T^*_k:

$$T^*_k = cT_{n1} + ct^2/2 + ct[T_{n1}(1+1/c) + t^2/4]^{-0.5}$$

where $c = k/n$
and where k = the number of future predicted measurements (one per well during the current sampling event)
and where t = the upper 99th percentile of the t-distribution with (n-1) degrees of freedom (Table 6 of the IFG).

$k = 2$
$n = 26$
$T_{n1} = 140.3$
$t\,[25,.01] = 2.485$
$c = 0.0769$
$T_{n2} = 5$
$T^*_k = 19.5$

4) Compare the *Poisson Prediction Limit* (T^*_k) to the *Sum of the Concentrations Detected* (T_{n2}) in the wells during the most recent sampling event.
Since the Poisson Prediction Limit was not exceeded, there is no evidence of contamination.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound:	**Total Barium (Ba)**
NC MCL (µg/l):	2000
Method:	Kruskal-Wallis
Background:	MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	**100**	NS	**300**	NS	**400**	**100**
08/16/99	**120**	NS	**230**	NS	**260**	**100**
02/14/00	**150**	NS	**270**	NS	**240**	**100**
08/14/00	**180**	NT	**410**	NS	**310**	**100**
03/19/01	**120**	**2000**	**340**	**830**	**310**	**100**
08/27/02	**150**	**2800**	**250**	**2700**	NT	**100**
02/24/03	**150**	**2500**	**310**	**1800**	**330**	**100**
08/11/03	**150**	**1200**	**530**	**950**	**350**	**5**
02/09/04	**120**	**890**	**260**	**370**	**310**	**5**
08/16/04	**140**	**1100**	**280**	**300**	**310**	**5**
02/14/05	**160**	**520**	**310**	**300**	**300**	**5**
09/01/05	**140**	**330**	**280**	**280**	**210**	**5**
02/16/06	ND	ND	ND	ND	ND	**5**
08/30/06	**160**	**250**	**290**	**220**	**240**	**5**
02/26/07	**140**	**280**	**210**	**240**	**300**	**5**
08/13/07	**137**	**208**	**176**	**256**	dry	**5**
N_i	16	12	16	12	14	
sum of rank values (R_i)	199.0	600.5	598.5	526.5	560.5	
avg rank value (Rbar)	12.4	50.0	37.4	43.9	40.0	

	Number of each rank value					Rank Value
rank value of NDs =	1	1	1	1	1	3
rank value of 100s =	1	0	0	0	0	6
rank value of 120s =	3	0	0	0	0	8
rank value of 137s =	1	0	0	0	0	10
rank value of 140s =	3	0	0	0	0	12
rank value of 150s =	4	0	0	0	0	15.5
rank value of 160s =	2	0	0	0	0	18.5
rank value of 176s =	0	0	1	0	0	20
rank value of 180s =	1	0	0	0	0	21
rank value of 208s =	0	1	0	0	0	22
rank value of 210s =	0	0	1	0	1	23.5
rank value of 220s =	0	0	0	1	0	25
rank value of 230s =	0	0	1	0	0	26
rank value of 240s =	0	0	0	1	2	28
rank value of 250s =	0	1	1	0	0	30.5
rank value of 256s =	0	0	0	1	0	32
rank value of 260s =	0	0	1	0	1	33.5
rank value of 270s =	0	0	1	0	0	35
rank value of 280s =	0	1	2	1	0	37.5
rank value of 290s =	0	0	1	0	0	40
rank value of 300s =	0	0	1	2	2	43
rank value of 310s =	0	0	2	0	4	48.5
rank value of 330s =	0	1	0	0	1	52.5
rank value of 340s =	0	0	1	0	0	54
rank value of 350s =	0	0	0	0	1	55
rank value of 370s =	0	0	0	1	0	56
rank value of 400s =	0	0	0	0	1	57
rank value of 410s =	0	0	1	0	0	58
rank value of 520s =	0	1	0	0	0	59
rank value of 530s =	0	0	1	0	0	60
rank value of 830s =	0	0	0	1	0	61
rank value of 890s =	0	1	0	0	0	62
rank value of 950s =	0	0	0	1	0	63
rank value of 1100s =	0	1	0	0	0	64
rank value of 1200s =	0	1	0	0	0	65
rank value of 1800s =	0	0	0	1	0	66
rank value of 2000s =	0	1	0	0	0	67
rank value of 2500s =	0	1	0	0	0	68
rank value of 2700s =	0	0	0	1	0	69
rank value of 2800s =	0	1	0	0	0	70

n =	**16**	**12**	**16**	**12**	**14**

Sum of rank value calculations

3	3	3	3	3
6	0	0	0	0
24	0	0	0	0
10	0	0	0	0
36	0	0	0	0
62	0	0	0	0
37	0	0	0	0
0	0	20	0	0
21	0	0	0	0
0	22	0	0	0
0	0	23.5	0	23.5
0	0	0	25	0
0	0	26	0	0
0	0	0	28	56
0	30.5	30.5	0	0
0	0	0	32	0
0	0	33.5	0	33.5
0	0	35	0	0
0	37.5	75	37.5	0
0	0	40	0	0
0	0	43	86	86
0	0	97	0	194
0	52.5	0	0	52.5
0	0	54	0	0
0	0	0	0	55
0	0	0	56	0
0	0	0	0	57
0	0	58	0	0
0	59	0	0	0
0	0	60	0	0
0	0	0	61	0
0	62	0	0	0
0	0	0	63	0
0	64	0	0	0
0	65	0	0	0
0	0	0	66	0
0	67	0	0	0
0	68	0	0	0
0	0	0	69	0
0	70	0	0	0
sum of rank values (R_i) **199**	**600.5**	**598.5**	**526.5**	**560.5**

Compute the Kruskal-Wallis statistic:

$$H = \{[12/N(N+1)] * [\Sigma^{K}_{i=1} (R_i^2)/N_i]\} -3(N+1)$$

Well =	**Background**	**MW-1A**	**MW-2A**	**MW-3A**
Ri^2/N_i =	22828.6	22387.64	23100.19	22440.02

$N_{i\,bgr}$ = 28

N = 70

H = 6.13

Adjust H for ties:

T_i = 672 sum of T1..T8

$H' = H/(1-(T_i/(N^3-N)))$

H' = 6.14

Chi-square = 7.82

Compare the calculated value H' to the tabulated Chi-square value with K-1 = # groups -1 = 17df at the significance level from Table 1 of the IFG. The value is 7.82 which is greater than H' =6.14. Therefore, the null hypothesis of no contamination at the 5% level holds true and significant evidence of contamination does not exist.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound: **Total Barium (Ba)**
AL MCL (µg/l): 2000
Method: Levene's Test for Homogeneity
Background: MW-4 & MW-5

	MW-11S	MW-11D	MW-1A	MW-2	MW-2D	MDL
2/18/1999	**100**	NS	**300**	NS	**400**	**100**
8/16/1999	**120**	NS	**230**	NS	**260**	**100**
2/14/2000	**150**	NS	**270**	NS	**240**	**100**
8/14/2000	**180**	NT	**410**	NS	**310**	**100**
3/19/2001	**120**	**2000**	**340**	**830**	**310**	**100**
8/27/2002	**150**	**2800**	**250**	**2700**	NT	**100**
2/24/2003	**150**	**2500**	**310**	**1800**	**330**	**100**
8/11/2003	**150**	**1200**	**530**	**950**	**350**	**5**
2/9/2004	**120**	**890**	**260**	**370**	**310**	**5**
8/16/2004	**140**	**1100**	**280**	**300**	**310**	**5**
2/14/2005	**160**	**520**	**310**	**300**	**300**	**5**
9/1/2005	**140**	**330**	**280**	**280**	**210**	**5**
2/16/2006	ND	ND	ND	ND	ND	**5**
8/30/2006	**160**	**250**	**290**	**220**	**240**	**5**
2/26/2007	**140**	**280**	**210**	**240**	**300**	**5**
8/13/2007	**137**	**208**	**176**	**256**	dry	**5**

If not detected (ND), use half of the detection limit.

	100		300		400
	120		230		260
	150		270		240
	180		410		310
	120	2000	340	830	310
	150	2800	250	2700	
	150	2500	310	1800	330
	150	1200	530	950	350
	120	890	260	370	310
	140	1100	280	300	310
	160	520	310	300	300
	140	330	280	280	210
	2.5	2.5	2.5	2.5	2.5
	160	250	290	220	240
	140	280	210	240	300
	137	208	176	256	
n =	16	12	16	12	14
bar x_i =	132.46875	1006.708333	278.03125	687.375	276.6071429
z_{ij} =	32.46875		21.96875		123.3928571
	12.46875		48.03125		16.60714286
	17.53125		8.03125		36.60714286
	47.53125		131.96875		33.39285714
	12.46875	993.2916667	61.96875	142.625	33.39285714
	17.53125	1793.291667	28.03125	2012.625	
	17.53125	1493.291667	31.96875	1112.625	53.39285714
	17.53125	193.2916667	251.96875	262.625	73.39285714
	12.46875	116.7083333	18.03125	317.375	33.39285714
	7.53125	93.29166667	1.96875	387.375	33.39285714
	27.53125	486.7083333	31.96875	387.375	23.39285714
	7.53125	676.7083333	1.96875	407.375	66.60714286
	129.96875	1004.208333	275.53125	684.875	274.1071429
	27.53125	756.7083333	11.96875	467.375	36.60714286
	7.53125	726.7083333	68.03125	447.375	23.39285714
	4.53125	798.7083333	102.03125	431.375	
bar z_i =	24.98046875	761.0763889	68.46484375	588.4166667	61.50510204

n_i * bar z_i^2 =	9984.381104	6950847.237	74998.95728	4154810.083	52960.28608

bar z = 300.888694
N = 70

	SS	df	MS	F_{Ratio}	$F_{critical}$
Between Wells	4906220.511	4	1226555.13	8.63	2.52
Error	9237828.327	65	142120.44		
Total	14144048.84	69			

Since the F-ratio = 8.63 exceeds the tabulated value of F-critical = 2.52 (see Table 2 of IFG) with 4 and 65 df, the assumption of equal variances should be rejected.
Re-test the data set using the natural log of the above values.

	MW-11S	MW-11D	MW-1A	MW-2	MW-2D
ln=	4.605170186		5.703782475		5.991464547
	4.787491743		5.438079309		5.560681631
	5.010635294		5.598421959		5.480638923
	5.192956851		6.01615716		5.736572297
	4.787491743	7.60090246	5.828945618	6.721425701	5.736572297
	5.010635294	7.937374696	5.521460918	7.901007052	
	5.010635294	7.824046011	5.736572297	7.495541944	5.799092654
	5.010635294	7.090076836	6.272877007	6.856461985	5.857933154
	4.787491743	6.791221463	5.560681631	5.913503006	5.736572297
	4.941642423	7.003065459	5.634789603	5.703782475	5.736572297
	5.075173815	6.253828812	5.736572297	5.703782475	5.703782475
	4.941642423	5.799092654	5.634789603	5.634789603	5.347107531
	0.916290732	0.916290732	0.916290732	0.916290732	0.916290732
	5.075173815	5.521460918	5.669880923	5.393627546	5.480638923
	4.941642423	5.634789603	5.347107531	5.480638923	5.703782475
	4.919980926	5.33753808	5.170483995	5.545177444	
n =	16	12	16	12	14
bar x_i =	4.688418125	6.142473977	5.361680816	5.772169074	5.341978731
z_{ij} =	0.083247939		0.342101659		0.649485816
	0.099073618		0.076398493		0.2187029
	0.322217169		0.236741143		0.138660192
	0.504538726		0.654476344		0.394593566
	0.099073618	1.458428483	0.467264802	0.949256627	0.394593566
	0.322217169	1.794900719	0.159780102	2.128837978	
	0.322217169	1.681572034	0.374891481	1.72337287	0.457113923
	0.322217169	0.947602859	0.91119619	1.084292911	0.515954423
	0.099073618	0.648747486	0.199000815	0.141333932	0.394593566
	0.253224298	0.860591482	0.273108787	0.068386599	0.394593566
	0.38675569	0.111354835	0.374891481	0.068386599	0.361803744
	0.253224298	0.343381322	0.273108787	0.137379471	0.0051288
	3.772127393	5.226183245	4.445390084	4.855878342	4.425687999
	0.38675569	0.621013059	0.308200107	0.378541527	0.138660192
	0.253224298	0.507684374	0.014573285	0.29153015	0.361803744
	0.231562801	0.804935897	0.191196821	0.226991629	
bar z_i =	0.481921916	1.250532983	0.581395024	1.00451572	0.632241143
n_i * bar z_i^2 =	3.715979737	18.7659929	5.40832278	12.10862197	5.596204076

bar z = 0.790121357
N = 70

	SS	df	MS	F_{Ratio}	$F_{critical}$
Between Wells	1.89	4	0.47	0.30	2.52
Error	102.78	65	1.58		
Total	104.67	69			

Since the F-ratio = 0.30 does not exceed the tabulated value of F-critical = 2.52 (see Table 2 of IFG) with 4 and 65 df, the assumption of equal means should be accepted.
Proceed with further statistical tests using the log-transformed values shown above.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound: **Total Barium**
NC MCL (µg/l): 2000
Method: Skewness Test for Normality
Background: MW-4 & MW-5

	MW-11S	MW-11D	MW-1A	MW-2	MW-2D	MDL
2/18/99	**100**	NS	**300**	NS	**400**	**100**
8/16/99	**120**	NS	**230**	NS	**260**	**100**
2/14/00	**150**	NS	**270**	NS	**240**	**100**
8/14/00	**180**	NT	**410**	NS	**310**	**100**
3/19/01	**120**	**2000**	**340**	**830**	**310**	**100**
8/27/02	**150**	**2800**	**250**	**2700**	NT	**100**
2/24/03	**150**	**2500**	**310**	**1800**	**330**	**100**
8/11/03	**150**	**1200**	**530**	**950**	**350**	**5**
2/9/04	**120**	**890**	**260**	**370**	**310**	**5**
8/16/04	**140**	**1100**	**280**	**300**	**310**	**5**
2/14/05	**160**	**520**	**310**	**300**	**300**	**5**
9/1/05	**140**	**330**	**280**	**280**	**210**	**5**
2/16/06	ND	ND	ND	ND	ND	**5**
8/30/06	**160**	**250**	**290**	**220**	**240**	**5**
2/26/07	**140**	**280**	**210**	**240**	**300**	**5**
8/13/07	**137**	**208**	**176**	**256**	dry	**5**

If not detected (ND), use half of the detection limit.

100		300		400
120		230		260
150		270		240
180		410		310
120	2000	340	830	310
150	2800	250	2700	
150	2500	310	1800	330
150	1200	530	950	350
120	890	260	370	310
140	1100	280	300	310
160	520	310	300	300
140	330	280	280	210
2.5	2.5	2.5	2.5	2.5
160	250	290	220	240
140	280	210	240	300
137	208	176	256	

X_i values =				
-39153087.8		-2718459.65		-61931.2703
-32634330.7		-9203474.52		-5789751.01
-24279234.4		-4875320.31		-7947828.11
-17487785.1		-25840.5749		-2174983.24
-32634330.7	3799597951	-986985.443	59518038.63	-2174983.24
-24279234.4	13151537607	-6811920.27	11549853650	
-24279234.4	8747364165	-2174983.24	2517874466	-1315246.14
-24279234.4	439731438.6	739639.1985	132991278.4	-718463.319
-32634330.7	91389952.8	-5789751.01	-336634.785	-2174983.24
-26882527.9	288065767.4	-4062628.19	-2718459.65	-2174983.24
-21849679.4	520411.3603	-2174983.24	-2718459.65	-2718459.65
-26882527.9	-1315246.14	-4062628.19	-4062628.19	-12097983.1
-83490288.2	-83490288.2	-83490288.2	-83490288.2	-83490288.2
-21849679.4	-6811920.27	-3345674.63	-10584859.5	-7947828.11
-26882527.9	-4062628.19	-12097983.1	-7947828.11	-2718459.65
-27698292	-12416944.4	-18308791.6	-6185354.08	

X_{bar} = 439.5642857
SD = 591.7843683
N = 70
$1/N\Sigma_i(X_i-X_{bar})^3$ = 568174437.4
γ_1= 2.801332415

Since the Coefficient of Skewness of 2.80 is greater than 1.0, the data appear to be significantly skewed.
Do not assume that the data follow a Normal distribution.
Perform the Skewness Test on the natural log of the values.

	MW-11S	MW-11D	MW-1A	MW-2	MW-2D
ln =	4.605170186		5.703782475		5.991464547
	4.787491743		5.438079309		5.560681631
	5.010635294		5.598421959		5.480638923
	5.192956851		6.01615716		5.736572297
	4.787491743	7.60090246	5.828945618	6.721425701	5.736572297
	5.010635294	7.937374696	5.521460918	7.901007052	
	5.010635294	7.824046011	5.736572297	7.495541944	5.799092654
	5.010635294	7.090076836	6.272877007	6.856461985	5.857933154
	4.787491743	6.791221463	5.560681631	5.913503006	5.736572297
	4.941642423	7.003065459	5.634789603	5.703782475	5.736572297
	5.075173815	6.253828812	5.736572297	5.703782475	5.703782475
	4.941642423	5.799092654	5.634789603	5.634789603	5.347107531
	0.916290732	0.916290732	0.916290732	0.916290732	0.916290732
	5.075173815	5.521460918	5.669880923	5.393627546	5.480638923
	4.941642423	5.634789603	5.347107531	5.480638923	5.703782475
	4.919980926	5.33753808	5.170483995	5.545177444	

X_i values =	-0.51759066		0.025858452		0.19855638
	-0.23899715		2.70212E-05		0.00355427
	-0.06277723		0.00689703		0.000382143
	-0.00995428		0.22485077		0.035449447
	-0.23899715	10.54424501	0.07455157	2.265403914	0.035449447
	-0.06277723	16.18090102	0.001457868	15.49291637	
	-0.06277723	14.10188173	0.035449447	9.09622162	0.059786194
	-0.06277723	4.758632231	0.646778248	3.038484525	0.091041008
	-0.23899715	2.646109731	0.00355427	0.129118075	0.035449447
	-0.10147445	4.057674106	0.011653566	0.025858452	0.035449447
	-0.036892	0.604974893	0.035449447	0.025858452	0.025858452
	-0.10147445	0.059786194	0.011653566	0.011653566	-0.00022658
	-90.6265904	-90.6265904	-90.6265904	-90.6265904	-90.6265904
	-0.036892	0.001457868	0.01794552	-3.0134E-06	0.000382143
	-0.10147445	0.011653566	-0.00022658	0.000382143	0.025858452
	-0.11627896	-0.0003509	-0.01341129	0.002577326	

X_{bar} = 5.408071456
SD = 1.463969171
N = 70
$1/N\Sigma_i(X_i-X_{bar})^3$ = -5.29197382
γ_1= 1.723436622

Since the Coefficient of Skewness of 1.72 is greater than 1.0, the data appear to be significantly skewed.
Do not assume that the data follow a Normal distribution.
A non-parametric testing procedure should be used on the data set.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound:	**Total Cadmium (Cd)**
NC MCL (µg/l):	1.75
Method:	Kruskal-Wallis
Background:	MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	ND	NS	ND	NS	ND	**10**
08/16/99	ND	NS	**2.5**	NS	**7.4**	**10**
02/14/00	**1.4**	NS	**2**	NS	**9.1**	**10**
08/14/00	**1.3**	NT	**4.9**	NS	**13**	**10**
03/19/01	ND	**18**	**2.6**	**12**	**6.9**	**10**
08/27/02	ND	**21**	ND	**25**	NT	**10**
02/24/03	ND	**19**	**2.1**	**22**	**6.2**	**10**
08/11/03	ND	ND	**2**	**3.1**	ND	**1**
02/09/04	ND	ND	ND	ND	ND	**1**
08/16/04	ND	ND	ND	ND	ND	**1**
02/14/05	ND	ND	**2.4**	**7**	**4**	**1**
09/01/05	ND	ND	ND	ND	ND	**1**
02/16/06	ND	ND	ND	ND	ND	**1**
08/30/06	ND	ND	ND	ND	ND	**1**
02/26/07	ND	ND	ND	ND	ND	**1**
08/13/07	ND	ND	**1.5**	ND	dry	**1**

N_i	16	12	16	12	14
sum of rank values (R_i)	424.0	412.5	610.0	484.5	554.0
avg rank value (Rbar)	26.5	34.4	38.1	40.4	39.6

	Number of each rank value					Rank Value
rank value of NDs =	14	9	8	7	8	23.5
rank value of 1.3s =	1	0	0	0	0	47
rank value of 1.4s =	1	0	0	0	0	48
rank value of 1.5s =	0	0	1	0	0	49
rank value of 2s =	0	0	2	0	0	50.5
rank value of 2.1s =	0	0	1	0	0	52
rank value of 2.4s =	0	0	1	0	0	53
rank value of 2.5s =	0	0	1	0	0	54
rank value of 2.6s =	0	0	1	0	0	55
rank value of 3.1s =	0	0	0	1	0	56
rank value of 4s =	0	0	0	0	1	57
rank value of 4.9s =	0	0	1	0	0	58
rank value of 6.2s =	0	0	0	0	1	59
rank value of 6.9s =	0	0	0	0	1	60
rank value of 7s =	0	0	0	1	0	61
rank value of 7.4s =	0	0	0	0	1	62
rank value of 9.1s =	0	0	0	0	1	63
rank value of 12s =	0	0	0	1	0	64
rank value of 13s =	0	0	0	0	1	65
rank value of 18s =	0	1	0	0	0	66
rank value of 19s =	0	1	0	0	0	67
rank value of 21s =	0	1	0	0	0	68
rank value of 22s =	0	0	0	1	0	69

rank value of 25s =	0	0	0	1	0	70
n =	**16**	**12**	**16**	**12**	**14**	

Sum of rank value calculations

329	211.5	188	164.5	188
47	0	0	0	0
48	0	0	0	0
0	0	49	0	0
0	0	101	0	0
0	0	52	0	0
0	0	53	0	0
0	0	54	0	0
0	0	55	0	0
0	0	0	56	0
0	0	0	0	57
0	0	58	0	0
0	0	0	0	59
0	0	0	0	60
0	0	0	61	0
0	0	0	0	62
0	0	0	0	63
0	0	0	64	0
0	0	0	0	65
0	66	0	0	0
0	67	0	0	0
0	68	0	0	0
0	0	0	69	0
0	0	0	70	0
424	**412.5**	**610**	**484.5**	**554**

sum of rank values (R_i)

Compute the Kruskal-Wallis statistic:

$$H = \{[12/N(N+1)] * [\Sigma^{K}_{i=1} (R_i^2)/N_i]\} -3(N+1)$$

Well =	**Background**	**MW-1A**	**MW-2A**	**MW-3A**
Ri^2/N_i =	24990.4	23256.3	19561.7	21922.6

$N_{i\,bg}$ = 28
N = 70
H = 3.65

Adjust H for ties:

T_i = 97296 sum of T1..T2

$H' = H/(1-(T_i/(N^3-N)))$
H' = 5.10
Chi-square = 7.82

Compare the calculated value H' to the tabulated Chi-square value with K-1 = # groups -1 = 17df at the : significance level from Table 1 of the IFG. The value is 7.82 which is greater than H' =5.10. Therefore, the null hypothesis of no contamination at the 5% level holds true and significant evidence of contamination does not exist.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound:	**Total Chromium (Cr)**
NC MCL (µg/l):	50
Method:	Kruskal-Wallis
Background:	MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	ND	NS	ND	NS	ND	20
08/16/99	35	NS	61	NS	14	20
02/14/00	11	NS	7.2	NS	5.6	20
08/14/00	5.4	NT	7.4	NS	ND	20
03/19/01	5.2	140	12	32	7.7	20
08/27/02	5.4	210	ND	130	NT	20
02/24/03	ND	200	5.1	79	14	20
08/11/03	81	81	19	38	6.7	2
02/09/04	ND	57	ND	2.1	4.9	2
08/16/04	3.3	52	4	2.8	2	2
02/14/05	4.1	11	7.6	18	12	2
09/01/05	ND	ND	ND	ND	ND	2
02/16/06	ND	16	ND	ND	ND	2
08/30/06	ND	ND	ND	ND	ND	2
02/26/07	ND	ND	ND	ND	ND	5
08/13/07	ND	ND	ND	ND	dry	5
N_i	16	12	16	12	14	
sum of rank values (R_i)	497.0	564.0	512.5	452.0	459.5	
avg rank value (Rbar)	31.1	47.0	32.0	37.7	32.8	

	Number of each rank value					Rank Value
rank value of NDs =	8	4	8	5	6	16
rank value of 2s =	0	0	0	0	1	32
rank value of 2.1s =	0	0	0	1	0	33
rank value of 2.8s =	0	0	0	1	0	34
rank value of 3.3s =	1	0	0	0	0	35
rank value of 4s =	0	0	1	0	0	36
rank value of 4.1s =	1	0	0	0	0	37
rank value of 4.9s =	0	0	0	0	1	38
rank value of 5.1s =	0	0	1	0	0	39
rank value of 5.2s =	1	0	0	0	0	40
rank value of 5.4s =	2	0	0	0	0	41.5
rank value of 5.6s =	0	0	0	0	1	43
rank value of 6.7s =	0	0	0	0	1	44
rank value of 7.2s =	0	0	1	0	0	45
rank value of 7.4s =	0	0	1	0	0	46
rank value of 7.6s =	0	0	1	0	0	47
rank value of 7.7s =	0	0	0	0	1	48
rank value of 11s =	1	1	0	0	0	49.5
rank value of 12s =	0	0	1	0	1	51.5
rank value of 14s =	0	0	0	0	2	53.5
rank value of 16s =	0	1	0	0	0	55
rank value of 18s =	0	0	0	1	0	56
rank value of 19s =	0	0	1	0	0	57
rank value of 32s =	0	0	0	1	0	58
rank value of 35s =	1	0	0	0	0	59
rank value of 38s =	0	0	0	1	0	60
rank value of 52s =	0	1	0	0	0	61
rank value of 57s =	0	1	0	0	0	62
rank value of 61s =	0	0	1	0	0	63
rank value of 79s =	0	0	0	1	0	64
rank value of 81s =	1	1	0	0	0	65.5
rank value of 130s =	0	0	0	1	0	67
rank value of 140s =	0	1	0	0	0	68
rank value of 200s =	0	1	0	0	0	69
rank value of 210s =	0	1	0	0	0	70

n =	**16**	**12**	**16**	**12**	**14**

Sum of rank value calculations

128	64	128	80	96
0	0	0	0	32
0	0	0	33	0
0	0	0	34	0
35	0	0	0	0
0	0	36	0	0
37	0	0	0	0
0	0	0	0	38
0	0	39	0	0
40	0	0	0	0
83	0	0	0	0
0	0	0	0	43
0	0	0	0	44
0	0	45	0	0
0	0	46	0	0
0	0	47	0	0
0	0	0	0	48
49.5	49.5	0	0	0
0	0	51.5	0	51.5
0	0	0	0	107
0	55	0	0	0
0	0	0	56	0
0	0	57	0	0
0	0	0	58	0
59	0	0	0	0
0	0	0	60	0
0	61	0	0	0
0	62	0	0	0
0	0	63	0	0
0	0	0	64	0
65.5	65.5	0	0	0
0	0	0	67	0
0	68	0	0	0
0	69	0	0	0
0	70	0	0	0

sum of rank values (R_i)	**497**	**564**	**512.5**	**452**	**459.5**

Compute the Kruskal-Wallis statistic:

$$H = \{[12/N(N+1)] * [\Sigma^{K}_{i=1} (R_i^2)/N_i]\} -3(N+1)$$

Well =	**Background**	**MW-1A**	**MW-2A**	**MW-3A**
Ri^2/N_i =	40204.3	16416	17025.3	15081.4

$N_{i\,bg}$ = 28
N = 70
H = 1.23

Adjust H for ties:

T_i = 29790 sum of T1..T2

$H' = H/(1-(T_i/(N^3-N)))$
H' = 1.35
Chi-square = 7.82

Compare the calculated value H' to the tabulated Chi-square value with K-1 = # groups -1 = 17df at the significance level from Table 1 of the IFG. The value is 7.82 which is greater than H' =1.35. Therefore, the null hypothesis of no contamination at the 5% level holds true and significant evidence of contamination does not exist.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound:	**Total Lead (Pb)**
NC MCL (µg/l):	15
Method:	Kruskal-Wallis
Background:	MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	ND	NS	ND	NS	ND	**100**
08/16/99	ND	NS	ND	NS	ND	**100**
02/14/00	ND	NS	ND	NS	ND	**100**
08/14/00	ND	NT	ND	NS	ND	**100**
03/19/01	ND	**38**	ND	**16**	ND	**100**
08/27/02	ND	**47**	ND	**31**	NT	**100**
02/24/03	ND	**41**	ND	**27**	ND	**100**
08/11/03	**30**	**30**	**10**	**28**	**17**	**5**
02/09/04	ND	**18**	ND	**9.4**	**7.4**	**5**
08/16/04	ND	**23**	ND	**11**	**9.4**	**5**
02/14/05	ND	**7.9**	ND	ND	ND	**5**
09/01/05	ND	ND	ND	**14**	**7.4**	**5**
02/16/06	ND	ND	ND	ND	ND	**5**
08/30/06	**7.6**	**6.5**	**5.2**	**5.7**	ND	**5**
02/26/07	ND	ND	ND	ND	ND	**5**
08/13/07	ND	ND	ND	ND	dry	**5**
N_i	16	12	16	12	14	
sum of rank values (R_i)	446.5	591.5	432.0	564.5	450.5	
avg rank value (Rbar)	27.9	49.3	27.0	47.0	32.2	

	Number of each rank value					Rank Value
rank value of NDs =	14	4	14	4	10	23.5
rank value of 5.2s =	0	0	1	0	0	47
rank value of 5.7s =	0	0	0	1	0	48
rank value of 6.5s =	0	1	0	0	0	49
rank value of 7.4s =	0	0	0	0	2	50.5
rank value of 7.6s =	1	0	0	0	0	52
rank value of 7.9s =	0	1	0	0	0	53
rank value of 9.4s =	0	0	0	1	1	54.5
rank value of 10s =	0	0	1	0	0	56
rank value of 11s =	0	0	0	1	0	57
rank value of 14s =	0	0	0	1	0	58
rank value of 16s =	0	0	0	1	0	59
rank value of 17s =	0	0	0	0	1	60
rank value of 18s =	0	1	0	0	0	61
rank value of 23s =	0	1	0	0	0	62
rank value of 27s =	0	0	0	1	0	63
rank value of 28s =	0	0	0	1	0	64
rank value of 30s =	1	1	0	0	0	65.5
rank value of 31s =	0	0	0	1	0	67
rank value of 38s =	0	1	0	0	0	68
rank value of 41s =	0	1	0	0	0	69
rank value of 47s =	0	1	0	0	0	70
n =	**16**	**12**	**16**	**12**	**14**	

Sum of rank value calculations

329	94	329	94	235
0	0	47	0	0
0	0	0	48	0
0	49	0	0	0
0	0	0	0	101
52	0	0	0	0
0	53	0	0	0

	0	0	0	54.5	54.5
	0	0	56	0	0
	0	0	0	57	0
	0	0	0	58	0
	0	0	0	59	0
	0	0	0	0	60
	0	61	0	0	0
	0	62	0	0	0
	0	0	0	63	0
	0	0	0	64	0
	65.5	65.5	0	0	0
	0	0	0	67	0
	0	68	0	0	0
	0	69	0	0	0
	0	70	0	0	0
sum of rank values (R_i)	**446.5**	**591.5**	**432**	**564.5**	**450.5**

Compute the Kruskal-Wallis statistic:

$$H = \{[12/N(N+1)] * [\Sigma^{K}_{i=1} (R_i^2)/N_i]\} -3(N+1)$$

Well =	**Background**	**MW-1A**	**MW-2A**	**MW-3A**
Ri^2/N_i =	38480.1	11664	26555	14496.4

$N_{i\,bg}$ = 28
N = 70
H = 7.19

Adjust H for ties:

T_i = 97308 sum of T1..T3

$H' = H/(1-(T_i/(N^3-N)))$
H' = 10.04
Chi-square = 7.82

Compare the calculated value H' to the tabulated Chi-square value with K-1 = # groups -1 = 17df at th significance level from Table 1 of the IFG. The value is 7.82 which is less than H' =10.04. Therefore, there is evidence of significant differences between the well groups. Post-hoc pairwise comparisons are necessary (see below).

Calculate the critical values to compare each compliance well to the background wells:

Critical Value (C_x) = $P(N(N+1)/12)^{0.5} * (1/N_{i\,bg}+1/N_x)^{0.5}$
P = 2.12 Percentile of Standard Normal Distribution from Table 4 of IFG
N = total sample size
$N_{i\,bg}$ = total samples (N_i) of background data
N_x = total samples (N_i) of well x

Difference between average ranks (Dx) = Rbar (well x) - avg Rbar (background)

Well =	MW-1A	MW-2A	MW-3A
Rbar (well x) =	27.0	47.0	32.2
avg Rbar (background) =	37.1	37.1	37.1
Dx =	-10.1	10.0	-4.9
Cx =	13.5	14.9	14.1
Statistical Significance ?	-	-	-

Compare each difference (Dx) with the corresponding critical value (Cx).
No compliance well's difference between average ranks exceeded its corresponding critical value at a 5% significance level. Therefore, we conclude that significant evidence of contamination does not exist at the 5% significance level.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound:	**Total Mercury (Hg)**
NC MCL (µg/l):	1.05
Method:	Kruskal-Wallis
Background:	MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	ND	NS	ND	NS	ND	**0.2**
08/16/99	ND	NS	ND	NS	ND	**0.2**
02/14/00	ND	NS	ND	NS	ND	**0.2**
08/14/00	ND	NT	**0.4**	NS	ND	**0.2**
03/19/01	ND	ND	ND	**0.2**	ND	**0.2**
08/27/02	ND	ND	ND	ND	NT	**0.2**
02/24/03	NT	NT	NT	NT	NT	**0.2**
08/11/03	ND	ND	ND	ND	ND	**0.2**
02/09/04	ND	ND	ND	ND	ND	**0.2**
08/16/04	**0.3**	ND	**1.4**	**3.5**	**0.6**	**0.2**
02/14/05	ND	ND	ND	ND	ND	**0.2**
09/01/05	**0.2**	ND	ND	ND	ND	**0.2**
02/16/06	ND	ND	ND	ND	ND	**0.2**
08/30/06	ND	ND	ND	ND	ND	**0.2**
02/26/07	ND	ND	ND	ND	ND	**0.2**
08/13/07	ND	ND	ND	ND	dry	**0.2**

N_i	15	11	15	11	13
sum of rank values (R_i)	504.0	324.5	509.5	390.0	417.0
avg rank value (Rbar)	33.6	29.5	34.0	35.5	32.1

	Number of each rank value					Rank Value
rank value of NDs =	13	11	13	9	12	29.5
rank value of 0.2s =	1	0	0	1	0	59.5
rank value of 0.3s =	1	0	0	0	0	61
rank value of 0.4s =	0	0	1	0	0	62
rank value of 0.6s =	0	0	0	0	1	63
rank value of 1.4s =	0	0	1	0	0	64
rank value of 3.5s =	0	0	0	1	0	65
n =	**15**	**11**	**15**	**11**	**13**	

Sum of rank value calculations

383.5	324.5	383.5	265.5	354
59.5	0	0	59.5	0
61	0	0	0	0
0	0	62	0	0
0	0	0	0	63
0	0	64	0	0
0	0	0	65	0
sum of rank values (R_i)	**504**	**324.5**	**509.5**	**390**	**417**

Compute the Kruskal-Wallis statistic:

$$H = \{[12/N(N+1)] * [\Sigma^{K}_{i=1} (R_i^2)/N_i]\} -3(N+1)$$

Well =	**Background**	**MW-1A**	**MW-2A**	**MW-3A**
Ri^2/N_i =	26400.5	17306	13827.3	13376.1

$N_{i\,bg}$ = 26
N = 65
H = 0.35

Adjust H for ties:

T_i = 195060 sum of T1..T2

$H' = H/(1-(T_i/(N^3-N)))$
H' = 1.21
Chi-square = 7.82

Compare the calculated value H' to the tabulated Chi-square value with K-1 = # groups -1 = 17df at the significance level from Table 1 of the IFG. The value is 7.82 which is greater than H' =1.21. Therefore, the null hypothesis of no contamination at the 5% level holds true and significant evidence of contamination does not exist.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound:	**Total Selenium (Se)**
NC MCL (µg/l):	50
Method:	Kruskal-Wallis
Background:	MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	ND	NS	ND	NS	ND	**5**
08/16/99	ND	NS	ND	NS	ND	**5**
02/14/00	ND	NS	ND	NS	ND	**5**
08/14/00	ND	NT	ND	NS	ND	**5**
03/19/01	ND	ND	ND	ND	ND	**5**
08/27/02	NT	NT	NT	NT	NT	**5**
02/24/03	NT	NT	NT	NT	NT	**5**
08/11/03	ND	ND	ND	**7.3**	ND	**5**
02/09/04	ND	ND	**6.9**	**13**	**16**	**5**
08/16/04	ND	ND	**5.5**	ND	ND	**5**
02/14/05	**5.3**	ND	**16**	**39**	**24**	**5**
09/01/05	**6.9**	ND	**10**	**8.9**	**9.5**	**5**
02/16/06	ND	ND	ND	ND	ND	**5**
08/30/06	ND	ND	ND	ND	ND	**5**
02/26/07	ND	ND	ND	ND	ND	**10**
08/13/07	ND	ND	ND	**29.2**	dry	**10**
N_i	14	10	14	10	13	
sum of rank values (R_i)	386.5	240.0	452.0	402.0	410.5	
avg rank value (Rbar)	27.6	24.0	32.3	40.2	31.6	

	Number of each rank value					Rank Value
rank value of NDs =	12	10	10	5	10	24
rank value of 5.3s =	1	0	0	0	0	48
rank value of 5.5s =	0	0	1	0	0	49
rank value of 6.9s =	1	0	1	0	0	50.5
rank value of 7.3s =	0	0	0	1	0	52
rank value of 8.9s =	0	0	0	1	0	53
rank value of 9.5s =	0	0	0	0	1	54
rank value of 10s =	0	0	1	0	0	55
rank value of 13s =	0	0	0	1	0	56
rank value of 16s =	0	0	1	0	1	57.5
rank value of 24s =	0	0	0	0	1	59
rank value of 29.2s =	0	0	0	1	0	60
rank value of 39s =	0	0	0	1	0	61
n =	**14**	**10**	**14**	**10**	**13**	

Sum of rank value calculations

288	240	240	120	240
48	0	0	0	0
0	0	49	0	0
50.5	0	50.5	0	0
0	0	0	52	0
0	0	0	53	0

	0	0	0	0	54
	0	0	55	0	0
	0	0	0	56	0
	0	0	57.5	0	57.5
	0	0	0	0	59
	0	0	0	60	0
	0	0	0	61	0
sum of rank values (R_i)	**386.5**	**240**	**452**	**402**	**410.5**

Compute the Kruskal-Wallis statistic:

$$H = \{[12/N(N+1)] * [\Sigma^{K}_{i=1} (R_i^2)/N_i]\} -3(N+1)$$

Well =	**Background**	**MW-1A**	**MW-2A**	**MW-3A**
Ri^2/N_i =	16354.3	14593.14	16160.4	12962.33

$N_{i\,bg}$ = 24
N = 61
H = 4.60

Adjust H for ties:

T_i = 103788 sum of T1..T3

$H' = H/(1-(T_i/(N^3-N)))$
H' = 8.47
Chi-square = 7.82

Compare the calculated value H' to the tabulated Chi-square value with K-1 = # groups -1 = 17df at the 5 significance level from Table 1 of the IFG. The value is 7.82 which is less than H' =8.47.
Therefore, there is evidence of significant differences between the well groups.
Post-hoc pairwise comparisons are necessary (see below).

Calculate the critical values to compare each compliance well to the background wells:

Critical Value (C_x) = $P(N(N+1)/12)^{0.5} * (1/N_{i\,bg}+1/N_x)^{0.5}$
P = 2.12 Percentile of Standard Normal Distribution from Table 4 of IFG
N = total sample size
$N_{i\,bg}$ = total samples (N_i) of background data
N_x = total samples (N_i) of well x

Difference between average ranks (Dx) = Rbar (well x) - avg Rbar (background)

Well =	MW-1A	MW-2A	MW-3A
Rbar (well x) =	32.3	40.2	31.6
avg Rbar (background) =	26.1	26.1	26.1
Dx =	6.2	14.1	5.5
Cx =	12.7	14.2	13.0
Statistical Significance ?	-	-	-

Compare each difference (Dx) with the corresponding critical value (Cx).
No compliance well's difference between average ranks exceeded its corresponding critical value at a 5% significance level. Therefore, we conclude that significant evidence of contamination does not exist at the 5% significance level.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound:	**Total Silver (Ag)**
NC MCL (µg/l):	17.5
Method:	Kruskal-Wallis
Background:	MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	ND	NS	ND	NS	ND	**0**
08/16/99	ND	NS	ND	NS	ND	**0**
02/14/00	ND	NS	**4.3**	NS	**4.9**	**0**
08/14/00	**4**	NT	**8.9**	NS	**7.8**	**0**
03/19/01	ND	ND	ND	**6.6**	**4.7**	**0**
08/27/02	ND	ND	ND	ND	NT	**0**
02/24/03	**4.1**	ND	**7.3**	**3.5**	**8.5**	**0**
08/11/03	ND	ND	ND	ND	ND	**0**
02/09/04	ND	ND	ND	ND	ND	**0**
08/16/04	ND	ND	ND	ND	ND	**0**
02/14/05	ND	ND	ND	**5.8**	**3.6**	**0**
09/01/05	ND	ND	ND	ND	ND	**0**
02/16/06	ND	ND	ND	ND	ND	**0**
08/30/06	ND	ND	ND	ND	ND	**0**
02/26/07	ND	ND	ND	ND	ND	**0**
08/13/07	ND	ND	ND	ND	dry	**0**

N_i	16	12	16	12	14
sum of rank values (R_i)	527.0	348.0	576.0	450.0	584.0
avg rank value (Rbar)	32.9	29.0	36.0	37.5	41.7

	Number of each rank value					Rank Value
rank value of NDs =	14	12	13	9	9	29
rank value of 3.5s =	0	0	0	1	0	58
rank value of 3.6s =	0	0	0	0	1	59
rank value of 4s =	1	0	0	0	0	60
rank value of 4.1s =	1	0	0	0	0	61
rank value of 4.3s =	0	0	1	0	0	62
rank value of 4.7s =	0	0	0	0	1	63
rank value of 4.9s =	0	0	0	0	1	64
rank value of 5.8s =	0	0	0	1	0	65
rank value of 6.6s =	0	0	0	1	0	66
rank value of 7.3s =	0	0	1	0	0	67
rank value of 7.8s =	0	0	0	0	1	68
rank value of 8.5s =	0	0	0	0	1	69
rank value of 8.9s =	0	0	1	0	0	70

n =	**16**	**12**	**16**	**12**	**14**

Sum of rank value calculations

406	348	377	261	261
0	0	0	58	0
0	0	0	0	59
60	0	0	0	0
61	0	0	0	0
0	0	62	0	0
0	0	0	0	63
0	0	0	0	64
0	0	0	65	0
0	0	0	66	0
0	0	67	0	0
0	0	0	0	68
0	0	0	0	69
0	0	70	0	0

sum of rank values (R_i)	**527**	**348**	**576**	**450**	**584**

Compute the Kruskal-Wallis statistic:

$$H = \{[12/N(N+1)] * [\Sigma^{K}_{i=1} (R_i^2)/N_i]\} -3(N+1)$$

Well =	**Background**	**MW-1A**	**MW-2A**	**MW-3A**
Ri^2/N_i =	27343.8	20736	16875	24361.1

$N_{i\,bg}$ = 28
N = 70
H = 2.65

Adjust H for ties:

T_i = 185136 sum of T1..T1

$H' = H/(1-(T_i/(N^3-N)))$
H' = 5.76
Chi-square = 7.82

Compare the calculated value H' to the tabulated Chi-square value with K-1 = # groups -1 = 17df at the 5% significance level from Table 1 of the IFG. The value is 7.82 which is greater than H' =5.76. Therefore, the null hypothesis of no contamination at the 5% level holds true and significant evidence of contamination does not exist.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound: **Acetone**
MCL (μg/l): 700
Method: Poisson Prediction Limits
Background: MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	**100**
08/16/99	NT	NS	NT	NS	NT	**100**
02/14/00	NT	NS	NT	NS	NT	**100**
08/14/00	NT	NT	NT	NS	NT	**100**
03/19/01	NT	NT	NT	NT	NT	**100**
08/27/02	NT	NT	NT	NT	NT	**100**
02/24/03	NT	NT	NT	NT	NT	**100**
08/11/03	ND	ND	ND	ND	ND	**10**
02/09/04	ND	ND	ND	**25**	ND	**10**
08/16/04	ND	ND	ND	ND	ND	**100**
02/14/05	**53**	ND	ND	ND	ND	**100**
09/01/05	ND	ND	ND	ND	ND	**10**
02/16/06	ND	ND	ND	ND	ND	**10**
08/30/06	ND	ND	ND	ND	ND	**25**
02/26/07	ND	ND	ND	ND	ND	**25**
08/13/07	ND	ND	ND	ND	dry	**25**

1) If not detected (ND), use half of the detection limit.

02/18/99	-	-	-	-	-
08/16/99	-	-	-	-	-
02/14/00	-	-	-	-	-
08/14/00	-	-	-	-	-
03/19/01	-	-	-	-	-
08/27/02	-	-	-	-	-
02/24/03	-	-	-	-	-
08/11/03	5	5	5	5	5
02/09/04	5	5	5	25	5
08/16/04	50	50	50	50	50
02/14/05	53	50	50	50	50
09/01/05	5	5	5	5	5
02/16/06	5	5	5	5	5
08/30/06	12.5	12.5	12.5	12.5	12.5
02/26/07	12.5	12.5	12.5	12.5	12.5
08/13/07			12.5	12.5	-

2) Set the total number of data values for background wells (through the previous sampling event) equal to 'n' = 8.
Use 1/2 of the method detection limit to calculate the Total Poisson Count of the Sum (T_n).

$n = 16$
$T_{n1} = 293$

3) Using Gibbons' formula, calculate the upper Poisson Prediction limit T^*_k:

$$T^*_k = cT_{n1} + ct^2/2 + ct[T_{n1}(1+1/c) + t^2/4]^{-0.5}$$

where $c = k/n$
and where k = the number of future predicted measurements (one per well during the current sampling event)
and where t = the upper 99th percentile of the t-distribution with (n-1) degrees of freedom (Table 6 of the IFG).

$k = 2$
$n = 16$
$T_{n1} = 293$
$t[15,.01] = 2.602$
$c = 0.1250$
$T_{n2} = 25$
$T^*_k = 53.8$

4) Compare the *Poisson Prediction Limit* (T^*_k) to the *Sum of the Concentrations Detected* (T_{n2}) in the wells during the most recent sampling event.
Since the Poisson Prediction Limit was not exceeded, there is no evidence of contamination.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound:	**Benzene**
NC MCL (µg/l):	1
Method:	Kruskal-Wallis
Background:	MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	5
08/16/99	NT	NS	NT	NS	NT	5
02/14/00	NT	NS	NT	NS	NT	5
08/14/00	NT	NT	NT	NS	NT	5
03/19/01	NT	NT	NT	NT	NT	5
08/27/02	NT	NT	NT	NT	NT	5
02/24/03	NT	NT	NT	NT	NT	5
08/11/03	**7.2**	**9**	ND	ND	ND	5
02/09/04	**14**	ND	ND	ND	ND	5
08/16/04	**13**	**6.1**	ND	ND	ND	5
02/14/05	**20**	**7.1**	ND	ND	ND	5
09/01/05	**13**	ND	ND	ND	ND	5
02/16/06	ND	ND	ND	ND	ND	5
08/30/06	**16**	ND	ND	ND	ND	5
02/26/07	**15**	ND	ND	ND	ND	5
08/13/07	**17**	**1.7**	ND	ND	dry	1

N_i	9	9	9	9	8
sum of rank values (R_i)	339.5	221.5	148.5	148.5	132.0
avg rank value (Rbar)	37.7	24.6	16.5	16.5	16.5

	Number of each rank value					Rank Value
rank value of NDs =	1	5	9	9	8	16.5
rank value of 1.7s =	0	1	0	0	0	33
rank value of 6.1s =	0	1	0	0	0	34
rank value of 7.1s =	0	1	0	0	0	35
rank value of 7.2s =	1	0	0	0	0	36
rank value of 9s =	0	1	0	0	0	37
rank value of 13s =	2	0	0	0	0	38.5
rank value of 14s =	1	0	0	0	0	40
rank value of 15s =	1	0	0	0	0	41
rank value of 16s =	1	0	0	0	0	42
rank value of 17s =	1	0	0	0	0	43
rank value of 20s =	1	0	0	0	0	44
n =	**9**	**9**	**9**	**9**	**8**	

Sum of rank value calculations

16.5	82.5	148.5	148.5	132
0	33	0	0	0
0	34	0	0	0
0	35	0	0	0
36	0	0	0	0
0	37	0	0	0
77	0	0	0	0

	40	0	0	0	0
	41	0	0	0	0
	42	0	0	0	0
	43	0	0	0	0
	44	0	0	0	0
sum of rank values (R_i)	**339.5**	**221.5**	**148.5**	**148.5**	**132**

Compute the Kruskal-Wallis statistic:

$$H = \{[12/N(N+1)] * [\Sigma^{K}_{i=1} (R_i^2)/N_i]\} -3(N+1)$$

Well =	**Background**	**MW-1A**	**MW-2A**	**MW-3A**
Ri^2/N_i =	17484.5	2450.25	2450.25	2178

$N_{i\,bg}$ = 18
N = 44
H = 13.87

Adjust H for ties:

T_i = 32742 sum of T1..T2

$H' = H/(1-(T_i/(N^3-N)))$
H' = 22.53
Chi-square = 7.82

Compare the calculated value H' to the tabulated Chi-square value with K-1 = # groups -1 = 17df at th significance level from Table 1 of the IFG. The value is 7.82 which is less than H' =22.53. Therefore, there is evidence of significant differences between the well groups. Post-hoc pairwise comparisons are necessary (see below).

Calculate the critical values to compare each compliance well to the background wells:

Critical Value (C_x) = $P(N(N+1)/12)^{0.5} * (1/N_{i\,bg}+1/N_x)^{0.5}$
P = 2.12 Percentile of Standard Normal Distribution
from Table 4 of IFG
N = total sample size
$N_{i\,bg}$ = total samples (N_i) of background data
N_x = total samples (N_i) of well x

Difference between average ranks (Dx) = Rbar (well x) - avg Rbar (background)

Well =	MW-1A	MW-2A	MW-3A
Rbar (well x) =	16.5	16.5	16.5
avg Rbar (background) =	31.2	31.2	31.2
Dx =	-14.7	-14.7	-14.7
Cx =	11.1	11.1	11.6
Statistical Significance ?	-	-	-

Compare each difference (Dx) with the corresponding critical value (Cx).
No compliance well's difference between average ranks exceeded its corresponding critical value at a 5% significance level. Therefore, we conclude that significant evidence of contamination does not exist at the 5% significance level.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound: **Carbon Disulfide**
MCL (µg/l): 700
Method: Poisson Prediction Limits
Background: MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	**100**
08/16/99	NT	NS	NT	NS	NT	**100**
02/14/00	NT	NS	NT	NS	NT	**100**
08/14/00	NT	NT	NT	NS	NT	**100**
03/19/01	NT	NT	NT	NT	NT	**100**
08/27/02	NT	NT	NT	NT	NT	**100**
02/24/03	NT	NT	NT	NT	NT	**100**
08/11/03	ND	ND	ND	ND	ND	**10**
02/09/04	ND	ND	**12**	ND	ND	**10**
08/16/04	ND	ND	ND	ND	ND	**100**
02/14/05	ND	ND	ND	ND	ND	**100**
09/01/05	ND	ND	ND	ND	ND	**10**
02/16/06	ND	ND	ND	ND	ND	**10**
08/30/06	ND	ND	ND	ND	ND	**10**
02/26/07	ND	ND	ND	ND	ND	**10**
08/13/07	ND	ND	ND	ND	dry	**2**

1) If not detected (ND), use half of the detection limit.

02/18/99	-	-	-	-	-
08/16/99	-	-	-	-	-
02/14/00	-	-	-	-	-
08/14/00	-	-	-	-	-
03/19/01	-	-	-	-	-
08/27/02	-	-	-	-	-
02/24/03	-	-	-	-	-
08/11/03	5	5	5	5	5
02/09/04	5	5	12	5	5
08/16/04	50	50	50	50	50
02/14/05	50	50	50	50	50
09/01/05	5	5	5	5	5
02/16/06	5	5	5	5	5
08/30/06	5	5	5	5	5
02/26/07	5	5	5	5	5
08/13/07			1	1	-

2) Set the total number of data values for background wells (through the previous sampling event) equal to 'n' = 8.
Use 1/2 of the method detection limit to calculate the Total Poisson Count of the Sum (T_n).

$n = 16$
$T_{n1} = 260$

3) Using Gibbons' formula, calculate the upper Poisson Prediction limit T^*_k:

$$T^*_k = cT_{n1} + ct^2/2 + ct[T_{n1}(1+1/c) + t^2/4]^{-0.5}$$

where c = k/n
and where k = the number of future predicted measurements (one per well during the current sampling event)
and where t = the upper 99th percentile of the t-distribution with (n-1) degrees of freedom (Table 6 of the IFG).

$k = 2$
$n = 16$
$T_{n1} = 260$
$t[15,.01] = 2.602$
$c = 0.1250$
$T_{n2} = 2$
$T^*_k = 48.7$

4) Compare the *Poisson Prediction Limit* (T^*_k) to the *Sum of the Concentrations Detected* (T_{n2}) in the wells during the most recent sampling event.
Since the Poisson Prediction Limit was not exceeded, there is no evidence of contamination.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound: **Chlorobenzene**
MCL (µg/l): 50
Method: Poisson Prediction Limits
Background: MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	5
08/16/99	NT	NS	NT	NS	NT	5
02/14/00	NT	NS	NT	NS	NT	5
08/14/00	NT	NT	NT	NS	NT	5
03/19/01	NT	NT	NT	NT	NT	5
08/27/02	NT	NT	NT	NT	NT	5
02/24/03	NT	NT	NT	NT	NT	5
08/11/03	ND	ND	ND	ND	ND	5
02/09/04	ND	ND	ND	ND	ND	5
08/16/04	ND	ND	ND	ND	ND	5
02/14/05	ND	ND	ND	ND	ND	5
09/01/05	ND	ND	ND	ND	ND	5
02/16/06	ND	ND	ND	ND	ND	5
08/30/06	ND	ND	ND	ND	ND	5
02/26/07	ND	ND	ND	ND	ND	5
08/13/07	ND	ND	**2.5**	ND	dry	1

1) If not detected (ND), use half of the detection limit.

02/18/99	-	-	-	-	-
08/16/99	-	-	-	-	-
02/14/00	-	-	-	-	-
08/14/00	-	-	-	-	-
03/19/01	-	-	-	-	-
08/27/02	-	-	-	-	-
02/24/03	-	-	-	-	-
08/11/03	2.5	2.5	2.5	2.5	2.5
02/09/04	2.5	2.5	2.5	2.5	2.5
08/16/04	2.5	2.5	2.5	2.5	2.5
02/14/05	2.5	2.5	2.5	2.5	2.5
09/01/05	2.5	2.5	2.5	2.5	2.5
02/16/06	2.5	2.5	2.5	2.5	2.5
08/30/06	2.5	2.5	2.5	2.5	2.5
02/26/07	2.5	2.5	2.5	2.5	2.5
08/13/07			2.5	0.5	-

2) Set the total number of data values for background wells (through the previous sampling event) equal to 'n' = 8.
Use 1/2 of the method detection limit to calculate the Total Poisson Count of the Sum (T_n).

$n = 16$
$T_{n1} = 40$

3) Using Gibbons' formula, calculate the upper Poisson Prediction limit T^*_k:

$$T^*_k = cT_{n1} + ct^2/2 + ct[T_{n1}(1+1/c) + t^2/4]^{-0.5}$$

where $c = k/n$
and where k = the number of future predicted measurements (one per well during the current sampling event)
and where t = the upper 99th percentile of the t-distribution with (n-1) degrees of freedom (Table 6 of the IFG).

$k = 2$
$n = 16$
$T_{n1} = 40$
$t[15,.01] = 2.602$
$c = 0.1250$
$T_{n2} = 3$
$T^*_k = 11.6$

4) Compare the *Poisson Prediction Limit* (T^*_k) to the *Sum of the Concentrations Detected* (T_{n2}) in the wells during the most recent sampling event.
Since the Poisson Prediction Limit was not exceeded, there is no evidence of contamination.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound: **Chloroethane**
MCL (µg/l): 2800
Method: Poisson Prediction Limits
Background: MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	**10**
08/16/99	NT	NS	NT	NS	NT	**10**
02/14/00	NT	NS	NT	NS	NT	**10**
08/14/00	NT	NT	NT	NS	NT	**10**
03/19/01	NT	NT	NT	NT	NT	**10**
08/27/02	NT	NT	NT	NT	NT	**10**
02/24/03	NT	NT	NT	NT	NT	**10**
08/11/03	**52**	**33**	**20**	**11**	ND	**10**
02/09/04	ND	ND	ND	ND	ND	**10**
08/16/04	ND	ND	ND	ND	ND	**10**
02/14/05	**16**	ND	ND	ND	ND	**10**
09/01/05	ND	ND	ND	ND	ND	**10**
02/16/06	ND	ND	ND	ND	ND	**10**
08/30/06	ND	ND	ND	ND	ND	**10**
02/26/07	ND	ND	ND	ND	ND	**10**
08/13/07	**5.5**	**2.7**	**2.3**	**4.8**	dry	**1**

1) If not detected (ND), use half of the detection limit.

02/18/99	-	-	-	-	-
08/16/99	-	-	-	-	-
02/14/00	-	-	-	-	-
08/14/00	-	-	-	-	-
03/19/01	-	-	-	-	-
08/27/02	-	-	-	-	-
02/24/03	-	-	-	-	-
08/11/03	52	33	20	11	5
02/09/04	5	5	5	5	5
08/16/04	5	5	5	5	5
02/14/05	16	5	5	5	5
09/01/05	5	5	5	5	5
02/16/06	5	5	5	5	5
08/30/06	5	5	5	5	5
02/26/07	5	5	5	5	5
08/13/07			2.3	4.8	-

2) Set the total number of data values for background wells (through the previous sampling event) equal to 'n' = 8.
Use 1/2 of the method detection limit to calculate the Total Poisson Count of the Sum (T_n).

$n = 16$
$T_{n1} = 166$

3) Using Gibbons' formula, calculate the upper Poisson Prediction limit T^*_k:

$$T^*_k = cT_{n1} + ct^2/2 + ct[T_{n1}(1+1/c) + t^2/4]^{-0.5}$$

where c = k/n
and where k = the number of future predicted measurements (one per well during the current sampling event)
and where t = the upper 99th percentile of the t-distribution with (n-1) degrees of freedom (Table 6 of the IFG).

$k = 2$
$n = 16$
$T_{n1} = 166$
$t[15,.01] = 2.602$
$c = 0.1250$
$T_{n2} = 7.1$
$T^*_k = 33.8$

4) Compare the *Poisson Prediction Limit* (T^*_k) to the *Sum of the Concentrations Detected* (T_{n2}) in the wells during the most recent sampling event.
Since the Poisson Prediction Limit was not exceeded, there is no evidence of contamination.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound: **1,2-Dichlorobenzene**
MCL (µg/l): 24
Method: Poisson Prediction Limits
Background: MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	5
08/16/99	NT	NS	NT	NS	NT	5
02/14/00	NT	NS	NT	NS	NT	5
08/14/00	NT	NT	NT	NS	NT	5
03/19/01	NT	NT	NT	NT	NT	5
08/27/02	NT	NT	NT	NT	NT	5
02/24/03	NT	NT	NT	NT	NT	5
08/11/03	ND	ND	ND	22	ND	5
02/09/04	ND	ND	ND	ND	ND	5
08/16/04	ND	ND	ND	ND	ND	5
02/14/05	ND	ND	ND	ND	ND	5
09/01/05	ND	ND	ND	ND	ND	5
02/16/06	ND	ND	ND	ND	ND	5
08/30/06	ND	ND	ND	ND	ND	5
02/26/07	ND	ND	ND	ND	ND	5
08/13/07	ND	ND	ND	ND	dry	1

1) If not detected (ND), use half of the detection limit.

02/18/99	-	-	-	-	-
08/16/99	-	-	-	-	-
02/14/00	-	-	-	-	-
08/14/00	-	-	-	-	-
03/19/01	-	-	-	-	-
08/27/02	-	-	-	-	-
02/24/03	-	-	-	-	-
08/11/03	2.5	2.5	2.5	22	2.5
02/09/04	2.5	2.5	2.5	2.5	2.5
08/16/04	2.5	2.5	2.5	2.5	2.5
02/14/05	2.5	2.5	2.5	2.5	2.5
09/01/05	2.5	2.5	2.5	2.5	2.5
02/16/06	2.5	2.5	2.5	2.5	2.5
08/30/06	2.5	2.5	2.5	2.5	2.5
02/26/07	2.5	2.5	2.5	2.5	2.5
08/13/07			0.5	0.5	-

2) Set the total number of data values for background wells (through the previous sampling event) equal to 'n' = 8.
Use 1/2 of the method detection limit to calculate the Total Poisson Count of the Sum (T_n).

$n = 16$
$T_{n1} = 40$

3) Using Gibbons' formula, calculate the upper Poisson Prediction limit T^*_k:

$$T^*_k = cT_{n1} + ct^2/2 + ct[T_{n1}(1+1/c) + t^2/4]^{-0.5}$$

where c = k/n
and where k = the number of future predicted measurements (one per well during the current sampling event)
and where t = the upper 99th percentile of the t-distribution with (n-1) degrees of freedom (Table 6 of the IFG).

$k = 2$
$n = 16$
$T_{n1} = 40$
$t[15,.01] = 2.602$
$c = 0.1250$
$T_{n2} = 1$
$T^*_k = 11.6$

4) Compare the *Poisson Prediction Limit* (T^*_k) to the *Sum of the Concentrations Detected* (T_{n2}) in the wells during the most recent sampling event.
Since the Poisson Prediction Limit was not exceeded, there is no evidence of contamination.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound: **1,4-Dichlorobenzene**
MCL (µg/l): 1.4
Method: Poisson Prediction Limits
Background: MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	5
08/16/99	NT	NS	NT	NS	NT	5
02/14/00	NT	NS	NT	NS	NT	5
08/14/00	NT	NT	NT	NS	NT	5
03/19/01	NT	NT	NT	NT	NT	5
08/27/02	NT	NT	NT	NT	NT	5
02/24/03	NT	NT	NT	NT	NT	5
08/11/03	ND	ND	ND	ND	ND	5
02/09/04	ND	ND	ND	**5.9**	ND	5
08/16/04	ND	ND	ND	**11**	ND	5
02/14/05	ND	ND	ND	**14**	ND	5
09/01/05	ND	ND	ND	**13**	ND	5
02/16/06	ND	ND	ND	**10**	ND	5
08/30/06	ND	ND	ND	ND	ND	5
02/26/07	ND	ND	ND	ND	ND	5
08/13/07	**3.7**	ND	ND	**12.1**	dry	1

1) If not detected (ND), use half of the detection limit.

02/18/99	-	-	-	-	-
08/16/99	-	-	-	-	-
02/14/00	-	-	-	-	-
08/14/00	-	-	-	-	-
03/19/01	-	-	-	-	-
08/27/02	-	-	-	-	-
02/24/03	-	-	-	-	-
08/11/03	2.5	2.5	2.5	2.5	2.5
02/09/04	2.5	2.5	2.5	5.9	2.5
08/16/04	2.5	2.5	2.5	11	2.5
02/14/05	2.5	2.5	2.5	14	2.5
09/01/05	2.5	2.5	2.5	13	2.5
02/16/06	2.5	2.5	2.5	10	2.5
08/30/06	2.5	2.5	2.5	2.5	2.5
02/26/07	2.5	2.5	2.5	2.5	2.5
08/13/07			0.5	12.1	-

2) Set the total number of data values for background wells (through the previous sampling event) equal to 'n' = 8.
Use 1/2 of the method detection limit to calculate the Total Poisson Count of the Sum (T_n).

$n = 16$
$T_{n1} = 40$

3) Using Gibbons' formula, calculate the upper Poisson Prediction limit T^*_k:

$$T^*_k = cT_{n1} + ct^2/2 + ct[T_{n1}(1+1/c) + t^2/4]^{-0.5}$$

where c = k/n
and where k = the number of future predicted measurements (one per well during the current sampling event)
and where t = the upper 99th percentile of the t-distribution with (n-1) degrees of freedom (Table 6 of the IFG).

$k = 2$
$n = 16$
$T_{n1} = 40$
$t[15,.01] = 2.602$
$c = 0.1250$
$T_{n2} = 12.6$
$T^*_k = 11.6$

4) Compare the *Poisson Prediction Limit* (T^*_k) to the *Sum of the Concentrations Detected* (T_{n2}) in the wells during the most recent sampling event.
Since the Poisson Prediction Limit was exceeded, Wilcoxon Rank Sum Tests must be performed to test the possibility that the detected concentrations are statistically significant.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound:	**1,4-Dichlorobenzene**
MCL (µg/l):	1.4
Method:	Wilcoxon Rank Sum
Background:	MW-4 & MW-5

	MW-4	MW-5	MW-2A	MDL
02/18/99	NT	NS	NS	5
08/16/99	NT	NS	NS	5
02/14/00	NT	NS	NS	5
08/14/00	NT	NT	NS	5
03/19/01	NT	NT	NT	5
08/27/02	NT	NT	NT	5
02/24/03	NT	NT	NT	5
08/11/03	ND	ND	ND	5
02/09/04	ND	ND	**5.9**	5
08/16/04	ND	ND	**11**	5
02/14/05	ND	ND	**14**	5
09/01/05	ND	ND	**13**	5
02/16/06	ND	ND	**10**	5
08/30/06	ND	ND	ND	5
02/26/07	ND	ND	ND	5
08/13/07	**3.7**	ND	**12.1**	**1**

1) Rank the N = 27 observations from the smallest to the largest from background wells and compliance well MW-2A.

n =	9
m =	18
N =	27
Ci (MW-2A) =	178.5

# samples =	9	9	9
sum of rank values (Ri) =	105.0	94.5	178.5
avg rank value (Rbar) =	11.7	10.5	19.8

		Number of each rank value		Rank Value
rank value of NDs =	8	9	3	10.5
rank value of 3.7s =	1	0	0	21
rank value of 5.9s =	0	0	1	22
rank value of 10s =	0	0	1	23
rank value of 11s =	0	0	1	24
rank value of 12.1s =	0	0	1	25
rank value of 13s =	0	0	1	26
rank value of 14s =	0	0	1	27
# samples =	**9**	**9**	**9**	

Sum of rank value calculations

84	94.5	31.5
21	0	0
0	0	22
0	0	23
0	0	24
0	0	25
0	0	26

	0	0	27
sum of rank values (R_i)	**105**	**94.5**	**178.5**

2) Compute the Wilcoxon statistic by adding up the compliance well ranks and subtracting n/(n+1)/2.

$W = Ci - 1/2(n(n+1))$

$W = 133.5$

3) Compute the expected value and standard deviation of W.

$E(W) = 1/2mn$

$SD(W) = ((mn(N+1)/12)*(1-\Sigma^{g}_{i=1} (t_i^3 - t_i)/(N^3 - N)))^{0.5}$

$E(W) = 81$

Adjustment for tie values:

Tie Values:	$(t_i^3 - t_i)/(N^3 - N) =$
ND	0.406
3.7	0.000
5.9	0.000
10	0.000
11	0.000
12.1	0.000
13	0.000
14	0.000

$SD(W) = 14.985$

4) Form the appropriate Z-score.

$Z = (W - E(W) - 0.5)/SD(W)$

$Z = 3.470$

5) Compare the observed Z-score to the upper 0.01 percentile of the normal distribution.

$Z = 3.470$

$Z_{0.01} = 2.326$

Since Z is greater, there is significant evidence of contamination at the compliance well at the 1 percent significance level.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound:	**1,1-Dichloroethane**
NC MCL (µg/l):	70
Method:	Kruskal-Wallis
Background:	MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	5
08/16/99	NT	NS	NT	NS	NT	5
02/14/00	NT	NS	NT	NS	NT	5
08/14/00	NT	NT	NT	NS	NT	5
03/19/01	NT	NT	NT	NT	NT	5
08/27/02	NT	NT	NT	NT	NT	5
02/24/03	NT	NT	NT	NT	NT	5
08/11/03	**22**	**23**	**8.8**	**5.2**	**10**	5
02/09/04	**40**	ND	**6.2**	ND	**8.2**	5
08/16/04	**38**	**12**	ND	ND	**12**	5
02/14/05	**70**	**15**	**5.5**	ND	**11**	5
09/01/05	**42**	**10**	**6.3**	ND	**8.6**	5
02/16/06	ND	**7.1**	ND	ND	**13**	5
08/30/06	**42**	**5.7**	ND	**7.6**	**23**	5
02/26/07	**36**	ND	ND	ND	**17**	5
08/13/07	**40.3**	**4.3**	**1.8**	**4.4**	dry	1
N_i	9	9	9	9	8	
sum of rank values (R_i)	329.0	197.5	127.0	98.0	238.5	
avg rank value (Rbar)	36.6	21.9	14.1	10.9	29.8	

	Number of each rank value					Rank Value
rank value of NDs =	1	2	4	6	0	7
rank value of 1.8s =	0	0	1	0	0	14
rank value of 4.3s =	0	1	0	0	0	15
rank value of 4.4s =	0	0	0	1	0	16
rank value of 5.2s =	0	0	0	1	0	17
rank value of 5.5s =	0	0	1	0	0	18
rank value of 5.7s =	0	1	0	0	0	19
rank value of 6.2s =	0	0	1	0	0	20
rank value of 6.3s =	0	0	1	0	0	21
rank value of 7.1s =	0	1	0	0	0	22
rank value of 7.6s =	0	0	0	1	0	23
rank value of 8.2s =	0	0	0	0	1	24
rank value of 8.6s =	0	0	0	0	1	25
rank value of 8.8s =	0	0	1	0	0	26
rank value of 10s =	0	1	0	0	1	27.5
rank value of 11s =	0	0	0	0	1	29
rank value of 12s =	0	1	0	0	1	30.5
rank value of 13s =	0	0	0	0	1	32
rank value of 15s =	0	1	0	0	0	33
rank value of 17s =	0	0	0	0	1	34
rank value of 22s =	1	0	0	0	0	35
rank value of 23s =	0	1	0	0	1	36.5
rank value of 36s =	1	0	0	0	0	38
rank value of 38s =	1	0	0	0	0	39
rank value of 40s =	1	0	0	0	0	40
rank value of 40.3s =	1	0	0	0	0	41
rank value of 42s =	2	0	0	0	0	42.5
rank value of 70s =	1	0	0	0	0	44
n =	**9**	**9**	**9**	**9**	**8**	

Sum of rank value calculations

7	14	28	42	0
0	0	14	0	0
0	15	0	0	0
0	0	0	16	0
0	0	0	17	0
0	0	18	0	0
0	19	0	0	0

	0	0	20	0	0
	0	0	21	0	0
	0	22	0	0	0
	0	0	0	23	0
	0	0	0	0	24
	0	0	0	0	25
	0	0	26	0	0
	0	27.5	0	0	27.5
	0	0	0	0	29
	0	30.5	0	0	30.5
	0	0	0	0	32
	0	33	0	0	0
	0	0	0	0	34
	35	0	0	0	0
	0	36.5	0	0	36.5
	38	0	0	0	0
	39	0	0	0	0
	40	0	0	0	0
	41	0	0	0	0
	85	0	0	0	0
	44	0	0	0	0
sum of rank values (R_i)	**329**	**197.5**	**127**	**98**	**238.5**

Compute the Kruskal-Wallis statistic:

$$H = \{[12/N(N+1)] * [\Sigma^{K}_{i=1} (R_i^2)/N_i]\} -3(N+1)$$

		MW-1A	MW-2A	MW-3A
Well =	**Background**			
Ri^2/N_i =	15400.1	1792.111	1067.111	7110.281

$N_{i\,bg}$ = 18
N = 44
H = 18.76

Adjust H for ties:

T_i = 2208 sum of T1..T2

$H' = H/(1-(T_i/(N^3-N)))$
H' = 19.25
Chi-square = 7.82

Compare the calculated value H' to the tabulated Chi-square value with K-1 = # groups -1 = 17df at the significance level from Table 1 of the IFG. The value is 7.82 which is less than H' =19.25. Therefore, there is evidence of significant differences between the well groups. Post-hoc pairwise comparisons are necessary (see below).

Calculate the critical values to compare each compliance well to the background wells:

Critical Value (C_x) = $P(N(N+1)/12)^{0.5} * (1/N_{i\,bg}+1/N_x)^{0.5}$
P = 2.12 Percentile of Standard Normal Distribution
from Table 4 of IFG
N = total sample size
$N_{i\,bg}$ = total samples (N_i) of background data
N_x = total samples (N_i) of well x

Difference between average ranks (Dx) = Rbar (well x) - avg Rbar (background)

	MW-1A	MW-2A	MW-3A
Well =			
Rbar (well x) =	14.1	10.9	29.8
avg Rbar (background) =	29.3	29.3	29.3
Dx =	-15.1	-18.4	0.6
Cx =	11.1	11.1	11.6
Statistical Significance ?	-	-	-

Compare each difference (Dx) with the corresponding critical value (Cx).
No compliance well's difference between average ranks exceeded its corresponding critical value at a 5% significance level. Therefore, we conclude that significant evidence of contamination does not exist at the 5% significance level.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound: **1,2-Dichloroethane**
MCL (µg/l): 0.38
Method: Poisson Prediction Limits
Background: MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	5
08/16/99	NT	NS	NT	NS	NT	5
02/14/00	NT	NS	NT	NS	NT	5
08/14/00	NT	NT	NT	NS	NT	5
03/19/01	NT	NT	NT	NT	NT	5
08/27/02	NT	NT	NT	NT	NT	5
02/24/03	NT	NT	NT	NT	NT	5
08/11/03	ND	ND	ND	ND	5	5
02/09/04	ND	ND	ND	ND	ND	5
08/16/04	ND	ND	ND	ND	ND	5
02/14/05	ND	ND	ND	ND	ND	5
09/01/05	ND	ND	ND	ND	ND	5
02/16/06	ND	ND	ND	ND	ND	5
08/30/06	ND	ND	ND	ND	5	5
02/26/07	ND	ND	ND	ND	ND	5
08/13/07	1.3	ND	1.1	ND	dry	1

1) If not detected (ND), use half of the detection limit.

02/18/99	-	-	-	-	-
08/16/99	-	-	-	-	-
02/14/00	-	-	-	-	-
08/14/00	-	-	-	-	-
03/19/01	-	-	-	-	-
08/27/02	-	-	-	-	-
02/24/03	-	-	-	-	-
08/11/03	2.5	2.5	2.5	2.5	5
02/09/04	2.5	2.5	2.5	2.5	2.5
08/16/04	2.5	2.5	2.5	2.5	2.5
02/14/05	2.5	2.5	2.5	2.5	2.5
09/01/05	2.5	2.5	2.5	2.5	2.5
02/16/06	2.5	2.5	2.5	2.5	2.5
08/30/06	2.5	2.5	2.5	2.5	5
02/26/07	2.5	2.5	2.5	2.5	2.5
08/13/07			1.1	0.5	-

2) Set the total number of data values for background wells (through the previous sampling event) equal to 'n' = 8.
Use 1/2 of the method detection limit to calculate the Total Poisson Count of the Sum (T_n).

$n = 16$
$T_{n1} = 40$

3) Using Gibbons' formula, calculate the upper Poisson Prediction limit T^*_k:

$$T^*_k = cT_{n1} + ct^2/2 + ct[T_{n1}(1+1/c) + t^2/4]^{-0.5}$$

where c = k/n
and where k = the number of future predicted measurements (one per well during the current sampling event)
and where t = the upper 99th percentile of the t-distribution with (n-1) degrees of freedom (Table 6 of the IFG).

$k = 2$
$n = 16$
$T_{n1} = 40$
$t[15,.01] = 2.602$
$c = 0.1250$
$T_{n2} = 1.6$
$T^*_k = 11.6$

4) Compare the *Poisson Prediction Limit* (T^*_k) to the *Sum of the Concentrations Detected* (T_{n2}) in the wells during the most recent sampling event.
Since the Poisson Prediction Limit was not exceeded, there is no evidence of contamination.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound: **1,1-Dichloroethene**
MCL (µg/l): 7
Method: Poisson Prediction Limits
Background: MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	5
08/16/99	NT	NS	NT	NS	NT	5
02/14/00	NT	NS	NT	NS	NT	5
08/14/00	NT	NT	NT	NS	NT	5
03/19/01	NT	NT	NT	NT	NT	5
08/27/02	NT	NT	NT	NT	NT	5
02/24/03	NT	NT	NT	NT	NT	5
08/11/03	ND	ND	ND	ND	ND	5
02/09/04	ND	**11**	ND	ND	ND	5
08/16/04	ND	ND	ND	ND	ND	5
02/14/05	ND	ND	ND	ND	ND	5
09/01/05	ND	ND	ND	ND	ND	5
02/16/06	ND	ND	ND	ND	ND	5
08/30/06	ND	ND	ND	ND	ND	5
02/26/07	ND	ND	ND	ND	ND	5
08/13/07	ND	ND	ND	ND	dry	1

1) If not detected (ND), use half of the detection limit.

02/18/99	-	-	-	-	-
08/16/99	-	-	-	-	-
02/14/00	-	-	-	-	-
08/14/00	-	-	-	-	-
03/19/01	-	-	-	-	-
08/27/02	-	-	-	-	-
02/24/03	-	-	-	-	-
08/11/03	2.5	2.5	2.5	2.5	2.5
02/09/04	2.5	11	2.5	2.5	2.5
08/16/04	2.5	2.5	2.5	2.5	2.5
02/14/05	2.5	2.5	2.5	2.5	2.5
09/01/05	2.5	2.5	2.5	2.5	2.5
02/16/06	2.5	2.5	2.5	2.5	2.5
08/30/06	2.5	2.5	2.5	2.5	2.5
02/26/07	2.5	2.5	2.5	2.5	2.5
08/13/07			0.5	0.5	-

2) Set the total number of data values for background wells (through the previous sampling event) equal to 'n' = 8.
Use 1/2 of the method detection limit to calculate the Total Poisson Count of the Sum (T_n).

$n = 16$
$T_{n1} = 48.5$

3) Using Gibbons' formula, calculate the upper Poisson Prediction limit T^*_k:

$$T^*_k = cT_{n1} + ct^2/2 + ct[T_{n1}(1+1/c) + t^2/4]^{-0.5}$$

where c = k/n
and where k = the number of future predicted measurements (one per well during the current sampling event)
and where t = the upper 99th percentile of the t-distribution with (n-1) degrees of freedom (Table 6 of the IFG).

$k = 2$
$n = 16$
$T_{n1} = 48.5$
$t[15,.01] = 2.602$
$c = 0.1250$
$T_{n2} = 1$
$T^*_k = 13.3$

4) Compare the *Poisson Prediction Limit* (T^*_k) to the *Sum of the Concentrations Detected* (T_{n2}) in the wells during the most recent sampling event.
Since the Poisson Prediction Limit was not exceeded, there is no evidence of contamination.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound: **cis-1,2-Dichloroethene**
NC MCL (µg/l): 70
Method: Kruskal-Wallis
Background: MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	5
08/16/99	NT	NS	NT	NS	NT	5
02/14/00	NT	NS	NT	NS	NT	5
08/14/00	NT	NT	NT	NS	NT	5
03/19/01	NT	NT	NT	NT	NT	5
08/27/02	NT	NT	NT	NT	NT	5
02/24/03	NT	NT	NT	NT	NT	5
08/11/03	**16**	**21**	**13**	**50**	**5.6**	5
02/09/04	**24**	ND	**11**	**7.6**	ND	5
08/16/04	**29**	**15**	**9.7**	**12**	ND	5
02/14/05	**48**	**20**	**10**	**26**	**6**	5
09/01/05	**31**	**13**	**11**	**27**	**9.4**	5
02/16/06	ND	**7.4**	ND	**17**	ND	5
08/30/06	**34**	ND	**6.8**	**16**	**5.8**	5
02/26/07	**30**	ND	ND	**12**	ND	5
08/13/07	**31.6**	**4.3**	**5.1**	**9.7**	dry	1
N_i	9	9	9	9	8	
sum of rank values (R_i)	314.0	168.0	156.0	269.0	83.0	
avg rank value (Rbar)	34.9	18.7	17.3	29.9	10.4	

	Number of each rank value					Rank Value
rank value of NDs =	1	3	2	0	4	5.5
rank value of 4.3s =	0	1	0	0	0	11
rank value of 5.1s =	0	0	1	0	0	12
rank value of 5.6s =	0	0	0	0	1	13
rank value of 5.8s =	0	0	0	0	1	14
rank value of 6s =	0	0	0	0	1	15
rank value of 6.8s =	0	0	1	0	0	16
rank value of 7.4s =	0	1	0	0	0	17
rank value of 7.6s =	0	0	0	1	0	18
rank value of 9.4s =	0	0	0	0	1	19
rank value of 9.7s =	0	0	1	1	0	20.5
rank value of 10s =	0	0	1	0	0	22
rank value of 11s =	0	0	2	0	0	23.5
rank value of 12s =	0	0	0	2	0	25.5
rank value of 13s =	0	1	1	0	0	27.5
rank value of 15s =	0	1	0	0	0	29
rank value of 16s =	1	0	0	1	0	30.5
rank value of 17s =	0	0	0	1	0	32
rank value of 20s =	0	1	0	0	0	33
rank value of 21s =	0	1	0	0	0	34
rank value of 24s =	1	0	0	0	0	35
rank value of 26s =	0	0	0	1	0	36
rank value of 27s =	0	0	0	1	0	37
rank value of 29s =	1	0	0	0	0	38
rank value of 30s =	1	0	0	0	0	39
rank value of 31s =	1	0	0	0	0	40
rank value of 31.6s =	1	0	0	0	0	41
rank value of 34s =	1	0	0	0	0	42
rank value of 48s =	1	0	0	0	0	43
rank value of 50s =	0	0	0	1	0	44
n =	**9**	**9**	**9**	**9**	**8**	

Sum of rank value calculations

5.5	16.5	11	0	22
0	11	0	0	0
0	0	12	0	0
0	0	0	0	13
0	0	0	0	14
0	0	0	0	15
0	0	16	0	0

	0	17	0	0	0
	0	0	0	18	0
	0	0	0	0	19
	0	0	20.5	20.5	0
	0	0	22	0	0
	0	0	47	0	0
	0	0	0	51	0
	0	27.5	27.5	0	0
	0	29	0	0	0
	30.5	0	0	30.5	0
	0	0	0	32	0
	0	33	0	0	0
	0	34	0	0	0
	35	0	0	0	0
	0	0	0	36	0
	0	0	0	37	0
	38	0	0	0	0
	39	0	0	0	0
	40	0	0	0	0
	41	0	0	0	0
	42	0	0	0	0
	43	0	0	0	0
	0	0	0	44	0
sum of rank values (R_i)	**314**	**168**	**156**	**269**	**83**

Compute the Kruskal-Wallis statistic:

$$H = \{[12/N(N+1)] * [\Sigma^{K}_{i=1} (R_i^2)/N_i]\} -3(N+1)$$

		MW-1A	MW-2A	MW-3A
Well =	**Background**			
Ri^2/N_i =	12906.9	2704	8040.11	861.125

$N_{i\,bg}$ = 18
N = 44
H = 13.56

Adjust H for ties:

T_i = 1020 sum of T1..T5

$H' = H/(1-(T_i/(N^3-N)))$
H' = 13.72
Chi-square = 7.82

Compare the calculated value H' to the tabulated Chi-square value with K-1 = # groups -1 = 17df at t significance level from Table 1 of the IFG. The value is 7.82 which is less than H' =13.72. Therefore, there is evidence of significant differences between the well groups. Post-hoc pairwise comparisons are necessary (see below).

Calculate the critical values to compare each compliance well to the background wells:

Critical Value (C_x) = $P(N(N+1)/12)^{0.5} * (1/N_{i\,bg}+1/N_x)^{0.5}$
P = 2.12 Percentile of Standard Normal Distribution from Table 4 of IFG
N = total sample size
$N_{i\,bg}$ = total samples (N_i) of background data
N_x = total samples (N_i) of well x

Difference between average ranks (Dx) = Rbar (well x) - avg Rbar (background)

Well =	MW-1A	MW-2A	MW-3A
Rbar (well x) =	17.3	29.9	10.4
avg Rbar (background) =	26.8	26.8	26.8
Dx =	-9.4	3.1	-16.4
Cx =	11.1	11.1	11.6
Statistical Significance ?	-	-	-

Compare each difference (Dx) with the corresponding critical value (Cx).
No compliance well's difference between average ranks exceeded its corresponding critical value at a 5% significance level. Therefore, we conclude that significant evidence of contamination does not exist at the 5% significance level.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound: **cis-1,3-Dichloropropene**
MCL (µg/l): 0.19
Method: Poisson Prediction Limits
Background: MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	**10**
08/16/99	NT	NS	NT	NS	NT	**10**
02/14/00	NT	NS	NT	NS	NT	**10**
08/14/00	NT	NT	NT	NS	NT	**10**
03/19/01	NT	NT	NT	NT	NT	**10**
08/27/02	NT	NT	NT	NT	NT	**10**
02/24/03	NT	NT	NT	NT	NT	**10**
08/11/03	ND	ND	ND	ND	ND	**5**
02/09/04	ND	**8.1**	ND	ND	ND	**5**
08/16/04	ND	ND	ND	ND	ND	**10**
02/14/05	ND	ND	ND	ND	ND	**10**
09/01/05	ND	ND	ND	ND	ND	**5**
02/16/06	ND	ND	ND	ND	ND	**5**
08/30/06	ND	ND	ND	ND	ND	**5**
02/26/07	ND	ND	ND	ND	ND	**5**
08/13/07	ND	ND	ND	ND	dry	**1**

1) If not detected (ND), use half of the detection limit.

02/18/99	-	-	-	-	-
08/16/99	-	-	-	-	-
02/14/00	-	-	-	-	-
08/14/00	-	-	-	-	-
03/19/01	-	-	-	-	-
08/27/02	-	-	-	-	-
02/24/03	-	-	-	-	-
08/11/03	2.5	2.5	2.5	2.5	2.5
02/09/04	2.5	8.1	2.5	2.5	2.5
08/16/04	5	5	5	5	5
02/14/05	5	5	5	5	5
09/01/05	2.5	2.5	2.5	2.5	2.5
02/16/06	2.5	2.5	2.5	2.5	2.5
08/30/06	2.5	2.5	2.5	2.5	2.5
02/26/07	2.5	2.5	2.5	2.5	2.5
08/13/07			0.5	0.5	-

2) Set the total number of data values for background wells (through the previous sampling event) equal to 'n' = 8.
Use 1/2 of the method detection limit to calculate the Total Poisson Count of the Sum (T_n).

$n = 16$
$T_{n1} = 55.6$

3) Using Gibbons' formula, calculate the upper Poisson Prediction limit T^*_k:

$$T^*_k = cT_{n1} + ct^2/2 + ct[T_{n1}(1+1/c) + t^2/4]^{-0.5}$$

where $c = k/n$
and where k = the number of future predicted measurements (one per well during the current sampling event)
and where t = the upper 99th percentile of the t-distribution with (n-1) degrees of freedom (Table 6 of the IFG).

$k = 2$
$n = 16$
$T_{n1} = 55.6$
$t[15,.01] = 2.602$
$c = 0.1250$
$T_{n2} = 1$
$T^*_k = 14.7$

4) Compare the *Poisson Prediction Limit* (T^*_k) to the *Sum of the Concentrations Detected* (T_{n2}) in the wells during the most recent sampling event.
Since the Poisson Prediction Limit was not exceeded, there is no evidence of contamination.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound: **Ethylbenzene**
MCL (µg/l): 550
Method: Poisson Prediction Limits
Background: MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	5
08/16/99	NT	NS	NT	NS	NT	5
02/14/00	NT	NS	NT	NS	NT	5
08/14/00	NT	NT	NT	NS	NT	5
03/19/01	NT	NT	NT	NT	NT	5
08/27/02	NT	NT	NT	NT	NT	5
02/24/03	NT	NT	NT	NT	NT	5
08/11/03	ND	ND	ND	ND	ND	5
02/09/04	ND	ND	ND	ND	ND	5
08/16/04	ND	ND	ND	ND	ND	5
02/14/05	ND	ND	ND	ND	ND	5
09/01/05	ND	ND	ND	ND	ND	5
02/16/06	ND	ND	ND	ND	ND	5
08/30/06	ND	ND	ND	ND	ND	5
02/26/07	ND	ND	ND	ND	ND	5
08/13/07	1.1	ND	ND	ND	dry	1

1) If not detected (ND), use half of the detection limit.

02/18/99	-	-	-	-	-
08/16/99	-	-	-	-	-
02/14/00	-	-	-	-	-
08/14/00	-	-	-	-	-
03/19/01	-	-	-	-	-
08/27/02	-	-	-	-	-
02/24/03	-	-	-	-	-
08/11/03	2.5	2.5	2.5	2.5	2.5
02/09/04	2.5	2.5	2.5	2.5	2.5
08/16/04	2.5	2.5	2.5	2.5	2.5
02/14/05	2.5	2.5	2.5	2.5	2.5
09/01/05	2.5	2.5	2.5	2.5	2.5
02/16/06	2.5	2.5	2.5	2.5	2.5
08/30/06	2.5	2.5	2.5	2.5	2.5
02/26/07	2.5	2.5	2.5	2.5	2.5
08/13/07			0.5	0.5	-

2) Set the total number of data values for background wells (through the previous sampling event) equal to 'n' = 8.
Use 1/2 of the method detection limit to calculate the Total Poisson Count of the Sum (T_n).

$n = 16$
$T_{n1} = 40$

3) Using Gibbons' formula, calculate the upper Poisson Prediction limit T^*_k:

$$T^*_k = cT_{n1} + ct^2/2 + ct[T_{n1}(1+1/c) + t^2/4]^{-0.5}$$

where c = k/n
and where k = the number of future predicted measurements (one per well during the current sampling event)
and where t = the upper 99th percentile of the t-distribution with (n-1) degrees of freedom (Table 6 of the IFG).

$k = 2$
$n = 16$
$T_{n1} = 40$
$t[15,.01] = 2.602$
$c = 0.1250$
$T_{n2} = 1$
$T^*_k = 11.6$

4) Compare the *Poisson Prediction Limit* (T^*_k) to the *Sum of the Concentrations Detected* (T_{n2}) in the wells during the most recent sampling event.
Since the Poisson Prediction Limit was not exceeded, there is no evidence of contamination.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound:	**Dichloromethane**
NC MCL (µg/l):	4.6
Method:	Kruskal-Wallis
Background:	MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	**10**
08/16/99	NT	NS	NT	NS	NT	**10**
02/14/00	NT	NS	NT	NS	NT	**10**
08/14/00	NT	NT	NT	NS	NT	**10**
03/19/01	NT	NT	NT	NT	NT	**10**
08/27/02	NT	NT	NT	NT	NT	**10**
02/24/03	NT	NT	NT	NT	NT	**10**
08/11/03	ND	**21**	ND	ND	ND	**5**
02/09/04	ND	**8.7**	ND	ND	ND	**5**
08/16/04	**6.1**	ND	ND	ND	ND	**10**
02/14/05	**12**	**12**	ND	ND	ND	**10**
09/01/05	**7.3**	**7.4**	ND	ND	ND	**5**
02/16/06	ND	ND	ND	ND	ND	**5**
08/30/06	**17**	ND	ND	ND	ND	**5**
02/26/07	**15**	ND	ND	ND	ND	**5**
08/13/07	**38.8**	**2.9**	ND	ND	dry	**2**

N_i	9	9	9	9	8
sum of rank values (R_i)	288.5	259.5	153.0	153.0	136.0
avg rank value (Rbar)	32.1	28.8	17.0	17.0	17.0

	Number of each rank value					Rank Value
rank value of NDs =	3	4	9	9	8	17
rank value of 2.9s =	0	1	0	0	0	34
rank value of 6.1s =	1	0	0	0	0	35
rank value of 7.3s =	1	0	0	0	0	36
rank value of 7.4s =	0	1	0	0	0	37
rank value of 8.7s =	0	1	0	0	0	38
rank value of 12s =	1	1	0	0	0	39.5
rank value of 15s =	1	0	0	0	0	41
rank value of 17s =	1	0	0	0	0	42
rank value of 21s =	0	1	0	0	0	43
rank value of 38.8s =	1	0	0	0	0	44
n =	**9**	**9**	**9**	**9**	**8**	

Sum of rank value calculations

51	68	153	153	136
0	34	0	0	0
35	0	0	0	0
36	0	0	0	0
0	37	0	0	0
0	38	0	0	0
39.5	39.5	0	0	0

	41	0	0	0	0
	42	0	0	0	0
	0	43	0	0	0
	44	0	0	0	0
sum of rank values (R_i)	**288.5**	**259.5**	**153**	**153**	**136**

Compute the Kruskal-Wallis statistic:

$$H = \{[12/N(N+1)] * [\Sigma^{K}_{i=1} (R_i^2)/N_i]\} -3(N+1)$$

Well =	**Background**	**MW-1A**	**MW-2A**	**MW-3A**
Ri^2/N_i =	16683.6	2601	2601	2312

$N_{i\,bg}$ = 18
N = 44
H = 11.65

Adjust H for ties:

T_i = 35910 sum of T1..T2

$H' = H/(1-(T_i/(N^3-N)))$
H' = 20.15
Chi-square = 7.82

Compare the calculated value H' to the tabulated Chi-square value with K-1 = # groups -1 = 17df at the significance level from Table 1 of the IFG. The value is 7.82 which is less than H' =20.15. Therefore, there is evidence of significant differences between the well groups. Post-hoc pairwise comparisons are necessary (see below).

Calculate the critical values to compare each compliance well to the background wells:

Critical Value (C_x) = $P(N(N+1)/12)^{0.5} * (1/N_{i\,bg}+1/N_x)^{0.5}$
P = 2.12 Percentile of Standard Normal Distribution from Table 4 of IFG
N = total sample size
$N_{i\,bg}$ = total samples (N_i) of background data
N_x = total samples (N_i) of well x

Difference between average ranks (Dx) = Rbar (well x) - avg Rbar (background)

Well =	MW-1A	MW-2A	MW-3A
Rbar (well x) =	17.0	17.0	17.0
avg Rbar (background) =	30.4	30.4	30.4
Dx =	-13.4	-13.4	-13.4
Cx =	11.1	11.1	11.6
Statistical Significance ?	-	-	-

Compare each difference (Dx) with the corresponding critical value (Cx).
No compliance well's difference between average ranks exceeded its corresponding critical value at a 5% significance level. Therefore, we conclude that significant evidence of contamination does not exist at the 5% significance level.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound:	**Tetrachloroethene**
NC MCL (µg/l):	0.7
Method:	Kruskal-Wallis
Background:	MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	5
08/16/99	NT	NS	NT	NS	NT	5
02/14/00	NT	NS	NT	NS	NT	5
08/14/00	NT	NT	NT	NS	NT	5
03/19/01	NT	NT	NT	NT	NT	5
08/27/02	NT	NT	NT	NT	NT	5
02/24/03	NT	NT	NT	NT	NT	5
08/11/03	ND	**8.9**	ND	ND	ND	5
02/09/04	**9.6**	**6.2**	ND	ND	ND	5
08/16/04	**7.9**	**5.8**	ND	ND	ND	5
02/14/05	**15**	**6.4**	ND	ND	ND	5
09/01/05	**9**	**5.4**	ND	ND	ND	5
02/16/06	ND	ND	ND	ND	ND	5
08/30/06	**8.3**	ND	ND	ND	ND	5
02/26/07	**8.5**	ND	ND	ND	ND	5
08/13/07	**8.1**	**3.6**	ND	ND	dry	**1**
N_i	9	9	9	9	8	
sum of rank values (R_i)	315.0	259.0	144.0	144.0	128.0	
avg rank value (Rbar)	35.0	28.8	16.0	16.0	16.0	

	Number of each rank value					Rank Value
rank value of NDs =	2	3	9	9	8	16
rank value of 3.6s =	0	1	0	0	0	32
rank value of 5.4s =	0	1	0	0	0	33
rank value of 5.8s =	0	1	0	0	0	34
rank value of 6.2s =	0	1	0	0	0	35
rank value of 6.4s =	0	1	0	0	0	36
rank value of 7.9s =	1	0	0	0	0	37
rank value of 8.1s =	1	0	0	0	0	38
rank value of 8.3s =	1	0	0	0	0	39
rank value of 8.5s =	1	0	0	0	0	40
rank value of 8.9s =	0	1	0	0	0	41
rank value of 9s =	1	0	0	0	0	42
rank value of 9.6s =	1	0	0	0	0	43
rank value of 15s =	1	0	0	0	0	44
n =	**9**	**9**	**9**	**9**	**8**	

Sum of rank value calculations

32	48	144	144	128
0	32	0	0	0
0	33	0	0	0
0	34	0	0	0
0	35	0	0	0
0	36	0	0	0
37	0	0	0	0

38	0	0	0	0
39	0	0	0	0
40	0	0	0	0
0	41	0	0	0
42	0	0	0	0
43	0	0	0	0
44	0	0	0	0
sum of rank values (R_i)	**315**	**259**	**144**	**144**	**128**

Compute the Kruskal-Wallis statistic:

$$H = \{[12/N(N+1)] * [\Sigma^{K}_{i=1} (R_i^2)/N_i]\} -3(N+1)$$

Well =	**Background**	**MW-1A**	**MW-2A**	**MW-3A**
Ri^2/N_i =	18304.2	2304	2304	2048

$N_{i\ bg}$ = 18
N = 44
H = 16.27

Adjust H for ties:

T_i = 29760 sum of T1..T1

$H' = H/(1-(T_i/(N^3-N)))$
H' = 25.02
Chi-square = 7.82

Compare the calculated value H' to the tabulated Chi-square value with K-1 = # groups -1 = 17df at the significance level from Table 1 of the IFG. The value is 7.82 which is less than H' =25.02. Therefore, there is evidence of significant differences between the well groups. Post-hoc pairwise comparisons are necessary (see below).

Calculate the critical values to compare each compliance well to the background wells:

Critical Value (C_x) = $P(N(N+1)/12)^{0.5} * (1/N_{i\ bg}+1/N_x)^{0.5}$
P = 2.12 Percentile of Standard Normal Distribution from Table 4 of IFG
N = total sample size
$N_{i\ bg}$ = total samples (N_i) of background data
N_x = total samples (N_i) of well x

Difference between average ranks (Dx) = Rbar (well x) - avg Rbar (background)

Well =	MW-1A	MW-2A	MW-3A
Rbar (well x) =	16.0	16.0	16.0
avg Rbar (background) =	31.9	31.9	31.9
Dx =	-15.9	-15.9	-15.9
Cx =	11.1	11.1	11.6
Statistical Significance ?	-	-	-

Compare each difference (Dx) with the corresponding critical value (Cx).
No compliance well's difference between average ranks exceeded its corresponding critical value at a 5% significance level. Therefore, we conclude that significant evidence of contamination does not exist at the 5% significance level.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound: **Toluene**
MCL (µg/l): 1000
Method: Poisson Prediction Limits
Background: MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	5
08/16/99	NT	NS	NT	NS	NT	5
02/14/00	NT	NS	NT	NS	NT	5
08/14/00	NT	NT	NT	NS	NT	5
03/19/01	NT	NT	NT	NT	NT	5
08/27/02	NT	NT	NT	NT	NT	5
02/24/03	NT	NT	NT	NT	NT	5
08/11/03	ND	ND	ND	ND	**4500**	5
02/09/04	ND	ND	ND	ND	**34**	5
08/16/04	ND	ND	ND	ND	ND	5
02/14/05	ND	ND	ND	ND	**6.5**	5
09/01/05	ND	ND	ND	ND	**120**	5
02/16/06	ND	ND	ND	ND	**6.5**	5
08/30/06	ND	ND	ND	ND	ND	5
02/26/07	ND	ND	ND	ND	ND	5
08/13/07	**7.4**	ND	ND	ND	dry	1

1) If not detected (ND), use half of the detection limit.

02/18/99	-	-	-	-	-
08/16/99	-	-	-	-	-
02/14/00	-	-	-	-	-
08/14/00	-	-	-	-	-
03/19/01	-	-	-	-	-
08/27/02	-	-	-	-	-
02/24/03	-	-	-	-	-
08/11/03	2.5	2.5	2.5	2.5	4500
02/09/04	2.5	2.5	2.5	2.5	34
08/16/04	2.5	2.5	2.5	2.5	2.5
02/14/05	2.5	2.5	2.5	2.5	6.5
09/01/05	2.5	2.5	2.5	2.5	120
02/16/06	2.5	2.5	2.5	2.5	6.5
08/30/06	2.5	2.5	2.5	2.5	2.5
02/26/07	2.5	2.5	2.5	2.5	2.5
08/13/07			0.5	0.5	-

2) Set the total number of data values for background wells (through the previous sampling event) equal to 'n' = 8.
Use 1/2 of the method detection limit to calculate the Total Poisson Count of the Sum (T_n).

$n = 16$
$T_{n1} = 40$

3) Using Gibbons' formula, calculate the upper Poisson Prediction limit T^*_k:

$$T^*_k = cT_{n1} + ct^2/2 + ct[T_{n1}(1+1/c) + t^2/4]^{-0.5}$$

where c = k/n
and where k = the number of future predicted measurements (one per well during the current sampling event)
and where t = the upper 99th percentile of the t-distribution with (n-1) degrees of freedom (Table 6 of the IFG).

$k = 2$
$n = 16$
$T_{n1} = 40$
$t[15,.01] = 2.602$
$c = 0.1250$
$T_{n2} = 1$
$T^*_k = 11.6$

4) Compare the *Poisson Prediction Limit* (T^*_k) to the *Sum of the Concentrations Detected* (T_{n2}) in the wells during the most recent sampling event.
Since the Poisson Prediction Limit was not exceeded, there is no evidence of contamination.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound:	**Trichloroethene**
NC MCL (µg/l):	2.8
Method:	Kruskal-Wallis
Background:	MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	**5**
08/16/99	NT	NS	NT	NS	NT	**5**
02/14/00	NT	NS	NT	NS	NT	**5**
08/14/00	NT	NT	NT	NS	NT	**5**
03/19/01	NT	NT	NT	NT	NT	**5**
08/27/02	NT	NT	NT	NT	NT	**5**
02/24/03	NT	NT	NT	NT	NT	**5**
08/11/03	**5.6**	**11**	ND	ND	ND	**5**
02/09/04	**13**	**6.2**	ND	ND	ND	**5**
08/16/04	**10**	**5.5**	ND	ND	ND	**5**
02/14/05	**17**	**7**	ND	ND	ND	**5**
09/01/05	**11**	ND	ND	ND	ND	**5**
02/16/06	ND	ND	ND	ND	ND	**5**
08/30/06	**11**	ND	ND	ND	ND	**5**
02/26/07	**11**	ND	ND	ND	ND	**5**
08/13/07	**9.9**	**2.7**	ND	ND	dry	**1**

N_i	9	9	9	9	8
sum of rank values (R_i)	333.5	240.5	144.0	144.0	128.0
avg rank value (Rbar)	37.1	26.7	16.0	16.0	16.0

	Number of each rank value					Rank Value
rank value of NDs =	1	4	9	9	8	16
rank value of 2.7s =	0	1	0	0	0	32
rank value of 5.5s =	0	1	0	0	0	33
rank value of 5.6s =	1	0	0	0	0	34
rank value of 6.2s =	0	1	0	0	0	35
rank value of 7s =	0	1	0	0	0	36
rank value of 9.9s =	1	0	0	0	0	37
rank value of 10s =	1	0	0	0	0	38
rank value of 11s =	3	1	0	0	0	40.5
rank value of 13s =	1	0	0	0	0	43
rank value of 17s =	1	0	0	0	0	44
n =	**9**	**9**	**9**	**9**	**8**	

Sum of rank value calculations

16	64	144	144	128
0	32	0	0	0
0	33	0	0	0
34	0	0	0	0
0	35	0	0	0
0	36	0	0	0
37	0	0	0	0

	38	0	0	0	0
	121.5	40.5	0	0	0
	43	0	0	0	0
	44	0	0	0	0
sum of rank values (R_i)	**333.5**	**240.5**	**144**	**144**	**128**

Compute the Kruskal-Wallis statistic:

$$H = \{[12/N(N+1)] * [\Sigma^{K}_{i=1} (R_i^2)/N_i]\} -3(N+1)$$

		MW-1A	MW-2A	MW-3A
Well =	**Background**			
Ri^2/N_i =	18304.2	2304	2304	2048

$N_{i\,bg}$ = 18
N = 44
H = 16.27

Adjust H for ties:

T_i = 29820 sum of T1..T2

$H' = H/(1-(T_i/(N^3-N)))$
H' = 25.05
Chi-square = 7.82

Compare the calculated value H' to the tabulated Chi-square value with K-1 = # groups -1 = 17df at the significance level from Table 1 of the IFG. The value is 7.82 which is less than H' =25.05. Therefore, there is evidence of significant differences between the well groups. Post-hoc pairwise comparisons are necessary (see below).

Calculate the critical values to compare each compliance well to the background wells:

Critical Value (C_x) = $P(N(N+1)/12)^{0.5} * (1/N_{i\,bg}+1/N_x)^{0.5}$
P = 2.12 Percentile of Standard Normal Distribution from Table 4 of IFG
N = total sample size
$N_{i\,bg}$ = total samples (N_i) of background data
N_x = total samples (N_i) of well x

Difference between average ranks (Dx) = Rbar (well x) - avg Rbar (background)

	MW-1A	MW-2A	MW-3A
Well =			
Rbar (well x) =	16.0	16.0	16.0
avg Rbar (background) =	31.9	31.9	31.9
Dx =	-15.9	-15.9	-15.9
Cx =	11.1	11.1	11.6
Statistical Significance ?	-	-	-

Compare each difference (Dx) with the corresponding critical value (Cx).
No compliance well's difference between average ranks exceeded its corresponding critical value at a 5% significance level. Therefore, we conclude that significant evidence of contamination does not exist at the 5% significance level.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound: **Vinyl Chloride**
MCL (µg/l): 0.015
Method: Poisson Prediction Limits
Background: MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	**10**
08/16/99	NT	NS	NT	NS	NT	**10**
02/14/00	NT	NS	NT	NS	NT	**10**
08/14/00	NT	NT	NT	NS	NT	**10**
03/19/01	NT	NT	NT	NT	NT	**10**
08/27/02	NT	NT	NT	NT	NT	**10**
02/24/03	NT	NT	NT	NT	NT	**10**
08/11/03	ND	ND	ND	ND	ND	**5**
02/09/04	ND	ND	ND	ND	ND	**5**
08/16/04	ND	ND	ND	ND	ND	**10**
02/14/05	ND	ND	ND	ND	ND	**10**
09/01/05	ND	ND	ND	ND	ND	**5**
02/16/06	ND	ND	ND	ND	ND	**5**
08/30/06	ND	ND	ND	ND	ND	**5**
02/26/07	ND	ND	ND	ND	ND	**5**
08/13/07	ND	ND	ND	**1.5**	dry	**1**

1) If not detected (ND), use half of the detection limit.

02/18/99	-	-	-	-	-
08/16/99	-	-	-	-	-
02/14/00	-	-	-	-	-
08/14/00	-	-	-	-	-
03/19/01	-	-	-	-	-
08/27/02	-	-	-	-	-
02/24/03	-	-	-	-	-
08/11/03	2.5	2.5	2.5	2.5	2.5
02/09/04	2.5	2.5	2.5	2.5	2.5
08/16/04	5	5	5	5	5
02/14/05	5	5	5	5	5
09/01/05	2.5	2.5	2.5	2.5	2.5
02/16/06	2.5	2.5	2.5	2.5	2.5
08/30/06	2.5	2.5	2.5	2.5	2.5
02/26/07	2.5	2.5	2.5	2.5	2.5
08/13/07			0.5	1.5	-

2) Set the total number of data values for background wells (through the previous sampling event) equal to 'n' = 8.
Use 1/2 of the method detection limit to calculate the Total Poisson Count of the Sum (T_n).

$n = 16$
$T_{n1} = 50$

3) Using Gibbons' formula, calculate the upper Poisson Prediction limit T^*_k:

$$T^*_k = cT_{n1} + ct^2/2 + ct[T_{n1}(1+1/c) + t^2/4]^{-0.5}$$

where c = k/n
and where k = the number of future predicted measurements (one per well during the current sampling event)
and where t = the upper 99th percentile of the t-distribution with (n-1) degrees of freedom (Table 6 of the IFG).

$k = 2$
$n = 16$
$T_{n1} = 50$
$t[15,.01] = 2.602$
$c = 0.1250$
$T_{n2} = 2$
$T^*_k = 13.6$

4) Compare the *Poisson Prediction Limit* (T^*_k) to the *Sum of the Concentrations Detected* (T_{n2}) in the wells during the most recent sampling event.
Since the Poisson Prediction Limit was not exceeded, there is no evidence of contamination.

Haywood County Closed Landfill, Francis Farm
Haywood County, North Carolina
BLE Project Number J07-1957-03

Compound: **Total Xylenes**
MCL (µg/l): 530
Method: Poisson Prediction Limits
Background: MW-4 & MW-5

	MW-4	MW-5	MW-1A	MW-2A	MW-3A	MDL
02/18/99	NT	NS	NT	NS	NT	**5**
08/16/99	NT	NS	NT	NS	NT	**5**
02/14/00	NT	NS	NT	NS	NT	**5**
08/14/00	NT	NT	NT	NS	NT	**5**
03/19/01	NT	NT	NT	NT	NT	**5**
08/27/02	NT	NT	NT	NT	NT	**5**
02/24/03	NT	NT	NT	NT	NT	**5**
08/11/03	ND	ND	ND	ND	ND	**10**
02/09/04	ND	ND	ND	ND	ND	**10**
08/16/04	ND	ND	ND	ND	ND	**5**
02/14/05	ND	ND	ND	ND	ND	**5**
09/01/05	ND	ND	ND	ND	ND	**10**
02/16/06	ND	ND	ND	ND	ND	**10**
08/30/06	ND	ND	ND	ND	ND	**10**
02/26/07	ND	ND	ND	ND	ND	**10**
08/13/07	**6.1**	ND	ND	ND	dry	**2**

1) If not detected (ND), use half of the detection limit.

02/18/99	-	-	-	-	-
08/16/99	-	-	-	-	-
02/14/00	-	-	-	-	-
08/14/00	-	-	-	-	-
03/19/01	-	-	-	-	-
08/27/02	-	-	-	-	-
02/24/03	-	-	-	-	-
08/11/03	5	5	5	5	5
02/09/04	5	5	5	5	5
08/16/04	2.5	2.5	2.5	2.5	2.5
02/14/05	2.5	2.5	2.5	2.5	2.5
09/01/05	5	5	5	5	5
02/16/06	5	5	5	5	5
08/30/06	5	5	5	5	5
02/26/07	5	5	5	5	5
08/13/07			1	1	-

2) Set the total number of data values for background wells (through the previous sampling event) equal to 'n' = 8.
Use 1/2 of the method detection limit to calculate the Total Poisson Count of the Sum (T_n).

$n = 16$
$T_{n1} = 70$

3) Using Gibbons' formula, calculate the upper Poisson Prediction limit T^*_k:

$$T^*_k = cT_{n1} + ct^2/2 + ct[T_{n1}(1+1/c) + t^2/4]^{-0.5}$$

where c = k/n
and where k = the number of future predicted measurements (one per well during the current sampling event)
and where t = the upper 99th percentile of the t-distribution with (n-1) degrees of freedom (Table 6 of the IFG).

$k = 2$
$n = 16$
$T_{n1} = 70$
$t[15,.01] = 2.602$
$c = 0.1250$
$T_{n2} = 2$
$T^*_k = 17.3$

4) Compare the *Poisson Prediction Limit* (T^*_k) to the *Sum of the Concentrations Detected* (T_{n2}) in the wells during the most recent sampling event.
Since the Poisson Prediction Limit was not exceeded, there is no evidence of contamination.