Scanned by	Date	Doc ID #
DCH	7/22/08	5285

IAC™
International Automotive Components

IAC Group North America
IAC Alma, LLC

1506 E. Main St.
Old Fort, N.C. 28762, USA
Phone 828-668-7601
Fax 828-668-3254
www.iacgroup.com

June 20, 2008

Mr. Larry Rose
Division of Waste Management
Solid Waste Section
401 Oberlin Road, Suite 150
Raleigh, N.C. 27605

Received
JUN 20
Waste Management

RE: Groundwater Analysis
Sanitary Landfill Permit #56-03
Old Fort, N.C.

Dear Mr. Rose,

Please find, enclosed, the groundwater sampling results for April 2008, in accordance with EPA and State guidelines and the Water Quality Monitoring Plan submitted to NCDENR on or about December 18, 1997 and the landfill permit #56-03 referenced above.

Thank you for your attention to this matter. Please call me at (828) 668-3235 with any questions related to this submission.

NOTE: The file may still be under Collins + Aikman - we changed to IAC in Oct 2007.

Sincerely,

Jack Davis

Jack M. Davis
Plant Engineer
IACNA, Old Fort LLC

Enclosure:
Pace Analytical report dated April 28, 2008

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

May 09, 2008

Mr. Jack Davis
IAC of North America
Hwy 70
Old Fort, NC 28762

RE: Project: landfill MW's 4/28
Pace Project No.: 9218279

Dear Mr. Davis:
Enclosed are the analytical results for sample(s) received by the laboratory on April 28, 2008. The results relate only to the samples included in this report. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report.

Inorganic Wet Chemistry and Metals analyses were performed at our Pace Asheville laboratory and Organic testing was performed at our Pace Huntersville laboratory unless otherwise footnoted. All Microbiological analyses were performed at the laboratory where the samples were received.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Tom Williams

tom.williams@pacelabs.com
Project Manager

Enclosures

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

CERTIFICATIONS

Project: landfill MW's 4/28
Pace Project No.: 9218279

Charlotte Certification IDs

Florida/NELAP Certification Number: E87627
Kansas Certification Number: E-10364
Louisiana/LELAP Certification Number: 04034
North Carolina Drinking Water Certification Number: 37706
North Carolina Wastewater Certification Number: 12
North Carolina Field Services Certification Number: 5342
South Carolina Certification Number: 990060001
South Carolina Bioassay Certification Number: 990060003
Tennessee Certification Number: 04010
Virginia Certification Number: 00213

Asheville Certification IDs

Florida/NELAP Certification Number: E87648
Louisiana/LELAP Certification Number: 03095
New Jersey Certification Number: NC011
North Carolina Drinking Water Certification Number: 37712
North Carolina Wastewater Certification Number: 40
North Carolina Bioassay Certification Number: 9
Pennsylvania Certification Number: 68-03578
South Carolina Certification Number: 99030001
South Carolina Bioassay Certification Number: 99030002
Tennessee Certification Number: 2980
Virginia Certification Number: 00072

Eden Certification IDs

North Carolina Drinking Water Certification Number: 37738
Virginia Drinking Water Certification Number: 00424
North Carolina Wastewater Certification Number: 633

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE SUMMARY

Project: landfill MW's 4/28
Pace Project No.: 9218279

Lab ID	Sample ID	Matrix	Date Collected	Date Received
9218279001	MW-1	Water	04/28/08 13:45	04/28/08 16:16
9218279002	MW-2	Water	04/28/08 13:00	04/28/08 16:16
9218279003	MW-3	Water	04/28/08 13:15	04/28/08 16:16
9218279004	MW-4	Water	04/28/08 13:30	04/28/08 16:16
9218279005	SW-1	Water	04/28/08 12:50	04/28/08 16:16
9218279006	SW-2	Water	04/28/08 12:50	04/28/08 16:16

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

SAMPLE ANALYTE COUNT

Project: landfill MW's 4/28
Pace Project No.: 9218279

Lab ID	Sample ID	Method	Analysts	Analytes Reported
9218279001	MW-1	EPA 200.7	JMW	7
		EPA 245.1	EWS	1
			TRW	7
9218279002	MW-2	EPA 200.7	JMW	7
		EPA 245.1	EWS	1
			TRW	7
9218279003	MW-3	EPA 200.7	JMW	7
		EPA 245.1	EWS	1
			TRW	7
9218279004	MW-4	EPA 200.7	JMW	7
		EPA 245.1	EWS	1
			TRW	7
9218279005	SW-1	EPA 200.7	JMW	7
		EPA 245.1	EWS	1
			TRW	6
9218279006	SW-2	EPA 200.7	JMW	7
		EPA 245.1	EWS	1
			TRW	6

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: landfill MW's 4/28
Pace Project No.: 9218279

Sample: MW-1 **Lab ID: 9218279001** Collected: 04/28/08 13:45 Received: 04/28/08 16:16 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Monitoring Well Data	Analytical Method:							
Collected By	**MPS**			1		05/09/08 17:43		
Collected Date	**4/28/08**			1		05/09/08 17:43		
Collected Time	**13:45**			1		05/09/08 17:43		
Field pH	**5.60**	Std. Units		1		05/09/08 17:43		
Field Temperature	**15.0**	deg C		1		05/09/08 17:43		
Static Water Level	**56.72**	feet		1		05/09/08 17:43		
Field Specific Conductance	**15**	umhos/cm		1		05/09/08 17:43		
200.7 MET ICP	Analytical Method: EPA 200.7		Preparation Method: EPA 200.7					
Arsenic	**6.4**	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:21	7440-38-2	
Barium	**436**	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:21	7440-39-3	
Cadmium	ND	ug/L	1.0	1	05/06/08 15:40	05/08/08 18:21	7440-43-9	
Chromium	**24.2**	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:21	7440-47-3	
Lead	**24.6**	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:21	7439-92-1	
Selenium	ND	ug/L	10.0	1	05/06/08 15:40	05/08/08 18:21	7782-49-2	
Silver	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:21	7440-22-4	
245.1 Mercury	Analytical Method: EPA 245.1		Preparation Method: EPA 245.1					
Mercury	ND	ug/L	0.20	1	05/06/08 11:00	05/06/08 14:51	7439-97-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: landfill MW's 4/28
Pace Project No.: 9218279

Sample: MW-2 **Lab ID: 9218279002** Collected: 04/28/08 13:00 Received: 04/28/08 16:16 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Monitoring Well Data	Analytical Method:							
Collected By	**MPS**			1		05/09/08 17:43		
Collected Date	**4/28/08**			1		05/09/08 17:43		
Collected Time	**13:00**			1		05/09/08 17:43		
Field pH	**6.02**	Std. Units		1		05/09/08 17:43		
Field Temperature	**14.9**	deg C		1		05/09/08 17:43		
Static Water Level	**11.40**	feet		1		05/09/08 17:43		
Field Specific Conductance	**139**	umhos/cm		1		05/09/08 17:43		
200.7 MET ICP	Analytical Method: EPA 200.7 Preparation Method: EPA 200.7							
Arsenic	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:25	7440-38-2	
Barium	**61.2**	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:25	7440-39-3	
Cadmium	ND	ug/L	1.0	1	05/06/08 15:40	05/08/08 18:25	7440-43-9	
Chromium	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:25	7440-47-3	
Lead	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:25	7439-92-1	
Selenium	ND	ug/L	10.0	1	05/06/08 15:40	05/08/08 18:25	7782-49-2	
Silver	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:25	7440-22-4	
245.1 Mercury	Analytical Method: EPA 245.1 Preparation Method: EPA 245.1							
Mercury	ND	ug/L	0.20	1	05/06/08 11:00	05/06/08 14:53	7439-97-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: landfill MW's 4/28
Pace Project No.: 9218279

Sample: MW-3 **Lab ID: 9218279003** Collected: 04/28/08 13:15 Received: 04/28/08 16:16 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Monitoring Well Data	Analytical Method:							
Collected By	**MPS**			1		05/09/08 17:44		
Collected Date	**4/28/08**			1		05/09/08 17:44		
Collected Time	**13:15**			1		05/09/08 17:44		
Field pH	**5.64**	Std. Units		1		05/09/08 17:44		
Field Temperature	**13.6**	deg C		1		05/09/08 17:44		
Static Water Level	**17.25**	feet		1		05/09/08 17:44		
Field Specific Conductance	**96**	umhos/cm		1		05/09/08 17:44		
200.7 MET ICP	Analytical Method: EPA 200.7 Preparation Method: EPA 200.7							
Arsenic	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:29	7440-38-2	
Barium	**221**	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:29	7440-39-3	
Cadmium	ND	ug/L	1.0	1	05/06/08 15:40	05/08/08 18:29	7440-43-9	
Chromium	**7.7**	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:29	7440-47-3	
Lead	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:29	7439-92-1	
Selenium	ND	ug/L	10.0	1	05/06/08 15:40	05/08/08 18:29	7782-49-2	
Silver	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:29	7440-22-4	
245.1 Mercury	Analytical Method: EPA 245.1 Preparation Method: EPA 245.1							
Mercury	ND	ug/L	0.20	1	05/06/08 11:00	05/06/08 14:56	7439-97-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: landfill MW's 4/28
Pace Project No.: 9218279

Sample: MW-4 **Lab ID: 9218279004** Collected: 04/28/08 13:30 Received: 04/28/08 16:16 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Monitoring Well Data	Analytical Method:							
Collected By	**MPS**			1		05/09/08 17:45		
Collected Date	**4/28/08**			1		05/09/08 17:45		
Collected Time	**13:30**			1		05/09/08 17:45		
Field pH	**5.21**	Std. Units		1		05/09/08 17:45		
Field Temperature	**14.0**	deg C		1		05/09/08 17:45		
Static Water Level	**14.19**	feet		1		05/09/08 17:45		
Field Specific Conductance	**49**	umhos/cm		1		05/09/08 17:45		
200.7 MET ICP	Analytical Method: EPA 200.7 Preparation Method: EPA 200.7							
Arsenic	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:39	7440-38-2	
Barium	**124**	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:39	7440-39-3	
Cadmium	ND	ug/L	1.0	1	05/06/08 15:40	05/08/08 18:39	7440-43-9	
Chromium	**6.3**	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:39	7440-47-3	
Lead	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:39	7439-92-1	
Selenium	ND	ug/L	10.0	1	05/06/08 15:40	05/08/08 18:39	7782-49-2	
Silver	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:39	7440-22-4	
245.1 Mercury	Analytical Method: EPA 245.1 Preparation Method: EPA 245.1							
Mercury	ND	ug/L	0.20	1	05/06/08 11:00	05/06/08 14:58	7439-97-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: landfill MW's 4/28
Pace Project No.: 9218279

Sample: SW-1 **Lab ID: 9218279005** Collected: 04/28/08 12:50 Received: 04/28/08 16:16 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Monitoring Well Data	Analytical Method:							
Collected By	**MPS**			1		05/09/08 17:46		
Collected Date	**4/28/08**			1		05/09/08 17:46		
Collected Time	**12:50**			1		05/09/08 17:46		
Field pH	**6.40**	Std. Units		1		05/09/08 17:46		
Field Temperature	**16.1**	deg C		1		05/09/08 17:46		
Field Specific Conductance	**46**	umhos/cm		1		05/09/08 17:46		
200.7 MET ICP	Analytical Method: EPA 200.7 Preparation Method: EPA 200.7							
Arsenic	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:42	7440-38-2	
Barium	**20.1**	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:42	7440-39-3	
Cadmium	ND	ug/L	1.0	1	05/06/08 15:40	05/08/08 18:42	7440-43-9	
Chromium	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:42	7440-47-3	
Lead	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:42	7439-92-1	
Selenium	ND	ug/L	10.0	1	05/06/08 15:40	05/08/08 18:42	7782-49-2	
Silver	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:42	7440-22-4	
245.1 Mercury	Analytical Method: EPA 245.1 Preparation Method: EPA 245.1							
Mercury	ND	ug/L	0.20	1	05/06/08 11:00	05/06/08 15:06	7439-97-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

ANALYTICAL RESULTS

Project: landfill MW's 4/28
Pace Project No.: 9218279

Sample: SW-2 **Lab ID: 9218279006** Collected: 04/28/08 12:50 Received: 04/28/08 16:16 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Monitoring Well Data	Analytical Method:							
Collected By	**MPS**			1		05/09/08 17:47		
Collected Date	**4/28/08**			1		05/09/08 17:47		
Collected Time	**12:50**			1		05/09/08 17:47		
Field pH	**6.47**	Std. Units		1		05/09/08 17:47		
Field Temperature	**16.1**	deg C		1		05/09/08 17:47		
Field Specific Conductance	**47**	umhos/cm		1		05/09/08 17:47		
200.7 MET ICP	Analytical Method: EPA 200.7 Preparation Method: EPA 200.7							
Arsenic	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:45	7440-38-2	
Barium	**20.8**	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:45	7440-39-3	
Cadmium	ND	ug/L	1.0	1	05/06/08 15:40	05/08/08 18:45	7440-43-9	
Chromium	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:45	7440-47-3	
Lead	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:45	7439-92-1	
Selenium	ND	ug/L	10.0	1	05/06/08 15:40	05/08/08 18:45	7782-49-2	
Silver	ND	ug/L	5.0	1	05/06/08 15:40	05/08/08 18:45	7440-22-4	
245.1 Mercury	Analytical Method: EPA 245.1 Preparation Method: EPA 245.1							
Mercury	ND	ug/L	0.20	1	05/06/08 11:00	05/06/08 15:08	7439-97-6	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: landfill MW's 4/28
Pace Project No.: 9218279

QC Batch: MERP/1460 Analysis Method: EPA 245.1
QC Batch Method: EPA 245.1 Analysis Description: 245.1 Mercury
Associated Lab Samples: 9218279001, 9218279002, 9218279003, 9218279004, 9218279005, 9218279006

METHOD BLANK: 109643
Associated Lab Samples: 9218279001, 9218279002, 9218279003, 9218279004, 9218279005, 9218279006

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
Mercury	ug/L	ND	0.20	

LABORATORY CONTROL SAMPLE: 109644

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	2.5	2.4	97	85-115	

MATRIX SPIKE SAMPLE: 109645

Parameter	Units	9218268001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	ND	2.5	2.1	79	70-130	

SAMPLE DUPLICATE: 109646

Parameter	Units	9218268002 Result	Dup Result	RPD	Max RPD	Qualifiers
Mercury	ug/L	ND	ND	5	20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: landfill MW's 4/28
Pace Project No.: 9218279

QC Batch: MPRP/2294 Analysis Method: EPA 200.7
QC Batch Method: EPA 200.7 Analysis Description: 200.7 MET
Associated Lab Samples: 9218279001, 9218279002, 9218279003, 9218279004, 9218279005, 9218279006

METHOD BLANK: 109902
Associated Lab Samples: 9218279001, 9218279002, 9218279003, 9218279004, 9218279005, 9218279006

Parameter	Units	Blank Result	Reporting Limit	Qualifiers
Arsenic	ug/L	ND	5.0	
Barium	ug/L	ND	5.0	
Cadmium	ug/L	ND	1.0	
Chromium	ug/L	ND	5.0	
Lead	ug/L	ND	5.0	
Selenium	ug/L	ND	10.0	
Silver	ug/L	ND	5.0	

LABORATORY CONTROL SAMPLE: 109903

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	500	514	103	85-115	
Barium	ug/L	500	502	100	85-115	
Cadmium	ug/L	500	514	103	85-115	
Chromium	ug/L	500	519	104	85-115	
Lead	ug/L	500	512	102	85-115	
Selenium	ug/L	500	506	101	85-115	
Silver	ug/L	250	253	101	85-115	

MATRIX SPIKE SAMPLE: 109904

Parameter	Units	9218182001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Arsenic	ug/L	ND	500	502	100	70-130	
Barium	ug/L	21.9	500	507	97	70-130	
Cadmium	ug/L	ND	500	491	98	70-130	
Chromium	ug/L	35.6	500	541	101	70-130	
Lead	ug/L	11.3	500	488	95	70-130	
Selenium	ug/L	11.8	500	498	97	70-130	
Silver	ug/L	ND	250	245	98	70-130	

SAMPLE DUPLICATE: 109905

Parameter	Units	9218183001 Result	Dup Result	RPD	Max RPD	Qualifiers
Arsenic	ug/L	ND	ND	81	20	
Barium	ug/L	ND	3.3J	8	20	
Cadmium	ug/L	ND	ND	0	20	
Chromium	ug/L	ND	2.1J	3	20	
Lead	ug/L	ND	ND	168	20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA

Project: landfill MW's 4/28
Pace Project No.: 9218279

SAMPLE DUPLICATE: 109905

Parameter	Units	9218183001 Result	Dup Result	RPD	Max RPD	Qualifiers
Selenium	ug/L	ND	ND	184	20	
Silver	ug/L	ND	ND	200	20	

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALIFIERS

Project: landfill MW's 4/28
Pace Project No.: 9218279

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to changes in sample preparation, dilution of the sample aliquot, or moisture content.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

S - Surrogate

1,2-Diphenylhydrazine (8270 listed analyte) decomposes to Azobenzene.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

Pace Analytical is NELAP accredited. Contact your Pace PM for the current list of accredited analytes.

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical
www.pacelabs.com

Pace Analytical Services, Inc.
2225 Riverside Dr.
Asheville, NC 28804
(828)254-7176

Pace Analytical Services, Inc.
9800 Kincey Ave. Suite 100
Huntersville, NC 28078
(704)875-9092

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: landfill MW's 4/28
Pace Project No.: 9218279

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
9218279001	MW-1	EPA 245.1	MERP/1460	EPA 245.1	MERC/1457
9218279002	MW-2	EPA 245.1	MERP/1460	EPA 245.1	MERC/1457
9218279003	MW-3	EPA 245.1	MERP/1460	EPA 245.1	MERC/1457
9218279004	MW-4	EPA 245.1	MERP/1460	EPA 245.1	MERC/1457
9218279005	SW-1	EPA 245.1	MERP/1460	EPA 245.1	MERC/1457
9218279006	SW-2	EPA 245.1	MERP/1460	EPA 245.1	MERC/1457
9218279001	MW-1	EPA 200.7	MPRP/2294	EPA 200.7	ICP/2200
9218279002	MW-2	EPA 200.7	MPRP/2294	EPA 200.7	ICP/2200
9218279003	MW-3	EPA 200.7	MPRP/2294	EPA 200.7	ICP/2200
9218279004	MW-4	EPA 200.7	MPRP/2294	EPA 200.7	ICP/2200
9218279005	SW-1	EPA 200.7	MPRP/2294	EPA 200.7	ICP/2200
9218279006	SW-2	EPA 200.7	MPRP/2294	EPA 200.7	ICP/2200
9218279001	MW-1		FLD/		
9218279002	MW-2		FLD/		
9218279003	MW-3		FLD/		
9218279004	MW-4		FLD/		
9218279005	SW-1		FLD/		
9218279006	SW-2		FLD/		

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, Inc..

ACCREDITED IN ACCORDANCE WITH nelac

Pace Analytical®

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 1 of 1

1036259

Section A Required Client Information:		Section B Required Project Information:	Section C Invoice Information:
Company		Report To:	Attention:
Address		Copy To:	Company Name:
			Address:
Email To:		Purchase Order No.:	Pace Quote Reference:
Phone	Fax	Project Name:	Pace Project Manager:
Requested Due Date/TAT:		Project Number:	Pace Profile #:

REGULATORY AGENCY

☐ NPDES ☐ GROUND WATER ☐ DRINKING WATER
☐ UST ☐ RCRA ☐ Other_____

SITE LOCATION ☐GA ☐IL ☐IN ☐MI ☐MN ☐NC ☐OH ☐SC ☐WI ☐OTHER _____

Section D Required Client Information

Valid Matrix Codes

MATRIX	CODE
DRINKING WATER	DW
WATER	WT
WASTE WATER	WW
PRODUCT	P
SOIL/SOLID	SL
OIL	OL
WIPE	WP
AIR	AR
OTHER	OT
TISSUE	TS

ITEM #	SAMPLE ID (One Character per box. (A-Z, 0-9 / .-) Samples IDs MUST BE UNIQUE)	MATRIX CODE	SAMPLE TYPE G=GRAB C=COMP	COMPOSITE START DATE	COMPOSITE START TIME	COMPOSITE END/GRAB DATE	COMPOSITE END/GRAB TIME	SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Unpreserved	H_2SO_4	HNO_3	HCl	NaOH	$Na_2S_2O_3$	Methanol	Other	Requested Analysis:	Residual Chlorine (Y/N)	Pace Project Number / Lab I.D
1									1											
2									1											
3									1											
4									1											
5									1											
6									1											
7																				
8																				
9																				
10																				
11																				
12																				

Filtered (Y/N)

Preservatives

RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITION	Temp in °C	Received on Ice	Custody Sealed Cooler	Samples Intact
								Y/N	Y/N	Y/N
								Y/N	Y/N	Y/N
								Y/N	Y/N	Y/N
								Y/N	Y/N	Y/N

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER: DATE Signed (MM / DD / YY)

Additional Comments:

SEE REVERSE SIDE FOR INSTRUCTIONS

ALL-Q020rev.3.31Mar05