DENR USE ONLY: ☐ Paper Report ☐ Electronic Data - Email CD (data loaded: Yes / No) Doc/Event #: 6762

NC DENR
Division of Waste Management - Solid Waste

Environmental Monitoring Reporting Form

Notice: This form and any information attached to it are "Public Records" as defined in NC General Statute 132-1. As such, these documents are available for inspection and examination by any person upon request (NC General Statute 132-6).

RECEIVED JAN 22 2009 SOLID WASTE SECTION

Instructions:

- **Prepare one form for each individually monitored unit.**
- **Please type or print legibly.**
- Attach a notification table with values that attain or exceed NC 2L groundwater standards or NC 2B surface water standards. The notification must include a preliminary analysis of the cause and significance of each value. (e.g. naturally occurring, off-site source, pre-existing condition, etc.).
- Attach a notification table of any groundwater or surface water values that equal or exceed the reporting limits.
- Attach a notification table of any methane gas values that attain or exceed explosive gas levels. This includes any structures on or nearby the facility (NCAC 13B .1629 (4)(a)(i).
- In accordance with NC General Statutes Chapter 89C and 89E and NC Solid Waste Management Rules 15A NCAC 13B, be sure to affix a seal to the bottom of this page, when applicable.
- Send the original signed and sealed form, any tables, and Electronic Data Deliverable to: Compliance Unit, NCDENR-DWM, Solid Waste Section, 1646 Mail Service Center, Raleigh, NC 27699-1646.

Solid Waste Monitoring Data Submittal Information

Name of entity submitting data (laboratory, consultant, facility owner):

Martin County Landfill

Contact for questions about data formatting. Include data preparer's name, telephone number and E-mail address:

Name: Environmental ! - Steve Jones Phone: 252-756-6208

E-mail:

Facility name:	Facility Address:	Facility Permit #	NC Landfill Rule: (.0500 or .1600)	Actual sampling dates (e.g., October 20-24, 2006)
Martin County Landfill	1445 Landfill Road Williamston, NC 27892	5901	.1600	11-26-08

Environmental Status: (Check all that apply)

☐ Initial/Background Monitoring ☒ Detection Monitoring ☐ Assessment Monitoring ☐ Corrective Action

Type of data submitted: (Check all that apply)

☒ Groundwater monitoring data from monitoring wells
☐ Groundwater monitoring data from private water supply wells
☐ Leachate monitoring data
☒ Surface water monitoring data
☐ Methane gas monitoring data
☐ Corrective action data (specify)
☐ Other(specify)

Notification attached?

☐ No. No groundwater or surface water standards were exceeded.
☒ Yes, a notification of values exceeding a groundwater or surface water standard is attached. It includes a list of groundwater and surface water monitoring points, dates, analytical values, NC 2L groundwater standard, NC 2B surface water standard or NC Solid Waste GWPS and preliminary analysis of the cause and significance of any concentration.
☐ Yes, a notification of values exceeding an explosive methane gas limit is attached. It includes the methane monitoring points, dates, sample values and explosive methane gas limits.

Certification

To the best of my knowledge, the information reported and statements made on this data submittal and attachments are true and correct. Furthermore, I have attached complete notification of any sampling values meeting or exceeding groundwater standards or explosive gas levels, and a preliminary analysis of the cause and significance of concentrations exceeding groundwater standards. I am aware that there are significant penalties for making any false statement, representation, or certification including the possibility of a fine and imprisonment.

James R. Jenkins, Supervisor — 252-792-1240

Facility Representative Name (Print) — Title — (Area Code) Telephone Number

James R. Jenkins — 1-16-09

Signature — Date

Affix NC Licensed/ Professional Geologist/Engineer Seal here:

Revised 01/2007

Table of Values Which Exceed Established Standards And/Or Exceed Reporting Levels

Facility Name: MARTIN COUNTY LANDFILL Permit #: 5901 Lab ID# 6023

Location	Collection Date	Exceeds Std	Parameter	CAS #	Result, ug/l	NC 2L STD **	NC GWP STD **	NC 2B SWS **
SW-1	11/26/2008		Zinc	7440-66-6	72			
SW-2	11/26/2008		Zinc	7440-66-6	50			
SW-3	11/26/2008		Zinc	7440-66-6	18			
Well #2	11/26/2008		Barium	7440-39-3	261	2000		
Well #2	11/26/2008		Beryllium	7440-41-7	2		4	
Well #2	11/26/2008	Y	Vinyl Chloride	75-01-4	1.10	0.015		
Well #2	11/26/2008	Y	Benzene	71-43-2	2.10	1		
Well #2	11/26/2008		Chlorobenzene	108-90-7	4.00	50		
Well #3	11/26/2008		Barium	7440-39-3	217	2000		
Well #3	11/26/2008	Y	Vinyl Chloride	75-01-4	1.90	0.015		
Well #3	11/26/2008		Cis-1,2-Dichloroethene	156-59-2	35.00	70		
Well #3	11/26/2008	Y	Benzene	71-43-2	1.30	1		
Well #4	11/26/2008	Y	Arsenic	7440-38-2	57	50		
Well #4	11/26/2008		Barium	7440-39-3	212	2000		
Well #4	11/26/2008	Y	Vinyl Chloride	75-01-4	25.60	0.015		
Well #4	11/26/2008	Y	Benzene	71-43-2	5.90	1		
Well #4	11/26/2008		Toluene	108-88-3	2.30	1000		
Well #4	11/26/2008		Chlorobenzene	108-90-7	22.80	50		
Well #4	11/26/2008		Ethylbenzene	100-41-4	1.90	550		
Well #4	11/26/2008	Y	1,4-Dichlorobenzene	106-46-7	5.70	1.4		

** Note: NC 2L STD = NC 2L Ground Water Standard
NC GWP STD = NC Solid Waste Groundwater Protection Standard
NC 2B SWS = NC 2B Surface Water Standard

BOARD OF COMMISSIONERS

TOMMY W. BOWEN, CHAIRMAN
RONNIE SMITH, VICE CHAIRMAN
ELMO "BUTCH" LILLEY
ALPHONZO PERRY
C. MORT HURST

W. RUSSELL OVERMAN
COUNTY MANAGER

LINDA G. HARDISON
CLERK TO THE BOARD

P.O. BOX 668
WILLIAMSTON, NC 27892
(252) 789-4300
FAX (252) 789-4309
e-mail: martin@martincountyncgov.com

May 28, 2008

To Whom It May Concern:

The imbalance in our old landfill is coming from a pre-existing condition.

James R. Jenkins

James R. Jenkins, Supervisor

FAC_NUM	CLIENT_ID	LOCATION	COLL_DATE	ANAL_DATE	REPT_DATE	TEST_DES	METHCOD
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Antimony	EPA200.8
5901	6023	5901-SW1	11/26/2008	12/2/2008	12/17/2008	Antimony	EPA200.8
5901	6023	5901-WEL1	11/26/2008	12/2/2008	12/17/2008	Arsenic	EPA200.8
5901	6023	5901-WEL2	11/26/2008	12/2/2008	12/17/2008	Arsenic	EPA200.8
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	Arsenic	EPA200.8
5901	6023	5901-SW1	11/26/2008	12/2/2008	12/17/2008	Arsenic	EPA200.8
5901	6023	5901-WEL4	11/26/2008	12/10/2008	12/17/2008	Arsenic	SM3113B
5901	6023	5901-WEL1	11/26/2008	12/2/2008	12/17/2008	Barium	EPA200.8
5901	6023	5901-WEL2	11/26/2008	12/2/2008	12/17/2008	Barium	EPA200.8
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	Barium	EPA200.8
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Barium	EPA200.8
5901	6023	5901-SW1	11/26/2008	12/2/2008	12/17/2008	Barium	EPA200.8
5901	6023	5901-WEL2	11/26/2008	12/2/2008	12/17/2008	Beryllium	EPA200.8
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	Beryllium	EPA200.8
5901	6023	5901-SW1	11/26/2008	12/2/2008	12/17/2008	Beryllium	EPA200.8
5901	6023	5901-WEL1	11/26/2008	12/2/2008	12/17/2008	Cadmium	EPA200.8
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	Cadmium	EPA200.8
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Cadmium	EPA200.8
5901	6023	5901-SW1	11/26/2008	12/2/2008	12/17/2008	Cadmium	EPA200.8
5901	6023	5901-WEL1	11/26/2008	12/2/2008	12/17/2008	Cobalt	EPA200.8
5901	6023	5901-WEL2	11/26/2008	12/2/2008	12/17/2008	Cobalt	EPA200.8
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	Cobalt	EPA200.8
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Cobalt	EPA200.8
5901	6023	5901-SW1	11/26/2008	12/2/2008	12/17/2008	Cobalt	EPA200.8
5901	6023	5901-WEL1	11/26/2008	12/2/2008	12/17/2008	Copper	EPA200.8
5901	6023	5901-WEL2	11/26/2008	12/2/2008	12/17/2008	Copper	EPA200.8
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	Copper	EPA200.8
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Copper	EPA200.8
5901	6023	5901-SW1	11/26/2008	12/2/2008	12/17/2008	Copper	EPA200.8
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	Total Chro	EPA200.8
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Total Chro	EPA200.8
5901	6023	5901-SW1	11/26/2008	12/2/2008	12/17/2008	Total Chro	EPA200.8
5901	6023	5901-WEL1	11/26/2008	12/2/2008	12/17/2008	Lead	EPA200.8
5901	6023	5901-WEL2	11/26/2008	12/2/2008	12/17/2008	Lead	EPA200.8
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	Lead	EPA200.8
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Lead	EPA200.8
5901	6023	5901-SW1	11/26/2008	12/2/2008	12/17/2008	Lead	EPA200.8
5901	6023	5901-WEL1	11/26/2008	12/2/2008	12/17/2008	Nickel	EPA200.8
5901	6023	5901-WEL2	11/26/2008	12/2/2008	12/17/2008	Nickel	EPA200.8
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	Nickel	EPA200.8
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Nickel	EPA200.8
5901	6023	5901-SW1	11/26/2008	12/2/2008	12/17/2008	Nickel	EPA200.8
5901	6023	5901-WEL2	11/26/2008	12/2/2008	12/17/2008	Selenium	EPA200.8
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	Selenium	EPA200.8
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Selenium	EPA200.8
5901	6023	5901-SW1	11/26/2008	12/2/2008	12/17/2008	Selenium	EPA200.8
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	Silver	EPA200.8
5901	6023	5901-WEL1	11/26/2008	12/2/2008	12/17/2008	Vanadium	EPA200.8
5901	6023	5901-WEL2	11/26/2008	12/2/2008	12/17/2008	Vanadium	EPA200.8
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	Vanadium	EPA200.8
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Vanadium	EPA200.8

5901	6023	5901-SW1	11/26/2008	12/2/2008	12/17/2008	Vanadium	EPA200.8
5901	6023	5901-WEL1	11/26/2008	12/2/2008	12/17/2008	Zinc	EPA200.8
5901	6023	5901-WEL2	11/26/2008	12/2/2008	12/17/2008	Zinc	EPA200.8
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	Zinc	EPA200.8
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Zinc	EPA200.8
5901	6023	5901-SW1	11/26/2008	12/2/2008	12/17/2008	Zinc	EPA200.8
5901	6023	5901-SW2	11/26/2008	12/15/2008	12/17/2008	Antimony	EPA200.8
5901	6023	5901-SW2	11/26/2008	12/15/2008	12/17/2008	Arsenic	EPA200.8
5901	6023	5901-SW3	11/26/2008	12/15/2008	12/17/2008	Arsenic	EPA200.8
5901	6023	5901-SW2	11/26/2008	12/16/2008	12/17/2008	Barium	EPA200.8
5901	6023	5901-SW3	11/26/2008	12/16/2008	12/17/2008	Barium	EPA200.8
5901	6023	5901-SW2	11/26/2008	12/15/2008	12/17/2008	Beryllium	EPA200.8
5901	6023	5901-SW3	11/26/2008	12/15/2008	12/17/2008	Beryllium	EPA200.8
5901	6023	5901-SW2	11/26/2008	12/15/2008	12/17/2008	Cadmium	EPA200.8
5901	6023	5901-SW3	11/26/2008	12/15/2008	12/17/2008	Cadmium	EPA200.8
5901	6023	5901-SW2	11/26/2008	12/15/2008	12/17/2008	Cobalt	EPA200.8
5901	6023	5901-SW3	11/26/2008	12/15/2008	12/17/2008	Cobalt	EPA200.8
5901	6023	5901-SW2	11/26/2008	12/15/2008	12/17/2008	Copper	EPA200.8
5901	6023	5901-SW3	11/26/2008	12/15/2008	12/17/2008	Copper	EPA200.8
5901	6023	5901-SW2	11/26/2008	12/15/2008	12/17/2008	Total Chro	EPA200.8
5901	6023	5901-SW3	11/26/2008	12/15/2008	12/17/2008	Total Chro	EPA200.8
5901	6023	5901-SW2	11/26/2008	12/15/2008	12/17/2008	Lead	EPA200.8
5901	6023	5901-SW3	11/26/2008	12/15/2008	12/17/2008	Lead	EPA200.8
5901	6023	5901-SW2	11/26/2008	12/15/2008	12/17/2008	Nickel	EPA200.8
5901	6023	5901-SW3	11/26/2008	12/15/2008	12/17/2008	Nickel	EPA200.8
5901	6023	5901-SW3	11/26/2008	12/15/2008	12/17/2008	Selenium	EPA200.8
5901	6023	5901-SW2	11/26/2008	12/15/2008	12/17/2008	Silver	EPA200.8
5901	6023	5901-SW3	11/26/2008	12/15/2008	12/17/2008	Silver	EPA200.8
5901	6023	5901-SW2	11/26/2008	12/15/2008	12/17/2008	Thallium	EPA200.8
5901	6023	5901-SW3	11/26/2008	12/15/2008	12/17/2008	Thallium	EPA200.8
5901	6023	5901-SW2	11/26/2008	12/15/2008	12/17/2008	Vanadium	EPA200.8
5901	6023	5901-SW3	11/26/2008	12/15/2008	12/17/2008	Vanadium	EPA200.8
5901	6023	5901-SW2	11/26/2008	12/15/2008	12/17/2008	Zinc	EPA200.8
5901	6023	5901-SW3	11/26/2008	12/15/2008	12/17/2008	Zinc	EPA200.8
5901	6023	5901-WEL1	11/26/2008	12/2/2008	12/17/2008	Chlorometh	EPA8260B
5901	6023	5901-WEL2	11/26/2008	12/2/2008	12/17/2008	Vinyl Chlor	EPA8260B
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	Vinyl Chlor	EPA8260B
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Vinyl Chlor	EPA8260B
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Chloroetha	EPA8260B
5901	6023	5901-SW1	11/26/2008	12/2/2008	12/17/2008	Acetone	EPA8260B
5901	6023	5901-WEL2	11/26/2008	12/2/2008	12/17/2008	Methylene	EPA8260B
5901	6023	5901-WEL2	11/26/2008	12/2/2008	12/17/2008	1,1-Dichlor	EPA8260B
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	1,1-Dichlor	EPA8260B
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	1,1-Dichlor	EPA8260B
5901	6023	5901-WEL2	11/26/2008	12/2/2008	12/17/2008	Cis-1,2-Dic	EPA8260B
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	Cis-1,2-Dic	EPA8260B
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Cis-1,2-Dic	EPA8260B
5901	6023	5901-WEL2	11/26/2008	12/2/2008	12/17/2008	Benzene	EPA8260B
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	Benzene	EPA8260B
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Benzene	EPA8260B
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	1,2-Dichlor	EPA8260B
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	1,2-Dichlor	EPA8260B

5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Toluene	EPA8260B
5901	6023	5901-WEL2	11/26/2008	12/2/2008	12/17/2008	Chlorobenz	EPA8260B
5901	6023	5901-WEL3	11/26/2008	12/2/2008	12/17/2008	Chlorobenz	EPA8260B
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Chlorobenz	EPA8260B
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Ethylbenze	EPA8260B
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	Xylenes	EPA8260B
5901	6023	5901-WEL2	11/26/2008	12/2/2008	12/17/2008	1,4-Dichlor	EPA8260B
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	1,4-Dichlor	EPA8260B
5901	6023	5901-WEL4	11/26/2008	12/2/2008	12/17/2008	1,2-Dichlor	EPA8260B
5901	6023	5901-SW3	11/26/2008	12/9/2008	12/17/2008	Acetone	EPA8260B

MDL	SWSL	RESULT	UNITS	QUALIFIEF	DIL_FACT(	CAS NUM
0.08	6	0.2	ug/l	J	1	7440-36-0
0.08	6	0.2	ug/l	J	1	7440-36-0
0.07	10	0.9	ug/l	J	1	7440-38-2
0.07	10	1.7	ug/l	J	1	7440-38-2
0.07	10	0.7	ug/l	J	1	7440-38-2
0.07	10	5.3	ug/l	J	1	7440-38-2
0.07	10	57	ug/l		1	7440-38-2
0.11	100	66.7	ug/l	J	1	7440-39-3
0.11	100	261	ug/l		1	7440-39-3
0.11	100	217	ug/l		1	7440-39-3
0.11	100	212	ug/l		1	7440-39-3
0.11	100	81.3	ug/l	J	1	7440-39-3
0.06	1	2	ug/l		1	7440-41-7
0.06	1	0.1	ug/l	J	1	7440-41-7
0.06	1	0.1	ug/l	J	1	7440-41-7
0.04	1	0.3	ug/l	J	1	7440-43-9
0.04	1	0.1	ug/l	J	1	7440-43-9
0.04	1	0.1	ug/l	J	1	7440-43-9
0.04	1	0.2	ug/l	J	1	7440-43-9
0.03	10	0.9	ug/l	J	1	7440-48-4
0.03	10	1	ug/l	J	1	7440-48-4
0.03	10	0.3	ug/l	J	1	7440-48-4
0.03	10	0.7	ug/l	J	1	7440-48-4
0.03	10	1.9	ug/l	J	1	7440-48-4
0.05	10	0.7	ug/l	J	1	7440-50-8
0.05	10	0.8	ug/l	J	1	7440-50-8
0.05	10	1.1	ug/l	J	1	7440-50-8
0.05	10	0.7	ug/l	J	1	7440-50-8
0.05	10	2.3	ug/l	J	1	7440-50-8
0.11	10	0.2	ug/l	J	1	7440-47-3
0.11	10	0.7	ug/l	J	1	7440-47-3
0.11	10	1.4	ug/l	J	1	7440-47-3
0.04	10	0.2	ug/l	J	1	7439-92-1
0.04	10	0.1	ug/l	J	1	7439-92-1
0.04	10	0.6	ug/l	J	1	7439-92-1
0.04	10	0.3	ug/l	J	1	7439-92-1
0.04	10	6.6	ug/l	J	1	7439-92-1
0.06	50	1.3	ug/l	J	1	7440-02-0
0.06	50	5	ug/l	J	1	7440-02-0
0.06	50	3	ug/l	J	1	7440-02-0
0.06	50	6	ug/l	J	1	7440-02-0
0.06	50	2.7	ug/l	J	1	7440-02-0
0.14	10	6	ug/l	J	1	7782-49-2
0.14	10	1.9	ug/l	J	1	7782-49-2
0.14	10	1.9	ug/l	J	1	7782-49-2
0.14	10	0.3	ug/l	J	1	7782-49-2
0.04	10	0.1	ug/l	J	1	7440-22-4
0.07	25	0.6	ug/l	J	1	7440-62-2
0.07	25	2.4	ug/l	J	1	7440-62-2
0.07	25	0.7	ug/l	J	1	7440-62-2
0.07	25	1.1	ug/l	J	1	7440-62-2

0.07	25	7.4	ug/l	J	1	7440-62-2
0.04	10	3.6	ug/l	J	1	7440-66-6
0.04	10	3.7	ug/l	J	1	7440-66-6
0.04	10	6	ug/l	J	1	7440-66-6
0.04	10	5.7	ug/l	J	1	7440-66-6
0.04	10	72	ug/l		1	7440-66-6
0.08	6	0.1	ug/l	J	1	7440-36-0
0.07	10	0.9	ug/l	J	1	7440-38-2
0.07	10	1.2	ug/l	J	1	7440-38-2
0.11	100	64.5	ug/l	J	1	7440-39-3
0.11	100	73.5	ug/l	J	1	7440-39-3
0.06	1	0.1	ug/l	J	1	7440-41-7
0.06	1	0.1	ug/l	J	1	7440-41-7
0.04	1	0.1	ug/l	J	1	7440-43-9
0.04	1	0.1	ug/l	J	1	7440-43-9
0.03	10	2.5	ug/l	J	1	7440-48-4
0.03	10	0.7	ug/l	J	1	7440-48-4
0.05	10	2.2	ug/l	J	1	7440-50-8
0.05	10	1.4	ug/l	J	1	7440-50-8
0.11	10	0.3	ug/l	J	1	7440-47-3
0.11	10	0.8	ug/l	J	1	7440-47-3
0.04	10	0.4	ug/l	J	1	7439-92-1
0.04	10	1.4	ug/l	J	1	7439-92-1
0.06	50	2.4	ug/l	J	1	7440-02-0
0.06	50	1.8	ug/l	J	1	7440-02-0
0.14	10	0.4	ug/l	J	1	7782-49-2
0.04	10	0.1	ug/l	J	1	7440-22-4
0.04	10	0.1	ug/l	J	1	7440-22-4
0.04	5	0.2	ug/l	J	1	7440-28-0
0.04	5	0.1	ug/l	J	1	7440-28-0
0.07	25	0.7	ug/l	J	1	7440-62-2
0.07	25	1.3	ug/l	J	1	7440-62-2
0.04	10	50	ug/l		1	7440-66-6
0.04	10	18	ug/l		1	7440-66-6
0.18	1	0.2	ug/l	J	1	74-87-3
0.34	1	1.1	ug/l		1	75-01-4
0.34	1	1.9	ug/l		1	75-01-4
0.34	1	25.6	ug/l		1	75-01-4
0.29	10	1	ug/l	J	1	75-00-3
1.21	100	1.5	ug/l	J	1	67-64-1
0.14	1	0.2	ug/l	J	1	75-09-2
0.16	5	0.8	ug/l	J	1	75-34-3
0.16	5	1.4	ug/l	J	1	75-34-3
0.16	5	3	ug/l	J	1	75-34-3
0.14	5	1.3	ug/l	J	1	156-59-2
0.14	5	35	ug/l		1	156-59-2
0.14	5	1	ug/l	J	1	156-59-2
0.16	1	2.1	ug/l		1	71-43-2
0.16	1	1.3	ug/l		1	71-43-2
0.16	1	5.9	ug/l		1	71-43-2
0.12	1	0.3	ug/l	J	1	107-06-2
0.17	1	0.3	ug/l	J	1	78-87-5

0.13	1	2.3	ug/l		1	108-88-3
0.13	3	4	ug/l		1	108-90-7
0.13	3	1.7	ug/l	J	1	108-90-7
0.13	3	22.8	ug/l		1	108-90-7
0.16	1	1.9	ug/l		1	100-41-4
0.48	5	4.7	ug/l	J	1	1330-20-7
0.21	1	0.39	ug/l	J	1	106-46-7
0.21	1	5.7	ug/l		1	106-46-7
0.13	5	0.5	ug/l	J	1	95-50-1
1.21	100	1.8	ug/l	J	1	67-64-1