

DENR USE ONLY:

Paper Report

Electronic Data - Email CD (data loaded: Yes / No)

Doc/Event #:

NC DENR

Environmental Monitoring Reporting Form

Division of Waste Management - Solid Waste

Notice: This form and any information attached to it are "Public Records" as defined in NC General Statute 132-1. As such, these documents are available for inspection and examination by any person upon request (NC General Statute 132-6).

Instructions:

- Prepare one form for each individually monitored unit.
- Please type or print legibly.
- Attach a notification table with values that attain or exceed NC 2L groundwater standards or NC 2B surface water standards. The notification must include a preliminary analysis of the cause and significance of each value. (e.g. naturally occurring, off-site source, pre-existing condition, etc.).
- Attach a notification table of any groundwater or surface water values that equal or exceed the reporting limits.
- Attach a notification table of any methane gas values that attain or exceed explosive gas levels. This includes any structures on or nearby the facility (NCAC 13B .1629 (4)(a)(i)).
- Send the original signed and sealed form, any tables, and Electronic Data Deliverable to: Compliance Unit, NCDENR-DWM, Solid Waste Section, 1646 Mail Service Center, Raleigh, NC 27699-1646.

Solid Waste Monitoring Data Submittal Information

Name of entity submitting data (laboratory, consultant, facility owner):

Mecklenburg County Land Use & Environmental Services Agency, Solid Waste Services

Contact for questions about data formatting. Include data preparer's name, telephone number and E-mail address:

Name: Amber R. Lindon

Phone: 704-432-2478

E-mail: amber.lindon@mecklenburgcountync.gov

| Facility name: | Facility Address: | Facility Permit # | NC Landfill Rule: (.0500 or .1600) | Actual sampling dates (e.g., October 20-24, 2006) |
|--------------------------|--|-------------------|---------------------------------------|--|
| Harrisburg Road Landfill | 7817 Harrisburg Road, Charlotte, NC | 60-01 | 0.500 | June 22 - 24, 2009 |

Environmental Status: (Check all that apply)

- Initial/Background Monitoring Detection Monitoring Assessment Monitoring Corrective Action

Type of data submitted: (Check all that apply)

- Groundwater monitoring data from monitoring wells Methane gas monitoring data
 Groundwater monitoring data from private water supply wells Corrective action data (specify) _____
 Leachate monitoring data Other(specify) _____
 Surface water monitoring data

Notification attached?

- No. No groundwater or surface water standards were exceeded.
 Yes, a notification of values exceeding a groundwater or surface water standard is attached. It includes a list of groundwater and surface water monitoring points, dates, analytical values, NC 2L groundwater standard, NC 2B surface water standard or NC Solid Waste GWPS and preliminary analysis of the cause and significance of any concentration.
 Yes, a notification of values exceeding an explosive methane gas limit is attached. It includes the methane monitoring points, dates, sample values and explosive methane gas limits.

Certification

To the best of my knowledge, the information reported and statements made on this data submittal and attachments are true and correct. Furthermore, I have attached complete notification of any sampling values meeting or exceeding groundwater standards or explosive gas levels, and a preliminary analysis of the cause and significance of concentrations exceeding groundwater standards. I am aware that there are significant penalties for making any false statement, representation, or certification including the possibility of a fine and imprisonment.

Amber R. Lindon, P.G.

Project Manager

(704)432-2478

Facility Representative Name (Print)

Title

(Area Code) Telephone Number

Signature

Date

700 N Tryon Street, Charlotte, NC 28202

Facility Representative Address

NC PE Firm License Number (if applicable effective May 1, 2009)

Revised 6/2009





MECKLENBURG COUNTY
Land Use and Environmental Services Agency
Solid Waste Services

August 6, 2009

Ms. Jaclynne Drummond
North Carolina Department of Environment
and Natural Resources
Division of Waste Management
Groundwater Compliance Unit
Mail Service Center 1646
Raleigh, NC 27699-1646

Subject: Water Quality Monitoring Report
Harrisburg Road Landfill, Permit 60-01

Dear Ms. Drummond:

Mecklenburg County conducted semi-annual water quality monitoring at the closed Harrisburg Road Landfill June 22 thru June 24, 2009 in accordance with the approved revised sample and analysis plan dated May 11, 2004. Samples were collected from eleven monitoring wells (HBW-12A, HBW-12B, HBW-14, HBW-14B, HBW-14C, HBW-14D, HBW-17B, HBW-20, HBW-21, HBW-22 and background well HBW-28), two potable wells (HBW-744 and CLUBHS) and, three surface-water sampling locations (HB2006, HB2008 and, HB2010). Laboratory analytical data, field-measured data, and a table of results exceeding water quality standards along with a preliminary explanation of the cause and significance are included on the electronic data deliverable (EDD) submittal on the enclosed CD.

The EDD containing the monitoring data are labeled to reflect the units that are used for reporting. Detection levels and applicable standards have been included for all sampling locations. Surface water standards listed are the water quality standards established for freshwater classification for aquatic life as outlined in 15A NCAC 2B "Classification and Water Quality Standards Applicable to Surface Waters of North Carolina". Groundwater standards listed are the standards outlined in 15A NCAC 2L "Classification of Water Quality Standards applicable to the Groundwaters of North Carolina". If the sample is reported in parts per billion, then the standard is also reported in parts per billion.

PEOPLE • PRIDE • PROGRESS • PARTNERSHIP

700 N. Tryon Street • Charlotte, NC 28202-2236 • (704) 336-2831 • FAX (704) 336-4314

www.wipeoutwaste.com

Surface-water samples:

No analytes were detected in the samples collected from HB2006, HB2008. Copper was detected in HB2010 at a level of 2.2 ug/l which is below the surface water standard of 7 ug/l. Field-measured parameters for surface-water samples were within the range of established standards and are summarized in the table below.

| Location | Temperature | PH | Specific Conductivity | Dissolved Oxygen |
|----------|-------------|------|-----------------------|------------------|
| HB2006 | 20.8 ° C | 7.48 | 0.201 ms/cm | 9.21 mg/l |
| HB2008 | 20.7 ° C | 7.44 | 0.232 ms/cm | 9.10 mg/l |
| HB2010 | 20.1 ° C | 7.15 | 0.249 ms/cm | 9.50 mg/l |

Groundwater samples:

Chromium, Copper and Lead were detected above the 2L standard in HBW14. This was likely due to a large amount of sediment in the sample. No metals were detected above the 2L standard in any other sample. The table below summarizes metals detections in groundwater samples.

| Well ID | Ba ug/l | Be ug/l | Cd ug/l | Cr ug/l | Co ug/l | Cu ug/l | Ni ug/l | Pb ug/l | Vn ug/l | Zn ug/l |
|--------------|---------|---------|---------|------------|---------|-------------|---------|-----------|---------|---------|
| CLUBHS | ----- | ----- | ----- | ----- | ----- | ----- | ----- | ----- | ----- | 89 |
| HBW744 | ----- | ----- | ----- | ----- | ----- | 2.4 | ----- | ----- | ----- | ----- |
| HBW12A | ----- | ----- | ----- | 7.7 | 5.2 | 18 | ----- | ----- | 38 | 14 |
| HBW12B | ----- | ----- | ----- | ----- | 17 | 7.1 | ----- | ----- | 17 | ----- |
| HBW14 | ----- | 2.4 | 1.0 | 130 | 160 | 3200 | 58 | 23 | 1100 | 680 |
| HBW14B | ----- | ----- | ----- | ----- | ----- | 4.8 | ----- | ----- | ----- | ----- |
| HBW14C | ----- | ----- | ----- | ----- | ----- | 23 | ----- | ----- | 13 | 20 |
| HBW14D | ----- | ----- | ----- | 6.5 | ----- | 36 | ----- | 8.2 | 31 | 37 |
| HBW17B | ----- | ----- | ----- | ----- | 18 | 14 | ----- | ----- | 5.2 | 26 |
| HBW-20 | ----- | ----- | ----- | ----- | 5.8 | 23 | ----- | ----- | 39 | 19 |
| HBW-21 | ----- | ----- | ----- | ----- | 6.0 | 3.1 | ----- | ----- | ----- | ----- |
| HBW-22 | ----- | ----- | ----- | 41 | ----- | 9.2 | 7.6 | ----- | ----- | 15 |
| HBW-28 | ----- | ----- | ----- | ----- | 11 | 8.6 | ----- | ----- | ----- | 13 |
| 2L Std. ug/l | 2,000 | ----- | 1.75 | 50 | ----- | 1,000 | 100 | 15 | ----- | 1,050 |

Note: Bolded results exceed 2L Standard

The following nine volatile organic compounds (“VOCs”) were detected in the sample collected from well HBW-17B:

| VOC | Sample Result ug/l | 2L Standard ug/l |
|-------------------------------|--------------------|------------------|
| Benzene | 14 | 1 |
| Methylene Chloride | 19 | 4.6 |
| Tetrachloroethylene | 56 | 0.7 |
| Trichloroethylene | 46 | 2.8 |
| 1,1-Dichloroethane | 16 | 70 |
| 1,2-Dichloropropane | 11 | 0.51 |
| cis-1,2 Dichloroethene | 100 | 70 |
| Vinyl Chloride | 7 | .015 |
| Xylenes (total) | 18 | 530 |

Note: Bolded results exceed 2L Standard

No VOC's were detected in any other samples.

pH was measured to be more acidic than the standard in the samples collected from CLUBHS, HBW-12A, HBW-12B, HBW14, HBW14B, HBW14D, HBW17B, HBW-20, HBW-21, HBW-22 and background monitoring well HBW-28. Field-measured parameters for groundwater samples are summarized in the following table:

| Location | Temperature | pH | Conductivity |
|----------|-------------|-------------|--------------|
| HBW12A | 14.9 °C | 6.35 | 0.288 ms/cm |
| HBW12B | 15.5 °C | 6.21 | 0.313 ms/cm |
| HBW14 | 14.1 °C | 6.20 | 0.249 ms/cm |
| HBW14B | 14.7 °C | 6.24 | 0.198 ms/cm |
| HBW14C | 14.9 °C | 6.13 | 0.209 ms/cm |
| HBW14D | 15.1 °C | 5.98 | 0.313 ms/cm |
| HBW17B | 17.6 °C | 5.21 | 0.060 ms/cm |
| HBW-20 | 16.5 °C | 5.90 | 0.105 ms/cm |
| HBW-21 | 17.1 °C | 5.81 | 0.541 ms/cm |
| HBW-22 | 18.5 °C | 6.24 | 0.063 ms/cm |
| HBW-28 | 19.1 °C | 5.80 | 0.028 ms/cm |
| HBW-744 | 16.9 °C | 6.51 | 0.188 ms/cm |
| CLUBHS | 17.5 °C | 6.48 | 0.077 ms/cm |

Note: Bolded results are outside of the 6.5 to 8.5 S.U. range 2L Standard

Please call me at (704) 432-2478, if you have any questions concerning this report.

Sincerely,

Amber R. Lindon, P.G.
Project Manager
LUESA Solid Waste Services

