NCDENR
North Carolina Department of Environment and Natural Resources

Dexter R. Matthews, Director | **Division of Waste Management** | Michael F. Easley, Governor
William G. Ross Jr., Secretary

November 9, 2007

Mr. Michael Lambert
City of Albemarle
Public Works Director
PO Box 190
2503 White Street
Greensboro, NC 27405

Re: Assessment of Corrective Measures
City of Albemarle Landfill, Permit #84-01
#RCO3364

Dear Mr. Lambert:

The Solid Waste Section has reviewed the revised *November 5, 2007Assessment of Corrective Measures Report* submitted on behalf of the City of Albemarle by Municipal Engineering Services Co. P.A. for the City of Albemarle Landfill. Contaminants in concentrations exceeding North Carolina Groundwater Standards have been detected at the City of Albemarle Landfill [i.e. the active Construction and Debris (C&D) landfill over the closed unlined municipal solid waste landfill (MSW)], and as a result, corrective action is required. The City of Albemarle should now proceed with the selection of a remedy to restore groundwater quality and effectively reduce the contamination at the site.

The remedy(ies) selected must meet the requirements listed in the North Carolina Solid Waste Management Rules and Laws 15A NCAC 13B Sections .1635 through .1636 and Classifications and Water Quality Standards Applicable to the Groundwaters of North Carolina 15A NCAC Subchapter 2L.

Solid Waste Management Rules governing the City of Albemarle Landfill require a public meeting to discuss the results of the assessment of corrective measures. The City of Albemarle then shall select a remedy(ies) in accordance of the requirements of 15A NCAC 13B .1636. After the Solid Waste Section has approved the selected remedy(ies), please submit the remedy(ies) and contingencies in a Corrective Action Plan (CAP) for approval by the Solid Waste Section. Implementation of the approved corrective measure(s) shall then take place in accordance with 15A NCAC 13B .1637.

The intention of this letter is to clarify what has been accomplished thus far and what will be needed in the near future to complete this stage of the environmental investigation and the effective remediation of this site. Please call me at (919) 508-8524 if you have any questions or concerns regarding this letter.

Sincerely,

Brian Wootton

Brian Wootton
Hydrogeologist
Permitting Branch
Solid Waste Section

1646 Mail Service Center, Raleigh, North Carolina 27699-1646
Phone 919-508-8400 \ FAX 919-733-4810 \ Internet http://wastenotnc.org

An Equal Opportunity / Affirmative Action Employer – Printed on Dual Purpose Recycled Paper

cc: Ethan Caldwell, P.E. MESCO, Inc.
Ed Mussler, Permits Supervisor
Mark Poindexter, Field Operations Supervisor
Deb Aja, Western District Supervisor
Teresa Bradford, Waste Management Specialist
Solid Waste Central Files