

Plumblin Corp. P.A.

700 Washington St
Weldon NC 27890
252 536 0203

CCB 0064
Arthur's Creek

9/15/09

To:

Mary Whaley
DEHNR Office of Solid Waste Management
1646 Mail Service Center
Raleigh NC 27605

Dear Mary Whaley, others

Attached and enclosed are the closure papers for the Henry Long Site. E.B. Grant asked me to forward them to you. Enclosed is also an erosion control report.

Thank you

Russ Grant Plumblin Corp.

E.B. GRANT P.E.
Professional Engineer 4402
Registered Land Surveyor
NC PLS No. L-1592



NO. 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200

Plumblin Corp.
Engineering and Land Surveying

42 Queens Way
Bath NC 27810
252 923 9495


3/20/09

Section Chief, Solid Waste Division
NCDENR
1646 Mail Service Center
Raleigh NC 27699-1696


REF: Certification of Closure Rule 15A N.C. Administrative Code 13B - 1706

Subject: Coal combustion by-products structural fill site for Arthur's Creek site Hwy 46 Garysburg NC

I hereby certify that all rules of section .1706 have been met



Sincerely, E.B. Grant Jr P.E.
The Plumblin Corporation, P.A.



Northampton County
North Carolina


Statement of Use of Coal Combustion By-Products

Pursuant to 15 A North Carolina Administrative Code 13B.1707, the undersigned do/does hereby state that 480,612 Cubic Yards of coal combustion by-products have been used at the following locations an the parcel of land more particularly described below:

LEGAL DESCRIPTION: Deed to Henry ^{BOURNE} ~~Borne~~ Long @ Henry Russell Grant. From Henry Borne Long. Deed Book 843 Page 785 Dated June 21, 2004. Also described in Survey recorded in Plat Book 36 Page 200 Northampton County Register of Deeds

Name: Henry Borne Long

I Richard B. Lynn ^{BOURNE} do certify that Henry ~~Borne~~ Long personally appeared before me this day and acknowledged the due execution of the foregoing instrument. Witness my hand and official seal this the 13 Day of April 2009



Richard B. Lynn
Notary Public

My commission Expires:
August 13, 2011

FILED
NORTHAMPTON COUNTY, N
PAULINE E. DELOATCH
REGISTER OF DEEDS

(NOTARIAL STAMP OR SEAL)

FILED
Apr 17, 2009
AT 11:41:22 a
BOOK 0092
START PAGE 06
END PAGE 06
INSTRUMENT # 007

Name: Henry Russell Grant

I Richard B. Lynn do certify that Henry Russell C personally appeared before me this day and acknowledged the due execution foregoing instrument. Witness my hand and official seal this the 13 Day of April 2009



Richard B. Lynn
Notary Public

My commission Expires:
August 13, 2011

(NOTARIAL STAMP OR SEAL)

P.F. \$14.00
NSF \$25.00

Northampton County, NC

Instrument Type : STMT
 Instrument # : 00757
 1st Grantor : HENRY BOURNE LONG
 1st Grantee : STATEMENT OF USE OF COAL COMBUSTION BYPRODUCTS
 Description: BOOK 843 PAGE 785

Receipt # : 2009-044560
 Date : 04/17/2009 11:41:22am
 Book/Page: 00927 / 0618-00618 Pages : 1
 Pages : 1 of 1

Description	Qty	Unit Cost	Extended
1st Page	1	12.00	12.00
Verification	1	2.00	2.00
Non-Conforming Document	1	25.00	25.00
Document 1			39.00
Grand Total			39.00
Cash			-40.00
Balance			-1.00

SEDIMENTATION INSPECTION REPORT

North Carolina Department of Environment and Natural Resources
Land Quality Section: 3800 Barrett Drive, Raleigh, NC 27609 (919) 791-4200

County: Northampton Project: Henry Lang Project River basin: RR #3/03-02-08
Person financially responsible: Dumbleton Corp. Project # North-2007-003
Address: 121 Washington Ave. Weldon, NC 27890 Case # _____

1. Project location: Hay 46

Pictures: No: Yes: Prints: Slides: Video: Digital:

2. Weather and soil conditions: Hot, Dry, workable Initial inspection: Yes: No:

3. Is site currently under notice of violation? Yes: No:

4. Is the site in compliance with S.P.C.A. and rules? Yes: No: If no, check violations below:

5. Violations:
- | | |
|---|---|
| <input type="checkbox"/> a. No approved plan, G.S. 113A-57 (4) and 15A N.C.A.C 4B.0107(c) | <input type="checkbox"/> g. Inadequate buffer zone, G.S. 113A-57(1) |
| <input type="checkbox"/> b. Failure to follow approved plan, G.S. 113A-57(5) | <input type="checkbox"/> h. Graded slopes and fills too steep, G.S. 113A-57(2) or 15A N.C.A.C. 4B.0124(d) |
| <input type="checkbox"/> c. Failure to submit revised plan, G.S. 113A-54.1(b) and 15A N.C.A.C. 4B.0118(a) | <input type="checkbox"/> i. Unprotected exposed slopes, G.S. 113A-57(2) |
| <input type="checkbox"/> d. Failure to provide adequate groundcover, G.S. 113A-57(3) and 15A N.C.A.C. 4B.0107(b) or 15A N.C.A.C. 4B.0124(e) | <input type="checkbox"/> j. Failure to maintain erosion control measures, 15A N.C.A.C. 4B.0113 |
| <input type="checkbox"/> e. Insufficient measures to retain sediment on site, G.S. 113A-57(3) | <input type="checkbox"/> k. Other (describe) _____ |
| <input type="checkbox"/> f. Failure to take all reasonable measures, 15A N.C.A.C. 4B.0105 | |

6. Potential NPDES Permit Violation? Yes: No: Describe: _____

7. Has sedimentation damage occurred since last inspection? Yes: If yes, where? (check all that apply) No:

Lake/natural watercourse on the tract: Lake/natural watercourse off the tract: Other property:

Description: _____

Degree of damage: slight: moderate: severe:

8. Contact made with (name): NO ONE Title: _____

Inspection report given: or sent: to person financially responsible. Date given/sent: 9-16-09

9. Corrective actions needed: _____

10. Comments: SLOPES look much better, vegetation looks much better.

Thanks for working diligently on these issues

Report by: Threlk Others present: Bond Cole

Date of inspection: 9-15-09 Time arriving on site: 11:30 Time leaving site: 12:00

cc: _____