



FACILITY COMPLIANCE AUDIT REPORT
Division of Waste Management
Solid Waste Section

UNIT TYPE: (check all that apply to this audit with same Permit number)

Lined MSWLF		LCID		YW		Transfer	<input checked="" type="checkbox"/>	Compost		SLAS		COUNTY: Beaufort PERMIT NO.: 07-03T FILE TYPE: COMPLIANCE
Closed MSWLF		HHW		White goods		Incin		T&P		FIRM		
CDLF		Tire T&P / Collection		Tire Monofill		Industrial Landfill		DEMO		SDTF		

Date of Audit: June 13, 2006.

Date of Last Audit: April 5, 2005

FACILITY NAME AND ADDRESS:

BEAUFORT COUNTY TRANSFER STATION
 FLANDERS FILTER RD
 WASHINGTON NORTH CAROLINA 27889

GPS COORDINATES: (Decimal Degrees) N 35.59291: **E:** 077.11311

FACILITY CONTACT NAME AND PHONE NUMBER:

Jeff Long, Site Supervisor 252 974 7703 (transfer station)
 Flanders Filter Rd

FACILITY CONTACT ADDRESS (IF DIFFERENT):

Stan Matthews Area Manager, email stanm52@cs.com
 Waste Industries
 P.O. Box3046
 Greenville, North Carolina 27858
 Phone 252 752 1997 fax 252 752 1267

AUDIT PARTICIPANTS:

Ben Barnes Waste Management Specialist,

STATUS OF PERMIT:

Active Permit issued March 30 2005 Due for review on or before March 30 2010

PURPOSE OF AUDIT:

To conduct a comprehensive audit of MSW Transfer station

NOTICE OF VIOLATION(S) (citation and explanation):

NONE

You are hereby advised that, pursuant to N.C.G.S. 130A-22, an administrative penalty of up to \$5,000 per day may be assessed for each violation of the Solid Waste Statute or Regulations. If the violation(s) noted here continue, you may be subject to enforcement actions including penalties, injunction from operation of a solid waste management facility or a solid waste collection service and any such further relief as may be necessary to achieve compliance with the North Carolina Solid Waste Management Act and Rules.

FACILITY COMPLIANCE AUDIT REPORT
Division of Waste Management
Solid Waste Section

Page 2 of 2

STATUS OF PAST NOTED VIOLATIONS (List all noted last audit):

NONE

AREAS OF CONCERN AND COMMENTS:

Operator certification: Jeff Long due 8/31/2007, Sergio Ramiro 2/4/2006 EXPIRED

- 1) Facility has only one certified operator, need to get Mr. Ramiro's certification renewed and might strive to have 3 certified operators for the site.
- 2) Grounds need to be cleaned, some blown material and older material scattered on site.
- 3) Need to repair tears in wall.
- 4) Operators are scavenging material from waste, and dumping outside of the building.

Please contact me if you have any questions or concerns regarding this audit report.

_____ (signature) Phone: 919 508 8519

Ben Barnes Regional Representative

Distribution: original signed copy to facility -- signed copy to compliance officer – e-mail or copy to super

Delivered on : <u>June 20, 2006</u> by		hand delivery	X	US Mail		Certified No. <u> </u>
---	--	---------------	----------	---------	--	-------------------------

cc: Mark Poindexter, Field Operations Branch Head
John Crowder, Eastern District Supervisor