

From: "Bill Sessoms" <n1nw345@wastenot.ehnr.state.nc.us>
Organization: SOLID WASTE MGMT.
To: "Cheryl Marks" <cmarks@wastenot.ehnr.state.nc.us>
Date sent: Tue, 21 Oct 1997 11:18:03 EST
Subject: Re: Buncombe Co. C&D
Send reply to: sessomswd@wastenot.ehnr.state.nc.us
Priority: normal

CDRF

Cheryl:

Fac/Perm/Co ID #	Date	Doc ID#
11-07	10 10 1997	DIN 15385

This is great. Thanks.

Also, could you call Bernie (email this to him first) at 787-5620. I think that his boss, Joe Wiseman is on his way to Buncombe to update Bob Hunter on the status of things. I've gotten a voice mail from Joe and Bernie both asking about status but have not returned their calls.

Thanks again,

Bill

> From: "Cheryl Marks" <cmarks@wastenot.ehnr.state.nc.us>
> Organization: SOLID WASTE MGMT.
> To: sessomswd@wastenot.ehnr.state.nc.us
> Date: Tue, 21 Oct 1997 11:14:20 EST
> Subject: Buncombe Co. C&D
> Priority: normal

> Bill,

>

> This is what intend to E-Mail to Bernie. If you don't have any heart
> burn with it, I'll forward it to Bernie.

>

> Cheryl

>

>

> Bernie,

>

> I have received the Response Report for Buncombe County C&D and will
> be in the review process this week.

>

- > The goal is to permit the eastern half of the C&D landfill while
- > addressing remaining issues on the western portion.
- >
- > It is my understanding that the engineering/operations sections of
- > the permit application is under review.
- >
- > Just a reminder that it is the policy of the Solid Waste Section to
- > maintain four feet of separation above the top of rock. The rock may
- > be chipped away and fill added over it or fill over the existing
- > exposed rock.
- >
- > The springs need to have french drains and sampled. This will meet
- > the following rules: .0503(2)(c) Surface Water Requirements,
- > .0505(7)(b) Solid waste shall not be disposed of in water, .0602
- > Surface Water Monitoring.
- >
- > If you have any questions, call at 733-0692 extention. 346, or e-mail at
- > Marksc@wastenot.ehnr.state.nc.us.

> Cheryl Marks

>
>
>
>
>
>

Bill Sessoms

NC Division of Waste Management

401 Oberlin Road, Suite 150

Raleigh, NC 27605-1350

(919) 733-0692 extension 266 (919) 733-4810 fax

sessomswd@wastenot.ehnr.state.nc.us

<http://www.ehnr.state.nc.us/EHNR/>

From: "Bill Sessoms" <n1nw345@wastenot.ehnr.state.nc.us>
Organization: SOLID WASTE MGMT.
To: CMARKS@NRONA01
Date sent: Mon, 20 Oct 1997 14:34:25 EST
Subject: (Fwd) Status Report of C&D Permit
Send reply to: sessomswd@wastenot.ehnr.state.nc.us
Priority: normal

Cheryl:

Would you please email an answer to Bernie on this? I will send engineering comments which will incorporate our requirements for spring drains and exposed rock coverage. This will be done as soon as I finish my initial City of Albemarle PtC/O preliminary review. Hopefully this week.

Where we feel it is necessary, we can/will justify our requirements at that time.

Anyway, please put together an email response for Bernie.

Thanks,

Bill

----- Forwarded Message Follows -----

Date: Thu, 16 Oct 1997 10:21:51 +0500
From: "Bernie Garrett" <GARRETTLB@cdm.com>
To: sessomswd@wastenot.ehnr.state.nc.us
Subject: Status Report of C&D Permit
Cc: WISEMANJ@cdm.com, GRANTTD@cdm.com

Please confirm the status of the following C&D permit issues:

1. Goal is to permit the eastern half of the C&D landfill for use, while addressing groundwater issues on the western portion.
2. CDM submitted responded to comments on Cheryl Marks memo on Friday, Oct. 10th.
3. No comments have been rec'd regarding engineering/operations sections of