

ATTACHMENT 1

Part A Permitting History

| Permit Type | Date Issued |
|--|--------------------|
| Date PTC Issued | March 24, 2005 |
| Date PTO Issued | June 9, 2005 |
| Permit Modification #1(Operations/Materials) | October 17, 2005 |
| Permit Modification #2 (Renew for one Year) | June 19, 2006 |

Part B List of Documents

1. Construction and Demolition Treatment and Processing Facility Operations Plan for 3001 Holts Chapel Road, Final Revision Dated February 21, 2005, with revised Site Plan received June 2, 2005, containing the following:
 - a. Operations Plan
 - b. FEMA Flood Insurance Rate Map (FIRM) Information (Facsimile)
 - c. U.S. Fish and Wildlife Service Comment
 - d. City of Greensboro Department of Housing & Community Development Inventory of Historic Resources Comment
 - e. N.C. State Historic Preservation Office Comment
 - f. N.C. Division of Parks and Recreation Comment
 - g. U.S. Army Corps of Engineers Wetlands Comment (Email from Andrea Wade to Chris Triolo)
 - h. VOPAK USA Inc. Semi-Annual Ground Water Sampling Report 2003
 - i. Phase I Environmental Site Assessment by Pyramid Environmental & Engineering, P.C. (pages 24-25)
 - j. City of Greensboro Planning letter confirming conditional use of site as a "Recycling Processing Center."
 - k. N.C. Special Warranty Deed in name of Grantee Continental Company, LLC
 - l. Landowner Certification from Continental Company
 - m. Market Confirmation Letters from:
 - i) Environmental Recycling Alternatives, Inc. (wood chips, dimensional lumber)
 - ii) Atlantic Scrap and Processing, LLC (Iron, steel, copper based items, aluminum based items, stainless steel, electric motors)
 - iii) Sonoco (cardboard and paper)
 - iv) Page Construction Company (concrete block, brick, roofing shingles, dimensional and treated lumber)
 - n. Layout, Dimension and Grading Sheet C1.0 by Koontz-Bryant, P.C., dated December 24, 2004, and revised 05/31/05.
2. Permit to Construct issued March 24, 2005.
3. Request from Chris Triolo, Salvage America, dated June 22, 2005, requesting changes to address and materials accepted list, and authorization to take records off-site.

ATTACHMENT 2 CONDITIONS OF PERMIT

GENERAL

1. This Permit to Operate is issued for the operation and maintenance of a Construction and Demolition as described in the approved Operation Plans and Drawings as shown in Attachment 1 and will be in effect upon the date of issuance
2. This Permit to Operate shall be reviewed on or before 20 June 2007 in accordance with the rules applicable at that time. The permittee shall be responsible for submitting a request for review to the Solid Waste Section (SWS) at least 30 (thirty) days prior to 20 June 200.
3. Under 15A NCAC 13B .0201(b), solid waste permits are issued in two parts, (i) a Permit to Construct, which was issued March 24, 2005, and (ii) a Permit to Operate. This Permit to Operate authorizes the permittee to operate the facility in accordance with the approved documents shown in Attachment 2 and the NC Solid Waste Rules and Laws.
 - a. Where discrepancies exist, the most recent approved submittal contained in Attachment 2 and the Permit Conditions contained herein shall govern.
 - b. Where permit conditions conflict with the approved Operation Plan or Site Plan, the permit conditions shall take precedence.
 - c. Some components of the approved plan are repeated in the Permit Conditions.
4. This permit is not transferable.
5. The facility shall function as a recycling processing center consistent with the zoning designation for the property. Other uses of the facility including functioning as a Transfer Station are not permitted. However, de minimus material that cannot be recovered shall be properly disposed at permitted solid waste management facilities in accordance with the approved service areas of those facilities.
6. In case of an emergency, damage, or other unforeseeable event, the Permittee shall maintain updated information for contacting the parties responsible for the ground water remediation facility located adjacent to the Treatment and Processing Facility at any time.
 - a. Permittee shall maintain adequate buffer between the ground water remediation facility and permittee's storage containers, vehicles and equipment to prevent any damage to the remediation operation.
 - b. Damage to the ground water remediation facility including the fencing, asphalt cap, building or other property shall be reported to the responsible party as soon as practical.
7. The storage capacity for the facility is limited to the areas shown on approved Drawing C1.0 and as described in the approved Operation Plan as listed in Attachment 1.

8. The permittee shall not knowingly dispose or cause the disposal of solid waste materials that are prohibited from disposal by ordinance of a unit of government having jurisdiction over the waste generator. This condition applies to greater than de minimus quantities.

OPERATION

9. Operation of the facility shall conform to the operating procedures described in the approved plan and in accordance with the conditions contained in this permit.
10. This facility shall be maintained and operated in accordance with the North Carolina Solid Waste Management rules.
 - a. Amendments or revisions to the Solid Waste Management Rules or violations of standards may necessitate the modification of the construction and operation plans of this facility.
 - b. The operating and permit conditions are subject to revision or revocation at any time the operations either threaten or have the potential to threaten to adversely affect the environment or public health and safety.
11. A trained and knowledgeable operator shall be on-site during operating hours to assure that operations are in accordance with this permit and the approved Operating Plan.
 - a. All operating personnel shall receive training and supervision necessary to properly operate the facility including the approved waste screening procedures.
12. Open burning of solid waste is prohibited.
13. Fires and other incidents that do not conform with the normal operating conditions authorized by this permit shall be reported to the Regional Waste Management Specialist within 24 (twenty-four) hours of the occurrence with a written notification to be submitted within 15 (fifteen) calendar days of the occurrence.
 - a. The permittee is not required to report minor and isolated incidents that do not cause nuisance nor threaten human health, safety or the environment. However, should an incident be questionable, the permittee shall contact the Regional Waste Management Specialist for concurrence or guidance.
14. The facility shall not cause nuisance conditions.
 - a. Effective vector control measures shall be applied at all times to control any potential vectors including flies, rodents, insects, and other vermin.
 - b. Dust and litter control measures shall be employed at all times.
15. Except in circumstances involving the immediate protection of human life, health or the environment, changes in operations or facility construction are not authorized unless submitted in writing to and approved by the Division.

WASTE ACCEPTANCE AND DISPOSAL

16. As listed in the approved Operating Plan, this facility is permitted to receive and process only the following waste types:
 - a. New Construction Debris as defined herein as solid waste generated solely from new construction building materials waste and does not include waste material generated from remodeling, repair or demolition activities. Acceptable materials include unpainted concrete, unpainted brick, wood, ferrous and non-ferrous metals, shingles, ductwork, piping, carpet, shingle and plastic insulation wrapping, and other inert new construction debris.
 - b. Cardboard and unpainted sheetrock are approved for acceptance and processing only if the material is managed in a manner that does not cause odors, litter, harboring of vector or other nuisance conditions.
 - c. Large stumps from land clearing activities are also approved waste for acceptance and processing.
17. Municipal solid waste, hazardous waste or liquid waste shall not be accepted for processing.
18. For the purposes of this permit the following definitions apply:
 - a. Inert debris is defined in G.S. 130A-290 as solid waste that consists solely of material that is virtually inert and that is likely to retain its physical and chemical structure under expected conditions of disposal. Examples of material that does not readily decompose include asphalt, unpainted brick, ceramic, unpainted concrete, rock, and clean soil.
 - b. Land-clearing debris is defined in G.S. 130A-290 specifically as solid waste that is generated solely from land-clearing activities. Examples of land-clearing debris include stumps, root balls and trees.
 - c. Asphalt shall be managed in accordance with G.S. 130A-294(m).
 - d. Insignificant amounts of Yard trash as defined in G.S. 130A-290 may be accepted for temporary storage along with land-clearing debris.
19. The permittee shall implement a program for detecting and preventing the disposal of MSW, hazardous or liquid wastes. The program shall include, at a minimum:
 - a. Random inspections of incoming loads or other comparable procedures.
 - b. Maintaining records of inspections that shall be made available upon request.
 - c. Training personnel to recognize hazardous and liquid wastes.
 - d. Development of a contingency plan to properly manage any identified hazardous, liquid or MSW wastes.
 - e. The plan must address identification, removal, storage, and final disposition of waste materials.

20. Construction waste placed on the tipping floor (Drawing No. C1.0) shall be promptly sorted with no waste remaining on the tipping floor after operating hours.
 - a. Recyclable materials shall be placed in containers by the end of the day.
 - b. Non-recyclable materials with the potential to cause odors, litter or other type of nuisance shall be immediately placed in enclosed and leakproof containers or trucks.
21. An asbestos screening plan shall be submitted to the Division of Epidemiology for approval and the approved plan forwarded to the Solid Waste Section for inclusion in the operations plan for the facility if demolition and/or remodeling waste is requested to be allowed.
22. Waste shall not be placed on the reclamation pad during inclement weather unless run-off control measures are installed.
23. Containers with available storage capacity shall be on-site when waste is placed on the tipping floor for sorting.
 - a. Windblown materials shall be collected immediately and no material shall be allowed to leave the facility boundary.
 - b. Screens or other effective measures shall be employed around the tipping floor during operation as necessary to control litter.

ACCESS AND SAFETY

24. The facility shall be adequately secured by means of gates, chains, berms, fences, or other security measures approved by the Solid Waste Section to prevent unauthorized entry.
25. An attendant shall be on duty at the facility at all times while it is open for public use to ensure compliance with operational requirements.
26. Interior roadways shall be of all-weather construction and maintained in good condition.
27. Signs shall be posted at the facility that provide the following information:
 - a. Signs stating that no MSW, hazardous waste or liquid waste can be received at the facility;
 - b. Signs that provide information on dumping procedures, the hours of operation, the permit number, and other pertinent information shall be posted at the entrance to the facility; and
 - c. Traffic signs or markers shall be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.
28. Barrels and drums shall not be disposed unless they are empty and perforated sufficiently to ensure that no liquid or hazardous waste is contained therein except fiber drums containing asbestos.

29. This facility is not permitted to accept asbestos waste. However, in the event that asbestos waste is discovered, the waste shall be managed in accordance with 40 CFR 61.

SURFACE AND GROUND WATER

30. The permittee is responsible for maintaining the site in compliance with all state and federal erosion control and sedimentation rules.

- a. Stormwater shall be managed in accordance with the approved plans.
- b. The permittee shall provide adequate sedimentation and erosion control measures to prevent silt from leaving the site.
- c. Run-on surface water shall be diverted from the operational area and not be impounded over or around waste or recovered materials.
- d. No materials will be tipped, stored, or stockpiled in standing water.
- e. Water that comes in contact with construction waste materials or recovered materials shall be managed on-site to prevent contravention of surface or ground water standards.
- f. Additional NPDES permits from the Division of Water Quality may be required to address stormwater management at the facility.

31. Recovered materials shall be placed a minimum of 2 (two) feet above the seasonal high water table if stored on the ground.

32. Ground water quality at this facility is subject to the classification and remedial action provisions of 15 NCAC 2L.

REPORTING REQUIREMENTS

33. The permittee shall maintain a record of the amount of solid waste received at the facility compiled on a monthly basis. Scales shall be used to weigh the amount of waste received.

34. Tabulated monthly summary weights of incoming construction waste, along with reused or recycled materials removed from the incoming construction waste, by-pass/unacceptable waste and non-recyclable waste removed for disposal shall be submitted to the Regional Waste Management Specialist in the Winston Salem Regional Office for review on a quarterly basis at the following address:

Solid Waste Section
Winston-Salem Regional Office
585 Waughtown Street
Winston-Salem, NC 27107
Main (336) 771-4608
Fax (336) 771-4631
Attn: Hugh Jemigan, DWM

35. On or before 01 August 2005 and annually thereafter, the permittee shall report the amount of waste received (in tons) at the facility, the amount of material recycled, recovered or reclaimed, and the amount of material disposed. The report shall be submitted to the Solid Waste Section and to all counties from which waste was accepted on forms prescribed by the Section. The report shall include the following information:
 - a. The reporting period shall be for the previous year, beginning 01 July and ending on 30 June;
 - b. The amount of waste received, recycled, recovered or reclaimed, and the amount of waste landfilled in tons compiled on a monthly basis; and
 - c. Documentation that a copy of the report has been forwarded to all counties from which waste was accepted.
36. Unless expressly approved in writing by the Solid Waste Section, all records shall be maintained on-site and made available to the SWS upon request during normal business hours. Records may be taken off-site at the end of the working day for secure storage, but must be available at the site during normal operating hours.

- End of Permit Conditions -

JUN 14 2006

Winston-Salem
Regional Office

SALVAGE AMERICA, INC

3001 HOLTS CHAPEL RD
GREENSBORO, NC 27401

June 9th, 2006

NCDENR
Solid Waste Section
Division of Waste Management
Attn: Tim Jewett, Hugh Jernigan

This letter is to request renewal to our annual permit to operate our C&D Treatment and Processing Facility on Holts Chapel Road in Greensboro, NC. Our Permit number is 41-21 TP.

Thank you very much for your time and please contact me with any questions you may have regarding these requests. You can reach me at (336)215-5228 or email me at triolo.sa@earthlink.net

Sincerely,

Chris Triolo

