

No. 6.

?? 45
4/5-06

Ronald H. Levine, M.D., M.P.H.
STATE HEALTH DIRECTOR

DIVISION OF HEALTH SERVICES
P.O. Box 2091
Raleigh, N.C. 27602-2091

Scanned by	Date	Doc ID #
LY Frost	March 4, 2008	4104

March 28, 1984

RECEIVED
February 2008
Solid Waste Section
Asheville Regional Office

Ms. Mary Lee Ransmeier
Champion International Corporation
Canton Mill
Box C-10
Canton, N. C. 28716

Dear Ms. Ransmeier:

The enclosed permit is issued in accordance with G.S. 130-166.18.
Please read the permit conditions carefully.

If you have questions, please advise.

Sincerely,


O. W. Strickland, Head
Solid & Hazardous Waste Management Branch
Environmental Health Section

JGL:ct

Enclosure

cc: Jim Moore
Jim Smith

Received 4/2/84
copy: Bob Marlewski
Bob Phillips
Dave Smiley
George Brown
Ross Kilpatrick
Jack Harrell
George Pickard



Ronald H. Levine, M.D., M.P.H.
STATE HEALTH DIRECTOR

DIVISION OF HEALTH SERVICES
P.O. Box 2091
Raleigh, N.C. 27602-2091

CERTIFIED COPY OF SOLID WASTE PERMIT

I do hereby certify that the attached PERMIT is an exact and true copy
of Permit No. 45-06.

O. W. Strickland
O. W. Strickland, Head
Solid & Hazardous Waste Management Branch
Environmental Health Section

North Carolina

Wake County

I, Nell Z. Sellers, a Notary Public for said
County and State, do hereby certify that O. W. Strickland
personally appeared before me this day and acknowledged the due
execution of the foregoing instrument.

Witness my hand and official seal, this the 28th day of
March, 19 84.

(official seal)

Nell Z. Sellers
Notary Public

My commission expires July 24, 19 87.

PERMIT NO. 45-06

DATE ISSUED 3/28/84

STATE OF NORTH CAROLINA
DEPARTMENT OF HUMAN RESOURCES
Division of Health Services
P.O. Box 2091 Raleigh 27602

SOLID WASTE PERMIT

CHAMPION PAPERS is hereby issued a permit to
operate a SANITARY LANDFILL (No. 6 Areas A-G)
located ON S.R. 1550 & I-40 IN HAYWOOD COUNTY,
in accordance with Article 13B of the General Statutes of North Carolina and all
rules promulgated thereunder and subject to the conditions set forth in this
permit. The facility is located on the below described property.

BEGINNING on a concrete right of way monument at the point of intersection of the Southern right of way line of Interstate Highway 40, with the Southeastern right of way line of the New Thickety Road, said concrete right of way monument being located South 75 deg. 34 min. 14 sec. West 1683.01 feet from North Carolina Geodetic Survey "Station Culvert" have Y coordinate of 677542.47 and an X coordinate of 845996.22, said beginning point being further the Northwestern corner of the "First Tract" described in a deed to Champion International Corporation from Brantley M. Davis and wife, Gladys S. Davis, dated January 8, 1981, and recorded in Deed Book 321 at Page 158, in the Office of the Register of Deeds for Haywood County; runs thence from the beginning point thus established and with the Southern right of way line of Interstate Highway 40, 14 calls as follows: North 79 deg. 12 min. East 561.62 feet to a concrete right of way monument; North 25 deg. 06 min. East 36.88 feet to a concrete right of way monument; North 79 deg. 34 min. East 1207.83 feet to a concrete right of way monument; South 38 deg. 31 min. East 56.18 feet to a concrete right of way monument; North 79 deg. 30 min. East 268.26 feet to a concrete right of way monument; North 78 deg. 40 min. East 204.43 feet to a concrete right of way monument; North 76 deg. 18 min. East 309.93 feet to a concrete right of way


O. W. Strickland, Head
Solid & Hazardous Waste Management
Branch
Environmental Health Section

PERMIT NO. 45-06

DATE ISSUED 3/28/84

SOLID WASTE PERMIT

Property Description (Continued):

monument; North 35 deg. 22 min. East 94.51 feet to a concrete right of way monument; North 72 deg. 12 min. East 384.99 feet to a concrete right of way monument; North 69 deg. 25 min. East 255.85 feet to a concrete right of way monument; North 67 deg. 52 min. East 249.62 feet to a concrete right of way monument; North 67 deg. 41 min. East 154.48 feet to a concrete right of way monument; South 39 deg. 50 min. East 31.94 feet to a concrete right of way monument; and on a curve to the right with a radius of 5579.58 feet, an arc distance of 461.78 feet to a concrete right of way monument delineating the intersection of the Southern right of way line of Interstate Highway 40 and the Southern right of way line of the New Thickety Road; thence with the Southern right of way line of the New Thickety Road, six calls as follows: South 45 deg. 07 min. East 44.41 feet to an iron pipe; on a curve to the left with a radius of 285.69 feet, an arc distance of 393.72 feet to a point; North 55 deg. 55 min. East 102.55 feet to a point; North 8 deg. 0 min. West 22.27 feet to a point; North 55 deg. 55 min. East 190.14 feet to a point; and on a curve to the right with a radius of 642.29 feet, an arc distance of 95.58 feet to a point on said right of way line; thence leaving the Southern right of way line of the New Thickety Road and running with a hedgerow, the line of the property claimed by Carroll Smith, South 34 deg. 57 min. East 255.48 feet to a point; thence South 24 deg. 03 min. East, with a fence line and the line of the Claude Smith property, 459.74 feet to an iron pipe at a fence corner; runs thence South 3 deg. 42 min. West, generally with a fence and with the line of Thurman R. Robinson, and passing an iron pipe at 1587.42 feet, 1610.42 feet to the Northern margin of the Pigeon River; thence down the Pigeon River, ten calls as follows: South 82 deg. 06 min. West 338.03 feet to a point on the North Bank of the river, at the mouth of Sorrells Cove Branch; South 76 deg. 33 min. West 275.53 feet to an eight inch walnut on the North bank of the river; South 71 deg. 56 min. West 1057.69 feet to an eight inch leaning willow on the North bank of the river, where the channel of said river forks; South 59 deg. 45 min. West 77.79 feet to a point on the South margin of an island in the river; South 74 deg. 54 min. West 221.50 feet to a point on the Southern margin of said island in the river; South 63 deg. 29 min. West 172.99 feet to a point on the Southern margin of said island in the river; South 60 deg. 19 min. West 46.32 feet to a point on the South bank of said island in the river; South 08 deg. 33 min. West 40 feet to a point in the center of the main channel of the river; South 67 deg. 02 min. West 255.75 feet to a point in the main channel of the river; and South 55 deg. 46 min. West 170 feet to a point in the center of the main channel of the river; runs thence North 01 deg. 43 min. East 60 feet to a point on the Northern edge of the Pigeon River; thence with the North bank of the Pigeon River, twelve calls as follows: South 57 deg. 32 min. West 168.50 feet to an eighteen inch sycamore; South 43 deg. 22 min. West 354.67 feet to a point; South 73 deg. 36 min. West 196.84 feet to an eighteen inch sycamore; North 78 deg. 57 min. West 116.62 feet to a forked maple; South 85 deg. 37 min., West 50.33

PERMIT NO. 45-06

DATE ISSUED 3/28/84

SOLID WASTE PERMIT

Property Description (Continued):

feet to a six inch forked bean tree; South 69 deg. 24 min. West 213.22 feet to a twelve inch locust; South 78 deg. 47 min. West 117.36 feet to a twelve inch sycamore; North 88 deg. 45 min. West 83.07 feet to an eight inch sycamore; North 83 deg. 14 min. West 90.49 feet to a ten inch sycamore; North 81 deg. 52 min. West 192.91 feet to a twelve inch locust; South 89 deg. 16 min. West 142.72 feet to a twenty inch walnut; and South 87 deg. 45 min. West 113.37 feet to a point on the bank of said river, in the Eastern boundary line of the property of George H. Cogburn, Jr.; runs thence with the Eastern and Northeastern boundary line of the Cogburn property; three calls as follows: North 02 deg. 24 min. East 1434.14 feet to an iron pipe in a fence stump in a fence corner; North 33 deg. 04 min. West 752.69 feet to a point in a maple stump; and, generally with a branch, South 41 deg. 18 min. West 203.57 feet to an iron pipe in the center of said branch at the Easternmost corner of a tract of land conveyed by James L. Henderson and wife, to Casmer A. Belniak and wife, by deed dated August 12, 1974, and recorded in Deed Book 270 at Page 423, Records of Haywood County; runs thence with the Northern and Northwestern boundary line of the Belniak tract, four calls as follows: North 60 deg. 29 min. West 337.85 feet to an iron pipe in the center of a sixty foot private road right of way; North 60 deg. 03 min. West 57 feet to an iron pipe in the center of said private road right of way; South 29 deg. 47 min. West 201.58 feet to a hub; and South 14 deg. 11 min. West 155.06 feet to a hub in a fence line; thence leaving the Belniak line, and running North 66 deg. 04 min. West 288.55 feet to an iron pipe on the Southeastern right of way line of the New Thickety Road: thence with said right of way, three calls as follows: on a curve to the left with a radius of 755.94 feet, an arc distance of 206.87 feet to an iron pipe; on another curve to the left with a radius of 465.63 feet, an arc distance of 258.76 feet to an iron pipe; and North 30 deg. East 83.72 feet to the place of BEGINNING, according to a survey by Webb A. Morgan, R.L.S., containing 235.051 acres.

PERMIT NO. 45-06

DATE ISSUED 3/28/84

SOLID WASTE PERMIT

Conditions of Permit:

1. This permit may be subject to review at an administrative hearing upon petition of anyone whose legal rights, privileges and duties may have been affected by the issuance thereof.
2. This permit shall not be effective unless the certified copy is filed in the register of deeds' office, in the grantor index under the name of the owner of the land in the county or counties in which the land is located. After recordation, the certified copy shall be returned to the Solid & Hazardous Waste Management Branch and shall have indicated on it the page and book number, date of recordation and registrar's seal.
3. The following requirements shall be met prior to receiving solid waste at the site:
 - a. Site preparation shall be in accordance with construction plan.
 - b. Site inspection shall be made by a representative of the Division of Health Services.
4. This solid waste disposal site is permitted to receive solid waste as defined in 10 NCAC 10G, .0101(31), except that hazardous waste, liquid waste and any other wastes that may pose a threat to the environment or the public health are prohibited from disposal at this site unless prior authorization is obtained from the Division of Health Services.
5. This permit is for construction according to plans prepared by Law Engineering Testing Co. dated January, 1983. Any modification or deviation from the approved plans shall be approved by the N.C. Solid and Hazardous Waste Management Branch.
6. Ground water monitoring wells are installed per the DHS monitoring well standard.

PERMIT NO. 45-06

DATE ISSUED 3/28/84

SOLID WASTE PERMIT

Conditions of Permit:

7. The northwest corner of area E shall be limited to 50' south of the existing stream unless the stream, jafter proper approval is obtained, is relocated so that it is outside landfill construction activity.
8. The groundwater and surface water sampling plan is adequate with the exception of the following items:

1. Sampling frequency should be no less than annually.

2. Parameters to be evaluated are:

- A. EPA Interim Primary Drinking Water Standards*

Arsenic
Barium
Cadmium
Chromium
Fluoride
Lead
Mercury
Nitrite (as N)
Selenium
Silver

*Maximum allowable concentrations can be found in the May 19, 1980 Federal Register, Appendix III, page 33257.

- B. Groundwater Quality Parameters*

Chloride
Iron
Manganese
Sulfate
Phenols

*Allowable concentrations based on 1962 Drinking Water

DHS Form 2871 (Rev. 1/82) Standards and background water quality data.

Solid & Hazardous Waste Management Branch

PERMIT NO. 45-06

DATE ISSUED 3/28/84

SOLID WASTE PERMIT

Conditions of Permit:

C. Groundwater Contamination Indicators*

pH
Specific conductance
Elevation of groundwater surface
Total organic carbon
Total organic halogen
Total dissolved solids

*Allowable concentrations determined by background comparison, see Part 265.93(b) Appendix B.