

Scanned By	Date	DOC ID	Permit
Backus	3/20/2012	16330	3215-TRANSFER-2012



FOR REGISTRATION REGISTER OF DEEDS
Willie L. Covington
DURHAM COUNTY, NC
2012 MAR 05 01:15:58 PM
BK:6919 PG:415-433 FEE:\$38.00

INSTRUMENT # 2012007450

Return to: SOLID WASTE PERMIT
A-1 SANDIZOCK INC. 2091 BISHOP ROAD, GREENSBORO, NC 27406

NOTE: THE SPACE ABOVE IS FOR THE REGISTER OF DEEDS USE

THIS PAGE IS PROVIDED FOR RECORDATION PURPOSES. THE ENTIRE DOCUMENT, INCLUDING THIS PAGE, SHOULD BE RECORDED IN THE GRANTOR INDEX UNDER THE NAME OF THE LANDOWNER FOR THE PARCEL OF PROPERTY LOCATED IN DURHAM COUNTY AND SAID PROPERTY BEING OWNED BY ALCAN ASSOCIATES LIMITED PARTNERSHIP AND FURTHER IDENTIFIED BY THE DEED RECORDED IN BOOK 2814 , PAGES 166 THROUGH 170 .

THE PURPOSE OF THIS RECORDATION IS TO NOTIFY FUTURE BUYERS OF SAID PROPERTY THAT A SOLID WASTE MANAGEMENT FACILITY HAS OPERATED ON THE PROPERTY.



Permit No.: 3215-TRANSFER-2012
Permit to Operate
ARC C&D Recycling
February 28, 2012
Document ID No. 16163
Page 1 of 8

North Carolina Department of Environment and Natural Resources

Beverly Eaves Perdue
Governor

Division of Waste Management
Dexter R. Matthews
Director

Dee Freeman
Secretary

STATE OF NORTH CAROLINA
DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
DIVISION OF WASTE MANAGEMENT
SOLID WASTE SECTION

SOLID WASTE MANAGEMENT FACILITY
Permit No. 3215-TRANSFER-2012

A-1 SANDROCK, INC.
dba ARC C&D RECYCLING
(OWNER AND OPERATOR)

is hereby issued a

PERMIT TO OPERATE

ARC C&D RECYCLING
(A CONSTRUCTION AND DEMOLITION SOLID WASTE TRANSFER FACILITY AND
RECYCLING CENTER)

Located at 1017 South Hoover Road in Durham, Durham County, North Carolina, in accordance with Article 9, Chapter 130A, of the General Statutes of North Carolina and all rules promulgated thereunder and subject to the conditions set forth in this permit. The legal description of the site is identified on the deed recorded for this property listed in Attachment 1, Part III of this permit.

cn=Edward F. Mussler III, P.
E., o=Solid Waste Section,
ou=NC DWM, email=ed.
mussler@ncdenr.gov, c=US
2012.02.28 11:30:40 -05'00'

Edward F. Mussler, III, P.E.
Permitting Branch Supervisor
Solid Waste Section

1646 Mail Service Center, Raleigh, North Carolina 27699-1646
Phone: 919-707-8200 \ Internet: <http://portal.ncdenr.org/web/wm/sw>

An Equal Opportunity \ Affirmative Action Employer

One
North Carolina
Naturally

ATTACHMENT 1

Part I: Permitting History

Permit Type	Date Issued	Document ID
Permit to Operate	February 28, 2012	16163

Part II: List of Documents for the Approved Plan

1. *C&D Transfer Station Permit Application, A-1 Sandrock Inc. (dba – ARC C&D Recycling).* Prepared and submitted by John A. K. Tucker, P.E., Consulting Engineer, Fuquay-Varina, NC on behalf of A-1 Sandrock, Inc. Raleigh, NC. August 29, 2011. Revised through January 26, 2012. Document ID No: 16162.

Part III: Location of Solid Waste Facility

Durham County, NC Register of Deeds				
Book	Page	Grantor	Grantee	Acres
2814	166	Cherokee Borden Properties, LLC	Alcan Associates Limited Partnership	28.289

A-1 Sandrock, Inc. has a lease with Tidewater Fibre Corp. to use the property. Tidewater Fibre Corp. is a service company of Alcan Associates Limited Partnership.

Part IV: General Permit Conditions

1. This permit shall expire February 28, 2017. Pursuant to 15A NCAC 13B .0201(g), no later than August 28, 2016, the owner or operator must submit a request to the North Carolina Department of Environment and Natural Resources, Division of Waste Management, Solid Waste Section (“Section”) for permit review and must update pertinent facility plans including, but not limited to, the facility operation and waste screening plans.
2. The persons to whom this permit is issued (“permittee”) are the owners and operators of the solid waste management facility.
3. This permit shall not be effective until the certified copy of this permit which references legal descriptions for all land within the solid waste management facility boundary is recorded in the Register of Deeds office and indexed in the grantor index under the name of the owner of the land in the county or counties in which the land is located. The certified copy of the permit affixed with the Register’s seal and date, book, and page number of recording must be returned to the Solid Waste Section within thirty (30) calendar days of

issuance of this permit. If the Solid Waste Section does not receive the certified copy of the recorded permit within 30 calendar days of issuance of the permit, then and in that event, the permit is suspended and of no effect until the date the Solid Waste Section receives the certified copy of the recorded permit.

4. (Intentionally blank)
5. By receiving waste at this facility the permittee shall be considered to have accepted the terms and conditions of this permit.
6. Operation of this solid waste management facility shall be in accordance with the North Carolina Solid Waste Management Rules, 15A NCAC 13B; Article 9 of the Chapter 130A of the North Carolina General Statutes (NCGS 130A-290, et seq.); the conditions contained in this permit; and the approved plan. Should the approved plan and the rules conflict, the Solid Waste Management Rules shall take precedence unless specifically addressed by permit condition
7. This permit is issued based on the documents submitted in support of the application for permitting the facility including those identified in Attachment 1, Part III, "List of Documents for Approved Plan," and which constitute the approved plan for the facility. Where discrepancies exist, the most recent submittals and the Conditions of Permit shall govern.
8. This permit may be transferred only with the approval of the Section, through the issuance of a new or substantially amended permit in accordance with applicable statutes and rules. In accordance with NCGS 130A-295.2(g) the permittee shall notify the Section thirty (30) days prior to any significant change in the identity or business structure of either the owner or the operator, including but not limited to a proposed transfer of ownership of the facility or a change in the parent company of the owner or operator of the facility.
9. The permittee is responsible for obtaining all permits and approvals necessary for the development of this project including approval from appropriate agencies for a General or Individual National Pollutant Discharge Elimination System Stormwater Discharge Permit. Issuance of this permit does not remove the permittee's responsibilities for compliance with any other local, state or federal rule, regulation, or statute.

- End of Section -

ATTACHMENT 2

Conditions of Permit to Construct

1. The following requirements shall be met prior to waste acceptance at this facility:
 - a. The facility must be constructed and equipment installed in accordance with the approved plans.
 - b. A facility inspection must be made by a representative of the Solid Waste Section.
 - c. A pre-operative meeting must be held onsite with key personnel and representatives of the Solid Waste Section.

- End of Section -

ATTACHMENT 3

Conditions of Permit to Operate

Part I: Operation Conditions

2. This Permit to Operate shall expire February 28, 2017. Pursuant to 15A NCAC 13B .0201(g), no later than August 28, 2016, the owner or operator must submit a request to the North Carolina Department of Environment and Natural Resources, Division of Waste Management, Solid Waste Section ("Section") for permit review and must update pertinent facility plans including, but not limited to, the facility operation and waste screening plans.
3. The facility is permitted to receive "construction or demolition" "waste or debris" as defined in NCGS 130A-290 (a)(4) meaning solid waste resulting solely from construction, remodeling, repair, or demolition operations on pavement, buildings, or other structures, but not including inert debris, land-clearing debris or yard debris. C&D waste does not include municipal and industrial waste that may be generated by the on-going operations at buildings or structures.
4. The following, at a minimum, must not be accepted at this facility: hazardous waste, yard trash, liquid wastes, regulated medical waste, sharps not properly packaged, regulated-asbestos containing material as defined in 40 CFR 61, and PCB waste as defined in 40 CFR 761. Wastes banned from landfill disposal in North Carolina by NCGS 130A-309.10(f) and by 15A NCAC 13 .0543(e) must not be transferred for landfill disposal.
5. The facility is permitted to receive construction and demolition (C&D) solid waste generated within Chatham, Durham, Granville, Harnett, Lee, Orange, and Wake Counties. Waste transferred for disposal must go to the A-1 Sandrock Landfill (Permit No. 4117-CDLF-2008) in Greensboro, NC; the Shotwell Landfill (Permit No. 9226-CDLF-2001) in Wendell, NC; or the Upper Piedmont Regional Landfill (Permit No. 7304-MSWLF-1997) in Rougemont, NC. Waste must only be transported to facilities whose service area includes the generation source. Proposed changes to the service area and or disposal facilities must be approved by the Section and will constitute a permit modification and be subject to the applicable permitting fee.
6. The permittee must not knowingly dispose of, or accept for transfer for subsequent disposal, solid waste that is generated within the boundaries of a unit of local government that by ordinance:
 - a. Prohibits generators or collectors of solid waste from disposing of that type or form of solid waste.
 - b. Requires generators or collectors of solid waste to recycle that type or form of solid waste.

7. A responsible individual trained in facility operations must be on-site during all times during operating hours of the facility, in accordance with NCGS 130A-309.25. An attendant must be present to oversee the loading and unloading of waste.
8. The permittee must actively employ a training and screening program at the facility for detecting and preventing unauthorized waste including asbestos containing material or material suspected to contain asbestos from being accepted at the facility. At a minimum, the program must include:
 - a. random inspections of incoming loads or other comparable procedures;
 - b. records of all inspections;
 - c. training of personnel to recognize industrial, hazardous, liquid, and municipal and excluded waste types; and
 - d. development of a contingency plan to properly manage any identified hazardous, liquid, or other excluded or unauthorized wastes. The plan must address the identification, removal, storage, and final disposition of the waste.
9. The facility must be adequately secured by means of gates, chains, berms, fences, or other security measures approved by the Section to prevent unauthorized entry.
10. Interior roadways must be of all-weather construction and maintained in good condition.
11. Signs must be posted at the facility that contain the following information:
 - a. No MSW, hazardous waste, or liquid waste can be received at the facility;
 - b. Information on handling procedures, hours of operation, the permit number, and other pertinent information must be posted at the entrance to the facility; and
 - c. Traffic signs or markers must be provided as necessary to promote an orderly traffic pattern to maintain efficient operating conditions.
12. Open burning of solid waste is prohibited. Fires must be reported to the Regional Environmental Specialist within 24 hours of the occurrence with a written notification to be submitted within 15 calendar days of the occurrence. The report must include the cause, the location(s) on the premises, the dimensions and volume of material involved, a description of emergency response activities with results, and a description of mitigation measures implemented to reduce or eliminate conditions leading to the fire.
13. Fire lanes must be maintained and be passable at all times. Dimensions of the fire lanes must be coordinated with the Fire Marshall having jurisdiction over the site.
14. The facility must not cause nuisance conditions.
 - a. The tipping floor and transfer trailer loading area must be maintained in a clean, sanitary condition at all times in accordance with the approved Operation Plan.
 - b. Effective vector control measures must be applied at all times to control any potential vectors including flies, rodents, insects, and other vermin.

- c. Control measures must be utilized to minimize and eliminate visible dust emissions and blowing litter. Windblown materials must be collected by the end of the day and no windblown material is allowed to leave the facility boundary.
15. Waste must only be deposited on the tipping floor or directly into a transfer container in accordance with the approved Operation Plan. Waste or recyclables must not be stored on the tipping floor.
16. Waste may be stored onsite, after operating hours in leak-proof transfer trailers, with watertight covers, for a maximum of 24 hours. However, a minimal amount of waste may be stored for a maximum of 72 hours when the facility is closed during a weekend or holiday. Storage of the waste must not cause a nuisance, such as odor or attraction of vectors.
17. Recyclables may be removed from the construction waste deposited on the tipping floor. After removal, the material must be placed in designated containers for storage or shipment to recyclers. Metal, cardboard, and dimensional lumber that has not be painted or treated is approved for recycling. Engineered or glued wood (such as particle board) is not approved for recycling.
18. An asbestos screening plan is required for the removal of recyclables from demolition waste. The plan must be submitted to and approved by the Division of Epidemiology of the Department of Health and Human Services. A copy of the approved plan must be received by the Section for inclusion in the facility Operation Plan prior to processing demolition waste.
19. Source-separated wood pallets and cardboard from non-C&D sources may be accepted for recycle. This material must be transferred directly from the tipping floor into covered containers for storage or shipment to recyclers.
20. Recyclable material placed in containers must be removed from the site once the container is full. Recyclable material must not be stored onsite longer than one year. The approved maximum storage volume of recyclable material is 300 cubic yards.
21. All water that comes in contact with solid waste, including vehicle wash-down water, is leachate and must be captured and properly treated before release to the environment.
 - a. The leachate control system, such as floor drains, leachate collection devices, sanitary sewer connections, and leachate storage tanks must be operational during facility operations.
 - b. The tipping floor must drain away from the building entrance and into the leachate collection system.
22. All sedimentation and erosion control activities must be conducted in accordance with the Sedimentation Control Act NCGS 113A-50, et seq., and rule promulgated under 15A NCAC 4.

23. Facility construction, operation, and practices must not cause or result in a discharge of pollution, dredged material, and/or fill material into waters of the state in violation of the requirements under Sections 401 and 404 of the Clean Waters Act, as amended.
24. Copies of this permit, the approved plans, and all records required to be maintained by the permittee must be maintained at the facility, unless otherwise approved by the Section, and made available to the Section upon request during normal business hours.
25. The permittee must maintain a record of the amount of solid waste received at the facility including daily records of waste received and origins of the loads. Scales must be used to weigh the amount of materials received, recovered and disposed. The daily records should be summarized into a monthly report for use in the required annual reports. Documentation of end-users, processors, or recyclers must be maintained for recyclable materials.
26. On or before August 1 annually, the Permittee must submit an annual facility report to the Solid Waste Section, on forms prescribed by the Section.
 - a. The reporting period shall be for the previous year beginning July 1 and ending June 30. The annual facility report must list the amount of waste received in tons and be compiled:
 - i. On a monthly basis.
 - ii. By county, city or transfer station of origin.
 - iii. By specific waste type.
 - iv. By receiving disposal facility.
 - v. By diversion to alternative management facilities.
 - b. The completed report must be forwarded to the Regional Environmental Specialist for the facility by the date due on the prescribed annual facility report form.
 - c. A copy of the completed report must be forwarded to each county manager for each county from which waste was received at the facility. Documentation that a copy of the report has been forwarded to the county managers must be sent to the Regional Environmental Specialist by the date due on the prescribed annual facility report form.
27. Financial assurance must be continuously maintained for the duration of the facility in accordance with applicable rules and statutes.

- End of Permit Conditions -



North Carolina Department of Environment and Natural Resources

Beverly Eaves Perdue
Governor

Division of Waste Management
Dexter R. Matthews
Director

Dee Freeman
Secretary

STATE OF NORTH CAROLINA
DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES
DIVISION OF WASTE MANAGEMENT
SOLID WASTE SECTION

SOLID WASTE MANAGEMENT FACILITY
Permit No. 3215-TRANSFER-2012

A-1 SANDROCK, INC.
dba ARC C&D RECYCLING
(OWNER AND OPERATOR)

is hereby issued a

PERMIT TO OPERATE

ARC C&D RECYCLING
(A CONSTRUCTION AND DEMOLITION SOLID WASTE TRANSFER FACILITY AND
RECYCLING CENTER)

Located at 1017 South Hoover Road in Durham, Durham County, North Carolina, in accordance with Article 9, Chapter 130A, of the General Statutes of North Carolina and all rules promulgated thereunder and subject to the conditions set forth in this permit. The legal description of the site is identified on the deed recorded for this property listed in Attachment 1, Part III of this permit.

cn=Edward F. Mussler III, P.
E., o=Solid Waste Section,
ou=NC DWM, email=ed.
.mussler@ncdenr.gov, c=US
2012.02.28 11:30:40 -05'00'

Edward F. Mussler, III, P.E.
Permitting Branch Supervisor
Solid Waste Section

ATTACHMENT 1

Part I: Permitting History

Permit Type	Date Issued	Document ID
Permit to Operate	February 28, 2012	16163

Part II: List of Documents for the Approved Plan

1. *C&D Transfer Station Permit Application, A-1 Sandrock Inc. (dba – ARC C&D Recycling).* Prepared and submitted by John A. K. Tucker, P.E., Consulting Engineer, Fuquay-Varina, NC on behalf of A-1 Sandrock, Inc. Raleigh, NC. August 29, 2011. Revised through January 26, 2012. Document ID No: 16162.

Part III: Location of Solid Waste Facility

Durham County, NC Register of Deeds				
Book	Page	Grantor	Grantee	Acres
2814	166	Cherokee Borden Properties, LLC	Alcan Associates Limited Partnership	28.289

A-1 Sandrock, Inc. has a lease with Tidewater Fibre Corp. to use the property. Tidewater Fibre Corp. is a service company of Alcan Associates Limited Partnership.

Part IV: General Permit Conditions

1. This permit shall expire February 28, 2017. Pursuant to 15A NCAC 13B .0201(g), no later than August 28, 2016, the owner or operator must submit a request to the North Carolina Department of Environment and Natural Resources, Division of Waste Management, Solid Waste Section (“Section”) for permit review and must update pertinent facility plans including, but not limited to, the facility operation and waste screening plans.
2. The persons to whom this permit is issued (“permittee”) are the owners and operators of the solid waste management facility.
3. This permit shall not be effective until the certified copy of this permit which references legal descriptions for all land within the solid waste management facility boundary is recorded in the Register of Deeds office and indexed in the grantor index under the name of the owner of the land in the county or counties in which the land is located. The certified copy of the permit affixed with the Register’s seal and date, book, and page number of recording must be returned to the Solid Waste Section within thirty (30) calendar days of

issuance of this permit. If the Solid Waste Section does not receive the certified copy of the recorded permit within 30 calendar days of issuance of the permit, then and in that event, the permit is suspended and of no effect until the date the Solid Waste Section receives the certified copy of the recorded permit.

4. (Intentionally blank)
5. By receiving waste at this facility the permittee shall be considered to have accepted the terms and conditions of this permit.
6. Operation of this solid waste management facility shall be in accordance with the North Carolina Solid Waste Management Rules, 15A NCAC 13B; Article 9 of the Chapter 130A of the North Carolina General Statutes (NCGS 130A-290, et seq.); the conditions contained in this permit; and the approved plan. Should the approved plan and the rules conflict, the Solid Waste Management Rules shall take precedence unless specifically addressed by permit condition
7. This permit is issued based on the documents submitted in support of the application for permitting the facility including those identified in Attachment 1, Part III, "List of Documents for Approved Plan," and which constitute the approved plan for the facility. Where discrepancies exist, the most recent submittals and the Conditions of Permit shall govern.
8. This permit may be transferred only with the approval of the Section, through the issuance of a new or substantially amended permit in accordance with applicable statutes and rules. In accordance with NCGS 130A-295.2(g) the permittee shall notify the Section thirty (30) days prior to any significant change in the identity or business structure of either the owner or the operator, including but not limited to a proposed transfer of ownership of the facility or a change in the parent company of the owner or operator of the facility.
9. The permittee is responsible for obtaining all permits and approvals necessary for the development of this project including approval from appropriate agencies for a General or Individual National Pollutant Discharge Elimination System Stormwater Discharge Permit. Issuance of this permit does not remove the permittee's responsibilities for compliance with any other local, state or federal rule, regulation, or statute.

- End of Section -

ATTACHMENT 2

Conditions of Permit to Construct

1. The following requirements shall be met prior to waste acceptance at this facility:
 - a. The facility must be constructed and equipment installed in accordance with the approved plans.
 - b. A facility inspection must be made by a representative of the Solid Waste Section.
 - c. A pre-operative meeting must be held onsite with key personnel and representatives of the Solid Waste Section.

- End of Section -

ATTACHMENT 3

Conditions of Permit to Operate

Part I: Operation Conditions

2. This Permit to Operate shall expire February 28, 2017. Pursuant to 15A NCAC 13B .0201(g), no later than August 28, 2016, the owner or operator must submit a request to the North Carolina Department of Environment and Natural Resources, Division of Waste Management, Solid Waste Section ("Section") for permit review and must update pertinent facility plans including, but not limited to, the facility operation and waste screening plans.
3. The facility is permitted to receive "construction or demolition" "waste or debris" as defined in NCGS 130A-290 (a)(4) meaning solid waste resulting solely from construction, remodeling, repair, or demolition operations on pavement, buildings, or other structures, but not including inert debris, land-clearing debris or yard debris. C&D waste does not include municipal and industrial waste that may be generated by the on-going operations at buildings or structures.
4. The following, at a minimum, must not be accepted at this facility: hazardous waste, yard trash, liquid wastes, regulated medical waste, sharps not properly packaged, regulated-asbestos containing material as defined in 40 CFR 61, and PCB waste as defined in 40 CFR 761. Wastes banned from landfill disposal in North Carolina by NCGS 130A-309.10(f) and by 15A NCAC 13 .0543(e) must not be transferred for landfill disposal.
5. The facility is permitted to receive construction and demolition (C&D) solid waste generated within Chatham, Durham, Granville, Harnett, Lee, Orange, and Wake Counties. Waste transferred for disposal must go to the A-1 Sandrock Landfill (Permit No. 4117-CDLF-2008) in Greensboro, NC; the Shotwell Landfill (Permit No. 9226-CDLF-2001) in Wendell, NC; or the Upper Piedmont Regional Landfill (Permit No. 7304-MSWLF-1997) in Rougemont, NC. Waste must only be transported to facilities whose service area includes the generation source. Proposed changes to the service area and or disposal facilities must be approved by the Section and will constitute a permit modification and be subject to the applicable permitting fee.
6. The permittee must not knowingly dispose of, or accept for transfer for subsequent disposal, solid waste that is generated within the boundaries of a unit of local government that by ordinance:
 - a. Prohibits generators or collectors of solid waste from disposing of that type or form of solid waste.
 - b. Requires generators or collectors of solid waste to recycle that type or form of solid waste.

7. A responsible individual trained in facility operations must be on-site during all times during operating hours of the facility, in accordance with NCGS 130A-309.25. An attendant must be present to oversee the loading and unloading of waste.
8. The permittee must actively employ a training and screening program at the facility for detecting and preventing unauthorized waste including asbestos containing material or material suspected to contain asbestos from being accepted at the facility. At a minimum, the program must include:
 - a. random inspections of incoming loads or other comparable procedures;
 - b. records of all inspections;
 - c. training of personnel to recognize industrial, hazardous, liquid, and municipal and excluded waste types; and
 - d. development of a contingency plan to properly manage any identified hazardous, liquid, or other excluded or unauthorized wastes. The plan must address the identification, removal, storage, and final disposition of the waste.
9. The facility must be adequately secured by means of gates, chains, berms, fences, or other security measures approved by the Section to prevent unauthorized entry.
10. Interior roadways must be of all-weather construction and maintained in good condition.
11. Signs must be posted at the facility that contain the following information:
 - a. No MSW, hazardous waste, or liquid waste can be received at the facility;
 - b. Information on handling procedures, hours of operation, the permit number, and other pertinent information must be posted at the entrance to the facility; and
 - c. Traffic signs or markers must be provided as necessary to promote an orderly traffic pattern to maintain efficient operating conditions.
12. Open burning of solid waste is prohibited. Fires must be reported to the Regional Environmental Specialist within 24 hours of the occurrence with a written notification to be submitted within 15 calendar days of the occurrence. The report must include the cause, the location(s) on the premises, the dimensions and volume of material involved, a description of emergency response activities with results, and a description of mitigation measures implemented to reduce or eliminate conditions leading to the fire.
13. Fire lanes must be maintained and be passable at all times. Dimensions of the fire lanes must be coordinated with the Fire Marshall having jurisdiction over the site.
14. The facility must not cause nuisance conditions.
 - a. The tipping floor and transfer trailer loading area must be maintained in a clean, sanitary condition at all times in accordance with the approved Operation Plan.
 - b. Effective vector control measures must be applied at all times to control any potential vectors including flies, rodents, insects, and other vermin.

- c. Control measures must be utilized to minimize and eliminate visible dust emissions and blowing litter. Windblown materials must be collected by the end of the day and no windblown material is allowed to leave the facility boundary.
15. Waste must only be deposited on the tipping floor or directly into a transfer container in accordance with the approved Operation Plan. Waste or recyclables must not be stored on the tipping floor.
16. Waste may be stored onsite, after operating hours in leak-proof transfer trailers, with watertight covers, for a maximum of 24 hours. However, a minimal amount of waste may be stored for a maximum of 72 hours when the facility is closed during a weekend or holiday. Storage of the waste must not cause a nuisance, such as odor or attraction of vectors.
17. Recyclables may be removed from the construction waste deposited on the tipping floor. After removal, the material must be placed in designated containers for storage or shipment to recyclers. Metal, cardboard, and dimensional lumber that has not be painted or treated is approved for recycling. Engineered or glued wood (such as particle board) is not approved for recycling.
18. An asbestos screening plan is required for the removal of recyclables from demolition waste. The plan must be submitted to and approved by the Division of Epidemiology of the Department of Health and Human Services. A copy of the approved plan must be received by the Section for inclusion in the facility Operation Plan prior to processing demolition waste.
19. Source-separated wood pallets and cardboard from non-C&D sources may be accepted for recycle. This material must be transferred directly from the tipping floor into covered containers for storage or shipment to recyclers.
20. Recyclable material placed in containers must be removed from the site once the container is full. Recyclable material must not be stored onsite longer than one year. The approved maximum storage volume of recyclable material is 300 cubic yards.
21. All water that comes in contact with solid waste, including vehicle wash-down water, is leachate and must be captured and properly treated before release to the environment.
 - a. The leachate control system, such as floor drains, leachate collection devices, sanitary sewer connections, and leachate storage tanks must be operational during facility operations.
 - b. The tipping floor must drain away from the building entrance and into the leachate collection system.
22. All sedimentation and erosion control activities must be conducted in accordance with the Sedimentation Control Act NCGS 113A-50, et seq.; and rule promulgated under 15A NCAC 4.

23. Facility construction, operation, and practices must not cause or result in a discharge of pollution, dredged material, and/or fill material into waters of the state in violation of the requirements under Sections 401 and 404 of the Clean Waters Act, as amended.
24. Copies of this permit, the approved plans, and all records required to be maintained by the permittee must be maintained at the facility, unless otherwise approved by the Section, and made available to the Section upon request during normal business hours.
25. The permittee must maintain a record of the amount of solid waste received at the facility including daily records of waste received and origins of the loads. Scales must be used to weigh the amount of materials received, recovered and disposed. The daily records should be summarized into a monthly report for use in the required annual reports. Documentation of end-users, processors, or recyclers must be maintained for recyclable materials.
26. On or before August 1 annually, the Permittee must submit an annual facility report to the Solid Waste Section, on forms prescribed by the Section.
 - a. The reporting period shall be for the previous year beginning July 1 and ending June 30. The annual facility report must list the amount of waste received in tons and be compiled:
 - i. On a monthly basis.
 - ii. By county, city or transfer station of origin.
 - iii. By specific waste type.
 - iv. By receiving disposal facility.
 - v. By diversion to alternative management facilities.
 - b. The completed report must be forwarded to the Regional Environmental Specialist for the facility by the date due on the prescribed annual facility report form.
 - c. A copy of the completed report must be forwarded to each county manager for each county from which waste was received at the facility. Documentation that a copy of the report has been forwarded to the county managers must be sent to the Regional Environmental Specialist by the date due on the prescribed annual facility report form.
27. Financial assurance must be continuously maintained for the duration of the facility in accordance with applicable rules and statutes.

- End of Permit Conditions -

I do hereby certify that the attached PERMIT TO OPERATE is an exact and true original of PERMIT NUMBER 3215-TRANSFER-2012 for ARC C&D RECYCLING, a transfer station and recycling center.

Patricia M. Backus

Patricia M. Backus, P.E.
Environmental Engineer
Permitting Branch
Solid Waste Section
Division of Waste Management

STATE OF NORTH CAROLINA


COUNTY OF WAKE

I, ELIZABETH A. PATTERSON, a Notary Public for ^{JOHNSTON} ~~said~~ County and State, do hereby certify that PATRICIA M. BACKUS personally appeared before me this day and acknowledged the due execution of the foregoing instrument.

Witness my hand and official seal,

this the 29TH day of FEBRUARY, 2012.

[OFFICIAL SEAL]



Elizabeth A. Patterson
Notary Public

My commission expires: JANUARY 26, 2016.

Note to Register of Deeds: This certified original permit shall be recorded by the Register of Deeds and indexed in the grantor index under the name of the land owner. The certified original affixed with the Register's seal and the date, book, and page number of recording shall be returned to the Permitting Branch Supervisor, Division of Waste Management, Solid Waste Section, 1646 Mail Service Center, Raleigh, NC 27699-1646.



WILLIE L. COVINGTON
REGISTER OF DEEDS, DURHAM COUNTY
DURHAM COUNTY COURTHOUSE
200 E. MAIN STREET
DURHAM, NC 27701

PLEASE RETAIN YELLOW TRAILER PAGE

It is part of recorded document, and must be submitted with original for re-recording
and/or cancellation.

Filed For Registration: 03/05/2012 01:15:58 PM
Book: RE 6919 Page: 415-433
Document No.: 2012007450
PERMIT 19 PGS \$38.00
Recorder: SHARON M CEARNEL



2012007450