



**North Carolina Department of Environment and Natural Resources**

Dexter R. Matthews, Director

Division of Waste Management

Michael F. Easley, Governor  
William G. Ross Jr., Secretary

December 9, 2004

Mr. Randall Lee  
Ingleside Composting Facility  
3001 Ingleside Drive  
High Point, North Carolina 27265

Re: Solid Waste Compost Facility – Permit # SWC-41-10 – Guilford County  
City of High Point, NC

Dear Mr. Lee:

Enclosed is your permit to operate a Large Type I Solid Waste Compost Facility in Guilford County. Please carefully read all permit conditions.

Mr. Hugh Jernigan, Waste Management Specialist, Winston-Salem Regional Office will be responsible for facility inspections. Mr. Jernigan can be contacted at 336-771-4600. If you have questions, please feel free to contact me at 919-733-0692, extension 253.

Sincerely,

Ted Lyon, Supervisor  
Composting & Land Application Branch

cc: Hugh Jernigan, Waste Management Specialist  
Central Files – Solid Waste Section  
Pieter K. Scheer, G. N. Richardson & Assocs.

h:cla/compost/permits/41-guil/SWC-41-10\_12-04cl

STATE OF NORTH CAROLINA  
DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES  
DIVISION OF WASTE MANAGEMENT  
1646 MAIL SERVICE CENTER, RALEIGH N.C. 27699-1646

**City of High Point, NC**


is hereby issued a permit to operate a

**LARGE, TYPE 1 SOLID WASTE COMPOST FACILITY**

at 3001 Ingleside Drive

**Permit Number SWC-41-10**

In accordance with Article 9, Chapter 130A, of the General Statutes of North Carolina and all rules promulgated thereunder and subject to the conditions set forth in this permit.

  
James C. Coffey, Chief  
Solid Waste Section

12/09/04  
Date

## Permit Conditions

1. Operation and maintenance of this facility shall be in accordance with the Solid Waste Compost Rules (15A NCAC 13B, Section .1400), the permit application and the Operation and Maintenance information submitted with the permit application. Failure to comply may result in compliance actions or permit revocation.
2. This facility shall be operated in such a manner that erosion and runoff from the site shall be controlled. Any leachate generated at the facility shall be managed in such a manner that it will not be allowed to adversely impact ground or surface waters.
3. Only materials specifically listed in the permit application may be managed at this facility without adequate testing and prior approval of the Division of Waste Management.
4. Wastes with low carbon-nitrogen ratios, such as grass clippings, shall be incorporated into the windrows prior to the waste starting to compost (heat), create odors or attract vectors.
5. Ash from the High Point sludge incinerator may not be added to the finished product until the Division has received adequate (at least 4 separate samples) total regulated metal analysis and the metal levels have been found to be acceptable.
6. Compost produced at the facility shall meet the requirements of Rule .1407 of the Solid Waste Compost Rules and the permit application.
7. Testing and reporting shall be conducted in accordance with the requirements of Rule .1408 and the permit application. An annual report of facility activities for the fiscal year July 1 to June 30 shall be submitted to the Division by August 1 of each year. The quantity of ash used shall be included with the annual report.
8. Groundwater monitoring wells may be required if there is indication of the potential for groundwater contamination.
9. The compost operation, the compost pad and the ash storage and blending areas shall be operated and maintained with sufficient dust control measures to minimize airborne emissions and to prevent dust from becoming a nuisance or safety hazard.
10. **This permit shall expire on December 15, 2009.** Changes in ownership, increase in facility capacity, or receiving additional feedstocks shall require a permit modification.