

Permit No.	Date	DIN
44-01	February 29, 2012	16245

RECEIVED

February 29, 2012

Solid Waste Section
Asheville Regional Office

ALTAMONT ENVIRONMENTAL, INC.

ENGINEERING & HYDROGEOLOGY

231 HAYWOOD STREET, ASHEVILLE, NC 28801

TEL. 828.281.3350 FAC. 828.281.3351

WWW.ALTAMONTENVIRONMENTAL.COM

Transmitted via email: allen.gaither@ncdenr.gov

February 29, 2012

Mr. Allen Gaither
Division of Waste Management
Solid Waste Section
Asheville Regional Office
2090 US Highway 70
Swannanoa, NC 28778

Subject: Approval for Storage Building
Closed Landfill Permit # 44-01-INDUS-1979
International Paper Company
Canton, North Carolina

Dear Mr. Gaither:

As we discussed on January 31, 2012, the Town of Canton proposes to install a storage building that would house maintenance equipment at the International Paper Sports Complex located on the closed landfill referenced above. See Figure 1 for a location of the proposed building.

This letter requests approval for the installation of an additional storage building that is similar to the two existing wooden structures on the northern side of the parking area. The new building will have the following characteristics:

- Wooden structure measuring 12-feet wide by 24-feet long
- An elevated floor with approximately eight inches of clearance above the ground surface that allows air flow underneath the building
- A shingle vent system with gaps at the ceiling that allows air flow through the top of the building
- A continuous 4-inch gap between the walls and the ceiling that allows additional airflow through the building

The installation of the storage building should not require the modification of an existing plan at Landfill 5 for the following reasons:


- The building will be built without compromising the integrity of the landfill cover by having the floor elevated and resting on cinder blocks.
- The venting of the building and its similarity to the construction of other buildings at the site that do not require continuous landfill gas monitoring will not require modification of the existing landfill gas monitoring or landfill closure plan.

Mr. Allen Gaither
February 29, 2012
Page 2 of 2

Thank you for your time and consideration on this project. Please let me know if you require additional information in order to approve the construction of the new storage building.

Sincerely,

ALTAMONT ENVIRONMENTAL, INC.



Paul Dow, P.E.

cc: Mr. Tom Richardson, International Paper
Mr. Jason Burrell, Town of Canton
Mr. Brandon Taylor, Town of Canton

Enclosures: Figure 1—Proposed Storage Building Location

