

**PERMIT APPLICATION  
FOR  
CONTINUED OPERATION**


Fac/Perm/Co ID # <i>8401</i>	Date <i>7/10/108</i>	Doc ID# <i>DIN 6475</i>
---------------------------------	-------------------------	----------------------------

**The City of Albemarle  
Construction and Demolition  
Landfill Facility**

Owner: The City of Albemarle  
North Carolina



Project Number  
G07059



June 2008

*Submitted By:*  
Municipal Engineering Services Company, P.A.  
Garner • Boone • Morehead City  
North Carolina

**Table of Contents**

Section 1.0 - Operation Plan.....3-10

Section 2.0 - Closure Plan.....11-18

Section 3.0 - Post-Closure Plan.....19-21

Section 4.0 - Financial Responsibility.....22

Appendix A - Operation and Closure Drawings

Appendix B – Local Government Approval

SECTION 1.0

# OPERATION PLAN

## 1.1 Introduction

City of Albemarle will continue to operate a Construction and Demolition Landfill (C&DLF) within the permitted boundaries and upon closed sections of the present municipal solid waste landfill. The section are limited to areas that stopped receiving waste prior to October 9, 1991 and have two feet of final cover.

The C&D Landfill will receive the following solid waste:

1. Land clearing debris as defined in G.S. 130A-290, specifically, solid waste which is generated solely from land clearing activities, such as stumps, trees, etc.;
2. Inert debris from any source that is defined as solid waste which consists solely of material that is virtually inert, such as brick, concrete, rock and clean soil;
3. Asphalt in accordance with G.S. 130-294(m);
4. Construction and demolition debris defined as solid waste resulting solely from construction, remodeling, repair or demolition operations on pavement, buildings or other structures (includes glass, vinyl, plastic, laminates, plumbing fixtures, etc.);
5. Construction materials, that could or would be part of any construction, remodeling, repair or demolition of pavement, buildings or other structures, from industrial and/or commercial sources within the County such as, but not limited to, shingles from shingle manufacturers, mobile home debris from mobile home manufacturers, lumber from lumber yards, scrap materials from cabinet manufacturing facilities and furniture, pre-fabricated building structure components such as joists and any other scrap materials; and,
6. Pallets from any source.

Yard Waste as defined in G.S. 130A-290, shall not be disposed in the landfill area. However, yard trash, along with land-clearing debris, may be accepted for processing in a permitted Yard Waste Composting Area.

Soil cover will be placed at least once a week. (See cover requirements under operational requirements).

The City will implement a program at the landfill for detecting and preventing the disposal of hazardous and liquid wastes. The program consists of random inspection of incoming loads at a minimum of 1% of the weekly traffic. Landfill personnel will be trained to recognize hazardous and liquid wastes. Records will be kept on the training and the inspections.

The City of Albemarle will monitor for explosive gases at landfill structures and the perimeter of the landfill. The concentration of methane gases generated by the landfill cannot exceed 25 percent of the lower explosive limit for methane in the structures, and it cannot exceed 100 percent of the lower explosive limit for methane of the landfill property boundary. If methane gas is found to exceed the acceptable limits at either the property boundary or landfill structures, it is the City's responsibility to do the following:

1. Immediately take all necessary steps to ensure protection of human health, i.e. no smoking, temporarily abandon the structure and notify the Division of Solid Waste Management.
2. Within seven days of detection, place in the operating record the methane gas levels detected and a description of the steps taken to protect human health; and

3. Within 60 days of detection, implement a remediation plan for the methane gas releases, place a copy of the plan in the operating record, and notify the Division of Solid Waste management that the plan has been implemented. The plan will describe the nature and extent of the problem and the proposed remedy.

Off and on site erosion will be controlled through erosion control structures and devices. Provisions for a vegetative ground cover sufficient to restrain erosion will be accomplished within 30 working days or 120 calendar days upon completion of any phase of landfill development.

The City of Albemarle will record and retain at the landfill an operating record of the following information:

- (1) Inspection records, waste determination records, and training procedures;
- (2) Amounts by weight of solid waste received at the landfill;
- (3) Gas monitoring results and any remediation plans;
- (4) Any demonstration, certification, findings, monitoring, testing or analytical data required for surface and groundwater monitoring;
- (5) Any monitoring, testing or analytical data required for closure or post-closure;
- (6) Any cost estimates and financial assurance documentation.

All information contained in the operating record will be furnished upon request to the Division of Solid Waste Management or be made available at all reasonable times for inspection by the Division.

Ground and surface water will be sampled and analyzed according to Subtitle D Appendix I detection monitoring requirements. The monitoring frequency for all Appendix I detection monitoring constituents will be at least semiannual during the life of the facility (including closure) and the post-closure period. A minimum of four independent samples from each well (background and downgradient) will be collected and analyzed for the Appendix I constituents during the first semiannual sampling event. At least one sample from each well (background and downgradient) will be collected and analyzed during subsequent semiannual sampling events.

If the City of Albemarle determines that there is a statistically significant increase over background for one or more of the constituents listed in Appendix I at any monitoring well at the relevant point of compliance, the City will, within 14 days of the finding, report to the Division of Solid Waste and place a notice in the operating record indicating which constituents have shown statistically significant changes from background levels. The City will establish an assessment monitoring program within 90 days. The City may demonstrate that a source other than the landfill caused the contamination or that the statistically significant increase resulted from an error in sampling, analysis, statistical evaluation, or natural variation in ground-water quality. A report documenting these demonstrations will be certified by a Licensed Geologist or Professional Engineer and approved by the Division of Solid Waste. A copy of this report will be placed in the operating record. If a successful demonstration is made, documented, and approved by the Division, the City may continue detection monitoring. If after 90 days, a successful demonstration is not made, the City will initiate an assessment monitoring program.

## 1.2 Operational Requirements

1. Waste Acceptance and Disposal Requirements
  - a. The Construction and Demolition Landfill (C&DLF) will only accept those solid wastes which it is permitted to receive. City of Albemarle will notify the Division within 24 hours of attempted disposal of any waste the landfill is not permitted to receive.
  - b. Asbestos waste will be managed in accordance with 40 CFR 61. The regulated asbestos waste will be covered immediately with soil in a manner that will not cause airborne conditions and will be disposed of separate and apart from other solid waste, as:
    - i. in a defined isolated area within the foot print of the landfill, or
    - ii. in an area not contiguous with other disposal areas. Separate areas will be designated so that asbestos will not be exposed by future land-disturbing activities.
  - c. Wastewater treatment sludges may be accepted, with the approval of the Division, either as a soil conditioner incorporated into or applied onto vegetative growth layer. The wastewater treatment sludge will neither be applied at greater than agronomic rates nor to a depth greater than six inches.
  - d. The following wastes are prohibited from disposal at the C&DLF:
    - i. Containers such as tubes, drums, barrels, tanks, cans, and bottles unless they are empty and perforated to ensure that no liquid, hazardous or municipal solid waste is contained therein.
    - ii. Garbage as defined in G.S. 130A-290(a)(7).
    - iii. Hazardous waste as defined in G.S. 130A-290(a)(8), to also include hazardous waste from conditionally exempt small quantity generators.
    - iv. Industrial solid waste unless a demonstration has been made and approved by the Division that the landfill meets the requirements of Rule .0503(2)(d)(ii)(A).
    - v. Liquid wastes.
    - vi. Medical waste as defined in G.S. 130A-290(a)(18)
    - vii. Municipal solid waste as defined in G.S. 130A-290(a)(18a)
    - viii. Polychlorinated biphenyls (PCB) wastes as defined in 40 CFR 761
    - ix. Radioactive waste as defined in G.S. 104E-5(14)
    - x. Septage as defined in G.S. 130A-290(a)(32)
    - xi. Sludge as defined in G.S. 130A-290(a)(34)
    - xii. Special waste as defined in G.S. 130A-290(a)(40)

- xiii. White goods as defined in G.S. 130A-290(a)(44)
  - xiv. Yard trash as defined in G.S. 130A-290(a)(45)
  - e. The following waste will not be received if separate from C&DLF waste: lamps or light bulbs including but not limited to halogen, incandescent, neon or fluorescent; lighting ballast or fixtures; thermostats and light switches; batteries including but not limited to those from exit and emergency lights and smoke detectors; lead pipes; lead roof flashing; transformers; capacitors; and copper chrome arsenate (CCA) and creosote treated woods.
  - f. Waste accepted for disposal in the C&DLF unit shall be readily identifiable as C&D waste and must not have been shredded, pulverized, or processed to such an extent that the composition of the original waste cannot be readily ascertained except in the case where the waste has come from a permitted recycling and reuse facility.
  - g. The City will not knowingly dispose any type or form of C&D waste that is generated within the boundaries of a unit of local government that by ordinance:
    - i. Prohibits generators or collectors of C&D waste from disposing that type or form of C&D waste.
    - ii. Requires generators or collectors of C&D waste to recycle that type or form of C&D waste.
2. Cover material requirements.
- a. Except as in Subparagraph (c), the City of Albemarle must cover the solid waste with six inches of earthen material when the waste disposal area exceeds one-half acre and at least once weekly. Cover must be placed at more frequent intervals if necessary to control disease vectors, fires, odors, blowing litter and scavenging. A notation of the date and time of the cover placement must be recorded in the operating record, as specified in Paragraph 10 in this section.
  - b. Except as in Subparagraph (c), areas which will not have additional wastes placed on them for three months or more, but where final termination of disposal operations has not occurred, will be covered and stabilized with vegetative ground cover or other stabilizing material.
  - c. Alternative material or an alternative thickness of cover may be used, if the City demonstrates that the alternative material or thickness controls disease vectors, fires, odors, blowing litter, and scavenging without presenting a threat to human health and the environment, and is approved by the Division.
3. Spreading and compacting requirements.
- a. C&DLF units will restrict solid waste to the smallest area feasible.
  - b. Solid waste will be compacted as densely as practical into cells.
  - c. Fencing and/or diking will be provided within the area to confine solid waste which is subject to be blown by the wind. At the conclusion of each operating day, all windblown material resulting from the operation will be collected and disposed of by the City.

4. Disease vector control
  - a. The City of Albemarle will prevent or control on-site populations of disease vectors using techniques appropriate for protection of human health and the environment.
  - b. "Disease vectors" means any rodents, flies, mosquitoes, or other animals, including insects, capable of transmitting disease to humans.
5. Air Criteria and Fire Control
  - a. The City of Albemarle will ensure that the units do not violate any applicable requirements developed under a State Implementation Plan (SIP) approved or promulgated by the U.S. EPA Administrator pursuant to Section 110 of the Clean Air Act, as amended.
  - b. Open burning of solid waste, except for the approved burning of land clearing debris generated on-site or debris from emergency clean-up operations, is prohibited at all C&DLF facilities. Prior to any burning a request will be sent to the Division for review. The Division will determine the burning to be approved if it is one of two types of burning previously referenced. A notation of the date of approval and the name of the Division personnel who approved the burning must be included in the operating record.
  - c. Equipment will be provided to control accidental fires and arrangements will be made with the local fire protection agency to immediately provide fire-fighting services when needed.
  - d. Fires and explosions that occur at the C&DLF require verbal notice to the Division within 24 hours and written notification within 15 days. Written notification must include the suspected cause of fire or explosion, the response taken to manage the incident, and the action(s) to be taken to prevent the future occurrence of fire or explosion.
6. Access and safety requirements
  - a. The C&DLF will be adequately secured by means of gates, chains, beams, fences and other security measures approved by the Division of Solid Waste Management to prevent unauthorized entry.
  - b. An attendant will be on duty at the site at all times while it is open for public use to ensure compliance with operational requirements.
  - c. The access road to the site will be of all-weather construction and maintained in good condition.
  - d. Dust control measures will be implemented when necessary. If dust problems should arise, the City will use any reasonable means necessary to reduce it. At a minimum the City will spray water on necessary areas.
  - e. Signs providing information on tipping or disposal procedures, the hours during which the site is open for public use, the permit number and other pertinent information will be posted at the site entrance.
  - f. Signs will be posted stating that no hazardous or liquid waste can be received.

- g. Traffic signs or markers will be provided as necessary to promote an orderly traffic pattern to and from the discharge area and to maintain efficient operating conditions.
- h. The removal of solid waste from the C&DLF will be prohibited unless the City has included in its operational plan a recycling program which has been approved by the Division. The general public is prohibited from removal activities on the working face.

7. Erosion and Sedimentation Control Requirements

- a. Adequate sediment control measures (structures or devices), will be utilized to prevent silt from leaving the landfill.
- b. Adequate sediment control measures (structures or devices), will be utilized to prevent excessive on-site erosion.
- c. Provisions for a vegetative ground cover sufficient to restrain erosion will be accomplished within 30 working days or 120 calendar days upon completion of any phase of landfill development.

8. Drainage Control and Water Protection Requirements

- a. Surface water will be diverted from the operational area and will not be impounded over waste.
- b. Solid waste will not be disposed of in water.
- c. Leachate will be contained on site and properly treated prior to discharge.
- d. The landfill will not:
  - (i) Cause a discharge of pollutants into waters of the United States, including wetlands, that violates any requirements of the Clean Water Act, including, but not limited to, the National Pollutant Discharge Elimination System (NPDES) requirements pursuant to Section 402.
  - (ii) Cause the discharge of a nonpoint source of pollution to waters of the United States, including wetlands, that violates any requirements of an area-wide or state-wide water quality management plan that has been approved under Section 208 or 319 of the Clean Water Act, as amended.

9. Survey for Compliance

Within 60 days of a permittee's receipt of the Division's written request, the permittee will have a survey conducted of active and/or closed portions of the unit(s) at the facility in order to determine whether operations are being conducted in accordance with the approved design and operation plans. The permittee must report the results of the survey, including a map produced by the survey, to the Division within 90 days of receipt of the Division's request.

- a. A survey shall be required by the division:
  - (i) If there is reason to believe that the operations are being conducted in a manner that deviates from the plan listed in the effective permit, or
  - (ii) As verification that operations are being conducted in accordance with the plan listed in the effective permit.
- b. Any survey pursuant to this Paragraph must be performed by a professional land surveyor duly authorized under North Carolina law to conduct such activities.

10. Record keeping Requirements

- a. The City of Albemarle's C&DLF will record and retain at the facility, or an alternative location near the facility approved by the Division of Solid Waste Management, in an operating record the following information as it becomes available.
  - (i) Inspection records, waste determination records, and training procedures;
  - (ii) Amounts by weight of solid waste received at the landfill to include source of generation.
  - (iii) Any demonstration, certification, findings, monitoring, testing or analytical data required for surface, groundwater and gas monitoring;
  - (iv) Any monitoring, testing, or analytical data required for closure or post-closure;
  - (v) Any cost estimates and financial assurance documentation;
  - (vi) Notation of date and time of placement of cover material; and,
  - (vii) All audit records, compliance records and inspection reports.
- b. All information contained in the operating record will be furnished to the Division of Solid Waste Management according to the permit or upon request, or be made available for inspection by the Division.
- c. The operating record will also include a copy of the approved operation plan and all required permits.

SECTION 2.0

**CLOSURE  
PLAN**

## **2.1 Introduction**

The City of Albemarle will cap their landfill within 180 days after the final receipt of solid waste. The cap system will consist of 12 inches of intermediate cover, 18 inches of cohesive soil with a permeability no greater than  $1.0 \times 10^{-5}$  cm/sec, 18 inches of erosive layer. The cap contains gas venting system consisting of a series of washed stone trenches below the soil liner that will be vented through 10" diameter PVC pipes that penetrate the cap. The cap system will also include the proper seeding and mulching of the erosive layer and other erosion control devices. The largest area ever needing closure will be 33.0 acres.

Prior to beginning closure, the City shall notify the Division of Solid Waste that a notice of the intent to close the unit has been placed in the operating record. The City shall begin closure activities no later than thirty (30) days after the date on which the landfill receives the final wastes or if the landfill has remaining capacity and there is a reasonable likelihood that the landfill will receive additional wastes, no later than one year after the most recent receipt of wastes. Extensions beyond the one-year deadline for beginning closure may be granted by the Division of Solid Waste if the City demonstrates that the landfill has the capacity to receive additional waste and the City has taken and will continue to take all steps necessary to prevent threats to human health and the environment from the closed landfill.

The City shall complete closure activities in accordance with the closure plan within 180 days following the final receipt of waste. Extensions of the closure period may be granted by the Division of Solid Waste if the City demonstrates that closure will, of necessity, take longer than one hundred eighty (180) days and the City has taken and will continue to take all steps to prevent threats of human health and environment from the enclosed landfill.

Following closure of the landfill, the City shall notify the Division that a certification, signed by the project engineer verifying that closure has been completed in accordance with the closure plan, and has been placed in the operating record. The City shall record a notation on the deed to the landfill property and notify the Division of Solid Waste that the notation has been recorded and a copy has been placed in the operating record. The notation on the deed shall in perpetuity notify any potential purchaser of the property that the land has been used as a landfill and its use is restricted under the closure plan approved by the Division of Solid Waste. The City may request permission from the Division to remove the notation from the deed if all waste is removed from the landfill.

## **2.2 Cap System**

All materials and equipment shall be furnished by an established and reputable manufacturer or supplier. All materials and equipment shall be new and shall be of first class ingredients and construction, designed and guaranteed to perform the service required and shall conform with the following standard specifications or shall be the product of the listed manufacturers or similar and equal thereto as approved by the Engineer.

## **2.3 Cohesive Soil Cap**

All materials and equipment shall be furnished by an established and reputable manufacturer or supplier. All materials and equipment shall be new and shall be of first class ingredients and construction, designed and guaranteed to perform the service required and shall conform with the following standard specifications or shall be the product of the listed manufacturers or similar and equal thereto as approved by the Engineer.

### Cohesive Soil Cap Borrow Material

Test Name	Test Method	Contractor/Engineer Frequency
Moisture/Density	ASTM D698/D1557	1 per 5000 c.y.
Remolded Permeability	ASTM D5084	1 per 5000 c.y.
Atterberg Limits	ASTM D4318	1 per 5000 c.y.
Visual Classification	ASTM D2488	1 per 5000 c.y.
Grain Size Distribution	ASTM D422	1 per 5000 c.y.

#### Cohesive Soil Cap Test Pad

Test Name	Test Method	Contractor/Engineer Frequency
Field Moisture/Density	ASTM D1556 (sand cone) ASTM D2922/D3017 (nuclear gauge) ASTM D2937 (drive cylinder)	3 per lift
Permeability	ASTM D5084	1 per lift
Remolded Permeability	ASTM D5084	1 per lift
Atterberg Limits	ASTM D4318	1 per lift
Visual Classification	ASTM D2488	1 per lift
Grain Size Distribution	ASTM D422	1 per lift

#### In-Place Cohesive Soil Cap

Test Name	Test Method	Contractor/Engineer Frequency
Field Moisture/Density	ASTM D1556 (sand cone) ASTM D2922/D3017 (nuclear gauge) ASTM D2937 (drive cylinder)	1 per lift per acre
Permeability	ASTM D5084	1 per lift per acre
Atterberg Limits	ASTM D4318	1 per lift per acre
Visual Classification	ASTM D2488	1 per lift per acre
Grain Size Distribution	ASTM D422	1 per lift per acre

(a) Suitable on-site and/or off-site soils may be used as cohesive soil cap if it can achieve an in-place permeability of  $1.0 \times 10^{-5}$  cm/sec or less and meets all testing requirements indicated in the material testing paragraph in this section. Wyoming bentonite or an approved equivalent may be blended with the soil to lower the soil's permeability.

(b) A permeability "window" shall be developed for each type of soil from the borrow material that will be used for construction of the cohesive soil cap. The window shall be plotted on a semi-log plot with moisture content versus density. Laboratory testing to develop the window shall include a series of remolded samples compacted to various dry densities and moisture contents utilizing the same compactive effort (ASTM D 698 or D 1557). The remolded samples shall be tested for permeability to determine whether or not the particular soil type will provide the maximum permeability ( $1.0 \times 10^{-5}$  cm/sec) at various dry densities and moisture contents. The window is then developed from the accepted remolded samples and moisture contents from the semi-log plot. A straight line is typically drawn between the acceptable points on the moisture-density curve to indicate a range of probable acceptable permeability results. The window will be used in the construction of the test strip to verify the laboratory remolded permeability results.

(c) Atterberg limits and grain size distribution shall also be conducted on the bulk samples used to prepare the permeability window ASTM D2488, D4318, D422. These tests can be used as indices on random samples collected from the borrow site during construction to verify the soil

type is the same as was used to develop the "window". As a minimum, sufficient visual classifications and Atterberg limits shall be conducted in association with each permeability test to verify that the construction materials meet specifications.

(d) A test strip of compacted cohesive soil cap shall be prepared to verify the permeability "window" prior to general installation of the cohesive soil cap. The test strip will be used to verify the results from the remolded permeabilities from the borrow site utilizing the permeability window(s) for each soil type that is going to be used for construction of the cohesive soil cap. At a minimum, the verification will consist of three moisture density tests, one Atterberg limits test, one grain size distribution test (ASTM D2488, D4318, and D422), and one Shelby Tube sample for each lift constructed in the test pad. Laboratory permeability tests shall be performed on tube (Shelby or drive tubes) samples of the cohesive soil cap after placement and compaction. The permeability must be a maximum of  $1.0 \times 10^{-5}$  cm/sec. Tests shall be performed in accordance with the ASTM D5084. The test strip shall be approximately 2,500 sq. ft. in surface area and constructed to conform geometrically to the site topography with a minimum lateral dimension in any direction of 25 ft. The test strip shall consist of at least three compacted 6 inch lifts of cohesive soil cap. Placement and testing of the test strip shall be in conformance with the construction specifications and requirements for general installation of the cohesive soil cap. Test results from the test strip shall be used to guide placement and achievement of the required maximum permeability of  $1.0 \times 10^{-5}$  cm/sec of the cohesive soil cap. The test strip may be used as an integral part of the overall cohesive soil cap if it meets the required specification for the cap. All results shall be given to the Construction Observer.

(e) The soils shall be placed to the total thickness shown on the plans in maximum 8-inch thick loose lifts with a maximum 6" compacted lift compacted preferably at a moisture content between 0 to 3% above optimum moisture content to 95% standard Proctor maximum dry density (ASTM Test Designation D698). A sheepsfoot roller or approved alternative may be used to compact the soil cap provided the compaction and permeability requirements can be achieved. Each lift shall be tested for permeability, moisture content, particle size distribution analysis, Atterberg limits, moisture-density-permeability relation, and if needed percent bentonite admixed with soil, prior to the placement of the succeeding lift and visually inspected to confirm that all soil clods have been broken and that the surface is sufficiently scarified so that adequate bonding can be achieved. Soils for cohesive soil cap shall be screened, disked, or prepared using any other approved method as necessary to obtain a homogeneous cohesive soil with clod sizes in a soil matrix no larger than about 1.5 inches in maximum diameter. After each lift, the surface shall be scarified prior to the placement of the next lift to provide good bonding from one lift to the next.

(f) The cohesive soil cap shall be tested to evaluate the coefficient of permeability. The coefficient of permeability of the soil cap shall be equal to or less than  $1.0 \times 10^{-5}$  cm/sec after placement and compaction. The soil cap must be a minimum of 1.5 feet thick.

(g) Laboratory permeability tests shall be performed on tube (Shelby or drive tubes) samples of the cohesive soil cap after placement and compaction. The permeability must be a maximum of  $1.0 \times 10^{-5}$  cm/sec. Tests shall be performed in accordance with ASTM D5084.

(h) The soil cap shall be tested a minimum of one soil sample per lift per acre for laboratory permeability. All permeability testing will be on random samples judged by the Engineer to be representative of the most permeable soil conditions for the area being tested. The project engineer shall certify that the materials used in construction were tested according to the Division approved plans. If after placement of the soil cap it fails the required tests, the material will either be reworked or replaced. The soil cap must remain moist at all times, if any section becomes dry, rework the dry area and moisten.

(i) A minimum of two (2) inches of soil shall be removed prior to securing each sample for permeability testing. The sampling tube shall be advanced vertically into the soil with as little soil disturbance as possible and should be pushed using a uniform pressure. The sampling tube (Shelby tube), when extracted, shall be free of dents, and the ends shall not be distorted. A backhoe or approved alternative should be used to advance the sampling tube (Shelby tube) as long as disturbance is minimized. Drive tube samples of the cap may be obtained for permeability testings. If the Engineer judges the sample to be too disturbed, another sample shall be taken. Once an acceptable sample has been secured and properly prepared, all sample excavations shall be backfilled to grade with a 50% mixture of bentonite and similar soils in maximum 3-inch loose lifts and hand tamped with a blunt tool to achieve a tight seal equivalent to the original density.

(j) No additional construction shall proceed on the soil layers at the area being tested until the Engineer has reviewed the results of the tests and judged the desired permeability is being achieved.

(k) As a minimum, sufficient visual classifications (ASTM Test Designation D2488) , analyses (ASTM Test Designation D422) and Atterberg limits (ASTM Test Designation D4318) shall be conducted in association with each permeability test to verify that the construction materials meet specifications. The minimum number of tests will be 1 per lift per acre.

(l) If the soil for the cohesive soil cap is incapable of achieving the required permeability when compacted, bentonite or approved alternative may be mixed with the soils to decrease the permeability. The amount of additive required must be determined in the laboratory. Where additives are required, the soil shall be placed in maximum 8-inch thick loose lifts and compacted preferably between 0 to +3% optimum moisture content to 95% standard Proctor maximum dry density (ASTM Test Designation D698) for the soil-additive mixture. All other compaction procedures for the soil apply.

(m) The Contractor shall protect the cohesive soil cap from desiccation, flooding and freezing. Protection, if required, may consist of a thin plastic protective cover, (or other material as approved by the engineer) installed over the completed cohesive soil cap until such time as the placement of flexible membrane liner begins. Areas found to have any desiccation cracks or which exhibit swelling, heaving or other similar conditions shall be replaced or reworked by the contractor to remove these defects.

(n) The thickness and grade of the soil cap will be verified by the surveyor. The soil cap will be surveyed at 100' grid points where the elevations of the top of landfill will be checked with the top of soil cap to verify 1.5 feet of soil cap. The grade will then be verified with the surveyed information. The survey will be performed by NC licensed surveyors.

## **2.4 Erosive Layer**

The soil for the erosive layer shall consist of any soils suitable of supporting vegetative growth.

(a) Native vegetation will be used as approved by the Erosion Control Plan.

## 2.5 Methane Venting System

### Gas Venting System

NC.D.O.T. No.5 stone, Geotextile fabric, and 8" and 10" plastic pipes will be used in the construction of the Gas venting system.

#### (1) Stone in Trenches and Surrounding Perforated Collection Piping

Stone for methane collection system shall meet the requirements of NC DOT aggregate, standard size No. 5 and shall contain no fines. Stone must pass the sieve analysis test for No. 5 stone performed at the quarry.

#### (2) Geotextile Fabric

Geotextile fabric surrounding the stone/piping shall be non-woven needle punched fabric with the following minimum properties:

1) Weight	8.0 oz/yd <sup>2</sup>	ASTM D-3776
2) Grab Strength	205 lbs.	ASTM D-4632
3) Grab Elongation	50%	ASTM D-4632
4) Trapezoidal Tear Strength	85 lbs.	ASTM D-4533
5) Puncture Strength	100 lbs.	ASTM D-4833
6) Mullen Burst Strength	320 psi	ASTM D-3786
7) Permittivity	1.4 sec <sup>-1</sup>	ASTM D-4491

Geotextile fabric shall be manufactured by Polyfelt , TNS Advanced Technologies, or approved equal.

#### (3) Plastic Pipe

Plastic gravity sewer pipe and fittings used for methane vent shall be unplasticized polyvinyl chloride (PVC) and conform to the requirements of ASTM Designation D-3034 on ASTM F679, Type PSM, Class 12454-B, SDR-35 with elastomeric gasket joints. PVC pipe and fittings shall be as manufactured by J-M Pipe, Certainfeed, H&W Industries or equal. The methane riser pipe shall be a 10 inch solid wall PVC pipe.

The methane gas venting system on top of the landfill will be constructed after all phases of filling have been completed.

## 2.6 Closure Costs

The largest area to be closed within the permitted life will be 33.0 Ac. Post Closure will be 30 years after closure.

Closure Costs:

Closure will consist of the following which costs are estimated as being done by a third party.

1. 18" of  $1 \times 10^{-5}$  cm/sec. soil cover;
2. Erosion Control Devices;
3. 18" Erosive layer;
4. Seeding and Mulching;
5. Mobilization/Demobilization;
6. Labor Costs; and
7. Stone for methane gas collection.
8. Geotextile for methane gas collection.
9. Vent pipes for methane gas collection.
10. Engineering Costs and QA/QC of the Composite liner and certification of closure.

Estimate of Probable Costs:

1. 18" of  $1 \times 10^{-5}$  cm/sec. soil cover for 33.0 acres:

Total yardage + 15% = 91,839 yd<sup>3</sup> @ a cost of \$9.00/yd<sup>3</sup>  
∴ Cost = \$826,551

2. Erosion Control devices

Estimated costs @ \$75,000  
∴ Cost = \$75,000

3. 18" Erosive soil layer for 15.0 acres.

Total yardage + 15% = 91,839 yd<sup>3</sup> @ a cost of \$4.00/yd<sup>3</sup>  
∴ Cost = \$367,356

4. Seeding and Mulching for 15.0 acres.

Estimated cost of \$2,000/acre  
∴ Cost = \$66,000

5. Mobilization/Demobilization.

Estimated cost of \$175,000

6. Labor Costs.

Estimated cost of \$200,000  
∴ Cost = \$200,000

7. Stone for methane gas collection.

Total estimated linear feet =3,913 ft.

Total estimated volume for a 2'x1' trench = 7,826 ft<sup>3</sup>

with a density of 120 lbs/ft<sup>3</sup> total weight =470 tons @ a cost of \$25.00/ton

∴ Cost = \$11,750

8. Geotextile for methane gas collection.

Total estimated linear feet = 3,913 ft.

Total estimated perimeter for a 2'x1' trench =

(3,913 ft × 6 ft )=23,478 ft<sup>2</sup> @ a cost of \$0.20/ ft<sup>2</sup>

∴ Cost = \$4,696

9. Vent pipes for methane gas collection.

Estimated cost @ \$600.00 each (11 vents).

∴ Cost = \$6,600

10. Engineering Costs and QA/QC of the Composite liner and certification of closure.

Estimated cost = \$200,000

∴ Cost = \$200,000

Total of Estimated Closure Costs:

1.	\$	826,551
2.	\$	75,000
3.	\$	367,356
4.	\$	30,000
5.	\$	175,000
6.	\$	200,000
7.	\$	11,750
8.	\$	4,696
9.	\$	6,600
10.	\$	200,000

Total: \$ 1,927,013

SECTION 3.0

**POST-CLOSURE  
PLAN**

### 3.1 Introduction

#### CONTACTS:

Name:	Michael Lambert
Title:	Public Works Director
Phone No.:	(704) 982-0131
Address:	City Warehouse 704 Arlington Ave. Albemarle, NC 28002

#### DESCRIPTION OF USE:

The City of Albemarle has no future use planned for their landfill at this time.

#### DESCRIPTION OF MAINTENANCE ACTIVITIES:

The City of Albemarle Landfill will be monitored quarterly for evidence of settlement, subsidence and ponding in the cap system. The entire site will be monitored quarterly for evidence and effects of erosion. The erosion control plan will be preserved. Annually in the Spring, the vegetative cover will be monitored to assure a good stand of vegetation, and where needed, it will be reseeded. These maintenance activities will take place over the entire post closure period of thirty years.

#### DESCRIPTION OF MONITORING ACTIVITIES:

The City of Albemarle Landfill will monitor and analyze ground and surface water semi-annually for (Subtitle D Appendix I) constituents for a period of thirty years. The City will also monitor methane gas at landfill structures and the boundary quarterly for the thirty-year period.

#### COMPLETION OF POST-CLOSURE CARE

Following completion of the post-closure care period for each unit, the owner or operator will notify the Division of Solid Waste that a certification, signed by a registered professional engineer, verifying that post-closure care has been completed in accordance with the post-closure plan, has been placed in the operating record.

### 3.2 Post Closure Costs

The largest closed area to be monitored within the post closure life will 33.0 acres.

#### Post Closure Costs:

Methane gas, ground water and surface water will be monitored for 30 years after closure. The cap will also have to be monitored for the 30 year period. All costs include reports, data analysis, and certifications.

1. Ground and Surface Water monitoring semiannually for 30 years for appendix I constituents and statistical analysis.  
Estimated cost/sample = \$840.00/sample  
Total annual samples = 2(14 wells + 3 surface) = 34 samples/year  
Estimated cost = 30 years x 34 samples/year x \$840.00/sample =  
  
∴ Cost = \$856,800
2. Methane Gas monitoring quarterly for 30 years.  
Estimate \$600.00/quarter = \$2,400.00/year  
Estimated cost = 30 year x \$2,400.00 = \$72,000.00  
  
∴ Cost = \$72,000.00
3. Cap Monitoring and repairing any problems.  
Estimate \$100,000 for the 30 years.  
  
∴ Cost = \$100,000
4. Closure of sedimentation and erosion control devices.  
Estimate \$24,000.00 for closure  
  
∴ Cost = \$24,000
5. Maintenance of gas vents, monitoring wells, etc.  
Estimate \$60,000

#### Total of Estimated Post Closure Costs:

	1. \$	856,800
	2. \$	72,000
	3. \$	100,000
	4. \$	24,000
	5. \$	<u>60,000</u>
Total:		\$1,112,800

SECTION 4.0

**FINANCIAL  
RESPONSIBILITIES**

City of Albemarle  
North Carolina

P O Box 190  
Albemarle, NC 28002-0190



Finance Office  
Phone: 704-984-9444  
Fax: 704-984-9445

June 17, 2008

Ms. Amy Kadrie, Compliance Officer  
Solid Waste Section  
NCDENR-Division of Waste Management  
1646 Mail Service Center  
Raleigh, NC 27699-1646

**RECEIVED**

JUN 20 2008

Municipal Engineering Services  
Company, PA

Re: City of Albemarle, Permit # 8401  
Financial Assurance

Dear Ms. Kadrie:

I am the Chief Financial Officer of the City of Albemarle, North Carolina, P.O. Box 190, Albemarle, NC 28002-0190. This letter is in support of this Unit of Local Government's use of the Financial Test to demonstrate Finance Assurance, as specified in 15A NCAC 13B.1628 (e)(1)(f).

This Unit of Local Government is the Owner or Operator of the following Facilities for which Financial Assurance for Closure, Post-Closure, or Corrective Action is demonstrated through the Financial Test specified in 15A NCAC 13B.1628 (e)(1)(f). The current Closure, Post Closure, or Corrective Action Cost Estimates covered by the test are shown for the facility:

**Opened 05-20-99:**

Facility Name:	City of Albemarle, Landfill
Facility Address:	Stoney Gap Road
Permit Number:	8401
Closure Cost Estimate:	\$1,718,730
Post-Closure Estimate:	\$1,286,433
Corrective Action Cost Estimate:	---
Total Costs to be Covered:	\$3,005,163

**Closed 12-31-97:**

Facility Name:	City of Albemarle, Landfill/ C & D Landfill opened on 1/1/1998
Facility Address:	Stoney Gap Road
Permit Number:	8401
Original Closure & Post Closure Cost:	\$3,039,813
Actual Closure Cost:	\$
Post-Closure Estimate:	\$
Corrective Action Cost Estimate:	---
Total Costs to be covered	\$3,039,813

Ms. Amy Kadric


June 17, 2008

2

The Fiscal Year of the Unit of Local Government ends on June 30, 2008. The figures for the following items marked with an asterisk are derived from this Unit of Local Government's Annual Financial Information Report (AFIR) for the latest completed Fiscal Year, ended June 30, 2007.

I hereby certify that the wording of this letter is identical to the wording specified in 15A NCAC 13B.1628(e)(2)(g) as such rules were constituted on the date shown immediately below. I further certify the following: (1) that the Unit of Local Government has not operated at a Total Operating Fund Deficit equal to five percent or more of Total Annual Revenue in either of the past two Fiscal Years, (2) that the Unit of Local Government is not in default on any Outstanding General Obligation Bonds or Long-Term Obligations, and (3) does not have any outstanding General Obligation Bonds rated lower than Baa issued by Moody's, BBB as issued by Fitch's, or 75 as issued by the Municipal Council.

Sincerely,



Colleen M. Conroy  
Director of Finance

**City of Albemarle**  
 Finance Department  
**ATTACHMENT**

AFIR figures used from fiscal year ended June 30, 2007  
 June 17, 2008

1 Sum of Current Closure, Post-Closure and Corection Action Estimates	\$ 6,044,976
* 2 Sum of cash & investments (AFIR Part 7)	\$ 19,579,699
* 3 Total expenditures (AFIR Part 4 Columns a & b and Part 5 for municipalities or Part 5 excluding educational capital outlays for counties)	\$ 45,165,726
* 4 Annual debt service (AFIR Part 4 Section 1)	\$ 1,251,939
5 Assured Environmental Costs to demonstrate financial responsibility in the following under Division Rules:	
MSWLF under 15A NCAC 13B Section .1600	\$ 6,044,976
Hazardous Waste Treatment, Storage and Disposal Facilities under 15A NCAC 13A.0009 and .0010	---
Petroleum Underground Storage Tanks Under 15A NCAC 2N .0100 - .0800	---
Underground Injection Control System Facilities under 15A NCAC 2D .0400 and 15A NCAC 2C.0200	---
PCB Commercial Storage Facilities under 15A NCAC 20 Section .0100 and 15A NCAC 2N Section .0100	---
Total Assured Environmental Costs	\$ 6,044,976
* 6 Total Annual Revenue (AFIR Part 2)	\$ 51,268,453

**Circle Either "Yes" or "No" to the following Questions:**

7 Is Line 5 divided by Line 6 less than or equal to 0.43?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	0.117908
8 Is Line 2 divided by Line 3 greater than or equal to 0.05?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	0.433508
9 Is line 4 divided by Line 3 less than or equal to 0.20?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	0.027719

**City of Albemarle**  
Finance Department  
**ATTACHMENT**

AFIR figures used from fiscal year ended June 30, 2007  
June 17, 2008

**BOND RATING INDICATORS OF FINANCIAL STRENGTH**

1	Sum of Current, Closure, Post-Closure and Correction Action Cost Estimates	\$ 4,714,096
2	Current bond rating of most recent issuance and name of rating Service	A Standards & Poor's
3	Date of issuance bond	2/24/1998
4	Date of maturity bond	8/1/2002
5	Assured Environmental Costs to demonstrate financial responsibility in the following amount under Division Rules:	
	MSWLF under 15A NCAC 13B Section .1600	\$ 4,714,096
	Hazardous Waste Treatment, Storage and Disposal Facilities under 15A NCAC 13A.0009 and .0010	---
	Petroleum Underground Storage Tanks Under 15A NCAC 2N .0100 - .0800	---
	Underground Injection Control System Facilities under 15A NCAC 2D .0400 and 15A NCAC 2C.0200	---
	PCB Commercial Storage Facilities under 15A NCAC 20 Section .0100 and 15A NCAC 2N Section .0100	---
	Total Assured Environmental Costs	\$ 4,714,096
* 6	Total Annual Revenue (AFIR Part 2)	\$ 51,268,453

**Circle Either "Yes" or "No" to the following Questions:**

Is Line 5 divided by Line 6 less than or equal to 0.43?       Yes     No      0.091949

APPENDIX A

**OPERATION DRAWINGS  
AND  
CLOSURE DRAWINGS**

CITY OF ALBEMARLE  
CONSTRUCTION AND DEMOLITION  
LANDFILL FACILITY  
OPERATION PLAN

STANLY COUNTY, NORTH CAROLINA  
PROJECT NO. G07059

MAYOR

Elbert L. "Whit" Whitley, Jr.

MAYOR PRO-TEM

Troy E. Alexander

CITY COUNCIL

Martha Sue Hall

Judy U. Holcombe

Jeanette M. Napier

Jack F. Neel

T. Ed Underwood

Tim E. White

CITY MANAGER

Raymond I. Allen

SOLID WASTE DIRECTOR

Michael E. Lambert

Engineer  
Municipal Engineering Services Company, P.A.  
Garner, NC - Morehead City, NC - Boone, NC




by \_\_\_\_\_  
Professional Engineer

**Municipal Services**  **Engineering Company, P.A.**  
P.O. BOX 97 GARNER, N.C. 27529 (919) 772-5393  
P.O. BOX 349 BOONE, N.C. 28607 (828) 262-1767  
P.O. BOX 828 MOREHEAD CITY, N.C. 28557 (252) 726-9481

SCALE:	1:1
DATE:	11/21/07
DRAWN BY:	L. HAMPTON
CHECKED BY:	J. L. WOODIE
PROJECT NUMBER:	G07059
DRAWING NO.:	71
SHEET NO.:	1 OF 8





TOPOGRAPHY IS FROM AERIAL PHOTOGRAPHY FLOWN IN 1994 AND A TOPOGRAPHIC MAP WAS PROVIDED BY TRIANGLE AERIAL MAPPING AND SUPPLEMENTED WITH SURVEYS BY MUNICIPAL ENGINEERING SERVICES.

**LEGEND**

- 400' --- EXISTING CONTOURS
- PROPERTY LINE
- EXISTING ROAD
- WATER
- PROBE LOCATION
- CLOSED MSWLF SANITARY UNIT
- EXISTING MSWLF SANITARY UNIT
- NEW MSWLF AND C&D UNITS (AREAL LIMITS)
- CURRENT C&D UNIT (ON MSW)
- ARCHAEOLOGICAL SITES
- WETLANDS
- 100 YEAR FLOOD HAZARD



DATE	BY	REV.	DESCRIPTION

SCALE: 1" = 200'

DATE: 11/29/07

DRAWN BY: L. HAMPTON

CHECKED BY: J. WOODIE

PROJECT NUMBER: C07059

DRAWING NO.: C01

SHEET NO.: 3 OF 8

**CONSTRUCTION AND DEMOLITION  
LANDFILL FACILITY  
CITY OF ALBEMARLE  
NORTH CAROLINA**


**Municipal  
Services**

P.O. BOX 97 GARNER, N.C. 27529  
(919) 772-5393

**Engineering  
Company, P.A.**

P.O. BOX 349 BOONE, N.C. 28607  
(828) 262-1767

P.O. BOX 828 MOREHEAD CITY, N.C. 28557  
(252) 726-9481



**LEGEND**

- EXISTING CONTOURS
- - - PROPOSED CONTOURS
- PROPERTY LINE
- EXISTING ROAD
- WATER
- CLOSED MSWLF SANITARY UNIT
- EXISTING C & D LANDFILL



SCALE: 1" = 100'	DATE: 11/29/07	DRWN. BY: L. HAMPTON	CHKD. BY: J. WOODIE	PROJECT NUMBER: G07059
OPERATION PLAN 1st YEAR FILL PLAN				
DRAWING NO. 002	SHEET NO. 4 OF 8			


**CONSTRUCTION AND DEMOLITION  
LANDFILL FACILITY  
CITY OF ALBEMARLE  
NORTH CAROLINA**

**Municipal Services**

P.O. BOX 97 GARNER, N.C. 27629  
(919) 772-5393

**ME Engineering Company, P.A.**

P.O. BOX 349 BOONE, N.C. 28607  
(828) 282-1767



- LEGEND**
- EXISTING CONTOURS
  - - - PROPOSED CONTOURS
  - PROPERTY LINE
  - EXISTING ROAD
  - WATER
  - CLOSED MSWLF SANITARY UNIT
  - EXISTING C & D LANDFILL



DATE	BY	REV.	DESCRIPTION

SCALE: 1" = 100'

DATE: 11/29/07

DRAWN BY: L. HAMPTON

CHECKED BY: J. WOODIE

PROJECT NUMBER: C07059

DRAWING NO.: C03

SHEET NO.: 5 OF 8

**CONSTRUCTION AND DEMOLITION  
LANDFILL FACILITY  
CITY OF ALBEMARLE  
NORTH CAROLINA**

**Municipal Services**

**Engineering Company, P.A.**

P.O. BOX 97 GARNER, N.C. 27529 (919) 772-5393

P.O. BOX 349 BOONE, N.C. 28607 (828) 262-1787

P.O. BOX 826 MOREHEAD CITY, N.C. 28557 (252) 728-9451



SCALE: 1" = 100'	DATE: 11/29/07	BY: L. HAMPTON	REV:	DESCRIPTION:
DRAWN BY: L. HAMPTON				
CHKD. BY: J. WOODIE				
PROJECT NUMBER: G07059				
DRAWING NO: CD4				
SHEET NO: 6 OF 8				

**CONSTRUCTION AND DEMOLITION  
LANDFILL FACILITY  
CITY OF ALBEMARLE  
NORTH CAROLINA**


**Municipal Services**  
P.O. BOX 97 GARNER, N.C. 27528 (919) 772-5393  
P.O. BOX 349 BOONE, N.C. 28607 (828) 262-1767  
P.O. BOX 828 MOREHEAD CITY, N.C. 28557 (252) 726-9481




**Engineering Company, P.A.**

**LEGEND**

- EXISTING CONTOURS
- PROPOSED CONTOURS
- PROPERTY LINE
- EXISTING ROAD
- WATER
- CLOSED MSWLF SANITARY UNIT
- EXISTING C & D LANDFILL






- LEGEND**
- EXISTING CONTOURS
  - - - PROPOSED CONTOURS
  - PROPERTY LINE
  - EXISTING ROAD
  - WATER
  - CLOSED MSWLF SANITARY UNIT
  - EXISTING C & D LANDFILL



SCALE: 1" = 100'	DATE: 11/29/07	DRWN. BY: L. HAMPTON	CHGD. BY: L. WOODIE	PROJECT NUMBER: G07059
OPERATION PLAN	4th YEAR FILL PLAN			
DATE	BY	REV.	DESCRIPTION	

**CONSTRUCTION AND DEMOLITION  
LANDFILL FACILITY  
CITY OF ALBEMARLE  
NORTH CAROLINA**

**Municipal Services Engineering Company, P.A.**  
 P.O. BOX 97 GARNER, N.C. 27529 (919) 772-5393  
 P.O. BOX 349 BOONE, N.C. 28607 (828) 262-1787  
 P.O. BOX 828 MOREHEAD CITY, N.C. 28557 (252) 726-9481



- LEGEND**
- EXISTING CONTOURS
  - - - PROPOSED CONTOURS
  - PROPERTY LINE
  - - - EXISTING ROAD
  - WATER
  - - - CLOSED MSWLF SANITARY UNIT
  - - - EXISTING C & D LANDFILL



SCALE: 1" = 100'	DATE: 11/29/07	DRWN: L. HAMPTON	CHKD: J. WOODIE	PROJECT NUMBER: G07059
OPERATION PLAN 5th YEAR FILL PLAN				

**CONSTRUCTION AND DEMOLITION  
LANDFILL FACILITY  
CITY OF ALBEMARLE  
NORTH CAROLINA**

**Municipal Services**  **Engineering Company, P.A.**

P.O. BOX 97 GARNER, N.C. 27529 (919) 772-5393  
 P.O. BOX 349 BOONE, N.C. 28607 (828) 262-1767  
 P.O. BOX 828 MOREHEAD CITY, N.C. 28557 (252) 726-9481

CITY OF ALBEMARLE  
CONSTRUCTION AND DEMOLITION  
LANDFILL FACILITY

CLOSURE PLAN

STANLY COUNTY, NORTH CAROLINA  
PROJECT NO. G07059

MAYOR

Elbert L. "Whit" Whitley, Jr.

MAYOR PRO-TEM

Troy E. Alexander

CITY COUNCIL

Martha Sue Hall

Judy U. Holcombe

Jeanette M. Napier

Jack F. Neel

T. Ed Underwood

Tim E. White

CITY MANAGER

Raymond I. Allen

SOLID WASTE DIRECTOR

Michael E. Lambert

Engineer

Municipal Engineering Services Company, P.A.  
Garner, NC - Morehead City, NC - Boone, NC




by \_\_\_\_\_  
Professional Engineer

**Municipal Services**  **Engineering Company, P.A.**  
P.O. BOX 97 GARNER, N.C. 27529 (919) 772-5393  
P.O. BOX 349 BOONE, N.C. 28607 (828) 262-1767  
P.O. BOX 828 MOREHEAD CITY, N.C. 28557 (252) 726-9481

SCALE	1:1
DATE	5/19/08
DRWN. BY	L. HAMPTON
CHD. BY	J. WOODIE
PROJECT NUMBER	G07059
DRAWING NO.	71
SHEET NO.	1 OF 5






- LEGEND**
- EXISTING CONTOURS
  - PROPERTY LINE
  - EXISTING ROAD
  - WATER
  - CLOSED MSWLF SANITARY UNIT
  - EXISTING C & D LANDFILL



SCALE: 1" = 100'	DATE: 5/19/08	DRWN BY: L. HAMPTON	CHKD BY: J. WOODIE
PROJECT NUMBER: 07059			
DRAWING NO. 011	SHEET NO. 3	OF 5	

**CONSTRUCTION AND DEMOLITION  
LANDFILL FACILITY  
CITY OF ALBEMARLE  
NORTH CAROLINA**

<p><b>Municipal Services</b></p> <p>P.O. BOX 97 GARNER, N.C. 27529 (919) 772-5393</p>	<p><b>ME Engineering Company, P.A.</b></p> <p>P.O. BOX 349 BOONE, N.C. 28607 (828) 262-1787</p> <p>P.O. BOX 828 MOREHEAD CITY, N.C. 28557 (252) 720-9481</p>
---	--



- LEGEND**
- EXISTING CONTOURS
  - - - PROPERTY LINE
  - ==== EXISTING ROAD
  - ===== WATER
  - CLOSED MSWLF SANITARY UNIT
  - EXISTING C & D LANDFILL
  - MV PROPOSED METHANE VENT
  - - - - - PROPOSED METHANE TRENCHES



DATE	BY	REV.	DESCRIPTION
5/19/08	L. HAMPTON		
	J. WOODIE		

SCALE: 1" = 100'

DATE: 5/19/08

DRN. BY: L. HAMPTON

CHD. BY: J. WOODIE




PROJECT NUMBER: G07059

SHEET NO. 4 OF 5

**CONSTRUCTION AND DEMOLITION  
LANDFILL FACILITY  
CITY OF ALBEMARLE  
NORTH CAROLINA**

**CLOSURE PLAN  
METHANE VENTING SYSTEM**

<p><b>Municipal Services</b></p> <p>P.O. BOX 97 GARNER, N.C. 27529 (919) 772-5393</p>	<p><b>ME Engineering Company, P.A.</b></p> <p>P.O. BOX 349 BOONE, N.C. 28607 (828) 262-1767</p>
<p>P.O. BOX 828 MOREHEAD CITY, N.C. 28557 (252) 726-9481</p>	



**CONSTRUCTION & DEMOLITION  
LANDFILL FACILITY  
CITY OF ALBEMARLE  
NORTH CAROLINA**

**Municipal Services**  **Engineering Company, P.A.**  
P.O. BOX 97 GARNER, N.C. 27529 (919) 772-6383  
P.O. BOX 349 BOONE, N.C. 28607 (828) 262-1767  
P.O. BOX 828 MOREHEAD CITY, N.C. 28557 (252) 726-9481

DATE	BY	REV	DESCRIPTION

**CLOSURE PLAN  
MISCELLANEOUS DETAILS**



SCALE: 1"=1'  
DATE: 11/21/07  
DRAWN BY: L. WOODRUFF  
CHECKED BY: J. WOODRUFF  
PROJECT NUMBER: C07059  
SHEET NO.: 5 OF 5

APPENDIX B

**LOCAL GOVERNMENT  
APPROVALS**

**SENDER: COMPLETE THIS SECTION**

Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits.

Article Addressed to:  
Charlie & Betty Lambert  
531 Lake Shore Dr.  
Norwood NC 28128

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature  
 Penny J. Morton  Agent  
B. Received by (Printed Name)  Addressee  
C. Date of Delivery  
1/11/04  Date of Delivery

D. Is delivery address different from item 1?  Yes  
if YES, enter delivery address below:  No

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.  
4. Restricted Delivery? (Extra Fee)  Yes

Article Number  
(Transfer from service label) 91 7108 2133 3933 2668 0630  
Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

**SENDER: COMPLETE THIS SECTION**

Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits.

Article Addressed to:  
Pamala Hall & Jane Brown  
6500 Spicewood St.  
Wilmington NC 28405

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature  
 Jane Brown  Agent  
B. Received by (Printed Name)  Address  
C. Date of Delivery

D. Is delivery address different from item 1?  Yes  
if YES, enter delivery address below:  No

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.  
4. Restricted Delivery? (Extra Fee)  Yes

Article Number  
(Transfer from service label) 91 7108 2133 3933 2668 0548  
Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1

**SENDER: COMPLETE THIS SECTION**

Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits.

Article Addressed to:  
Rodney & Shirley Morton  
32016 Old Parker Rd  
Albemarle NC 28001

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature  
 Rodney Joe Morton  Agent  
B. Received by (Printed Name)  Addressee  
C. Date of Delivery

D. Is delivery address different from item 1?  Yes  
if YES, enter delivery address below:  No

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.  
 Yes

Article Number  
(Transfer from service label) 91 7108 2133 3933 2668 0548  
Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature  Agent  
*Victor Stallings*  Address

B. Received by (Printed Name)  Date of Delivery  
*Victor Stallings*  01/18/08

D. Is delivery address different from item 1?  Yes  No  
 If YES, enter delivery address below:

1. Article Addressed to:  
 Victor Stallings  
 44022 Stony Gap Rd  
 Albemarle NC 28001

2. Article Number  
 (Transfer from service label) 91 7108 2133 3933 2668 0616

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1

**SENDER: COMPLETE THIS SECTION**

1. Article Addressed to:  
 Victor Stallings  
 44022 Stony Gap Rd  
 Albemarle NC 28001

2. Article Number  
 (Transfer from service label) 91 7108 2133 3933 2668 0616

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature  Agent  
*Mark E Morton et al*  Address

B. Received by (Printed Name)  Date of Delivery  
*Mark E Morton et al*  1/17/08

D. Is delivery address different from item 1?  Yes  No  
 If YES, enter delivery address below:

1. Article Addressed to:  
 Mark E Morton et al  
 302 Autumn Dr  
 Chapel Hill NC 27516

2. Article Number  
 (Transfer from service label) 91 7108 2133 3933 2668 0517

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

**SENDER: COMPLETE THIS SECTION**

1. Article Addressed to:  
 Mark E Morton et al  
 302 Autumn Dr  
 Chapel Hill NC 27516

2. Article Number  
 (Transfer from service label) 91 7108 2133 3933 2668 0517

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature  Agent  
*Barry Whitley*  Address

B. Received by (Printed Name)  Date of Delivery  
*Barry Whitley*  01/17/08

D. Is delivery address different from item 1?  Yes  No  
 If YES, enter delivery address below:

1. Article Addressed to:  
 Barry + Bobbie Whitley  
 P O Box 1032  
 Albemarle NC 28002-1032

2. Article Number  
 (Transfer from service label) 91 7108 2133 3933 2668 0593

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

**SENDER: COMPLETE THIS SECTION**

1. Article Addressed to:  
 Barry + Bobbie Whitley  
 P O Box 1032  
 Albemarle NC 28002-1032

2. Article Number  
 (Transfer from service label) 91 7108 2133 3933 2668 0593

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature  Agent  
*Margaret Snyder*  Address

B. Received by (Printed Name)  Date of Delivery  
*MARGARET SNYDER*  1-18-08

D. Is delivery address different from item 1?  Yes  No  
 If YES, enter delivery address below:

1. Article Addressed to:  
 Roger Snyder Heirs  
 1744 Bellamy Circle  
 Albemarle NC 28001

2. Article Number  
 (Transfer from service label) 91 7108 2133 3933 2668 0586

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1

**SENDER: COMPLETE THIS SECTION**

1. Article Addressed to:  
 Roger Snyder Heirs  
 1744 Bellamy Circle  
 Albemarle NC 28001

2. Article Number  
 (Transfer from service label) 91 7108 2133 3933 2668 0586

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature  Agent  
*Barry Whitley*  Address

B. Received by (Printed Name)  Date of Delivery  
*Barry Whitley*  01/17/08

D. Is delivery address different from item 1?  Yes  No  
 If YES, enter delivery address below:

1. Article Addressed to:  
 Barry + Bobbie Whitley  
 P O Box 1032  
 Albemarle NC 28002-1032

2. Article Number  
 (Transfer from service label) 91 7108 2133 3933 2668 0593

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

**SENDER: COMPLETE THIS SECTION**

1. Article Addressed to:  
 Barry + Bobbie Whitley  
 P O Box 1032  
 Albemarle NC 28002-1032

2. Article Number  
 (Transfer from service label) 91 7108 2133 3933 2668 0593

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature  Agent  
*Margaret Snyder*  Address

B. Received by (Printed Name)  Date of Delivery  
*MARGARET SNYDER*  1-18-08

D. Is delivery address different from item 1?  Yes  No  
 If YES, enter delivery address below:

1. Article Addressed to:  
 Roger Snyder Heirs  
 1744 Bellamy Circle  
 Albemarle NC 28001

2. Article Number  
 (Transfer from service label) 91 7108 2133 3933 2668 0586

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:  
 Robert + Linda Britt  
 P O Box 1074  
 Albemarle NC 28002-1074

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature  
 *Robert T. Britt*  Agent

B. Received by (Printed Name) C. Date of Delivery  
 ROBERT T. BRITT 1-18-08

D. Is delivery address different from item 1?  Yes  
 If YES, enter delivery address below:  No

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)  Yes

2. Article Number  
 (Transfer from service label) 91 7108 2133 3933 2668 0574

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:  
 Robert + Donna Tewmey  
 P O Box 94  
 Misenheimer NC 28109

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature  
 *Donna Tewmey*  Agent

B. Received by (Printed Name) C. Date of Delivery  
 Donna Tewmey 1-19-08

D. Is delivery address different from item 1?  Yes  
 If YES, enter delivery address below:  No

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)  Yes

2. Article Number  
 (Transfer from service label) 91 7108 2133 3933 2668 0524

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:  
 Jays Seafood Restaurant  
 40439 Stony Gap Rd  
 Albemarle NC 28001

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature  
 *Wed Stallings*  Agent

B. Received by (Printed Name) C. Date of Delivery  
 Wed Stallings 01/18/08

D. Is delivery address different from item 1?  Yes  
 If YES, enter delivery address below:  No

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)  Yes

2. Article Number  
 (Transfer from service label) 91 7108 2133 3933 2668 0531

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:  
 Dennis Lambert Investments  
 P O Box 279  
 Albemarle NC 28002-0279

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature  
 *Dennis Lambert*  Agent

B. Received by (Printed Name) C. Date of Delivery  
 Dennis Lambert 01/17/08

D. Is delivery address different from item 1?  Yes  
 If YES, enter delivery address below:  No

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.

4. Restricted Delivery? (Extra Fee)  Yes

2. Article Number  
 (Transfer from service label) 91 7108 2133 3933 2668 0647

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Bryan K Richardson  
25160 Starwood Dr.  
Albemarle NC 28001

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature *Bryan K Richardson*  Agent  Addressee  
 B. Received by (Printed Name) *Bryan K Richardson*  Addresser  
 C. Date of Delivery *02-11-08*  
 D. Is delivery address different from item 1?  Yes  No  
 If YES, enter delivery address below:

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.  
 4. Restricted Delivery? (Extra Fee)  Yes  No

2. Article Number *91 7108 2133 3933 2668 0609*  
 (Transfer from service label)

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Junior D Richardson  
25128 Starwood Dr.  
Albemarle NC 28001

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature *Junior D Richardson*  Agent  Addressee  
 B. Received by (Printed Name) *Junior D Richardson*  Addresser  
 C. Date of Delivery *02-11-08*  
 D. Is delivery address different from item 1?  Yes  No  
 If YES, enter delivery address below:

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.  
 4. Restricted Delivery? (Extra Fee)  Yes  No

2. Article Number *91 7108 2133 3933 2668 0623*  
 (Transfer from service label)

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-154

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Geraldine HEfird & HL Helms  
519 Eastwood Dr  
Albemarle NC 28001

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature *Geraldine H Efird*  Agent  Addressee  
 B. Received by (Printed Name) *Geraldine H Efird*  Addresser  
 C. Date of Delivery *1-19-08*  
 D. Is delivery address different from item 1?  Yes  No  
 If YES, enter delivery address below:

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.  
 4. Restricted Delivery? (Extra Fee)  Yes  No

2. Article Number *91 7108 2133 3933 2668 0654*  
 (Transfer from service label)

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-1540

**SENDER: COMPLETE THIS SECTION**

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Jimmy & Vicki Eudy  
40516 B Stony Gap Rd  
Albemarle NC 28001

**COMPLETE THIS SECTION ON DELIVERY**

A. Signature *Jimmy & Vicki Eudy*  Agent  Addressee  
 B. Received by (Printed Name) *Jimmy & Vicki Eudy*  Addresser  
 C. Date of Delivery *02-11-08*  
 D. Is delivery address different from item 1?  Yes  No  
 If YES, enter delivery address below:

3. Service Type  
 Certified Mail  Express Mail  
 Registered  Return Receipt for Merchandise  
 Insured Mail  C.O.D.  
 4. Restricted Delivery? (Extra Fee)  Yes  No


2. Article Number *91 7108 2133 3933 2668 0562*  
 (Transfer from service label)

PS Form 3811, February 2004 Domestic Return Receipt 102595-02-M-154

The Stanly News & Press  
 PO BOX 488  
 ALBEMARLE NC 28002  
 704-982-2121

AFFIDAVIT OF INSERTION

DATE: 01/21/08



STARTDATE	CLASS	DESCRIPTION	WORDS	INS	CHG
01100238-000					
CITY OF ALBEMARLE PO BOX 190 ALBEMARLE NC 28002					
01/20/2008	355	NOTICE OF PUBLIC MEETING In c	185	2	52.80

NORTH CAROLINA, STANLY COUNTY

AFFIDAVIT OF PUBLICATION

Before the undersigned, a Notary Public of said County and State, duly commissioned, qualified, and authorized by law to administer oaths, personally appeared: SANDY SELVY, who being first duly sworn, deposes and says: that he is PUBLISHER of a newspaper known as THE STANLY NEWS AND PRESS, published, issued, and entered as second class mail in the City of Albemarle, in said County and State; that he is authorized to make this affidavit and sworn statement; that the notice or other legal advertisement, a true copy of which is attached hereto, was published in THE STANLY NEWS AND PRESS on the dates specified on the copy attached and that the said newspaper in which such notice, paper, document or legal advertisement was published was, at the time of each and every such publication, a newspaper meeting all of the requirements and qualifications of Section 1-597 of the General Statutes of North Carolina and was a qualified newspaper within the meaning of Section 1-597 of the General Statutes of North Carolina.


NOTICE OF PUBLIC MEETING


In compliance with North Carolina Solid Waste Management Rule / . 1635 (d), the City of Albemarle will hold a public meeting to discuss the results of the Assessment of Corrective Measures (ACM) completed for the City of Albemarle Landfill. This meeting will take place on Thursday, the 21st of February at 1:00 pm. The public meeting will be held at the City of Albemarle Landfill located at 40592B Stony Gap Road in Albemarle North Carolina. This meeting will be used as an open forum to inform and discuss any concerns associated with the proposed remediation/corrective measures at the City of Albemarle Landfill. All interested parties should attend. The ACM report is available for review at the City of Albemarle Scalehouse between the hours of 8:00 am - 4:00 pm Monday through Friday from Monday January 21, 2008 through Wednesday February 20, 2008 at 40592B Stony Gap Road in Albemarle, North Carolina. For further information concerning this meeting, contact the City of Albemarle Public Works Department at 704-984-9665.

City of Albemarle  
 P O Box 190  
 Albemarle NC, 28002

January 20, 2008.

Sworn to and subscribed to before me this 21st day of January, 2008

  
 SANDY SELVY  
 PUBLISHER


  
 SHERRY NANCE, Notary Public

My commission expires April 27, 2011

The Stanly News & Press  
PO BOX 488  
ALBEMARLE NC 28002  
704-982-2121

AFFIDAVIT OF INSERTION

DATE: 01/21/08



STARTDATE	CLASS	DESCRIPTION	WORDS	INS	CHG
01100238-000		CITY OF ALBEMARLE PO BOX 190 ALBEMARLE NC 28002			
01/20/2008	355	NOTICE OF PUBLIC MEETING Inc	167	2	47.76

NORTH CAROLINA, STANLY COUNTY

AFFIDAVIT OF PUBLICATION


Before the undersigned, a Notary Public of said County and State, duly commissioned, qualified, and authorized by law to administer oaths, personally appeared: SANDY SELVY, who being first duly sworn, deposes and says: that he is PUBLISHER of a newspaper known as THE STANLY NEWS AND PRESS, published, issued, and entered as second class mail in the City of Albemarle, in said County and State; that he is authorized to make this affidavit and sworn statement; that the notice or other legal advertisement, a true copy of which is attached hereto, was published in THE STANLY NEWS AND PRESS on the dates specified on the copy attached and that the said newspaper in which such notice, paper, document or legal advertisement was published was, at the time of each and every such publication, a newspaper meeting all of the requirements and qualifications of Section 1-597 of the General Statutes of North Carolina and was a qualified newspaper within the meaning of Section 1-597 of the General Statutes of North Carolina.

NOTICE OF PUBLIC MEETING

In compliance with the North Carolina Department of Environment and Natural Resources (NCDENR) New Construction and Demolition Landfill Rules 15A NCAC 13B.0531-.0547, the City of Albemarle has scheduled a public meeting for Thursday, the 21st of February at 10:00 a.m. It is the intent of the City of Albemarle to continue operating a Construction and Demolition Landfill (C&DLF). This meeting is to inform the public of the proposed waste management activities as described in the proposed facility plan. All interested parties should attend. The public meeting will be held at the City of Albemarle Landfill located at 40592B Stony Gap Road in Albemarle, North Carolina. Application documents may be viewed at the City of Albemarle Public Works Department located at 704 Arlington Avenue, Albemarle, NC between the hours of 8:00am - 4:00pm Monday through Friday. For further information concerning this meeting, contact City of Albemarle Public Works Department at 704-984-9665.


City of Albemarle  
P. O. Box 190  
Albemarle NC, 28002

January 20, 2008.

  
SANDY SELVY  
PUBLISHER



Sworn to and subscribed to before me this  
21st day of January, 2008

  
SHERRY NANCE, Notary Public  
My commission expires April 27, 2011

CONSTRUCTION DEMOLITION LANDFILL PUBLIC MEETING

for  
CITY OF ALBEMARLE, NORTH CAROLINA  
Sign in Sheet

February 21, 2008 -- 10:00 a.m.

Name	Address	Phone Number	Fax Number
MIKE LAUBERT	City Of Albemarle	704-984-9674	
J.D. Buckner	25128 Shepherd Dr	704-982-6863	
Susan Hunsley	City of Albemarle	704-982-3302	
Benny + Bobbie White	40660 S.G. Rd	704-982-4321	
Nina Godwin	City of Albemarle	704-984-9667	
Darren Proslar	City of Albemarle	704-984-9680	
ETHAN CAWWELL	P.O. Box 97, Garner NC	919-772-5393	
KAYE SULLIVAN	P.O. Box 97, Garner NC	(919) 772-5323	

City of Albemarle Construction and Demolition Landfill  
Public Meeting Minutes

February 21, 2008  
10:00 AM

The meeting was held at the landfill so all attendees could actually visualize the location and operation of the construction and demolition landfill. There were nine people in attendance. Of the nine, four were City employees and two were with Municipal Engineering Services Co. PA. The remaining were two adjoining land owners.

Wayne Sullivan with Municipal Engineering Services Co., P.A. moderated the meeting. The attendees were informed of the purpose of the meeting which was to continue operation of the landfill at its present location and to satisfy the requirements for local government approval.

The attendees, particularly the adjoining property owners, had no problem with the construction and demolition landfill remaining in operation and in its present location. They were more interested in the overall operation and footprint of the MSW Landfill.

**RECEIVED**

JUN 20 2008

Municipal Engineering Services  
Company, PA

**RESOLUTION 08-23**

**FOR THE CONTINUING OPERATION OF THE  
CONSTRUCTION AND DEMOLITION LANDFILL  
ON TOP OF OUR CLOSED MUNICIPAL SOLID WASTE LANDFILL**

**WHEREAS**, the City of Albemarle is concerned with the environment and its effect on the citizens of the City of Albemarle; and,

**WHEREAS**, the City of Albemarle accepts and understands that unlined landfills will and do contaminate groundwater directly beneath and to some distance beyond the existing waste boundary before the groundwater is naturally attenuated; and,

**WHEREAS**, since 1998, the City of Albemarle has been permitted to dispose of construction and demolition waste on top of the closed municipal solid waste landfill; and,


**WHEREAS**, the groundwater at the City of Albemarle's C&D Landfill has shown no additional contamination that can be attributed to placing construction and demolition debris on top of our closed municipal solid waste landfill; and,


**WHEREAS**, the City of Albemarle understands that new Construction and Demolition Landfill Rules became effective January 1, 2007, that require the City of Albemarle to submit a permit renewal application by July 1, 2008,

**NOW, THEREFORE, BE IT RESOLVED** that the City of Albemarle be allowed to continue operation of the Construction and Demolition Landfill, with existing conditions such as buffers and slopes, until it has reached its maximum capacity based on volume; and,

**LET IT BE FURTHER RESOLVED**, that in the future, the City of Albemarle be allowed to dispose of construction and demolition debris on top of other closed municipal solid waste landfills so that new contaminated areas will not have to be opened and the old municipal solid waste landfills can be monitored better.

**ADOPTED**, this the 16<sup>th</sup> day of June 2008.

  
Elbert L. Whitley, Jr., Mayor

  
Michael J. Ferris, City Clerk