

Permit No.	Date	DIN
P1209	June 24, 2010	10929

RECEIVED
June 10, 2010
Solid Waste Section
Asheville Regional Office

June 9, 2010
File No. 102111 | GSO10R

Mr. Larry Frost
NCDENR
DWM – Solid Waste Section
Asheville Regional Office
2090 US Highway 70
Swannanoa, North Carolina 28778

RE: Abbey Green Recycling Center
5030 Overdale Road
Winston-Salem, North Carolina

Dear Mr. Frost:

On behalf of Abbey Green, Inc., Kleinfelder is submitting this revised Operations Manual for the referenced project. This manual has been revised based upon comments provided from your Completeness Determination and Technical Review letter dated May 27, 2010. Additional information has been provided in response to items 3, 4, and 5 in your letter as indicated in the following table.

REQUESTED INFORMATION	LOCATION OF INFORMATION
3. Minimize and contain leachate	Section 3.3
4. Asbestos Screening Plan	Section 2.4
5. Anticipated volume of materials in tons	Section 2.5

Additionally, we understand Abbey Green has submitted payment for the permitting fees and the Compliance Review questionnaire has been completed and submitted to Mr. Herndon. Pat Wylie of the Division of Epidemiology is reviewing the asbestos screening plan and we anticipate receiving a letter indicating the division's approval of the asbestos screening plan.

Abbey Green anticipates receiving cost and design information for the roofing system within the next week.

Should you have any questions or require clarification, please contact Chris Hay at 336.668.0093 or chay@kleinfelder.com.

Very truly yours,

KLEINFELDER SOUTHEAST, INC.

John M. Stewart, P.G.
Project Professional

Christopher W. Hay, E.I.
Environmental Group Manager

JMS/CWH:cas

Enclosure: Operations Manual

OPERATIONS MANUAL

ABBEY GREEN RECYCLING CENTER
5030 OVERDALE ROAD
WINSTON-SALEM, NORTH CAROLINA

Prepared for:

ABBEY GREEN, INC.



ABBAY GREEN RECYCLING CENTER
OPERATIONS MANUAL

TABLE OF CONTENTS

1.0	GENERAL FACILITY OPERATIONS.....	3
1.1	Overview.....	3
1.2	Contact Information.....	3
1.3	Facility Operating Hours.....	3
1.4	Access Control.....	4
	1.4.1 Physical Restraints.....	4
	1.4.2 Security.....	4
1.5	Signage.....	4
1.6	Personnel Requirements.....	5
1.7	Health and Safety.....	5
	1.7.1 Personal Hygiene.....	6
	1.7.2 Personal Protective Equipment.....	6
	1.7.3 Mechanical Equipment Hazard Prevention.....	7
	1.7.4 Employee Health and Safety.....	7
	1.7.5 Physical Exposure.....	7
1.8	Communications.....	8
1.9	Utilities.....	8
1.10	Litter Control.....	8
1.11	Fire Prevention and Control.....	8
1.12	Severe Weather Conditions.....	9
	1.12.1 Ice Storms.....	9
	1.12.2 Electrical Storms.....	9
	1.12.3 Windy Conditions.....	10
	1.12.4 Violent Storms.....	10
1.13	Record Keeping Program.....	10
1.14	Financial Assurance.....	11
2.0	DEBRIS HANDLING OPERATIONS.....	1
2.1	Overview.....	1
2.2	Acceptable Debris.....	1
2.3	Prohibited Wastes.....	1
2.4	Debris Screening Program.....	2
2.5	Facility Operations.....	3
	2.5.1 Operating Capacity.....	3
	2.5.2 Service Area.....	4
	2.5.3 Disposal Facilities.....	4
	2.5.4 Mobile Equipment Requirements.....	5
2.6	Recycling Operations.....	5
	2.6.1 General Procedures.....	6
	2.6.2 Recycling/Source Separation.....	6

2.6.3	Containers.....	7
2.6.4	Markets	7
3.0	ENVIRONMENTAL MANAGEMENT	1
3.1	Overview	1
3.2	Surface Water Control	1
3.3	Leachate Management	2
3.4	Vector Control.....	2
3.5	Dust Control.....	2

Figure 1 Site Plan

Appendix A Letter of Approval for Asbestos Screening Plan

Appendix B NPDES Permit

Appendix C Forsyth County Environmental Affairs Department Air Quality Permit
Applicability Determination

1.0 GENERAL FACILITY OPERATIONS

1.1 Overview

This Operations Manual was prepared for operations of the Abbey Green Recycling Center facility (Permit No. XXX) located at 5030 Overdale Road in Winston-Salem, North Carolina. This document discusses the operation of the recycling facility and other solid waste management activities. Refer to the attached site plan for the general layout of the facility.

All personnel involved with the management or supervision of the facility shall review and update the documents as needed. A copy of this Operations Manual will be maintained at the facility and will be available for use at all times.

1.2 Contact Information

All correspondence and questions concerning the operation of the Abbey Green Recycling Center should be directed to the contact listed below. For fire or police emergencies, dial 911.

Abbey Green, Inc. (Operator)
4400 Silas Creek Parkway | Suite 301
Winston-Salem, North Carolina 27104
Phone: 336.345.7793
Contact: Mr. Jim Bryan
Email: jbryanlj@gmail.com

1.3 Facility Operating Hours

Proposed hours of operation will be 7:00 A.M. to 11:00 P.M. Monday through Friday and Saturday 7AM to 4PM. The facility will normally receive C&D debris from haulers and construction sites from 7:00 AM to 6:00 PM Monday through Friday. No debris will be accepted on Saturday. The facility will be closed on Sundays.

In the event of disaster or other emergency situations, the supervisor may request approval from the DWM regional office to allow additional temporary operating hours.

1.4 Access Control

Access to process and storage areas of the facility will be controlled by a combination of fences, gates, and natural barriers and strictly enforced operating hours. An attendant will be on duty at all times when the facility is open for public use to enforce access restrictions.

1.4.1 Physical Restraints

The site will be accessed by an entrance from the private road to the northwest of Overdale Road. Waste will be screened at the scales by the scale house operator. All waste will have been weighed prior to being processed on the site. The entrance will have a gate which will be securely locked during non-operating hours.

1.4.2 Security

Haulers will be stopped at the scale house for scanning and photographic documentation of open loads. Drivers will be required to identify the contents of the load and origin. Incoming loads on closed trailers or trucks will be inspected upon unloading at the tipping floor. Unacceptable materials will leave the facility in the vehicle that brought them. Frequent inspections of gates and fences will be performed by facility personnel. Evidence of trespassing, vandalism, or illegal activities will be reported to the Owner. The facility will be securely locked during non-operating hours.

1.5 Signage

Prominent signage containing the information required by the North Carolina Division of Waste Management (DWM) will be placed at the main facility entrance. The signs will provide information on operating hours, operating procedures, and acceptable wastes. Service and maintenance roads for use by operations personnel will be clearly marked and barriers (e.g., traffic cones, barrels, etc.) will be provided as required.

1.6 Personnel Requirements

The anticipated personnel requirements for operation and maintenance of the facility are listed in the following table:

DESCRIPTION	PRIMARY FUNCTION (ALLOCATION)
1) General Manager & Office Staff (5)	Overall management of the facility
2) Scale house attendant (1)	Receiving and weight for incoming loads
3) Operators (4)	Management of tipping floor and recycling areas
4) Commercial Drivers (4) *	Transfer of processed C&D material
5) Labor (12)	General labor and operational staff around the site

* Commercial drivers subject to change in response to actual volume of debris received.

At least one member of the supervisory staff will be experienced in management of the operations. Each facility employee will participate in an annual training course (led by supervisory staff). As part of this training, personnel learn to recognize loads which may contain prohibited wastes. A minimum number of personnel will be required to operate the facility efficiently. A scale house attendant, laborers to work on the tipping floor and processing line(s), equipment operators, and a site supervisor are anticipated to be employed for the daily operation of the facility.

1.7 Health and Safety

All aspects of the operation of the facility were developed with the health and safety of operations staff, customers, and neighbors in mind. Prior to commencement of operation of the facility, a member of the operating staff will be designated as the site safety officer. This individual, together with the facility's management will modify the site safety and emergency response program to remain consistent with National Solid Waste Management Association and Occupational Safety and Health Administration (OSHA) guidance.

Processing equipment will be appointed with protection from moving parts, pinching, electrical connections, and sharp objects. Automated and/or manual emergency shut-off controls will also be provided. Safety devices for mobile equipment will include equipment rollover protective cabs, seat belts, audible reverse warning devices, hard hats, safety shoes, and first aid kits. Equipment

exhaust should be vented at an appropriate height in excess of the breathing zone. Other personal protective equipment (gloves, hearing protection, coveralls, or boots) will be required based on an employee's duties. All personnel will be encouraged to complete the American Red Cross Basic First Aid course. All personnel should be familiar with the equipment and duties of their position such that they will be able to identify potential hazards.

Each facility employee will participate in monthly safety "lunch pail" meetings with topics relevant to worker safety at the Abbey Green facility. Each facility employee will participate in an annual training course in health and safety (led by supervisory staff). All training shall be documented and attested to by signatures of the trainer and trainee.

Each employee of Abbey Green will be required to submit to random drug and alcohol tests by a third party testing company.

The following are some general requirements for the health and safety of workers at the Abbey Green Recycling Center.

1.7.1 Personal Hygiene

The following items are recommended as a minimum of practice:

- ◆ Wash hands before eating, drinking, or smoking.
- ◆ Wear appropriate personal protective equipment.
- ◆ Wash, disinfect, and bandage any cuts, no matter how small. Any break in the skin can become a source of infection.
- ◆ Maintain fingernails closely trimmed and clean (dirty nails can harbor pathogens).

1.7.2 Personal Protective Equipment

Prior to the issuance of personal protective equipment (PPE) a job hazard analysis will be performed by a qualified industrial hygienist. PPE must be evaluated as to the level of protection necessary for particular operating conditions and then made available to facility employees. The list below includes PPE typically used and/or required in a solid waste management facility workplace.

- ◆ Safety shoes with steel toes.
- ◆ Hearing protection should be used in areas where exposure to high decibel noise levels is expected.
- ◆ Dust filter masks.
- ◆ Hard hat.
- ◆ Abrasion-resistant gloves.
- ◆ High-visibility vest and/or other clothing.

Following use, PPE should be disposed of or adequately cleaned, dried, or readied for reuse.

1.7.3 Mechanical Equipment Hazard Prevention

The loaders and other equipment should be operated with care and caution. All safety equipment such as horns, backup alarms, and lights shall be functional or taken out of service until repaired. A Lockout-Tagout program shall be used to identify equipment in need of or under repair and ensure that operation is “off-limits” prior to maintenance or repair. All operators shall be trained in the proper operation of equipment.

1.7.4 Employee Health and Safety

Review the following periodically with each employee:

- ◆ Consider safety first when planning and conducting activities.
- ◆ Post emergency contact phone numbers.
- ◆ Post route to nearest emergency medical facility.
- ◆ Post evacuation plan.
- ◆ Provide easy and visible access to the Right to Know materials.
- ◆ Provide easy and visible access to the first aid kits and fire extinguishers.

1.7.5 Physical Exposure

Facility personnel may come in contact with fluids, solids, and airborne constituents found at the recycling center. Routine training should be conducted regarding the individual and collective materials used in the recycling process and their associated hazards. Training concerning safe

work practices around these potential exposures should include use of PPE and proper disposal procedures.

The tipping floor, sorting areas, and unloading areas must be maintained in a clean, sanitary condition.

1.8 Communications

The scale house and office have telephones in case of emergency and to conduct day-to-day business. The scale house and office will communicate with equipment operators and supervisors at the facility by radio.

In an emergency the facility will sound a horn and employees will be trained to congregate at a rally point. Emergency telephone numbers will be displayed in the scale house and office.

Fires and non-conforming waste incidents shall be reported to the Regional Waste Management Specialist within twenty-four hours followed by a written notification to be submitted within fifteen days.

1.9 Utilities

Electrical power, water, and telephone will be provided at the scale house and office. Restrooms will be provided at the site.

1.10 Litter Control

The perimeter fence will act as a barrier to keep litter contained within the site. Facility operators will inspect materials entering the facility. If unacceptable materials are delivered to the facility, the operators will deny the load or unacceptable materials will be returned on the same truck. De minimus litter sorted out during processing will be contained in an appropriate receptacle for delivery to an approved disposal facility. Windblown materials must be collected by the end of the day and no windblown material may be allowed to leave the facility boundary.

1.11 Fire Prevention and Control

Due to the risk of fire and health and safety of personnel, incentives will be in place to discourage smoking on the premises. However, smoking is limited to

personnel breaks and only in designated areas screened and located well away from the tipping floor, the processing line, and the storage of processed materials. Fire lanes will be maintained and passable at all times.

The possibility of fire within the facility or a piece of equipment must be anticipated in the daily operation of the facility. Fire suppression equipment shall be provided to control accidental fires and arrangements have been made with the local fire protection agency to ensure any incident at the facility will be handled with the appropriate equipment. A combination of factory installed fire suppression systems and/or portable fire extinguishers will be operational on all heavy pieces of equipment at all times. For larger or more serious outbreaks, local fire and emergency agencies will be called (dial 911).

Abbey Green, Inc will verbally notify the DWM within 24 hours of discovery of a fire within the recycling area. Additionally, written documentation describing the fire, the actions carried out to extinguish the fire, and a strategy for preventing future occurrences will be provided to the DWM within fifteen days following any such occurrence.

1.12 Severe Weather Conditions

Unusual weather conditions can directly affect the operation of the facility. Some of these weather conditions and recommended operational responses are as follows:

1.12.1 Ice Storms

An ice storm can make access to the facility dangerous, prevent movement and, thus, may require closure of the facility until the ice is removed or has melted. Additionally, the “processing line” is powered by electricity making continued operation during weather related power outages very difficult.

1.12.2 Electrical Storms

The open recycling areas of the facility are susceptible to the hazards of an electrical storm. If necessary, recycling activities will be temporarily suspended during such an event. To guarantee the safety of all field personnel, refuse will be taken in rubber-tired vehicles.

1.12.3 Windy Conditions

Facility operations during a particularly windy period may require that the active tipping area and sorting operations be temporarily suspended.

1.12.4 Violent Storms

In the event of hurricane, tornado, or severe summer and/or winter storm warning issued by the National Weather Service, facility operations may be temporarily suspended until the warning is lifted.

1.13 Record Keeping Program

The Owner will maintain the following information in an operating record at the landfill:

- 1) Debris inspection records,
- 2) Tonnage records including source of generation and scale certifications,
- 3) List of generators and haulers that have attempted to dispose of restricted wastes,
- 4) Employee training procedures and records of training completed,
- 5) Annual facility reports (to be submitted by August 1 of each year for the previous July 1 through June 30).

Industry specific software will be used for record keeping. Operating records will be presented, upon request, to the DWM for inspection. A copy of the current Operations Manual will be available at the facility for use at all times.

1.14 Financial Assurance

A closure cost estimate equal to the cost to hire a third party to remove and clean up a week's worth of waste from the facility has been provided below. A bond in this amount is held for financial assurance.

Closure Cost Estimate:

Assumptions

- 110,000 tons per year potential
- 30,000 tons per year 2010 projected tonnage rate to be received
- Closure based on 110,000 tons or 2,115 tons per week
- 2115 divided by 20.5 tons/load = 103 loads
- \$102.5 /load cost to load and haul
- 24 man-hours @ \$15/hr cleanup = \$360
- 24 man-hours @ \$30/hr broom tip floor = \$720

Summary of Costs

Disposal costs	2,115 tons x \$30/ton = \$63,450.00
Load and Hauling costs	103 loads x \$102.5/load = \$10,557.50
Clean up and broom floor costs	\$360 + \$720 = <u>\$1,080.00</u>
Total Estimated Cost of Closure	= \$75,087.50

2.0 DEBRIS HANDLING OPERATIONS

2.1 Overview

This section describes the required debris handling operations for the Abbey Green Recycling Center facility. In addition to the C&D debris received at this facility, the facility also processes new construction debris such as lumber, ferrous and non-ferrous metals, etc. These materials are stored at the facility until there are sufficient quantities for pick up or delivery to various recycling contractors or end-users. Materials that are susceptible to degradation due to rain will be covered with waterproof tarps.

2.2 Acceptable Debris

The following debris may be recycled at the facility:

- ◆ Wood (treated, untreated, and engineered wood products),
- ◆ Agricultural processing wastes,
- ◆ Aggregates (concrete, asphalt pavement, brick, and block),
- ◆ Drywall,
- ◆ Roofing materials,
- ◆ Metals,
- ◆ White goods,
- ◆ Plastics (poly vinyl chloride, poly ethylene, high density poly ethylene, and ABS plastics),
- ◆ Clean baled cardboard,
- ◆ Carpet and padding, and
- ◆ Other wastes as approved by the Solid Waste Section of the Division of Waste Management.

2.3 Prohibited Wastes

Only wastes, as defined in Section 2.2 above or approved by the DWM may be accepted. No other wastes may be accepted.

2.4 Debris Screening Program

In order to assure that prohibited wastes are not entering the facility, a screening program will be implemented. Debris entering the facility will be screened by trained personnel. These individuals have been trained to recognize indications of suspicious wastes, including: hazardous placards or markings; liquids, powders, or dusts; asbestos containing materials; sludge; bright or unusual colors; drums or commercial size containers; and “chemical” odors. The screening program for visual and olfactory characteristics of prohibited wastes is an ongoing part of the facility operation.

All vehicles must stop at the scale house located at the entrance of the facility and visitors are required to sign-in. All debris transportation vehicles are weighed and the content of the load assessed by the scale attendant’s inquiry, photographic equipment, and scanners. The scale attendant requests from the driver of the vehicle a description of the debris it is carrying to ensure that unacceptable waste is not allowed into the facility. The attendant then visually checks the vehicle as it crosses the scale. Signs informing users of the acceptable and unacceptable types of waste are posted at the scale house. Once passing the scales, the vehicles are routed to the tipping floor.

An attendant trained to identify wastes that are unacceptable will inspect the debris discharged at the tipping floor. If unacceptable waste (other than asbestos) is found upon unloading on the tipping floor, the load will be isolated, reloaded, and the generator/hauler will be logged and escorted out of the facility. Periodically, minor wastes may be encountered while sorting and processing (i.e. random bag of household waste, litter, etc.). Containers will be staged onsite such that these minor wastes will be placed in a container to be disposed at an appropriate licensed facility.

The attendant will have successfully completed an approved asbestos contractor/supervisor training class and will be present at the facility during hours of operation. Any incoming waste including recognizable suspect asbestos-containing material must be accompanied by a report from an accredited asbestos inspector indicating the materials do not contain asbestos. Recognizable suspect asbestos-containing materials will not be unloaded without proper documentation. If unacceptable waste is found upon unloading on the

tipping floor, the load will be isolated, wetted, and covered until it can be determined whether the material contains asbestos. Water should be available throughout the facility to eliminate dust production and migration. Sampling suspect material will be completed by a North Carolina accredited asbestos inspector. If asbestos-containing material is found to have entered the waste stream, the area around the material should be properly marked and the material wetted and covered. North Carolina accredited personnel will be required clean-up the contaminated site in accordance with applicable regulations and transport the asbestos-containing waste to a proper disposal facility. A letter from Pat Wylie of the Division of Epidemiology has been included in Appendix A indicating the division's approval of the asbestos screening plan.

2.5 Facility Operations

2.5.1 Operating Capacity

The Operating Capacity for the recycling facility is estimated to be approximately 450 tons per day of C&D debris. Summarized below is the design capacity which is projected to be attained in 2013. This shows the proportions of recycled materials received as mixed debris. Data was taken from nationally published figures on C&D debris and adjusted based on specific studies completed at the Old Salisbury Road Landfill and our conservative expectation that source separation over time will affect the debris stream reducing the amounts of metal and aggregates.

The first column (% Total) is our projected expectation of the percentages of the material we will find in the debris stream measured by weight. The second column (2013 Diversion Rate) is the percentage of that stream that we project we will recover for sale by presorting or on the picking line. We project we will screen 20% of the material and this will be used as alternate daily cover (ADC) once approved by the Utility Commission.

	% Total	2013 Diversion Rate	Tons
TOTAL Annual Tipping Tons			110,000
Product Sales - Metal	5%	90%	4,950

Product Sales - Aggregates	25%	60%	16,500
Product Sales - Wood	28%	60%	18,480
Product Sales - Roofing	13%	40%	5,720
Product Sales - Drywall	14%	60%	9,240
Product Sales - Card Board	3%	60%	1,980
Product Sales - Plastic / PVC	2%	40%	880
Other-Lights & difficult to separate	10%	0%	0
<hr/>			
TOTAL Product Rate	100%	52.5%	57,750
<hr/>			
Material to be used as ADC		20%	22,000
<hr/>			
Total Recycle Rate		72.5%	79,750

Processed materials will not be stored on site for more than 90 days.

2.5.2 Service Area

The anticipated service area for the facility is generally anticipated to be concentrated in Forsyth County and its surrounding counties. Debris will not be accepted from out-of-state. Specifically, the facility will service the following counties:

Alamance	Guilford	Surry
Cabarrus	Mecklenburg	Union
Davidson	Randolph	Yadkin
Davie	Rockingham	
Forsyth	Stokes	

2.5.3 Disposal Facilities

The anticipated disposal facilities for the recycling center (subject to change) include any facility in the State of North Carolina that holds a solid waste permit for the specific waste disposed.

The major recipient of processed debris that can not be recycled will be the Forsyth County facility at Old Salisbury Road (Permit No. 3412-CDLF-1995).

A municipal solid waste transfer station is located adjacent to the site. Per approval from the Winston-Salem/Forsyth County Utilities Commission and the DWM, some of the non-recycled materials may be transferred for disposal through this facility.

A small portion of the recycled inert and aggregate-like material may be retained on site as beneficial fill to improve the site topography.

In the event that new disposal facility agreements are negotiated, the facility will provide a notice to the Division of Waste Management within 30 calendar days.

2.5.4 Mobile Equipment Requirements

The Owner will maintain onsite equipment required to perform the necessary recycling activities. Periodic maintenance of all equipment and minor and major repair work will be performed within designated maintenance zones or off-site. Generally, loading, hauling, dumping, mixing, and lift equipment may be used for various tasks at the facility.

The anticipated equipment requirements for operation and maintenance of the site are listed in the following table:

DESCRIPTION	PRIMARY FUNCTION (ALLOCATION)
1) Excavator	Loading
2) Front End Loader(s)	Loading, recycling, storage, and site cleanup
3) Transfer Trucks (4) *	Collection and transfer of C&D material

* Commercial drivers subject to change in response to actual volume of debris received.

2.6 Recycling Operations

The facility's recycling area is used to store, separate, and contain co-mingled recyclable materials or pre-sorted materials such as new construction materials.

The facility will utilize equipment as defined in Section 2.5.4 to facilitate hand sorting of materials and bins for storage.

2.6.1 General Procedures

The transfer operations will be conducted in accordance with the approved Operation Plan and conditions of the Solid Waste Permit issued by the DWM.

Facility operations are anticipated as follows:

- 1) Collection vehicles delivering debris to the facility will enter through the main entrance.
- 2) Pass by and over the scale house and scales for weight.
- 3) Continue along the access road until reaching the tipping floor.
- 4) Once the vehicle is in position, the debris load will be discharged.
- 5) Only an amount of waste sufficient to begin sorting operations the next day may be left on the tipping floor.
- 6) In the event the sorting process is not operational, then waste may not be deposited on the tipping floor and must be diverted directly to a landfill.
- 7) Except for wood, concrete, and aggregate, recoverable materials must be placed in containers.
- 8) Non-recyclable materials must be securely placed in containers or trucks, and removed within 72 hours.

2.6.2 Recycling/Source Separation

As a means of capturing recyclable materials and/or debris screening, source separation will be conducted as follows:

- 1) The track hoe, loader, or laborers will separate materials to be recycled and/or processed. It is anticipated that most of the recyclables and materials to be separated will arrive at the facility as new construction debris.
- 2) Materials to be recycled and/or processed may stay on the floor (not in containers) for no more than 48 hours or two (2) working days.

- 3) Concrete (cement and asphaltic/bituminous): may be delivered and stockpiled at the limits of the recycling area. The concrete debris will be crushed and subsequently stockpiled in this same area until it is removed from the site for sale as fill, aggregate, etc. as markets allow.
- 4) Source separated wood pallets and cardboard must be unloaded directly onto the sorted clean wood pile and cardboard containers, respectively. These materials should not be unloaded on the tipping floor.

2.6.3 Containers

Containers, generally 8'x20' or 8'x15', used for holding recyclables and unacceptable waste will be stored in the recycling area. The containers will be removed from the processing area to designated storage areas as they are filled.

2.6.4 Markets

The final destination of the recyclable materials may vary depending upon market prices for such materials. In general, materials which have valid markets will be recycled; however, markets shall fluctuate. In any case, no more than one load, respective to the material, shall be stored at any one time and in no case more than 90 days. Recycled materials sensitive to moisture and/or likely to generate leachate shall be covered with tarpaulins.

Anticipated end markets for the recyclable materials are as follows:

Metals	Delivered to local metals recycling facility
Wood	Facility near site for boiler fuel
Concrete and Aggregates	Bricks may be banded and palletized for sale to landscaping contractors; concrete, asphalt, and broken brick and block will be crushed and stockpiled until it is removed from the site for sale as fill, aggregate, etc. as markets allow
Drywall	Process onsite and sell raw gypsum or soil amendment as markets allow

Carpeting and Padding	Local recycling facility, as markets allow
Baled Plastic	Delivered to local recycled plastics company
Baled Cardboard	Sale in local market for recycled paper products
Shingles	If certified as asbestos-free, may be ground for use in asphalt manufacturing

3.0 ENVIRONMENTAL MANAGEMENT

3.1 Overview

This section reviews the overall environmental management tasks required for the successful operation of the facility.

3.2 Surface Water Control

As used herein, the definition of “surface water” is water which results from precipitation or site run-on that has not contacted the debris.

Proper control of surface water will accomplish the following goals:

- ◆ Prevent run-on of surface water into debris handling areas;
- ◆ Prevent the run-off of surface water that has come into contact with the debris (i.e. leachate);
- ◆ Limit the erosion caused by surface waters; and
- ◆ Limit sediments carried off-site by surface waters.

An erosion and sedimentation control plan has been approved for the site by Forsyth County. This plan describes both short and long term engineered features and practices for preventing erosion and controlling sedimentation at this site. Sedimentation and erosion control activities must be conducted in accordance with the Sedimentation Control Act (NCGS 113A-50, et seq.) and rules promulgated thereunder (15A NCAC 4).

Erosion control measures have been designed/engineered within the drainage channels and at points of stormwater discharge. The erosion control maintenance plan includes the following:

- 1) Inspect all sedimentation and erosion control devices for stability and function each week and following each rainfall event.
- 2) Remove silt/sediment from sediment traps and stormwater pond when accumulated volume has reached 50% of capacity.
- 3) Remove accumulated silt/sediment from behind temporary sediment fence when depth exceeds approximately 0.5 feet. Repair and replace silt fence as necessary.

3.3 Leachate Management

The facility will have a roof covering the tipping floor when it begins operation. All in-coming materials will be unloaded on the tipping floor beneath the roof. The tipping floor will be sloped to a sump. The sump will be plumbed to the sanitary sewer. Pre-sorting activities and staged materials for the picking line will be covered by the roof. The picking line will also be covered.

Containerized waste will be covered at all times.

3.4 Vector Control

Control of insects, rodents, and other vermin will be accomplished by periodic cleaning of the facility. Spilled or wind-blown debris along the access road will be cleaned up daily. The facility will be cleaned, as necessary, each day to maintain a sanitary operation. Effective vector control measures must be applied at all times.

3.5 Dust Control

A letter from the Forsyth County Environmental Affairs Department dated November 19, 2008 indicates that an air quality permit is not required for the facility as planned. A copy of the letter is included in Appendix C.

Dust related to debris hauler traffic on the access roads will be minimized by using a water truck or a sprinkler system to limit dust on the gravel portion of the road, if necessary. Fugitive dust emissions are prohibited.

Contractors on-site to process concrete, brick, block, and sheetrock are required to comply with all applicable air quality requirements including 40 CFR Part 63, Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants.