1st Semi-Annual Groundwater Monitoring Report

for the

Newton Landfill

Catawba County North Carolina
State Road 2019C Rocky Ford Road Newton
NC 28658
Permit #18-01

August 2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	CR-1	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	75-34-3	75	1,1-Dichloroethane	12.0	µg/L		1	3/18/2008		3/24/2008
18-01	CR-1	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	71-43-2	16	Benzene	0.2	µg/L	J	1	3/18/2008		3/24/2008
18-01	CR-1	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	75-00-3	41	Chloroethane	2.6	µg/L	J	1	3/18/2008		3/24/2008
18-01	CR-1	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	74-87-3	137	Chloromethane	2.0	µg/L		1	3/18/2008		3/24/2008
18-01	CR-1	7440-47-3		Chromium	0.0023	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	CR-1	156-59-2	78	cis-1,2-Dichloroethene	1.6	µg/L	J	1	3/18/2008		3/24/2008
18-01	CR-1	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	7439-92-1		Lead	0.001	mg/L	U	1	3/18/2008	3/20/2008	3/24/2008
18-01	CR-1	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	7440-02-0		Nickel	0.0049	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	CR-1	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	108-88-3	196	Toluene	0.5	µg/L	J	1	3/18/2008		3/24/2008
18-01	CR-1	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	79-01-6	201	Trichloroethene	0.9	µg/L	J	1	3/18/2008		3/24/2008
18-01	CR-1	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-1	630-20-6	190	1,1,1,2-Tetrachloroethane	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	71-55-6	200	1,1,1-Trichloroethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	79-34-5	191	1,1,2,2-Tetrachloroethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	79-00-5	202	1,1,2-Trichloroethane	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	75-34-3	75	1,1-Dichloroethane	242	µg/L		10	3/18/2008		3/24/2008
18-01	MW-1	75-35-4	77	1,1-Dichloroethene	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	96-18-4	206	1,2,3-Trichloropropane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	96-12-8	67	1,2-Dibromo-3-chloropropane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	106-93-4	68	1,2-Dibromoethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	95-50-1	69	1,2-Dichlorobenzene	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	107-06-2	76	1,2-Dichloroethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	78-87-5	82	1,2-Dichloropropane	5.0	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-1	106-46-7	71	1,4-Dichlorobenzene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	78-93-3	141	2-Butanone	5,360	µg/L		100	3/18/2008		3/22/2008
18-01	MW-1	591-78-6	124	2-Hexanone	132	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-1	108-10-1	147	4-Methyl-2-pentanone	491	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-1	67-64-1	3	Acetone	4,830	µg/L		100	3/18/2008		3/22/2008
18-01	MW-1	107-13-1	8	Acrylonitrile	2000	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	71-43-2	16	Benzene	14.2	µg/L		10	3/18/2008		3/24/2008
18-01	MW-1	74-97-5	28	Bromochloromethane	30	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	75-27-4	29	Bromodichloromethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	75-25-2	30	Bromoform	30	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	74-83-9	136	Bromomethane	100	µg/L	U	10	3/18/2008		3/24/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-1	75-15-0	35	Carbon disulfide	1000	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	56-23-5	36	Carbon tetrachloride	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	108-90-7	39	Chlorobenzene	30	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	75-00-3	41	Chloroethane	472	µg/L		100	3/18/2008		3/22/2008
18-01	MW-1	67-66-3	44	Chloroform	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	74-87-3	137	Chloromethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	7440-47-3		Chromium	0.0037	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-1	156-59-2	78	cis-1,2-Dichloroethene	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	10061-01-5	86	cis-1,3-Dichloropropene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	124-48-1	66	Dibromochloromethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	74-95-3	139	Dibromomethane	100	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	100-41-4	110	Ethylbenzene	20.9	µg/L		10	3/18/2008		3/24/2008
18-01	MW-1	74-88-4	142	Iodomethane	100	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	7439-92-1		Lead	0.0004	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-1	1330-20-7	359	m,p-Xylene	19.9	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-1	75-09-2	140	Methylene chloride	20.7	µg/L		10	3/18/2008		3/24/2008
18-01	MW-1	7440-02-0		Nickel	0.0258	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-1	95-47-6	408	o-Xylene	11.5	µg/L		10	3/18/2008		3/24/2008
18-01	MW-1	100-42-5	186	Styrene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	127-18-4	192	Tetrachloroethene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	108-88-3	196	Toluene	527	µg/L		100	3/18/2008		3/22/2008
18-01	MW-1	156-60-5	79	trans-1,2-Dichloroethene	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	10061-02-6	87	trans-1,3-Dichloropropene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	110-57-6	73	trans-1,4-Dichloro-2-butene	1000	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	79-01-6	201	Trichloroethene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	75-69-4	203	Trichlorofluoromethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	108-05-4	210	Vinyl acetate	500	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	75-01-4	211	Vinyl chloride	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-10A	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	75-34-3	75	1,1-Dichloroethane	156	µg/L		10	3/18/2008		3/24/2008
18-01	MW-10A	75-35-4	77	1,1-Dichloroethene	4.9	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-10A	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	107-06-2	76	1,2-Dichloroethane	10.0	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10A	78-87-5	82	1,2-Dichloropropane	17.4	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10A	106-46-7	71	1,4-Dichlorobenzene	4.4	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10A	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	71-43-2	16	Benzene	6.3	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10A	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	75-15-0	35	Carbon disulfide	4.4	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-10A	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	108-90-7	39	Chlorobenzene	1.1	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-10A	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	7440-47-3		Chromium	0.0100	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-10A	156-59-2	78	cis-1,2-Dichloroethene	101	µg/L		10	3/18/2008		3/24/2008
18-01	MW-10A	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	7439-92-1		Lead	0.0008	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-10A	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	7440-02-0		Nickel	0.0064	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-10A	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	127-18-4	192	Tetrachloroethene	5.3	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10A	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	156-60-5	79	trans-1,2-Dichloroethene	2.1	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-10A	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/22/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-10A	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	79-01-6	201	Trichloroethene	2.2	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10A	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	75-01-4	211	Vinyl chloride	13.7	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10B	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	75-34-3	75	1,1-Dichloroethane	44.6	µg/L		5	3/18/2008		3/24/2008
18-01	MW-10B	75-35-4	77	1,1-Dichloroethene	0.5	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-10B	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	71-43-2	16	Benzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	75-15-0	35	Carbon disulfide	4.6	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-10B	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	7440-47-3		Chromium	0.0034	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-10B	156-59-2	78	cis-1,2-Dichloroethene	7.4	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10B	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	7439-92-1		Lead	0.0002	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-10B	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	75-09-2	140	Methylene chloride	1.0	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-10B	7440-02-0		Nickel	0.0029	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-10B	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	127-18-4	192	Tetrachloroethene	0.2	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-10B	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	79-01-6	201	Trichloroethene	4.2	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10B	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	75-01-4	211	Vinyl chloride	6.3	µg/L		1	3/18/2008		3/22/2008
18-01	MW-11	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	75-34-3	75	1,1-Dichloroethane	8.2	µg/L		1	3/18/2008		3/22/2008
18-01	MW-11	75-35-4	77	1,1-Dichloroethene	1.0	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-11	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	107-06-2	76	1,2-Dichloroethane	6.6	µg/L		1	3/18/2008		3/22/2008
18-01	MW-11	78-87-5	82	1,2-Dichloropropane	1.1	µg/L		1	3/18/2008		3/22/2008
18-01	MW-11	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/22/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-11	71-43-2	16	Benzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	7440-47-3		Chromium	0.0051	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-11	156-59-2	78	cis-1,2-Dichloroethene	0.5	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-11	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	7439-92-1		Lead	0.0003	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-11	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	7440-02-0		Nickel	0.01	mg/L	U	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-11	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	127-18-4	192	Tetrachloroethene	1.6	µg/L		1	3/18/2008		3/22/2008
18-01	MW-11	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	79-01-6	201	Trichloroethene	1.4	µg/L		1	3/18/2008		3/22/2008
18-01	MW-11	75-69-4	203	Trichlorofluoromethane	21.1	µg/L		5	3/18/2008		3/24/2008
18-01	MW-11	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-13	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	75-34-3	75	1,1-Dichloroethane	38.0	µg/L		5	3/19/2008		3/25/2008
18-01	MW-13	75-35-4	77	1,1-Dichloroethene	4.0	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-13	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	67-64-1	3	Acetone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	71-43-2	16	Benzene	0.3	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-13	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	75-15-0	35	Carbon disulfide	2.9	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-13	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	75-00-3	41	Chloroethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	67-66-3	44	Chloroform	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	7440-47-3		Chromium	0.0036	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-13	156-59-2	78	cis-1,2-Dichloroethene	44.3	µg/L		5	3/19/2008		3/25/2008
18-01	MW-13	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	7439-92-1		Lead	0.0004	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-13	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	7440-02-0		Nickel	0.01	mg/L	U	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-13	95-47-6	408	o-Xylene	1	µg/L	U	1	3/19/2008		3/24/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-13	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	127-18-4	192	Tetrachloroethene	1.4	µg/L		1	3/19/2008		3/24/2008
18-01	MW-13	108-88-3	196	Toluene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	79-01-6	201	Trichloroethene	20.1	µg/L		1	3/19/2008		3/24/2008
18-01	MW-13	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	75-01-4	211	Vinyl chloride	6.0	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	75-34-3	75	1,1-Dichloroethane	169	µg/L		10	3/19/2008		3/25/2008
18-01	MW-14	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	107-06-2	76	1,2-Dichloroethane	7.7	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	78-87-5	82	1,2-Dichloropropane	4.4	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	106-46-7	71	1,4-Dichlorobenzene	10.1	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	591-78-6	124	2-Hexanone	6.9	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14	108-10-1	147	4-Methyl-2-pentanone	30.0	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14	67-64-1	3	Acetone	119	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	71-43-2	16	Benzene	12.0	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	75-15-0	35	Carbon disulfide	6.8	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	108-90-7	39	Chlorobenzene	3.7	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	75-00-3	41	Chloroethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	67-66-3	44	Chloroform	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	7440-47-3		Chromium	0.0024	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-14	156-59-2	78	cis-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	100-41-4	110	Ethylbenzene	20.2	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	7439-92-1		Lead	0.0004	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-14	1330-20-7	359	m,p-Xylene	40.4	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	75-09-2	140	Methylene chloride	484	µg/L		50	3/19/2008		3/25/2008
18-01	MW-14	7440-02-0		Nickel	0.0050	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-14	95-47-6	408	o-Xylene	63.4	µg/L		10	3/19/2008		3/25/2008
18-01	MW-14	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	127-18-4	192	Tetrachloroethene	3.2	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	108-88-3	196	Toluene	80.3	µg/L		10	3/19/2008		3/25/2008
18-01	MW-14	156-60-5	79	trans-1,2-Dichloroethene	1.9	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	79-01-6	201	Trichloroethene	92.4	µg/L		10	3/19/2008		3/25/2008
18-01	MW-14	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	75-01-4	211	Vinyl chloride	40.0	µg/L		10	3/19/2008		3/25/2008
18-01	MW-14A	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	75-34-3	75	1,1-Dichloroethane	2.2	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14A	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	107-06-2	76	1,2-Dichloroethane	0.6	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14A	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/19/2008		3/24/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-14A	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	67-64-1	3	Acetone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	71-43-2	16	Benzene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	75-15-0	35	Carbon disulfide	11.7	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14A	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	75-00-3	41	Chloroethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	67-66-3	44	Chloroform	0.3	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14A	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	7440-47-3		Chromium	0.0058	mg/L		1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-14A	156-59-2	78	cis-1,2-Dichloroethene	1.6	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14A	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	7439-92-1		Lead	0.0004	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-14A	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	7440-02-0		Nickel	0.01	mg/L	U	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-14A	95-47-6	408	o-Xylene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	127-18-4	192	Tetrachloroethene	16.5	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14A	108-88-3	196	Toluene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	79-01-6	201	Trichloroethene	4.0	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14A	75-69-4	203	Trichlorofluoromethane	1.8	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14A	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	75-34-3	75	1,1-Dichloroethane	661	µg/L		100	3/19/2008		3/26/2008
18-01	MW-15	75-35-4	77	1,1-Dichloroethene	3.8	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-15	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	95-50-1	69	1,2-Dichlorobenzene	0.8	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-15	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	78-87-5	82	1,2-Dichloropropane	1.5	µg/L		1	3/19/2008		3/24/2008
18-01	MW-15	106-46-7	71	1,4-Dichlorobenzene	5.1	µg/L		1	3/19/2008		3/24/2008
18-01	MW-15	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	67-64-1	3	Acetone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	71-43-2	16	Benzene	19.4	µg/L		1	3/19/2008		3/24/2008
18-01	MW-15	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	108-90-7	39	Chlorobenzene	5.3	µg/L		1	3/19/2008		3/24/2008
18-01	MW-15	75-00-3	41	Chloroethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	67-66-3	44	Chloroform	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	7440-47-3		Chromium	0.0040	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-15	156-59-2	78	cis-1,2-Dichloroethene	704	µg/L		100	3/19/2008		3/26/2008
18-01	MW-15	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/24/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-15	7439-92-1		Lead	0.0029	mg/L		1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-15	1330-20-7	359	m,p-Xylene	31.4	µg/L		1	3/19/2008		3/24/2008
18-01	MW-15	75-09-2	140	Methylene chloride	209	µg/L		10	3/19/2008		3/25/2008
18-01	MW-15	7440-02-0		Nickel	0.0039	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-15	95-47-6	408	o-Xylene	32.0	µg/L		10	3/19/2008		3/25/2008
18-01	MW-15	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	127-18-4	192	Tetrachloroethene	5.8	µg/L		1	3/19/2008		3/24/2008
18-01	MW-15	108-88-3	196	Toluene	0.3	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-15	156-60-5	79	trans-1,2-Dichloroethene	2.2	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-15	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	79-01-6	201	Trichloroethene	162	µg/L		10	3/19/2008		3/25/2008
18-01	MW-15	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	75-01-4	211	Vinyl chloride	8.5	µg/L		1	3/19/2008		3/24/2008
18-01	MW-16	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	75-34-3	75	1,1-Dichloroethane	99.4	µg/L		5	3/18/2008		3/25/2008
18-01	MW-16	75-35-4	77	1,1-Dichloroethene	2.5	µg/L	J	1	3/18/2008		3/24/2008
18-01	MW-16	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	78-87-5	82	1,2-Dichloropropane	0.7	µg/L	J	1	3/18/2008		3/24/2008
18-01	MW-16	106-46-7	71	1,4-Dichlorobenzene	0.4	µg/L	J	1	3/18/2008		3/24/2008
18-01	MW-16	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	71-43-2	16	Benzene	2.2	µg/L		1	3/18/2008		3/24/2008
18-01	MW-16	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	75-00-3	41	Chloroethane	10.1	µg/L		1	3/18/2008		3/24/2008
18-01	MW-16	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	7440-47-3		Chromium	0.0087	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-16	156-59-2	78	cis-1,2-Dichloroethene	12.8	µg/L		1	3/18/2008		3/24/2008
18-01	MW-16	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	7439-92-1		Lead	0.0005	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-16	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	7440-02-0		Nickel	0.0136	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-16	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	127-18-4	192	Tetrachloroethene	1.6	µg/L		1	3/18/2008		3/24/2008
18-01	MW-16	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	79-01-6	201	Trichloroethene	35.6	µg/L		5	3/18/2008		3/25/2008
18-01	MW-16	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	75-01-4	211	Vinyl chloride	7.3	µg/L		1	3/18/2008		3/24/2008
18-01	MW-16A	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	75-34-3	75	1,1-Dichloroethane	30.4	µg/L		5	3/18/2008		3/25/2008
18-01	MW-16A	75-35-4	77	1,1-Dichloroethene	3.9	µg/L	J	1	3/18/2008		3/25/2008
18-01	MW-16A	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/25/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-16A	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	71-43-2	16	Benzene	0.2	µg/L	J	1	3/18/2008		3/25/2008
18-01	MW-16A	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	7440-47-3		Chromium	0.0020	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-16A	156-59-2	78	cis-1,2-Dichloroethene	43.0	µg/L		5	3/18/2008		3/25/2008
18-01	MW-16A	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	7439-92-1		Lead	0.001	mg/L	U	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-16A	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	7440-02-0		Nickel	0.01	mg/L	U	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-16A	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	127-18-4	192	Tetrachloroethene	1.0	µg/L		1	3/18/2008		3/25/2008
18-01	MW-16A	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	79-01-6	201	Trichloroethene	21.0	µg/L		1	3/18/2008		3/25/2008
18-01	MW-16A	75-69-4	203	Trichlorofluoromethane	17.8	µg/L		1	3/18/2008		3/25/2008
18-01	MW-16A	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	75-01-4	211	Vinyl chloride	5.5	µg/L		1	3/18/2008		3/25/2008
18-01	MW-20	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	75-34-3	75	1,1-Dichloroethane	910	µg/L		100	3/19/2008		3/26/2008
18-01	MW-20	75-35-4	77	1,1-Dichloroethene	15.1	µg/L		1	3/19/2008		3/25/2008
18-01	MW-20	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	78-87-5	82	1,2-Dichloropropane	5.4	µg/L		1	3/19/2008		3/25/2008
18-01	MW-20	106-46-7	71	1,4-Dichlorobenzene	2.6	µg/L		1	3/19/2008		3/25/2008
18-01	MW-20	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	67-64-1	3	Acetone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	71-43-2	16	Benzene	18.8	µg/L		1	3/19/2008		3/25/2008
18-01	MW-20	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	75-15-0	35	Carbon disulfide	2.4	µg/L	J	1	3/19/2008		3/25/2008
18-01	MW-20	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	108-90-7	39	Chlorobenzene	1.1	µg/L	J	1	3/19/2008		3/25/2008
18-01	MW-20	75-00-3	41	Chloroethane	1.3	µg/L	J	1	3/19/2008		3/25/2008
18-01	MW-20	67-66-3	44	Chloroform	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	7440-47-3		Chromium	0.0024	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-20	156-59-2	78	cis-1,2-Dichloroethene	1,110	µg/L		100	3/19/2008		3/26/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-20	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	7439-92-1		Lead	0.0002	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-20	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	75-09-2	140	Methylene chloride	64.1	µg/L		10	3/19/2008		3/25/2008
18-01	MW-20	7440-02-0		Nickel	0.0029	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-20	95-47-6	408	o-Xylene	4.0	µg/L		1	3/19/2008		3/25/2008
18-01	MW-20	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	127-18-4	192	Tetrachloroethene	54.4	µg/L		10	3/19/2008		3/25/2008
18-01	MW-20	108-88-3	196	Toluene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	156-60-5	79	trans-1,2-Dichloroethene	2.4	µg/L	J	1	3/19/2008		3/25/2008
18-01	MW-20	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	79-01-6	201	Trichloroethene	912	µg/L		100	3/19/2008		3/26/2008
18-01	MW-20	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	75-01-4	211	Vinyl chloride	5.8	µg/L		1	3/19/2008		3/25/2008
18-01	MW-21	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-34-3	75	1,1-Dichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	67-64-1	3	Acetone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	71-43-2	16	Benzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-00-3	41	Chloroethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	67-66-3	44	Chloroform	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	7440-47-3		Chromium	0.0038	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-21	156-59-2	78	cis-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	7439-92-1		Lead	0.0008	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-21	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	7440-02-0		Nickel	0.0031	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-21	95-47-6	408	o-Xylene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	108-88-3	196	Toluene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	79-01-6	201	Trichloroethene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-69-4	203	Trichlorofluoromethane	0.3	µg/L	J	1	3/19/2008		3/25/2008
18-01	MW-21	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-23	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/25/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-23	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-34-3	75	1,1-Dichloroethane	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	71-43-2	16	Benzene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	7440-47-3		Chromium	0.0040	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-23	156-59-2	78	cis-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	7439-92-1		Lead	0.0083	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-23	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	7440-02-0		Nickel	0.01	mg/L	U	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-23	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	79-01-6	201	Trichloroethene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23 DUPE	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	75-34-3	75	1,1-Dichloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	71-43-2	16	Benzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/24/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-23 DUPE	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	7440-47-3		Chromium	0.025	mg/L	U	1	3/18/2008	3/20/2008	3/25/2008
18-01	MW-23 DUPE	156-59-2	78	cis-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	7439-92-1		Lead	0.0023	mg/L		1	3/18/2008	3/20/2008	3/21/2008
18-01	MW-23 DUPE	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	7440-02-0		Nickel	0.05	mg/L	U	1	3/18/2008	3/20/2008	3/25/2008
18-01	MW-23 DUPE	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	79-01-6	201	Trichloroethene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-24	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-34-3	75	1,1-Dichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	67-64-1	3	Acetone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	71-43-2	16	Benzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-00-3	41	Chloroethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	67-66-3	44	Chloroform	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	7440-47-3		Chromium	0.0049	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-24	156-59-2	78	cis-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	7439-92-1		Lead	0.0022	mg/L		1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-24	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	7440-02-0		Nickel	0.0022	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-24	95-47-6	408	o-Xylene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	108-88-3	196	Toluene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	79-01-6	201	Trichloroethene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/19/2008		3/25/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-24	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-34-3	75	1,1-Dichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	67-64-1	3	Acetone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	71-43-2	16	Benzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-15-0	35	Carbon disulfide	1.6	µg/L	J	1	3/19/2008		3/25/2008
18-01	MW-24D	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-00-3	41	Chloroethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	67-66-3	44	Chloroform	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	7440-47-3		Chromium	0.0040	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-24D	156-59-2	78	cis-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	7439-92-1		Lead	0.0019	mg/L		1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-24D	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	7440-02-0		Nickel	0.0027	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-24D	95-47-6	408	o-Xylene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	108-88-3	196	Toluene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	79-01-6	201	Trichloroethene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	75-34-3	75	1,1-Dichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	67-64-1	3	Acetone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	71-43-2	16	Benzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/25/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-24D DUPE	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	75-00-3	41	Chloroethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	67-66-3	44	Chloroform	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	7440-47-3		Chromium	0.0020	mg/L	J	1	3/19/2008	3/20/2008	3/21/2008
18-01	MW-24D DUPE	156-59-2	78	cis-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	7439-92-1		Lead	0.0004	mg/L	J	1	3/19/2008	3/20/2008	3/21/2008
18-01	MW-24D DUPE	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	7440-02-0		Nickel	0.01	mg/L	U	1	3/19/2008	3/20/2008	3/21/2008
18-01	MW-24D DUPE	95-47-6	408	o-Xylene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	108-88-3	196	Toluene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	79-01-6	201	Trichloroethene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-3	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	75-34-3	75	1,1-Dichloroethane	33.6	µg/L		5	3/18/2008		3/24/2008
18-01	MW-3	75-35-4	77	1,1-Dichloroethene	4.2	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-3	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	71-43-2	16	Benzene	1.2	µg/L		1	3/18/2008		3/22/2008
18-01	MW-3	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	7440-47-3		Chromium	0.0029	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-3	156-59-2	78	cis-1,2-Dichloroethene	0.5	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-3	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	7439-92-1		Lead	0.0035	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-3	1330-20-7	359	m,p-Xylene	5.6	µg/L		1	3/18/2008		3/22/2008
18-01	MW-3	75-09-2	140	Methylene chloride	0.8	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-3	7440-02-0		Nickel	0.0063	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-3	95-47-6	408	o-Xylene	0.3	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-3	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	127-18-4	192	Tetrachloroethene	3.0	µg/L		1	3/18/2008		3/22/2008
18-01	MW-3	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/22/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-3	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	79-01-6	201	Trichloroethene	4.1	µg/L		1	3/18/2008		3/22/2008
18-01	MW-3	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-9	630-20-6	190	1,1,1,2-Tetrachloroethane	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	71-55-6	200	1,1,1-Trichloroethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	79-34-5	191	1,1,2,2-Tetrachloroethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	79-00-5	202	1,1,2-Trichloroethane	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	75-34-3	75	1,1-Dichloroethane	340	µg/L		100	3/18/2008		3/22/2008
18-01	MW-9	75-35-4	77	1,1-Dichloroethene	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	96-18-4	206	1,2,3-Trichloropropane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	96-12-8	67	1,2-Dibromo-3-chloropropane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	106-93-4	68	1,2-Dibromoethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	95-50-1	69	1,2-Dichlorobenzene	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	107-06-2	76	1,2-Dichloroethane	10.5	µg/L		10	3/18/2008		3/24/2008
18-01	MW-9	78-87-5	82	1,2-Dichloropropane	40.0	µg/L		10	3/18/2008		3/24/2008
18-01	MW-9	106-46-7	71	1,4-Dichlorobenzene	6.3	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-9	78-93-3	141	2-Butanone	1000	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	591-78-6	124	2-Hexanone	500	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	108-10-1	147	4-Methyl-2-pentanone	70.1	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-9	67-64-1	3	Acetone	1000	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	107-13-1	8	Acrylonitrile	2000	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	71-43-2	16	Benzene	12.4	µg/L		10	3/18/2008		3/24/2008
18-01	MW-9	74-97-5	28	Bromochloromethane	30	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	75-27-4	29	Bromodichloromethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	75-25-2	30	Bromoform	30	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	74-83-9	136	Bromomethane	100	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	75-15-0	35	Carbon disulfide	1000	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	56-23-5	36	Carbon tetrachloride	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	108-90-7	39	Chlorobenzene	1.9	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-9	75-00-3	41	Chloroethane	100	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	67-66-3	44	Chloroform	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	74-87-3	137	Chloromethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	7440-47-3		Chromium	0.0095	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-9	156-59-2	78	cis-1,2-Dichloroethene	5.5	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-9	10061-01-5	86	cis-1,3-Dichloropropene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	124-48-1	66	Dibromochloromethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	74-95-3	139	Dibromomethane	100	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	100-41-4	110	Ethylbenzene	7.2	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-9	74-88-4	142	Iodomethane	100	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	7439-92-1		Lead	0.0019	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-9	1330-20-7	359	m,p-Xylene	36.7	µg/L		10	3/18/2008		3/24/2008
18-01	MW-9	75-09-2	140	Methylene chloride	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	7440-02-0		Nickel	0.143	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-9	95-47-6	408	o-Xylene	22.6	µg/L		10	3/18/2008		3/24/2008
18-01	MW-9	100-42-5	186	Styrene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	127-18-4	192	Tetrachloroethene	6.8	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-9	108-88-3	196	Toluene	152	µg/L		10	3/18/2008		3/24/2008
18-01	MW-9	156-60-5	79	trans-1,2-Dichloroethene	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	10061-02-6	87	trans-1,3-Dichloropropene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	110-57-6	73	trans-1,4-Dichloro-2-butene	1000	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	79-01-6	201	Trichloroethene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	75-69-4	203	Trichlorofluoromethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	108-05-4	210	Vinyl acetate	500	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	75-01-4	211	Vinyl chloride	14.4	µg/L		10	3/18/2008		3/24/2008
18-01	OW-1	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	75-34-3	75	1,1-Dichloroethane	16.7	µg/L		1	3/18/2008		3/24/2008
18-01	OW-1	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	106-46-7	71	1,4-Dichlorobenzene	0.4	µg/L	J	1	3/18/2008		3/24/2008
18-01	OW-1	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/24/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	OW-1	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	71-43-2	16	Benzene	12.1	µg/L		1	3/18/2008		3/24/2008
18-01	OW-1	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	108-90-7	39	Chlorobenzene	0.2	µg/L	J	1	3/18/2008		3/24/2008
18-01	OW-1	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	67-66-3	44	Chloroform	0.3	µg/L	J	1	3/18/2008		3/24/2008
18-01	OW-1	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	7440-47-3		Chromium	0.0017	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	OW-1	156-59-2	78	cis-1,2-Dichloroethene	11.7	µg/L		1	3/18/2008		3/24/2008
18-01	OW-1	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	7439-92-1		Lead	0.0047	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	OW-1	1330-20-7	359	m,p-Xylene	12.9	µg/L		1	3/18/2008		3/24/2008
18-01	OW-1	75-09-2	140	Methylene chloride	32.8	µg/L		5	3/18/2008		3/25/2008
18-01	OW-1	7440-02-0		Nickel	0.01	mg/L	U	1	3/18/2008	3/20/2008	3/24/2008
18-01	OW-1	95-47-6	408	o-Xylene	1.9	µg/L		1	3/18/2008		3/24/2008
18-01	OW-1	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	127-18-4	192	Tetrachloroethene	1.2	µg/L		1	3/18/2008		3/24/2008
18-01	OW-1	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	79-01-6	201	Trichloroethene	2.2	µg/L		1	3/18/2008		3/24/2008
18-01	OW-1	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	75-01-4	211	Vinyl chloride	3.9	µg/L		1	3/18/2008		3/24/2008
18-01	SW-2	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	75-34-3	75	1,1-Dichloroethane	3.9	µg/L	J	1	3/18/2008		3/24/2008
18-01	SW-2	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	71-43-2	16	Benzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	74-87-3	137	Chloromethane	1.4	µg/L		1	3/18/2008		3/24/2008
18-01	SW-2	7440-47-3		Chromium	0.0021	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	SW-2	156-59-2	78	cis-1,2-Dichloroethene	0.7	µg/L	J	1	3/18/2008		3/24/2008
18-01	SW-2	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	7439-92-1		Lead	0.001	mg/L	U	1	3/18/2008	3/20/2008	3/24/2008
18-01	SW-2	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/24/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	SW-2	7440-02-0		Nickel	0.0024	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	SW-2	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	79-01-6	201	Trichloroethene	0.4	µg/L	J	1	3/18/2008		3/24/2008
18-01	SW-2	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	TRIP BLANK	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-34-3	75	1,1-Dichloroethane	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	71-43-2	16	Benzene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	156-59-2	78	cis-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	79-01-6	201	Trichloroethene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/18/2008		3/25/2008

225 Industrial Park Drive
Beaver, WV 25813
TEL: 304.255.2500
FAX: 304.255.2572
Website: www.reiclabs.com

Improving the environment, one client at a time...

June 25, 2008

Mr. Rodney Hamby
COUNTY OF CATAWBA
P O BOX 389
NEWTON NC 28658

TEL: (828) 465-8200
FAX: (828) 465-8392

RE: NEWTON

Order No.: 0803C51

Dear Mr. Rodney Hamby:

REI Consultants, Inc. received 23 sample(s) on 3/19/2008 for the analyses presented in the following report.

Please note two changes you may see on your report.

- Results for "Dissolved" parameters will be shown under a separate sample ID, rather than as a separate analysis under the same sample ID. The sample ID for "Dissolved" parameters will include "Field Filtered" or "Lab Filtered", as appropriate.
- Metals results will no longer be identified as "Total" or "Total Recoverable". The methods have not been changed, only their appearance on the report.

If you have any questions regarding these results, please do not hesitate to call.

Sincerely,

Beth Johnson

Beth Johnson
Project Manager

ACCREDITED IN ACCORDANCE WITH nelac

225 Industrial Park Drive
Beaver, WV 25813
TEL: 304.255.2500
FAX: 304.255.2572
Website: www.reiclabs.com

Improving the environment, one client at a time...

Report Narrative

Project Manager:: **Beth Johnson**

WO#: **0803C51**
Date: **6/25/2008**

CLIENT: COUNTY OF CATAWBA
Project: NEWTON

All analyses were performed using documented laboratory SOPs that incorporate appropriate quality control procedures as described in the applicable methods. REI Consultants, Inc. (REIC) technical managers have verified compliance of reported results with the REIC's Quality Program and SOPs, except as noted in this case narrative. Any deviation from compliance is explained below and/or identified within the body of this report by a qualifier footnote which is defined at the bottom of each page.

All samples were analyzed using the methods stated in the analytical report without modification, unless otherwise noted.

All sample results are reported on an "as-received" basis unless otherwise noted.

Results reported for sums of individual parameters, such as Total Trihalomethanes (TTHM) and Total Haloacetic Acids (HAA5), may vary slightly from the sum of the individual parameter results. This apparent anomaly is caused by rounding individual results and summations at reporting, as required by EPA.

The test results in this report meet all NELAP requirements for parameters for which accreditations are required or available. Any exceptions are noted in this report. This report may not be reproduced, except in full, without the written approval of REIC.

In compliance with federal guidelines and standard operating procedures, all reports, including raw data and supporting quality control, will be disposed of after five years unless otherwise arranged by the client via written notification or contract requirement.

Analytical Comments for METHOD 8260_L, SAMPLE 8260/624cc: The LCS for bromomethane, chloroethane, chloromethane, dichlorodifluoromethane and vinyl chloride exceeded REIC control limits indicating a high bias. Since the analyte results were ND, this exceedance does not adversely impact data usability.

Analytical Comments for METHOD 8260_L, SAMPLE 8260/624cc: The CCV for chloromethane vinyl chloride exceeded REIC control limits indicating a high bias. Since the analyte results were ND, this exceedance does not adversely impact data usability.

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-1	**Lab ID:**	0803C51-01A
Project:	NEWTON	**Collection Date:**	3/18/2008 2:23:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0037	mg/L	J	0.00100	0.0050	3/24/2008 12:46:00 PM
Lead	0.0004	mg/L	J	0.00020	0.0010	3/24/2008 12:46:00 PM
Nickel	0.0258	mg/L		0.00200	0.0100	3/24/2008 12:46:00 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	4,830	µg/L		488	2,000	3/22/2008 2:39:00 PM
Acrylonitrile	ND	µg/L		42.4	2,000	3/24/2008 8:08:00 PM
Benzene	14.2	µg/L		1.29	10.0	3/24/2008 8:08:00 PM
Bromochloromethane	ND	µg/L		3.46	30.0	3/24/2008 8:08:00 PM
Bromodichloromethane	ND	µg/L		1.62	10.0	3/24/2008 8:08:00 PM
Bromoform	ND	µg/L		4.00	30.0	3/24/2008 8:08:00 PM
Bromomethane	ND	µg/L		4.97	100	3/24/2008 8:08:00 PM
2-Butanone	5,360	µg/L		468	1,000	3/22/2008 2:39:00 PM
Carbon disulfide	ND	µg/L		12.7	1,000	3/24/2008 8:08:00 PM
Carbon tetrachloride	ND	µg/L		2.50	10.0	3/24/2008 8:08:00 PM
Chlorobenzene	ND	µg/L		1.77	30.0	3/24/2008 8:08:00 PM
Chloroethane	472	µg/L		94.2	100	3/22/2008 2:39:00 PM
Chloroform	ND	µg/L		2.53	50.0	3/24/2008 8:08:00 PM
Chloromethane	ND	µg/L		3.27	10.0	3/24/2008 8:08:00 PM
Dibromochloromethane	ND	µg/L		4.19	10.0	3/24/2008 8:08:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		4.99	10.0	3/24/2008 8:08:00 PM
1,2-Dibromoethane	ND	µg/L		3.41	10.0	3/24/2008 8:08:00 PM
Dibromomethane	ND	µg/L		2.93	100	3/24/2008 8:08:00 PM
1,2-Dichlorobenzene	ND	µg/L		4.50	50.0	3/24/2008 8:08:00 PM
1,4-Dichlorobenzene	ND	µg/L		2.87	10.0	3/24/2008 8:08:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		28.1	1,000	3/24/2008 8:08:00 PM
1,1-Dichloroethane	242	µg/L		3.83	50.0	3/24/2008 8:08:00 PM
1,2-Dichloroethane	ND	µg/L		4.28	10.0	3/24/2008 8:08:00 PM
1,1-Dichloroethene	ND	µg/L		3.28	50.0	3/24/2008 8:08:00 PM
cis-1,2-Dichloroethene	ND	µg/L		2.26	50.0	3/24/2008 8:08:00 PM
trans-1,2-Dichloroethene	ND	µg/L		3.92	50.0	3/24/2008 8:08:00 PM
1,2-Dichloropropane	5.0	µg/L	J	4.61	10.0	3/24/2008 8:08:00 PM
cis-1,3-Dichloropropene	ND	µg/L		2.20	10.0	3/24/2008 8:08:00 PM
trans-1,3-Dichloropropene	ND	µg/L		2.16	10.0	3/24/2008 8:08:00 PM
Ethylbenzene	20.9	µg/L		1.78	10.0	3/24/2008 8:08:00 PM
2-Hexanone	132	µg/L	J	41.1	500	3/24/2008 8:08:00 PM
Iodomethane	ND	µg/L		34.4	100	3/24/2008 8:08:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-1	**Lab ID:**	0803C51-01A
Project:	NEWTON	**Collection Date:**	3/18/2008 2:23:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	20.7	µg/L		5.39	10.0	3/24/2008 8:08:00 PM
4-Methyl-2-pentanone	491	µg/L	J	44.0	1,000	3/24/2008 8:08:00 PM
Styrene	ND	µg/L		2.40	10.0	3/24/2008 8:08:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		3.60	50.0	3/24/2008 8:08:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		3.84	10.0	3/24/2008 8:08:00 PM
Tetrachloroethene	ND	µg/L		1.96	10.0	3/24/2008 8:08:00 PM
Toluene	527	µg/L		16.7	100	3/22/2008 2:39:00 PM
1,1,1-Trichloroethane	ND	µg/L		3.54	10.0	3/24/2008 8:08:00 PM
1,1,2-Trichloroethane	ND	µg/L		4.92	50.0	3/24/2008 8:08:00 PM
Trichloroethene	ND	µg/L		3.02	10.0	3/24/2008 8:08:00 PM
Trichlorofluoromethane	ND	µg/L		2.99	10.0	3/24/2008 8:08:00 PM
1,2,3-Trichloropropane	ND	µg/L		3.58	10.0	3/24/2008 8:08:00 PM
Vinyl acetate	ND	µg/L		48.7	500	3/24/2008 8:08:00 PM
Vinyl chloride	ND	µg/L		2.23	10.0	3/24/2008 8:08:00 PM
o-Xylene	11.5	µg/L		1.86	10.0	3/24/2008 8:08:00 PM
m,p-Xylene	19.9	µg/L	J	2.87	20.0	3/24/2008 8:08:00 PM
Surr: 1,2-Dichloroethane-d4	102	%REC			80-120	3/24/2008 8:08:00 PM
Surr: 4-Bromofluorobenzene	96.4	%REC			86-115	3/24/2008 8:08:00 PM
Surr: Dibromofluoromethane	107	%REC			80-120	3/24/2008 8:08:00 PM
Surr: Toluene-d8	96.5	%REC			88-110	3/24/2008 8:08:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-3	**Lab ID:**	0803C51-02A
Project:	NEWTON	**Collection Date:**	3/18/2008 1:20:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0029	mg/L	J	0.00100	0.0050	3/24/2008 1:15:16 PM
Lead	0.0035	mg/L		0.00020	0.0010	3/24/2008 1:15:16 PM
Nickel	0.0063	mg/L	J	0.00200	0.0100	3/24/2008 1:15:16 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/22/2008 12:26:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/22/2008 12:26:00 PM
Benzene	1.2	µg/L		0.13	1.0	3/22/2008 12:26:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/22/2008 12:26:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/22/2008 12:26:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/22/2008 12:26:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/22/2008 12:26:00 PM
2-Butanone	ND	µg/L		4.68	100	3/22/2008 12:26:00 PM
Carbon disulfide	ND	µg/L		1.27	100	3/22/2008 12:26:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/22/2008 12:26:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/22/2008 12:26:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/22/2008 12:26:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/22/2008 12:26:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/22/2008 12:26:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/22/2008 12:26:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/22/2008 12:26:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/22/2008 12:26:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/22/2008 12:26:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/22/2008 12:26:00 PM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/22/2008 12:26:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/22/2008 12:26:00 PM
1,1-Dichloroethane	33.6	µg/L		1.92	25.0	3/24/2008 2:07:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/22/2008 12:26:00 PM
1,1-Dichloroethene	4.2	µg/L	J	0.33	5.0	3/22/2008 12:26:00 PM
cis-1,2-Dichloroethene	0.5	µg/L	J	0.23	5.0	3/22/2008 12:26:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/22/2008 12:26:00 PM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/22/2008 12:26:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/22/2008 12:26:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/22/2008 12:26:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/22/2008 12:26:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/22/2008 12:26:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/22/2008 12:26:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-3	**Lab ID:**	0803C51-02A
Project:	NEWTON	**Collection Date:**	3/18/2008 1:20:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	0.8	µg/L	J	0.54	1.0	3/22/2008 12:26:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/22/2008 12:26:00 PM
Styrene	ND	µg/L		0.24	1.0	3/22/2008 12:26:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/22/2008 12:26:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/22/2008 12:26:00 PM
Tetrachloroethene	3.0	µg/L		0.20	1.0	3/22/2008 12:26:00 PM
Toluene	ND	µg/L		0.17	1.0	3/22/2008 12:26:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/22/2008 12:26:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/22/2008 12:26:00 PM
Trichloroethene	4.1	µg/L		0.30	1.0	3/22/2008 12:26:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/22/2008 12:26:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/22/2008 12:26:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/22/2008 12:26:00 PM
Vinyl chloride	ND	µg/L		0.22	1.0	3/22/2008 12:26:00 PM
o-Xylene	0.3	µg/L	J	0.19	1.0	3/22/2008 12:26:00 PM
m,p-Xylene	5.6	µg/L		0.29	2.0	3/22/2008 12:26:00 PM
Surr: 1,2-Dichloroethane-d4	112	%REC			80-120	3/22/2008 12:26:00 PM
Surr: 4-Bromofluorobenzene	101	%REC			86-115	3/22/2008 12:26:00 PM
Surr: Dibromofluoromethane	109	%REC			80-120	3/22/2008 12:26:00 PM
Surr: Toluene-d8	95.7	%REC			88-110	3/22/2008 12:26:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-9	**Lab ID:**	0803C51-03A
Project:	NEWTON	**Collection Date:**	3/18/2008 3:30:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0095	mg/L		0.00100	0.0050	3/24/2008 1:21:07 PM
Lead	0.0019	mg/L		0.00020	0.0010	3/24/2008 1:21:07 PM
Nickel	0.143	mg/L		0.00200	0.0100	3/24/2008 1:21:07 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		48.8	1,000	3/24/2008 8:42:00 PM
Acrylonitrile	ND	µg/L		42.4	2,000	3/24/2008 8:42:00 PM
Benzene	12.4	µg/L		1.29	10.0	3/24/2008 8:42:00 PM
Bromochloromethane	ND	µg/L		3.46	30.0	3/24/2008 8:42:00 PM
Bromodichloromethane	ND	µg/L		1.62	10.0	3/24/2008 8:42:00 PM
Bromoform	ND	µg/L		4.00	30.0	3/24/2008 8:42:00 PM
Bromomethane	ND	µg/L		4.97	100	3/24/2008 8:42:00 PM
2-Butanone	ND	µg/L		46.8	1,000	3/24/2008 8:42:00 PM
Carbon disulfide	ND	µg/L		12.7	1,000	3/24/2008 8:42:00 PM
Carbon tetrachloride	ND	µg/L		2.50	10.0	3/24/2008 8:42:00 PM
Chlorobenzene	1.9	µg/L	J	1.77	30.0	3/24/2008 8:42:00 PM
Chloroethane	ND	µg/L		9.42	100	3/24/2008 8:42:00 PM
Chloroform	ND	µg/L		2.53	50.0	3/24/2008 8:42:00 PM
Chloromethane	ND	µg/L		3.27	10.0	3/24/2008 8:42:00 PM
Dibromochloromethane	ND	µg/L		4.19	10.0	3/24/2008 8:42:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		4.99	10.0	3/24/2008 8:42:00 PM
1,2-Dibromoethane	ND	µg/L		3.41	10.0	3/24/2008 8:42:00 PM
Dibromomethane	ND	µg/L		2.93	100	3/24/2008 8:42:00 PM
1,2-Dichlorobenzene	ND	µg/L		4.50	50.0	3/24/2008 8:42:00 PM
1,4-Dichlorobenzene	6.3	µg/L	J	2.87	10.0	3/24/2008 8:42:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		28.1	1,000	3/24/2008 8:42:00 PM
1,1-Dichloroethane	340	µg/L		38.3	100	3/22/2008 3:13:00 PM
1,2-Dichloroethane	10.5	µg/L		4.28	10.0	3/24/2008 8:42:00 PM
1,1-Dichloroethene	ND	µg/L		3.28	50.0	3/24/2008 8:42:00 PM
cis-1,2-Dichloroethene	5.5	µg/L	J	2.26	50.0	3/24/2008 8:42:00 PM
trans-1,2-Dichloroethene	ND	µg/L		3.92	50.0	3/24/2008 8:42:00 PM
1,2-Dichloropropane	40.0	µg/L		4.61	10.0	3/24/2008 8:42:00 PM
cis-1,3-Dichloropropene	ND	µg/L		2.20	10.0	3/24/2008 8:42:00 PM
trans-1,3-Dichloropropene	ND	µg/L		2.16	10.0	3/24/2008 8:42:00 PM
Ethylbenzene	7.2	µg/L	J	1.78	10.0	3/24/2008 8:42:00 PM
2-Hexanone	ND	µg/L		41.1	500	3/24/2008 8:42:00 PM
Iodomethane	ND	µg/L		34.4	100	3/24/2008 8:42:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-9	**Lab ID:**	0803C51-03A
Project:	NEWTON	**Collection Date:**	3/18/2008 3:30:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		5.39	10.0	3/24/2008 8:42:00 PM
4-Methyl-2-pentanone	70.1	µg/L	J	44.0	1,000	3/24/2008 8:42:00 PM
Styrene	ND	µg/L		2.40	10.0	3/24/2008 8:42:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		3.60	50.0	3/24/2008 8:42:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		3.84	10.0	3/24/2008 8:42:00 PM
Tetrachloroethene	6.8	µg/L	J	1.96	10.0	3/24/2008 8:42:00 PM
Toluene	152	µg/L		1.67	10.0	3/24/2008 8:42:00 PM
1,1,1-Trichloroethane	ND	µg/L		3.54	10.0	3/24/2008 8:42:00 PM
1,1,2-Trichloroethane	ND	µg/L		4.92	50.0	3/24/2008 8:42:00 PM
Trichloroethene	ND	µg/L		3.02	10.0	3/24/2008 8:42:00 PM
Trichlorofluoromethane	ND	µg/L		2.99	10.0	3/24/2008 8:42:00 PM
1,2,3-Trichloropropane	ND	µg/L		3.58	10.0	3/24/2008 8:42:00 PM
Vinyl acetate	ND	µg/L		48.7	500	3/24/2008 8:42:00 PM
Vinyl chloride	14.4	µg/L		2.23	10.0	3/24/2008 8:42:00 PM
o-Xylene	22.6	µg/L		1.86	10.0	3/24/2008 8:42:00 PM
m,p-Xylene	36.7	µg/L		2.87	20.0	3/24/2008 8:42:00 PM
Surr: 1,2-Dichloroethane-d4	105	%REC			80-120	3/24/2008 8:42:00 PM
Surr: 4-Bromofluorobenzene	95.6	%REC			86-115	3/24/2008 8:42:00 PM
Surr: Dibromofluoromethane	112	%REC			80-120	3/24/2008 8:42:00 PM
Surr: Toluene-d8	99.1	%REC			88-110	3/24/2008 8:42:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-10A	**Lab ID:**	0803C51-04A
Project:	NEWTON	**Collection Date:**	3/18/2008 3:14:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0100	mg/L		0.00100	0.0050	3/24/2008 1:26:58 PM
Lead	0.0008	mg/L	J	0.00020	0.0010	3/24/2008 1:26:58 PM
Nickel	0.0064	mg/L	J	0.00200	0.0100	3/24/2008 1:26:58 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/22/2008 12:59:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/22/2008 12:59:00 PM
Benzene	6.3	µg/L		0.13	1.0	3/22/2008 12:59:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/22/2008 12:59:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/22/2008 12:59:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/22/2008 12:59:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/22/2008 12:59:00 PM
2-Butanone	ND	µg/L		4.68	100	3/22/2008 12:59:00 PM
Carbon disulfide	4.4	µg/L	J	1.27	100	3/22/2008 12:59:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/22/2008 12:59:00 PM
Chlorobenzene	1.1	µg/L	J	0.18	3.0	3/22/2008 12:59:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/22/2008 12:59:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/22/2008 12:59:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/22/2008 12:59:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/22/2008 12:59:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/22/2008 12:59:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/22/2008 12:59:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/22/2008 12:59:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/22/2008 12:59:00 PM
1,4-Dichlorobenzene	4.4	µg/L		0.29	1.0	3/22/2008 12:59:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/22/2008 12:59:00 PM
1,1-Dichloroethane	156	µg/L		3.83	50.0	3/24/2008 9:15:00 PM
1,2-Dichloroethane	10.0	µg/L		0.43	1.0	3/22/2008 12:59:00 PM
1,1-Dichloroethene	4.9	µg/L	J	0.33	5.0	3/22/2008 12:59:00 PM
cis-1,2-Dichloroethene	101	µg/L		2.26	50.0	3/24/2008 9:15:00 PM
trans-1,2-Dichloroethene	2.1	µg/L	J	0.39	5.0	3/22/2008 12:59:00 PM
1,2-Dichloropropane	17.4	µg/L		0.46	1.0	3/22/2008 12:59:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/22/2008 12:59:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/22/2008 12:59:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/22/2008 12:59:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/22/2008 12:59:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/22/2008 12:59:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-10A	**Lab ID:**	0803C51-04A
Project:	NEWTON	**Collection Date:**	3/18/2008 3:14:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/22/2008 12:59:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/22/2008 12:59:00 PM
Styrene	ND	µg/L		0.24	1.0	3/22/2008 12:59:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/22/2008 12:59:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/22/2008 12:59:00 PM
Tetrachloroethene	5.3	µg/L		0.20	1.0	3/22/2008 12:59:00 PM
Toluene	ND	µg/L		0.17	1.0	3/22/2008 12:59:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/22/2008 12:59:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/22/2008 12:59:00 PM
Trichloroethene	2.2	µg/L		0.30	1.0	3/22/2008 12:59:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/22/2008 12:59:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/22/2008 12:59:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/22/2008 12:59:00 PM
Vinyl chloride	13.7	µg/L		0.22	1.0	3/22/2008 12:59:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/22/2008 12:59:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/22/2008 12:59:00 PM
Surr: 1,2-Dichloroethane-d4	111	%REC			80-120	3/22/2008 12:59:00 PM
Surr: 4-Bromofluorobenzene	103	%REC			86-115	3/22/2008 12:59:00 PM
Surr: Dibromofluoromethane	106	%REC			80-120	3/22/2008 12:59:00 PM
Surr: Toluene-d8	98.3	%REC			88-110	3/22/2008 12:59:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-10B	**Lab ID:**	0803C51-05A
Project:	NEWTON	**Collection Date:**	3/18/2008 2:38:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0034	mg/L	J	0.00100	0.0050	3/24/2008 1:32:50 PM
Lead	0.0002	mg/L	J	0.00020	0.0010	3/24/2008 1:32:50 PM
Nickel	0.0029	mg/L	J	0.00200	0.0100	3/24/2008 1:32:50 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/22/2008 1:32:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/22/2008 1:32:00 PM
Benzene	ND	µg/L		0.13	1.0	3/22/2008 1:32:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/22/2008 1:32:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/22/2008 1:32:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/22/2008 1:32:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/22/2008 1:32:00 PM
2-Butanone	ND	µg/L		4.68	100	3/22/2008 1:32:00 PM
Carbon disulfide	4.6	µg/L	J	1.27	100	3/22/2008 1:32:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/22/2008 1:32:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/22/2008 1:32:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/22/2008 1:32:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/22/2008 1:32:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/22/2008 1:32:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/22/2008 1:32:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/22/2008 1:32:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/22/2008 1:32:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/22/2008 1:32:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/22/2008 1:32:00 PM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/22/2008 1:32:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/22/2008 1:32:00 PM
1,1-Dichloroethane	44.6	µg/L		1.92	25.0	3/24/2008 2:40:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/22/2008 1:32:00 PM
1,1-Dichloroethene	0.5	µg/L	J	0.33	5.0	3/22/2008 1:32:00 PM
cis-1,2-Dichloroethene	7.4	µg/L		0.23	5.0	3/22/2008 1:32:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/22/2008 1:32:00 PM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/22/2008 1:32:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/22/2008 1:32:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/22/2008 1:32:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/22/2008 1:32:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/22/2008 1:32:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/22/2008 1:32:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-10B	**Lab ID:**	0803C51-05A
Project:	NEWTON	**Collection Date:**	3/18/2008 2:38:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	1.0	µg/L	J	0.54	1.0	3/22/2008 1:32:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/22/2008 1:32:00 PM
Styrene	ND	µg/L		0.24	1.0	3/22/2008 1:32:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/22/2008 1:32:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/22/2008 1:32:00 PM
Tetrachloroethene	0.2	µg/L	J	0.20	1.0	3/22/2008 1:32:00 PM
Toluene	ND	µg/L		0.17	1.0	3/22/2008 1:32:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/22/2008 1:32:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/22/2008 1:32:00 PM
Trichloroethene	4.2	µg/L		0.30	1.0	3/22/2008 1:32:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/22/2008 1:32:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/22/2008 1:32:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/22/2008 1:32:00 PM
Vinyl chloride	6.3	µg/L		0.22	1.0	3/22/2008 1:32:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/22/2008 1:32:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/22/2008 1:32:00 PM
Surr: 1,2-Dichloroethane-d4	109	%REC			80-120	3/22/2008 1:32:00 PM
Surr: 4-Bromofluorobenzene	99.6	%REC			86-115	3/22/2008 1:32:00 PM
Surr: Dibromofluoromethane	108	%REC			80-120	3/22/2008 1:32:00 PM
Surr: Toluene-d8	97.8	%REC			88-110	3/22/2008 1:32:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-11	**Lab ID:**	0803C51-06A
Project:	NEWTON	**Collection Date:**	3/18/2008 4:05:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0051	mg/L		0.00100	0.0050	3/24/2008 1:38:42 PM
Lead	0.0003	mg/L	J	0.00020	0.0010	3/24/2008 1:38:42 PM
Nickel	ND	mg/L		0.00200	0.0100	3/24/2008 1:38:42 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/22/2008 2:05:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/22/2008 2:05:00 PM
Benzene	ND	µg/L		0.13	1.0	3/22/2008 2:05:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/22/2008 2:05:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/22/2008 2:05:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/22/2008 2:05:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/22/2008 2:05:00 PM
2-Butanone	ND	µg/L		4.68	100	3/22/2008 2:05:00 PM
Carbon disulfide	ND	µg/L		1.27	100	3/22/2008 2:05:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/22/2008 2:05:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/22/2008 2:05:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/22/2008 2:05:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/22/2008 2:05:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/22/2008 2:05:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/22/2008 2:05:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/22/2008 2:05:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/22/2008 2:05:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/22/2008 2:05:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/22/2008 2:05:00 PM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/22/2008 2:05:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/22/2008 2:05:00 PM
1,1-Dichloroethane	8.2	µg/L		0.38	5.0	3/22/2008 2:05:00 PM
1,2-Dichloroethane	6.6	µg/L		0.43	1.0	3/22/2008 2:05:00 PM
1,1-Dichloroethene	1.0	µg/L	J	0.33	5.0	3/22/2008 2:05:00 PM
cis-1,2-Dichloroethene	0.5	µg/L	J	0.23	5.0	3/22/2008 2:05:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/22/2008 2:05:00 PM
1,2-Dichloropropane	1.1	µg/L		0.46	1.0	3/22/2008 2:05:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/22/2008 2:05:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/22/2008 2:05:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/22/2008 2:05:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/22/2008 2:05:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/22/2008 2:05:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-11	**Lab ID:**	0803C51-06A
Project:	NEWTON	**Collection Date:**	3/18/2008 4:05:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/22/2008 2:05:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/22/2008 2:05:00 PM
Styrene	ND	µg/L		0.24	1.0	3/22/2008 2:05:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/22/2008 2:05:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/22/2008 2:05:00 PM
Tetrachloroethene	1.6	µg/L		0.20	1.0	3/22/2008 2:05:00 PM
Toluene	ND	µg/L		0.17	1.0	3/22/2008 2:05:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/22/2008 2:05:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/22/2008 2:05:00 PM
Trichloroethene	1.4	µg/L		0.30	1.0	3/22/2008 2:05:00 PM
Trichlorofluoromethane	21.1	µg/L		1.50	5.0	3/24/2008 3:13:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/22/2008 2:05:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/22/2008 2:05:00 PM
Vinyl chloride	ND	µg/L		0.22	1.0	3/22/2008 2:05:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/22/2008 2:05:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/22/2008 2:05:00 PM
Surr: 1,2-Dichloroethane-d4	110	%REC			80-120	3/22/2008 2:05:00 PM
Surr: 4-Bromofluorobenzene	101	%REC			86-115	3/22/2008 2:05:00 PM
Surr: Dibromofluoromethane	106	%REC			80-120	3/22/2008 2:05:00 PM
Surr: Toluene-d8	96.1	%REC			88-110	3/22/2008 2:05:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-13	**Lab ID:**	0803C51-07A
Project:	NEWTON	**Collection Date:**	3/19/2008 9:45:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0036	mg/L	J	0.00100	0.0050	3/24/2008 1:44:35 PM
Lead	0.0004	mg/L	J	0.00020	0.0010	3/24/2008 1:44:35 PM
Nickel	ND	mg/L		0.00200	0.0100	3/24/2008 1:44:35 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/24/2008 9:48:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 9:48:00 PM
Benzene	0.3	µg/L	J	0.13	1.0	3/24/2008 9:48:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 9:48:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 9:48:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 9:48:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 9:48:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 9:48:00 PM
Carbon disulfide	2.9	µg/L	J	1.27	100	3/24/2008 9:48:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 9:48:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/24/2008 9:48:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/24/2008 9:48:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/24/2008 9:48:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/24/2008 9:48:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 9:48:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 9:48:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 9:48:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 9:48:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/24/2008 9:48:00 PM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/24/2008 9:48:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 9:48:00 PM
1,1-Dichloroethane	38.0	µg/L		1.92	25.0	3/25/2008 1:55:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/24/2008 9:48:00 PM
1,1-Dichloroethene	4.0	µg/L	J	0.33	5.0	3/24/2008 9:48:00 PM
cis-1,2-Dichloroethene	44.3	µg/L		1.13	5.0	3/25/2008 1:55:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/24/2008 9:48:00 PM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/24/2008 9:48:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 9:48:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 9:48:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/24/2008 9:48:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/24/2008 9:48:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 9:48:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-13	**Lab ID:**	0803C51-07A
Project:	NEWTON	**Collection Date:**	3/19/2008 9:45:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/24/2008 9:48:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/24/2008 9:48:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 9:48:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 9:48:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 9:48:00 PM
Tetrachloroethene	1.4	µg/L		0.20	1.0	3/24/2008 9:48:00 PM
Toluene	ND	µg/L		0.17	1.0	3/24/2008 9:48:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 9:48:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 9:48:00 PM
Trichloroethene	20.1	µg/L		0.30	1.0	3/24/2008 9:48:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/24/2008 9:48:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 9:48:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 9:48:00 PM
Vinyl chloride	6.0	µg/L		0.22	1.0	3/24/2008 9:48:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/24/2008 9:48:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/24/2008 9:48:00 PM
Surr: 1,2-Dichloroethane-d4	104	%REC			80-120	3/24/2008 9:48:00 PM
Surr: 4-Bromofluorobenzene	96.1	%REC			86-115	3/24/2008 9:48:00 PM
Surr: Dibromofluoromethane	109	%REC			80-120	3/24/2008 9:48:00 PM
Surr: Toluene-d8	101	%REC			88-110	3/24/2008 9:48:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-14	**Lab ID:**	0803C51-08A
Project:	NEWTON	**Collection Date:**	3/19/2008 10:25:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0024	mg/L	J	0.00100	0.0050	3/24/2008 1:50:28 PM
Lead	0.0004	mg/L	J	0.00020	0.0010	3/24/2008 1:50:28 PM
Nickel	0.0050	mg/L	J	0.00200	0.0100	3/24/2008 1:50:28 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	119	µg/L		4.88	100	3/24/2008 10:21:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 10:21:00 PM
Benzene	12.0	µg/L		0.13	1.0	3/24/2008 10:21:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 10:21:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 10:21:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 10:21:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 10:21:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 10:21:00 PM
Carbon disulfide	6.8	µg/L	J	1.27	100	3/24/2008 10:21:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 10:21:00 PM
Chlorobenzene	3.7	µg/L		0.18	3.0	3/24/2008 10:21:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/24/2008 10:21:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/24/2008 10:21:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/24/2008 10:21:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 10:21:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 10:21:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 10:21:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 10:21:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/24/2008 10:21:00 PM
1,4-Dichlorobenzene	10.1	µg/L		0.29	1.0	3/24/2008 10:21:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 10:21:00 PM
1,1-Dichloroethane	169	µg/L		3.83	50.0	3/25/2008 8:29:00 PM
1,2-Dichloroethane	7.7	µg/L		0.43	1.0	3/24/2008 10:21:00 PM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/24/2008 10:21:00 PM
cis-1,2-Dichloroethene	ND	µg/L		0.23	5.0	3/24/2008 10:21:00 PM
trans-1,2-Dichloroethene	1.9	µg/L	J	0.39	5.0	3/24/2008 10:21:00 PM
1,2-Dichloropropane	4.4	µg/L		0.46	1.0	3/24/2008 10:21:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 10:21:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 10:21:00 PM
Ethylbenzene	20.2	µg/L		0.18	1.0	3/24/2008 10:21:00 PM
2-Hexanone	6.9	µg/L	J	4.11	50.0	3/24/2008 10:21:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 10:21:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-14	**Lab ID:**	0803C51-08A
Project:	NEWTON	**Collection Date:**	3/19/2008 10:25:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	484	µg/L		27.0	50.0	3/25/2008 10:43:00 PM
4-Methyl-2-pentanone	30.0	µg/L	J	4.40	100	3/24/2008 10:21:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 10:21:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 10:21:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 10:21:00 PM
Tetrachloroethene	3.2	µg/L		0.20	1.0	3/24/2008 10:21:00 PM
Toluene	80.3	µg/L		1.67	10.0	3/25/2008 8:29:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 10:21:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 10:21:00 PM
Trichloroethene	92.4	µg/L		3.02	10.0	3/25/2008 8:29:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/24/2008 10:21:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 10:21:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 10:21:00 PM
Vinyl chloride	40.0	µg/L		2.23	10.0	3/25/2008 8:29:00 PM
o-Xylene	63.4	µg/L		1.86	10.0	3/25/2008 8:29:00 PM
m,p-Xylene	40.4	µg/L		0.29	2.0	3/24/2008 10:21:00 PM
Surr: 1,2-Dichloroethane-d4	102	%REC			80-120	3/24/2008 10:21:00 PM
Surr: 4-Bromofluorobenzene	97.8	%REC			86-115	3/24/2008 10:21:00 PM
Surr: Dibromofluoromethane	105	%REC			80-120	3/24/2008 10:21:00 PM
Surr: Toluene-d8	97.7	%REC			88-110	3/24/2008 10:21:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-14A	**Lab ID:**	0803C51-09A
Project:	NEWTON	**Collection Date:**	3/19/2008 10:45:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0058	mg/L		0.00100	0.0050	3/24/2008 1:56:21 PM
Lead	0.0004	mg/L	J	0.00020	0.0010	3/24/2008 1:56:21 PM
Nickel	ND	mg/L		0.00200	0.0100	3/24/2008 1:56:21 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/24/2008 10:53:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 10:53:00 PM
Benzene	ND	µg/L		0.13	1.0	3/24/2008 10:53:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 10:53:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 10:53:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 10:53:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 10:53:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 10:53:00 PM
Carbon disulfide	11.7	µg/L	J	1.27	100	3/24/2008 10:53:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 10:53:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/24/2008 10:53:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/24/2008 10:53:00 PM
Chloroform	0.3	µg/L	J	0.25	5.0	3/24/2008 10:53:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/24/2008 10:53:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 10:53:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 10:53:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 10:53:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 10:53:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/24/2008 10:53:00 PM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/24/2008 10:53:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 10:53:00 PM
1,1-Dichloroethane	2.2	µg/L	J	0.38	5.0	3/24/2008 10:53:00 PM
1,2-Dichloroethane	0.6	µg/L	J	0.43	1.0	3/24/2008 10:53:00 PM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/24/2008 10:53:00 PM
cis-1,2-Dichloroethene	1.6	µg/L	J	0.23	5.0	3/24/2008 10:53:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/24/2008 10:53:00 PM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/24/2008 10:53:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 10:53:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 10:53:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/24/2008 10:53:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/24/2008 10:53:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 10:53:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-14A	**Lab ID:**	0803C51-09A
Project:	NEWTON	**Collection Date:**	3/19/2008 10:45:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/24/2008 10:53:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/24/2008 10:53:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 10:53:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 10:53:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 10:53:00 PM
Tetrachloroethene	16.5	µg/L		0.20	1.0	3/24/2008 10:53:00 PM
Toluene	ND	µg/L		0.17	1.0	3/24/2008 10:53:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 10:53:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 10:53:00 PM
Trichloroethene	4.0	µg/L		0.30	1.0	3/24/2008 10:53:00 PM
Trichlorofluoromethane	1.8	µg/L		0.30	1.0	3/24/2008 10:53:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 10:53:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 10:53:00 PM
Vinyl chloride	ND	µg/L		0.22	1.0	3/24/2008 10:53:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/24/2008 10:53:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/24/2008 10:53:00 PM
Surr: 1,2-Dichloroethane-d4	104	%REC			80-120	3/24/2008 10:53:00 PM
Surr: 4-Bromofluorobenzene	97.0	%REC			86-115	3/24/2008 10:53:00 PM
Surr: Dibromofluoromethane	110	%REC			80-120	3/24/2008 10:53:00 PM
Surr: Toluene-d8	101	%REC			88-110	3/24/2008 10:53:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-15	**Lab ID:**	0803C51-10A
Project:	NEWTON	**Collection Date:**	3/19/2008 9:02:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0040	mg/L	J	0.00100	0.0050	3/24/2008 2:02:14 PM
Lead	0.0029	mg/L		0.00020	0.0010	3/24/2008 2:02:14 PM
Nickel	0.0039	mg/L	J	0.00200	0.0100	3/24/2008 2:02:14 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/24/2008 11:26:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 11:26:00 PM
Benzene	19.4	µg/L		0.13	1.0	3/24/2008 11:26:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 11:26:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 11:26:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 11:26:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 11:26:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 11:26:00 PM
Carbon disulfide	ND	µg/L		1.27	100	3/24/2008 11:26:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 11:26:00 PM
Chlorobenzene	5.3	µg/L		0.18	3.0	3/24/2008 11:26:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/24/2008 11:26:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/24/2008 11:26:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/24/2008 11:26:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 11:26:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 11:26:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 11:26:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 11:26:00 PM
1,2-Dichlorobenzene	0.8	µg/L	J	0.45	5.0	3/24/2008 11:26:00 PM
1,4-Dichlorobenzene	5.1	µg/L		0.29	1.0	3/24/2008 11:26:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 11:26:00 PM
1,1-Dichloroethane	661	µg/L		38.3	500	3/26/2008 12:34:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/24/2008 11:26:00 PM
1,1-Dichloroethene	3.8	µg/L	J	0.33	5.0	3/24/2008 11:26:00 PM
cis-1,2-Dichloroethene	704	µg/L		22.6	500	3/26/2008 12:34:00 PM
trans-1,2-Dichloroethene	2.2	µg/L	J	0.39	5.0	3/24/2008 11:26:00 PM
1,2-Dichloropropane	1.5	µg/L		0.46	1.0	3/24/2008 11:26:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 11:26:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 11:26:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/24/2008 11:26:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/24/2008 11:26:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 11:26:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-15	**Lab ID:**	0803C51-10A
Project:	NEWTON	**Collection Date:**	3/19/2008 9:02:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	209	µg/L		5.39	10.0	3/25/2008 9:02:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/24/2008 11:26:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 11:26:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 11:26:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 11:26:00 PM
Tetrachloroethene	5.8	µg/L		0.20	1.0	3/24/2008 11:26:00 PM
Toluene	0.3	µg/L	J	0.17	1.0	3/24/2008 11:26:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 11:26:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 11:26:00 PM
Trichloroethene	162	µg/L		3.02	10.0	3/25/2008 9:02:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/24/2008 11:26:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 11:26:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 11:26:00 PM
Vinyl chloride	8.5	µg/L		0.22	1.0	3/24/2008 11:26:00 PM
o-Xylene	32.0	µg/L		1.86	10.0	3/25/2008 9:02:00 PM
m,p-Xylene	31.4	µg/L		0.29	2.0	3/24/2008 11:26:00 PM
Surr: 1,2-Dichloroethane-d4	98.6	%REC			80-120	3/24/2008 11:26:00 PM
Surr: 4-Bromofluorobenzene	96.0	%REC			86-115	3/24/2008 11:26:00 PM
Surr: Dibromofluoromethane	105	%REC			80-120	3/24/2008 11:26:00 PM
Surr: Toluene-d8	100	%REC			88-110	3/24/2008 11:26:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-16	**Lab ID:**	0803C51-11A
Project:	NEWTON	**Collection Date:**	3/18/2008 5:19:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0087	mg/L		0.00100	0.0050	3/24/2008 2:19:47 PM
Lead	0.0005	mg/L	J	0.00020	0.0010	3/24/2008 2:19:47 PM
Nickel	0.0136	mg/L		0.00200	0.0100	3/24/2008 2:19:47 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/24/2008 11:59:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 11:59:00 PM
Benzene	2.2	µg/L		0.13	1.0	3/24/2008 11:59:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 11:59:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 11:59:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 11:59:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 11:59:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 11:59:00 PM
Carbon disulfide	ND	µg/L		1.27	100	3/24/2008 11:59:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 11:59:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/24/2008 11:59:00 PM
Chloroethane	10.1	µg/L		0.94	10.0	3/24/2008 11:59:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/24/2008 11:59:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/24/2008 11:59:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 11:59:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 11:59:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 11:59:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 11:59:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/24/2008 11:59:00 PM
1,4-Dichlorobenzene	0.4	µg/L	J	0.29	1.0	3/24/2008 11:59:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 11:59:00 PM
1,1-Dichloroethane	99.4	µg/L		1.92	25.0	3/25/2008 2:27:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/24/2008 11:59:00 PM
1,1-Dichloroethene	2.5	µg/L	J	0.33	5.0	3/24/2008 11:59:00 PM
cis-1,2-Dichloroethene	12.8	µg/L		0.23	5.0	3/24/2008 11:59:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/24/2008 11:59:00 PM
1,2-Dichloropropane	0.7	µg/L	J	0.46	1.0	3/24/2008 11:59:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 11:59:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 11:59:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/24/2008 11:59:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/24/2008 11:59:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 11:59:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-16	**Lab ID:**	0803C51-11A
Project:	NEWTON	**Collection Date:**	3/18/2008 5:19:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/24/2008 11:59:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/24/2008 11:59:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 11:59:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 11:59:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 11:59:00 PM
Tetrachloroethene	1.6	µg/L		0.20	1.0	3/24/2008 11:59:00 PM
Toluene	ND	µg/L		0.17	1.0	3/24/2008 11:59:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 11:59:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 11:59:00 PM
Trichloroethene	35.6	µg/L		1.51	5.0	3/25/2008 2:27:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/24/2008 11:59:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 11:59:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 11:59:00 PM
Vinyl chloride	7.3	µg/L		0.22	1.0	3/24/2008 11:59:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/24/2008 11:59:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/24/2008 11:59:00 PM
Surr: 1,2-Dichloroethane-d4	102	%REC			80-120	3/24/2008 11:59:00 PM
Surr: 4-Bromofluorobenzene	97.6	%REC			86-115	3/24/2008 11:59:00 PM
Surr: Dibromofluoromethane	109	%REC			80-120	3/24/2008 11:59:00 PM
Surr: Toluene-d8	101	%REC			88-110	3/24/2008 11:59:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-16A	**Lab ID:**	0803C51-12A
Project:	NEWTON	**Collection Date:**	3/18/2008 5:27:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0020	mg/L	J	0.00100	0.0050	3/24/2008 2:25:38 PM
Lead	ND	mg/L		0.00020	0.0010	3/24/2008 2:25:38 PM
Nickel	ND	mg/L		0.00200	0.0100	3/24/2008 2:25:38 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/25/2008 12:31:00 AM
Acrylonitrile	ND	µg/L		4.24	200	3/25/2008 12:31:00 AM
Benzene	0.2	µg/L	J	0.13	1.0	3/25/2008 12:31:00 AM
Bromochloromethane	ND	µg/L		0.35	3.0	3/25/2008 12:31:00 AM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/25/2008 12:31:00 AM
Bromoform	ND	µg/L		0.40	3.0	3/25/2008 12:31:00 AM
Bromomethane	ND	µg/L		0.50	10.0	3/25/2008 12:31:00 AM
2-Butanone	ND	µg/L		4.68	100	3/25/2008 12:31:00 AM
Carbon disulfide	ND	µg/L		1.27	100	3/25/2008 12:31:00 AM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/25/2008 12:31:00 AM
Chlorobenzene	ND	µg/L		0.18	3.0	3/25/2008 12:31:00 AM
Chloroethane	ND	µg/L		0.94	10.0	3/25/2008 12:31:00 AM
Chloroform	ND	µg/L		0.25	5.0	3/25/2008 12:31:00 AM
Chloromethane	ND	µg/L		0.33	1.0	3/25/2008 12:31:00 AM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/25/2008 12:31:00 AM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/25/2008 12:31:00 AM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/25/2008 12:31:00 AM
Dibromomethane	ND	µg/L		0.29	10.0	3/25/2008 12:31:00 AM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/25/2008 12:31:00 AM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/25/2008 12:31:00 AM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/25/2008 12:31:00 AM
1,1-Dichloroethane	30.4	µg/L		1.92	25.0	3/25/2008 3:00:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/25/2008 12:31:00 AM
1,1-Dichloroethene	3.9	µg/L	J	0.33	5.0	3/25/2008 12:31:00 AM
cis-1,2-Dichloroethene	43.0	µg/L		1.13	25.0	3/25/2008 3:00:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/25/2008 12:31:00 AM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/25/2008 12:31:00 AM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 12:31:00 AM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 12:31:00 AM
Ethylbenzene	ND	µg/L		0.18	1.0	3/25/2008 12:31:00 AM
2-Hexanone	ND	µg/L		4.11	50.0	3/25/2008 12:31:00 AM
Iodomethane	ND	µg/L		3.44	10.0	3/25/2008 12:31:00 AM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-16A	**Lab ID:**	0803C51-12A
Project:	NEWTON	**Collection Date:**	3/18/2008 5:27:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/25/2008 12:31:00 AM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/25/2008 12:31:00 AM
Styrene	ND	µg/L		0.24	1.0	3/25/2008 12:31:00 AM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/25/2008 12:31:00 AM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/25/2008 12:31:00 AM
Tetrachloroethene	1.0	µg/L		0.20	1.0	3/25/2008 12:31:00 AM
Toluene	ND	µg/L		0.17	1.0	3/25/2008 12:31:00 AM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/25/2008 12:31:00 AM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/25/2008 12:31:00 AM
Trichloroethene	21.0	µg/L		0.30	1.0	3/25/2008 12:31:00 AM
Trichlorofluoromethane	17.8	µg/L		0.30	1.0	3/25/2008 12:31:00 AM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/25/2008 12:31:00 AM
Vinyl acetate	ND	µg/L		4.87	50.0	3/25/2008 12:31:00 AM
Vinyl chloride	5.5	µg/L		0.22	1.0	3/25/2008 12:31:00 AM
o-Xylene	ND	µg/L		0.19	1.0	3/25/2008 12:31:00 AM
m,p-Xylene	ND	µg/L		0.29	2.0	3/25/2008 12:31:00 AM
Surr: 1,2-Dichloroethane-d4	103	%REC			80-120	3/25/2008 12:31:00 AM
Surr: 4-Bromofluorobenzene	93.5	%REC			86-115	3/25/2008 12:31:00 AM
Surr: Dibromofluoromethane	108	%REC			80-120	3/25/2008 12:31:00 AM
Surr: Toluene-d8	100	%REC			88-110	3/25/2008 12:31:00 AM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-20	**Lab ID:**	0803C51-13A
Project:	NEWTON	**Collection Date:**	3/19/2008 9:10:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0024	mg/L	J	0.00100	0.0050	3/24/2008 2:31:29 PM
Lead	0.0002	mg/L	J	0.00020	0.0010	3/24/2008 2:31:29 PM
Nickel	0.0029	mg/L	J	0.00200	0.0100	3/24/2008 2:31:29 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/25/2008 1:04:00 AM
Acrylonitrile	ND	µg/L		4.24	200	3/25/2008 1:04:00 AM
Benzene	18.8	µg/L		0.13	1.0	3/25/2008 1:04:00 AM
Bromochloromethane	ND	µg/L		0.35	3.0	3/25/2008 1:04:00 AM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/25/2008 1:04:00 AM
Bromoform	ND	µg/L		0.40	3.0	3/25/2008 1:04:00 AM
Bromomethane	ND	µg/L		0.50	10.0	3/25/2008 1:04:00 AM
2-Butanone	ND	µg/L		4.68	100	3/25/2008 1:04:00 AM
Carbon disulfide	2.4	µg/L	J	1.27	100	3/25/2008 1:04:00 AM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/25/2008 1:04:00 AM
Chlorobenzene	1.1	µg/L	J	0.18	3.0	3/25/2008 1:04:00 AM
Chloroethane	1.3	µg/L	J	0.94	10.0	3/25/2008 1:04:00 AM
Chloroform	ND	µg/L		0.25	5.0	3/25/2008 1:04:00 AM
Chloromethane	ND	µg/L		0.33	1.0	3/25/2008 1:04:00 AM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/25/2008 1:04:00 AM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/25/2008 1:04:00 AM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/25/2008 1:04:00 AM
Dibromomethane	ND	µg/L		0.29	10.0	3/25/2008 1:04:00 AM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/25/2008 1:04:00 AM
1,4-Dichlorobenzene	2.6	µg/L		0.29	1.0	3/25/2008 1:04:00 AM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/25/2008 1:04:00 AM
1,1-Dichloroethane	910	µg/L		38.3	500	3/26/2008 1:08:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/25/2008 1:04:00 AM
1,1-Dichloroethene	15.1	µg/L		0.33	5.0	3/25/2008 1:04:00 AM
cis-1,2-Dichloroethene	1,110	µg/L		22.6	500	3/26/2008 1:08:00 PM
trans-1,2-Dichloroethene	2.4	µg/L	J	0.39	5.0	3/25/2008 1:04:00 AM
1,2-Dichloropropane	5.4	µg/L		0.46	1.0	3/25/2008 1:04:00 AM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 1:04:00 AM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 1:04:00 AM
Ethylbenzene	ND	µg/L		0.18	1.0	3/25/2008 1:04:00 AM
2-Hexanone	ND	µg/L		4.11	50.0	3/25/2008 1:04:00 AM
Iodomethane	ND	µg/L		3.44	10.0	3/25/2008 1:04:00 AM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-20	**Lab ID:**	0803C51-13A
Project:	NEWTON	**Collection Date:**	3/19/2008 9:10:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	64.1	µg/L		5.39	10.0	3/25/2008 9:36:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/25/2008 1:04:00 AM
Styrene	ND	µg/L		0.24	1.0	3/25/2008 1:04:00 AM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/25/2008 1:04:00 AM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/25/2008 1:04:00 AM
Tetrachloroethene	54.4	µg/L		1.96	10.0	3/25/2008 9:36:00 PM
Toluene	ND	µg/L		0.17	1.0	3/25/2008 1:04:00 AM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/25/2008 1:04:00 AM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/25/2008 1:04:00 AM
Trichloroethene	912	µg/L		30.2	100	3/26/2008 1:08:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/25/2008 1:04:00 AM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/25/2008 1:04:00 AM
Vinyl acetate	ND	µg/L		4.87	50.0	3/25/2008 1:04:00 AM
Vinyl chloride	5.8	µg/L		0.22	1.0	3/25/2008 1:04:00 AM
o-Xylene	4.0	µg/L		0.19	1.0	3/25/2008 1:04:00 AM
m,p-Xylene	ND	µg/L		0.29	2.0	3/25/2008 1:04:00 AM
Surr: 1,2-Dichloroethane-d4	104	%REC			80-120	3/25/2008 1:04:00 AM
Surr: 4-Bromofluorobenzene	97.5	%REC			86-115	3/25/2008 1:04:00 AM
Surr: Dibromofluoromethane	104	%REC			80-120	3/25/2008 1:04:00 AM
Surr: Toluene-d8	101	%REC			88-110	3/25/2008 1:04:00 AM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-21	**Lab ID:**	0803C51-14A
Project:	NEWTON	**Collection Date:**	3/19/2008 8:15:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0038	mg/L	J	0.00100	0.0050	3/24/2008 2:37:21 PM
Lead	0.0008	mg/L	J	0.00020	0.0010	3/24/2008 2:37:21 PM
Nickel	0.0031	mg/L	J	0.00200	0.0100	3/24/2008 2:37:21 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/25/2008 1:37:00 AM
Acrylonitrile	ND	µg/L		4.24	200	3/25/2008 1:37:00 AM
Benzene	ND	µg/L		0.13	1.0	3/25/2008 1:37:00 AM
Bromochloromethane	ND	µg/L		0.35	3.0	3/25/2008 1:37:00 AM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/25/2008 1:37:00 AM
Bromoform	ND	µg/L		0.40	3.0	3/25/2008 1:37:00 AM
Bromomethane	ND	µg/L		0.50	10.0	3/25/2008 1:37:00 AM
2-Butanone	ND	µg/L		4.68	100	3/25/2008 1:37:00 AM
Carbon disulfide	ND	µg/L		1.27	100	3/25/2008 1:37:00 AM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/25/2008 1:37:00 AM
Chlorobenzene	ND	µg/L		0.18	3.0	3/25/2008 1:37:00 AM
Chloroethane	ND	µg/L		0.94	10.0	3/25/2008 1:37:00 AM
Chloroform	ND	µg/L		0.25	5.0	3/25/2008 1:37:00 AM
Chloromethane	ND	µg/L		0.33	1.0	3/25/2008 1:37:00 AM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/25/2008 1:37:00 AM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/25/2008 1:37:00 AM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/25/2008 1:37:00 AM
Dibromomethane	ND	µg/L		0.29	10.0	3/25/2008 1:37:00 AM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/25/2008 1:37:00 AM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/25/2008 1:37:00 AM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/25/2008 1:37:00 AM
1,1-Dichloroethane	ND	µg/L		0.38	5.0	3/25/2008 1:37:00 AM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/25/2008 1:37:00 AM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/25/2008 1:37:00 AM
cis-1,2-Dichloroethene	ND	µg/L		0.23	5.0	3/25/2008 1:37:00 AM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/25/2008 1:37:00 AM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/25/2008 1:37:00 AM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 1:37:00 AM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 1:37:00 AM
Ethylbenzene	ND	µg/L		0.18	1.0	3/25/2008 1:37:00 AM
2-Hexanone	ND	µg/L		4.11	50.0	3/25/2008 1:37:00 AM
Iodomethane	ND	µg/L		3.44	10.0	3/25/2008 1:37:00 AM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-21	**Lab ID:**	0803C51-14A
Project:	NEWTON	**Collection Date:**	3/19/2008 8:15:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/25/2008 1:37:00 AM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/25/2008 1:37:00 AM
Styrene	ND	µg/L		0.24	1.0	3/25/2008 1:37:00 AM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/25/2008 1:37:00 AM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/25/2008 1:37:00 AM
Tetrachloroethene	ND	µg/L		0.20	1.0	3/25/2008 1:37:00 AM
Toluene	ND	µg/L		0.17	1.0	3/25/2008 1:37:00 AM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/25/2008 1:37:00 AM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/25/2008 1:37:00 AM
Trichloroethene	ND	µg/L		0.30	1.0	3/25/2008 1:37:00 AM
Trichlorofluoromethane	0.3	µg/L	J	0.30	1.0	3/25/2008 1:37:00 AM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/25/2008 1:37:00 AM
Vinyl acetate	ND	µg/L		4.87	50.0	3/25/2008 1:37:00 AM
Vinyl chloride	ND	µg/L		0.22	1.0	3/25/2008 1:37:00 AM
o-Xylene	ND	µg/L		0.19	1.0	3/25/2008 1:37:00 AM
m,p-Xylene	ND	µg/L		0.29	2.0	3/25/2008 1:37:00 AM
Surr: 1,2-Dichloroethane-d4	106	%REC			80-120	3/25/2008 1:37:00 AM
Surr: 4-Bromofluorobenzene	96.9	%REC			86-115	3/25/2008 1:37:00 AM
Surr: Dibromofluoromethane	109	%REC			80-120	3/25/2008 1:37:00 AM
Surr: Toluene-d8	100	%REC			88-110	3/25/2008 1:37:00 AM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-23	**Lab ID:**	0803C51-15A
Project:	NEWTON	**Collection Date:**	3/18/2008 12:40:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0040	mg/L	J	0.00100	0.0050	3/24/2008 2:43:13 PM
Lead	0.0083	mg/L		0.00020	0.0010	3/24/2008 2:43:13 PM
Nickel	ND	mg/L		0.00200	0.0100	3/24/2008 2:43:13 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/25/2008 2:09:00 AM
Acrylonitrile	ND	µg/L		4.24	200	3/25/2008 2:09:00 AM
Benzene	ND	µg/L		0.13	1.0	3/25/2008 2:09:00 AM
Bromochloromethane	ND	µg/L		0.35	3.0	3/25/2008 2:09:00 AM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/25/2008 2:09:00 AM
Bromoform	ND	µg/L		0.40	3.0	3/25/2008 2:09:00 AM
Bromomethane	ND	µg/L		0.50	10.0	3/25/2008 2:09:00 AM
2-Butanone	ND	µg/L		4.68	100	3/25/2008 2:09:00 AM
Carbon disulfide	ND	µg/L		1.27	100	3/25/2008 2:09:00 AM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/25/2008 2:09:00 AM
Chlorobenzene	ND	µg/L		0.18	3.0	3/25/2008 2:09:00 AM
Chloroethane	ND	µg/L		0.94	10.0	3/25/2008 2:09:00 AM
Chloroform	ND	µg/L		0.25	5.0	3/25/2008 2:09:00 AM
Chloromethane	ND	µg/L		0.33	1.0	3/25/2008 2:09:00 AM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/25/2008 2:09:00 AM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/25/2008 2:09:00 AM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/25/2008 2:09:00 AM
Dibromomethane	ND	µg/L		0.29	10.0	3/25/2008 2:09:00 AM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/25/2008 2:09:00 AM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/25/2008 2:09:00 AM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/25/2008 2:09:00 AM
1,1-Dichloroethane	ND	µg/L		0.38	5.0	3/25/2008 2:09:00 AM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/25/2008 2:09:00 AM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/25/2008 2:09:00 AM
cis-1,2-Dichloroethene	ND	µg/L		0.23	5.0	3/25/2008 2:09:00 AM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/25/2008 2:09:00 AM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/25/2008 2:09:00 AM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 2:09:00 AM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 2:09:00 AM
Ethylbenzene	ND	µg/L		0.18	1.0	3/25/2008 2:09:00 AM
2-Hexanone	ND	µg/L		4.11	50.0	3/25/2008 2:09:00 AM
Iodomethane	ND	µg/L		3.44	10.0	3/25/2008 2:09:00 AM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-23	**Lab ID:**	0803C51-15A
Project:	NEWTON	**Collection Date:**	3/18/2008 12:40:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/25/2008 2:09:00 AM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/25/2008 2:09:00 AM
Styrene	ND	µg/L		0.24	1.0	3/25/2008 2:09:00 AM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/25/2008 2:09:00 AM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/25/2008 2:09:00 AM
Tetrachloroethene	ND	µg/L		0.20	1.0	3/25/2008 2:09:00 AM
Toluene	ND	µg/L		0.17	1.0	3/25/2008 2:09:00 AM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/25/2008 2:09:00 AM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/25/2008 2:09:00 AM
Trichloroethene	ND	µg/L		0.30	1.0	3/25/2008 2:09:00 AM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/25/2008 2:09:00 AM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/25/2008 2:09:00 AM
Vinyl acetate	ND	µg/L		4.87	50.0	3/25/2008 2:09:00 AM
Vinyl chloride	ND	µg/L		0.22	1.0	3/25/2008 2:09:00 AM
o-Xylene	ND	µg/L		0.19	1.0	3/25/2008 2:09:00 AM
m,p-Xylene	ND	µg/L		0.29	2.0	3/25/2008 2:09:00 AM
Surr: 1,2-Dichloroethane-d4	102	%REC			80-120	3/25/2008 2:09:00 AM
Surr: 4-Bromofluorobenzene	97.9	%REC			86-115	3/25/2008 2:09:00 AM
Surr: Dibromofluoromethane	109	%REC			80-120	3/25/2008 2:09:00 AM
Surr: Toluene-d8	101	%REC			88-110	3/25/2008 2:09:00 AM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-24	**Lab ID:**	0803C51-16A
Project:	NEWTON	**Collection Date:**	3/19/2008 8:28:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0049	mg/L	J	0.00100	0.0050	3/24/2008 2:49:05 PM
Lead	0.0022	mg/L		0.00020	0.0010	3/24/2008 2:49:05 PM
Nickel	0.0022	mg/L	J	0.00200	0.0100	3/24/2008 2:49:05 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/25/2008 2:42:00 AM
Acrylonitrile	ND	µg/L		4.24	200	3/25/2008 2:42:00 AM
Benzene	ND	µg/L		0.13	1.0	3/25/2008 2:42:00 AM
Bromochloromethane	ND	µg/L		0.35	3.0	3/25/2008 2:42:00 AM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/25/2008 2:42:00 AM
Bromoform	ND	µg/L		0.40	3.0	3/25/2008 2:42:00 AM
Bromomethane	ND	µg/L		0.50	10.0	3/25/2008 2:42:00 AM
2-Butanone	ND	µg/L		4.68	100	3/25/2008 2:42:00 AM
Carbon disulfide	ND	µg/L		1.27	100	3/25/2008 2:42:00 AM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/25/2008 2:42:00 AM
Chlorobenzene	ND	µg/L		0.18	3.0	3/25/2008 2:42:00 AM
Chloroethane	ND	µg/L		0.94	10.0	3/25/2008 2:42:00 AM
Chloroform	ND	µg/L		0.25	5.0	3/25/2008 2:42:00 AM
Chloromethane	ND	µg/L		0.33	1.0	3/25/2008 2:42:00 AM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/25/2008 2:42:00 AM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/25/2008 2:42:00 AM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/25/2008 2:42:00 AM
Dibromomethane	ND	µg/L		0.29	10.0	3/25/2008 2:42:00 AM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/25/2008 2:42:00 AM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/25/2008 2:42:00 AM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/25/2008 2:42:00 AM
1,1-Dichloroethane	ND	µg/L		0.38	5.0	3/25/2008 2:42:00 AM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/25/2008 2:42:00 AM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/25/2008 2:42:00 AM
cis-1,2-Dichloroethene	ND	µg/L		0.23	5.0	3/25/2008 2:42:00 AM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/25/2008 2:42:00 AM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/25/2008 2:42:00 AM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 2:42:00 AM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 2:42:00 AM
Ethylbenzene	ND	µg/L		0.18	1.0	3/25/2008 2:42:00 AM
2-Hexanone	ND	µg/L		4.11	50.0	3/25/2008 2:42:00 AM
Iodomethane	ND	µg/L		3.44	10.0	3/25/2008 2:42:00 AM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-24	**Lab ID:**	0803C51-16A
Project:	NEWTON	**Collection Date:**	3/19/2008 8:28:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/25/2008 2:42:00 AM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/25/2008 2:42:00 AM
Styrene	ND	µg/L		0.24	1.0	3/25/2008 2:42:00 AM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/25/2008 2:42:00 AM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/25/2008 2:42:00 AM
Tetrachloroethene	ND	µg/L		0.20	1.0	3/25/2008 2:42:00 AM
Toluene	ND	µg/L		0.17	1.0	3/25/2008 2:42:00 AM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/25/2008 2:42:00 AM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/25/2008 2:42:00 AM
Trichloroethene	ND	µg/L		0.30	1.0	3/25/2008 2:42:00 AM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/25/2008 2:42:00 AM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/25/2008 2:42:00 AM
Vinyl acetate	ND	µg/L		4.87	50.0	3/25/2008 2:42:00 AM
Vinyl chloride	ND	µg/L		0.22	1.0	3/25/2008 2:42:00 AM
o-Xylene	ND	µg/L		0.19	1.0	3/25/2008 2:42:00 AM
m,p-Xylene	ND	µg/L		0.29	2.0	3/25/2008 2:42:00 AM
Surr: 1,2-Dichloroethane-d4	103	%REC			80-120	3/25/2008 2:42:00 AM
Surr: 4-Bromofluorobenzene	98.4	%REC			86-115	3/25/2008 2:42:00 AM
Surr: Dibromofluoromethane	110	%REC			80-120	3/25/2008 2:42:00 AM
Surr: Toluene-d8	101	%REC			88-110	3/25/2008 2:42:00 AM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-24D	**Lab ID:**	0803C51-17A
Project:	NEWTON	**Collection Date:**	3/19/2008 8:35:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0040	mg/L	J	0.00100	0.0050	3/24/2008 2:54:58 PM
Lead	0.0019	mg/L		0.00020	0.0010	3/24/2008 2:54:58 PM
Nickel	0.0027	mg/L	J	0.00200	0.0100	3/24/2008 2:54:58 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/25/2008 3:14:00 AM
Acrylonitrile	ND	µg/L		4.24	200	3/25/2008 3:14:00 AM
Benzene	ND	µg/L		0.13	1.0	3/25/2008 3:14:00 AM
Bromochloromethane	ND	µg/L		0.35	3.0	3/25/2008 3:14:00 AM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/25/2008 3:14:00 AM
Bromoform	ND	µg/L		0.40	3.0	3/25/2008 3:14:00 AM
Bromomethane	ND	µg/L		0.50	10.0	3/25/2008 3:14:00 AM
2-Butanone	ND	µg/L		4.68	100	3/25/2008 3:14:00 AM
Carbon disulfide	1.6	µg/L	J	1.27	100	3/25/2008 3:14:00 AM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/25/2008 3:14:00 AM
Chlorobenzene	ND	µg/L		0.18	3.0	3/25/2008 3:14:00 AM
Chloroethane	ND	µg/L		0.94	10.0	3/25/2008 3:14:00 AM
Chloroform	ND	µg/L		0.25	5.0	3/25/2008 3:14:00 AM
Chloromethane	ND	µg/L		0.33	1.0	3/25/2008 3:14:00 AM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/25/2008 3:14:00 AM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/25/2008 3:14:00 AM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/25/2008 3:14:00 AM
Dibromomethane	ND	µg/L		0.29	10.0	3/25/2008 3:14:00 AM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/25/2008 3:14:00 AM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/25/2008 3:14:00 AM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/25/2008 3:14:00 AM
1,1-Dichloroethane	ND	µg/L		0.38	5.0	3/25/2008 3:14:00 AM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/25/2008 3:14:00 AM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/25/2008 3:14:00 AM
cis-1,2-Dichloroethene	ND	µg/L		0.23	5.0	3/25/2008 3:14:00 AM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/25/2008 3:14:00 AM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/25/2008 3:14:00 AM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 3:14:00 AM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 3:14:00 AM
Ethylbenzene	ND	µg/L		0.18	1.0	3/25/2008 3:14:00 AM
2-Hexanone	ND	µg/L		4.11	50.0	3/25/2008 3:14:00 AM
Iodomethane	ND	µg/L		3.44	10.0	3/25/2008 3:14:00 AM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-24D	**Lab ID:**	0803C51-17A
Project:	NEWTON	**Collection Date:**	3/19/2008 8:35:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/25/2008 3:14:00 AM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/25/2008 3:14:00 AM
Styrene	ND	µg/L		0.24	1.0	3/25/2008 3:14:00 AM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/25/2008 3:14:00 AM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/25/2008 3:14:00 AM
Tetrachloroethene	ND	µg/L		0.20	1.0	3/25/2008 3:14:00 AM
Toluene	ND	µg/L		0.17	1.0	3/25/2008 3:14:00 AM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/25/2008 3:14:00 AM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/25/2008 3:14:00 AM
Trichloroethene	ND	µg/L		0.30	1.0	3/25/2008 3:14:00 AM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/25/2008 3:14:00 AM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/25/2008 3:14:00 AM
Vinyl acetate	ND	µg/L		4.87	50.0	3/25/2008 3:14:00 AM
Vinyl chloride	ND	µg/L		0.22	1.0	3/25/2008 3:14:00 AM
o-Xylene	ND	µg/L		0.19	1.0	3/25/2008 3:14:00 AM
m,p-Xylene	ND	µg/L		0.29	2.0	3/25/2008 3:14:00 AM
Surr: 1,2-Dichloroethane-d4	105	%REC			80-120	3/25/2008 3:14:00 AM
Surr: 4-Bromofluorobenzene	98.6	%REC			86-115	3/25/2008 3:14:00 AM
Surr: Dibromofluoromethane	111	%REC			80-120	3/25/2008 3:14:00 AM
Surr: Toluene-d8	101	%REC			88-110	3/25/2008 3:14:00 AM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	OW-1	**Lab ID:**	0803C51-18A
Project:	NEWTON	**Collection Date:**	3/18/2008 1:48:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0017	mg/L	J	0.00100	0.0050	3/24/2008 3:00:51 PM
Lead	0.0047	mg/L		0.00020	0.0010	3/24/2008 3:00:51 PM
Nickel	ND	mg/L		0.00200	0.0100	3/24/2008 3:00:51 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/24/2008 9:43:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 9:43:00 PM
Benzene	12.1	µg/L		0.13	1.0	3/24/2008 9:43:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 9:43:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 9:43:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 9:43:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 9:43:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 9:43:00 PM
Carbon disulfide	ND	µg/L		1.27	100	3/24/2008 9:43:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 9:43:00 PM
Chlorobenzene	0.2	µg/L	J	0.18	3.0	3/24/2008 9:43:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/24/2008 9:43:00 PM
Chloroform	0.3	µg/L	J	0.25	5.0	3/24/2008 9:43:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/24/2008 9:43:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 9:43:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 9:43:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 9:43:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 9:43:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/24/2008 9:43:00 PM
1,4-Dichlorobenzene	0.4	µg/L	J	0.29	1.0	3/24/2008 9:43:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 9:43:00 PM
1,1-Dichloroethane	16.7	µg/L		0.38	5.0	3/24/2008 9:43:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/24/2008 9:43:00 PM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/24/2008 9:43:00 PM
cis-1,2-Dichloroethene	11.7	µg/L		0.23	5.0	3/24/2008 9:43:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/24/2008 9:43:00 PM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/24/2008 9:43:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 9:43:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 9:43:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/24/2008 9:43:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/24/2008 9:43:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 9:43:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	OW-1	**Lab ID:**	0803C51-18A
Project:	NEWTON	**Collection Date:**	3/18/2008 1:48:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	32.8	µg/L		2.70	5.0	3/25/2008 3:33:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/24/2008 9:43:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 9:43:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 9:43:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 9:43:00 PM
Tetrachloroethene	1.2	µg/L		0.20	1.0	3/24/2008 9:43:00 PM
Toluene	ND	µg/L		0.17	1.0	3/24/2008 9:43:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 9:43:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 9:43:00 PM
Trichloroethene	2.2	µg/L		0.30	1.0	3/24/2008 9:43:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/24/2008 9:43:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 9:43:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 9:43:00 PM
Vinyl chloride	3.9	µg/L		0.22	1.0	3/24/2008 9:43:00 PM
o-Xylene	1.9	µg/L		0.19	1.0	3/24/2008 9:43:00 PM
m,p-Xylene	12.9	µg/L		0.29	2.0	3/24/2008 9:43:00 PM
Surr: 1,2-Dichloroethane-d4	101	%REC			80-120	3/24/2008 9:43:00 PM
Surr: 4-Bromofluorobenzene	100	%REC			86-115	3/24/2008 9:43:00 PM
Surr: Dibromofluoromethane	104	%REC			80-120	3/24/2008 9:43:00 PM
Surr: Toluene-d8	96.3	%REC			88-110	3/24/2008 9:43:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	CR-1	**Lab ID:**	0803C51-19A
Project:	NEWTON	**Collection Date:**	3/18/2008 4:30:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0023	mg/L	J	0.00100	0.0050	3/24/2008 3:06:44 PM
Lead	ND	mg/L		0.00020	0.0010	3/24/2008 3:06:44 PM
Nickel	0.0049	mg/L	J	0.00200	0.0100	3/24/2008 3:06:44 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/24/2008 10:16:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 10:16:00 PM
Benzene	0.2	µg/L	J	0.13	1.0	3/24/2008 10:16:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 10:16:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 10:16:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 10:16:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 10:16:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 10:16:00 PM
Carbon disulfide	ND	µg/L		1.27	100	3/24/2008 10:16:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 10:16:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/24/2008 10:16:00 PM
Chloroethane	2.6	µg/L	J	0.94	10.0	3/24/2008 10:16:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/24/2008 10:16:00 PM
Chloromethane	2.0	µg/L		0.33	1.0	3/24/2008 10:16:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 10:16:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 10:16:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 10:16:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 10:16:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/24/2008 10:16:00 PM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/24/2008 10:16:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 10:16:00 PM
1,1-Dichloroethane	12.0	µg/L		0.38	5.0	3/24/2008 10:16:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/24/2008 10:16:00 PM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/24/2008 10:16:00 PM
cis-1,2-Dichloroethene	1.6	µg/L	J	0.23	5.0	3/24/2008 10:16:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/24/2008 10:16:00 PM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/24/2008 10:16:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 10:16:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 10:16:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/24/2008 10:16:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/24/2008 10:16:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 10:16:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	CR-1	**Lab ID:**	0803C51-19A
Project:	NEWTON	**Collection Date:**	3/18/2008 4:30:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/24/2008 10:16:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/24/2008 10:16:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 10:16:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 10:16:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 10:16:00 PM
Tetrachloroethene	ND	µg/L		0.20	1.0	3/24/2008 10:16:00 PM
Toluene	0.5	µg/L	J	0.17	1.0	3/24/2008 10:16:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 10:16:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 10:16:00 PM
Trichloroethene	0.9	µg/L	J	0.30	1.0	3/24/2008 10:16:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/24/2008 10:16:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 10:16:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 10:16:00 PM
Vinyl chloride	ND	µg/L		0.22	1.0	3/24/2008 10:16:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/24/2008 10:16:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/24/2008 10:16:00 PM
Surr: 1,2-Dichloroethane-d4	104	%REC			80-120	3/24/2008 10:16:00 PM
Surr: 4-Bromofluorobenzene	98.4	%REC			86-115	3/24/2008 10:16:00 PM
Surr: Dibromofluoromethane	107	%REC			80-120	3/24/2008 10:16:00 PM
Surr: Toluene-d8	96.2	%REC			88-110	3/24/2008 10:16:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	SW-2	**Lab ID:**	0803C51-20A
Project:	NEWTON	**Collection Date:**	3/18/2008 4:46:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0021	mg/L	J	0.00100	0.0050	3/24/2008 3:12:38 PM
Lead	ND	mg/L		0.00020	0.0010	3/24/2008 3:12:38 PM
Nickel	0.0024	mg/L	J	0.00200	0.0100	3/24/2008 3:12:38 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/24/2008 10:49:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 10:49:00 PM
Benzene	ND	µg/L		0.13	1.0	3/24/2008 10:49:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 10:49:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 10:49:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 10:49:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 10:49:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 10:49:00 PM
Carbon disulfide	ND	µg/L		1.27	100	3/24/2008 10:49:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 10:49:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/24/2008 10:49:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/24/2008 10:49:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/24/2008 10:49:00 PM
Chloromethane	1.4	µg/L		0.33	1.0	3/24/2008 10:49:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 10:49:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 10:49:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 10:49:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 10:49:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/24/2008 10:49:00 PM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/24/2008 10:49:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 10:49:00 PM
1,1-Dichloroethane	3.9	µg/L	J	0.38	5.0	3/24/2008 10:49:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/24/2008 10:49:00 PM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/24/2008 10:49:00 PM
cis-1,2-Dichloroethene	0.7	µg/L	J	0.23	5.0	3/24/2008 10:49:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/24/2008 10:49:00 PM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/24/2008 10:49:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 10:49:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 10:49:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/24/2008 10:49:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/24/2008 10:49:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 10:49:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	SW-2	**Lab ID:**	0803C51-20A
Project:	NEWTON	**Collection Date:**	3/18/2008 4:46:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/24/2008 10:49:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/24/2008 10:49:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 10:49:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 10:49:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 10:49:00 PM
Tetrachloroethene	ND	µg/L		0.20	1.0	3/24/2008 10:49:00 PM
Toluene	ND	µg/L		0.17	1.0	3/24/2008 10:49:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 10:49:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 10:49:00 PM
Trichloroethene	0.4	µg/L	J	0.30	1.0	3/24/2008 10:49:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/24/2008 10:49:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 10:49:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 10:49:00 PM
Vinyl chloride	ND	µg/L		0.22	1.0	3/24/2008 10:49:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/24/2008 10:49:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/24/2008 10:49:00 PM
Surr: 1,2-Dichloroethane-d4	104	%REC			80-120	3/24/2008 10:49:00 PM
Surr: 4-Bromofluorobenzene	96.2	%REC			86-115	3/24/2008 10:49:00 PM
Surr: Dibromofluoromethane	105	%REC			80-120	3/24/2008 10:49:00 PM
Surr: Toluene-d8	95.9	%REC			88-110	3/24/2008 10:49:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-23 DUPE	**Lab ID:**	0803C51-21A
Project:	NEWTON	**Collection Date:**	3/18/2008 12:40:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	ND	mg/L		0.00500	0.0250	3/25/2008 3:29:39 PM
Lead	0.0023	mg/L		0.00020	0.0010	3/21/2008 10:49:24 AM
Nickel	ND	mg/L		0.0100	0.0500	3/25/2008 3:29:39 PM

NOTES:
The reporting limits elevated due to matrix complexity/interference.

VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/24/2008 11:21:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 11:21:00 PM
Benzene	ND	µg/L		0.13	1.0	3/24/2008 11:21:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 11:21:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 11:21:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 11:21:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 11:21:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 11:21:00 PM
Carbon disulfide	ND	µg/L		1.27	100	3/24/2008 11:21:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 11:21:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/24/2008 11:21:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/24/2008 11:21:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/24/2008 11:21:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/24/2008 11:21:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 11:21:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 11:21:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 11:21:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 11:21:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/24/2008 11:21:00 PM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/24/2008 11:21:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 11:21:00 PM
1,1-Dichloroethane	ND	µg/L		0.38	5.0	3/24/2008 11:21:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/24/2008 11:21:00 PM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/24/2008 11:21:00 PM
cis-1,2-Dichloroethene	ND	µg/L		0.23	5.0	3/24/2008 11:21:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/24/2008 11:21:00 PM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/24/2008 11:21:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 11:21:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 11:21:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/24/2008 11:21:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-23 DUPE	**Lab ID:**	0803C51-21A
Project:	NEWTON	**Collection Date:**	3/18/2008 12:40:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
2-Hexanone	ND	µg/L		4.11	50.0	3/24/2008 11:21:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 11:21:00 PM
Methylene chloride	ND	µg/L		0.54	1.0	3/24/2008 11:21:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/24/2008 11:21:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 11:21:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 11:21:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 11:21:00 PM
Tetrachloroethene	ND	µg/L		0.20	1.0	3/24/2008 11:21:00 PM
Toluene	ND	µg/L		0.17	1.0	3/24/2008 11:21:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 11:21:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 11:21:00 PM
Trichloroethene	ND	µg/L		0.30	1.0	3/24/2008 11:21:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/24/2008 11:21:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 11:21:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 11:21:00 PM
Vinyl chloride	ND	µg/L		0.22	1.0	3/24/2008 11:21:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/24/2008 11:21:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/24/2008 11:21:00 PM
Surr: 1,2-Dichloroethane-d4	103	%REC			80-120	3/24/2008 11:21:00 PM
Surr: 4-Bromofluorobenzene	97.3	%REC			86-115	3/24/2008 11:21:00 PM
Surr: Dibromofluoromethane	105	%REC			80-120	3/24/2008 11:21:00 PM
Surr: Toluene-d8	95.5	%REC			88-110	3/24/2008 11:21:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-24D DUPE	**Lab ID:**	0803C51-22A
Project:	NEWTON	**Collection Date:**	3/19/2008 8:35:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0020	mg/L	J	0.00100	0.0050	3/21/2008 11:06:56 AM
Lead	0.0004	mg/L	J	0.00020	0.0010	3/21/2008 11:06:56 AM
Nickel	ND	mg/L		0.00200	0.0100	3/21/2008 11:06:56 AM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/25/2008 4:18:00 AM
Acrylonitrile	ND	µg/L		4.24	200	3/25/2008 4:18:00 AM
Benzene	ND	µg/L		0.13	1.0	3/25/2008 4:18:00 AM
Bromochloromethane	ND	µg/L		0.35	3.0	3/25/2008 4:18:00 AM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/25/2008 4:18:00 AM
Bromoform	ND	µg/L		0.40	3.0	3/25/2008 4:18:00 AM
Bromomethane	ND	µg/L		0.50	10.0	3/25/2008 4:18:00 AM
2-Butanone	ND	µg/L		4.68	100	3/25/2008 4:18:00 AM
Carbon disulfide	ND	µg/L		1.27	100	3/25/2008 4:18:00 AM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/25/2008 4:18:00 AM
Chlorobenzene	ND	µg/L		0.18	3.0	3/25/2008 4:18:00 AM
Chloroethane	ND	µg/L		0.94	10.0	3/25/2008 4:18:00 AM
Chloroform	ND	µg/L		0.25	5.0	3/25/2008 4:18:00 AM
Chloromethane	ND	µg/L		0.33	1.0	3/25/2008 4:18:00 AM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/25/2008 4:18:00 AM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/25/2008 4:18:00 AM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/25/2008 4:18:00 AM
Dibromomethane	ND	µg/L		0.29	10.0	3/25/2008 4:18:00 AM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/25/2008 4:18:00 AM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/25/2008 4:18:00 AM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/25/2008 4:18:00 AM
1,1-Dichloroethane	ND	µg/L		0.38	5.0	3/25/2008 4:18:00 AM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/25/2008 4:18:00 AM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/25/2008 4:18:00 AM
cis-1,2-Dichloroethene	ND	µg/L		0.23	5.0	3/25/2008 4:18:00 AM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/25/2008 4:18:00 AM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/25/2008 4:18:00 AM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 4:18:00 AM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 4:18:00 AM
Ethylbenzene	ND	µg/L		0.18	1.0	3/25/2008 4:18:00 AM
2-Hexanone	ND	µg/L		4.11	50.0	3/25/2008 4:18:00 AM
Iodomethane	ND	µg/L		3.44	10.0	3/25/2008 4:18:00 AM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-24D DUPE	**Lab ID:**	0803C51-22A
Project:	NEWTON	**Collection Date:**	3/19/2008 8:35:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/25/2008 4:18:00 AM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/25/2008 4:18:00 AM
Styrene	ND	µg/L		0.24	1.0	3/25/2008 4:18:00 AM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/25/2008 4:18:00 AM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/25/2008 4:18:00 AM
Tetrachloroethene	ND	µg/L		0.20	1.0	3/25/2008 4:18:00 AM
Toluene	ND	µg/L		0.17	1.0	3/25/2008 4:18:00 AM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/25/2008 4:18:00 AM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/25/2008 4:18:00 AM
Trichloroethene	ND	µg/L		0.30	1.0	3/25/2008 4:18:00 AM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/25/2008 4:18:00 AM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/25/2008 4:18:00 AM
Vinyl acetate	ND	µg/L		4.87	50.0	3/25/2008 4:18:00 AM
Vinyl chloride	ND	µg/L		0.22	1.0	3/25/2008 4:18:00 AM
o-Xylene	ND	µg/L		0.19	1.0	3/25/2008 4:18:00 AM
m,p-Xylene	ND	µg/L		0.29	2.0	3/25/2008 4:18:00 AM
Surr: 1,2-Dichloroethane-d4	98.5	%REC			80-120	3/25/2008 4:18:00 AM
Surr: 4-Bromofluorobenzene	97.5	%REC			86-115	3/25/2008 4:18:00 AM
Surr: Dibromofluoromethane	104	%REC			80-120	3/25/2008 4:18:00 AM
Surr: Toluene-d8	96.9	%REC			88-110	3/25/2008 4:18:00 AM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	TRIP BLANK	**Lab ID:**	0803C51-23A
Project:	NEWTON	**Collection Date:**	3/18/2008
Site ID:	CATAWBA CO NC	**Matrix:**	LIQUID

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/25/2008 4:50:00 AM
Acrylonitrile	ND	µg/L		4.24	200	3/25/2008 4:50:00 AM
Benzene	ND	µg/L		0.13	1.0	3/25/2008 4:50:00 AM
Bromochloromethane	ND	µg/L		0.35	3.0	3/25/2008 4:50:00 AM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/25/2008 4:50:00 AM
Bromoform	ND	µg/L		0.40	3.0	3/25/2008 4:50:00 AM
Bromomethane	ND	µg/L		0.50	10.0	3/25/2008 4:50:00 AM
2-Butanone	ND	µg/L		4.68	100	3/25/2008 4:50:00 AM
Carbon disulfide	ND	µg/L		1.27	100	3/25/2008 4:50:00 AM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/25/2008 4:50:00 AM
Chlorobenzene	ND	µg/L		0.18	3.0	3/25/2008 4:50:00 AM
Chloroethane	ND	µg/L		0.94	10.0	3/25/2008 4:50:00 AM
Chloroform	ND	µg/L		0.25	5.0	3/25/2008 4:50:00 AM
Chloromethane	ND	µg/L		0.33	1.0	3/25/2008 4:50:00 AM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/25/2008 4:50:00 AM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/25/2008 4:50:00 AM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/25/2008 4:50:00 AM
Dibromomethane	ND	µg/L		0.29	10.0	3/25/2008 4:50:00 AM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/25/2008 4:50:00 AM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/25/2008 4:50:00 AM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/25/2008 4:50:00 AM
1,1-Dichloroethane	ND	µg/L		0.38	5.0	3/25/2008 4:50:00 AM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/25/2008 4:50:00 AM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/25/2008 4:50:00 AM
cis-1,2-Dichloroethene	ND	µg/L		0.23	5.0	3/25/2008 4:50:00 AM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/25/2008 4:50:00 AM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/25/2008 4:50:00 AM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 4:50:00 AM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 4:50:00 AM
Ethylbenzene	ND	µg/L		0.18	1.0	3/25/2008 4:50:00 AM
2-Hexanone	ND	µg/L		4.11	50.0	3/25/2008 4:50:00 AM
Iodomethane	ND	µg/L		3.44	10.0	3/25/2008 4:50:00 AM
Methylene chloride	ND	µg/L		0.54	1.0	3/25/2008 4:50:00 AM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/25/2008 4:50:00 AM
Styrene	ND	µg/L		0.24	1.0	3/25/2008 4:50:00 AM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/25/2008 4:50:00 AM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/25/2008 4:50:00 AM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	TRIP BLANK	**Lab ID:**	0803C51-23A
Project:	NEWTON	**Collection Date:**	3/18/2008
Site ID:	CATAWBA CO NC	**Matrix:**	LIQUID

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Tetrachloroethene	ND	µg/L		0.20	1.0	3/25/2008 4:50:00 AM
Toluene	ND	µg/L		0.17	1.0	3/25/2008 4:50:00 AM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/25/2008 4:50:00 AM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/25/2008 4:50:00 AM
Trichloroethene	ND	µg/L		0.30	1.0	3/25/2008 4:50:00 AM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/25/2008 4:50:00 AM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/25/2008 4:50:00 AM
Vinyl acetate	ND	µg/L		4.87	50.0	3/25/2008 4:50:00 AM
Vinyl chloride	ND	µg/L		0.22	1.0	3/25/2008 4:50:00 AM
o-Xylene	ND	µg/L		0.19	1.0	3/25/2008 4:50:00 AM
m,p-Xylene	ND	µg/L		0.29	2.0	3/25/2008 4:50:00 AM
Surr: 1,2-Dichloroethane-d4	101	%REC			80-120	3/25/2008 4:50:00 AM
Surr: 4-Bromofluorobenzene	97.8	%REC			86-115	3/25/2008 4:50:00 AM
Surr: Dibromofluoromethane	105	%REC			80-120	3/25/2008 4:50:00 AM
Surr: Toluene-d8	98.2	%REC			88-110	3/25/2008 4:50:00 AM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

Catawba County, North Carolina

Project ID:

Newton Landfill

Permit: #18-01

1st Semi-Annual Groundwater Monitoring Report 2008

August 2008

REIC

RESEARCH ENVIRONMENTAL & INDUSTRIAL CONSULTANTS, INC.

Improving the environment, one client at a time...

225 Industrial Park Rd.
Post Office Box 286
Beaver, WV 25813
800.999.0105
304.255.2500 • 304.255.2572 (fax)
website: www.reiclabs.com

Member:

American Chemical Society

Association of Official Analytical Chemists

Petroleum Marketers Association

Rural Water Association

Mining & Reclamation Association

American Water Works Association

The Solid Waste Association of North America

West Virginia Manufacturers Association

Association of West Virginia Solid Waste Authorities

West Virginia Oil Marketers & Grocers Association

In preparing this report, the professional services of REI Consultants, Inc. have been performed, findings obtained, and conclusions reached in accordance with present State and Federal regulations, and generally accepted review principles and practices. Questions regarding any of the information presented in this report should be directed to REIC headquarters at (304) 255-2500.

Respectfully submitted,

8-19-08

NORTH CAROLINA PROFESSIONAL SEAL 028029 ENGINEER MICHAEL P. HOFE 8-19-08

Michael P. Hofe, PE (NC #028029)
Manager
Environmental Monitoring & Investigative Assessment Department

Table of Contents

	Page No.
EXECUTIVE SUMMARY	1
INTRODUCTION	3
INVESTIGATION	4
INVESTIGATIVE RESULTS	
A. HYDROLOGICAL/POTENTIOMETRIC SUMMARY	6
B. ANALYTICAL SUMMARY	9
GENERAL CONCLUSIONS AND RECOMMENDATIONS	10

APPENDICES

A. Summary of Detections
B. Dissolved Metals and TSS Detections
C. Sampling/Field Log Summary
D. Static Water Levels and % LEL
E. Sampling Locations and Topographic Contours
F. Potentiometric Contour Maps
G. Vertical Gradient Calculations

Executive Summary

REI Consultants, Inc., (REIC) has performed the 1st Semi-Annual 2008 monitoring program for the closed ***Newton Landfill*** operated by Catawba County, North Carolina. The procedural aspects of this monitoring program were determined after a review of historical records, site specific geology, consultations with the North Carolina Department of the Environment and Natural Resources (NCDENR) regulations, orders as formulated from ***15A NCAC 13B***, and communications from North Carolina agency officials. During those communications it was determined that Monitoring Wells MW-1, MW-3, MW-9, MW-10A, MW-10B, MW-11, MW-13, MW-14, MW-14A, MW-15, MW-16, MW-16A, MW-20, MW-21, MW-23, MW-24, MW-24D, OW-1, and OW-3 were to be evaluated twice a year for particular constituents and reported in semi-annual reports relative to North Carolina groundwater standards. In addition, wells MW-7A and MW-18 are to be sampled every 18 months. NCDENR issued a letter to Catawba County dated June 3, 2004 with approval of the above monitoring network.

In March 2008, groundwater samples were obtained by REIC's environmental field technicians, utilizing the protocols established by NCDENR. Summaries of the field sampling activities are enclosed in ***Appendix C*** of this report. No other anomalies were experienced during this sampling with the exception of significant levels of suspended solids (***see Appendix B: "Summary of Dissolved Metals and TSS Analyses"***) contained in several groundwater specimens. The groundwater hydraulic gradients and velocities estimated from the current study are of the same magnitudes of previous investigations.

As with previous monitoring events, water levels were recorded from all monitoring wells during the 1st Semi-Annual event of 2008, as well as any existing monitoring points within the ***Newton Landfill*** boundaries. This information was utilized to generate the groundwater potentiometric maps for the Newton Facility. The potentiometric maps are included in ***Appendix F***, and a summary of the static water level data is included as ***"A Summary of Static Water Levels and %LEL"***, found in ***Appendix D***. An additional map indicating topographic contours and all wells at the facility is included in ***Appendix E***.

Results from the 1st Semi-annual 2008 event were compared to North Carolina groundwater standards. Components determined to be above North Carolina groundwater standards are as follows:

Component/Parameter	Monitoring Point
Acetone	MW-1
Benzene	MW-1, MW-3, MW-9, MW-10A, MW-14, MW-15, MW-16, MW-20, OW-1
1,4-Dichlorobenzene	MW-10A, MW-14, MW-15, MW-20
1,1-Dichloroethane	MW-1, MW-9, MW-10A, MW-14, MW-15, MW-16, MW-20
1,2-Dichloroethane	MW-9, MW-11, MW-14
1,1-Dichloroethene	MW-10A, MW-20
cis-1,2-Dichloroethene	MW-10A, MW-15, MW-20
1,2-Dichloropropane	MW-9, MW-10A, MW-11, MW-14, MW-15, MW-20
Methylene chloride	MW-1, MW-14, MW-15, MW-20, OW-1
Methyl Ethyl Ketone	MW-1
Tetrachloroethene	MW-3, MW-10A, MW-11, MW-13, MW-14, MW-14A, MW-15, MW-16, MW-16A, MW-20, OW-1
Trichloroethene	MW-3, MW-10B, MW-13, MW-14, MW-14A, MW-15, MW-16, MW-16A, MW-20
Vinyl Chloride	MW-9, MW-10A, MW-10B, MW-13, MW-14, MW-15, MW-16, MW-16A, MW-20, OW-1
Nickel	MW-9

These findings are summarized specifically in ***Appendix A*** as ***"Summary of 1st Semi-Annual 2008 Detections by Monitoring Well"***.

Based upon the results of the current groundwater monitoring event, and pursuant to NCDENR policy and directives, it is recommended that the ***Newton Landfill*** continue monitoring the modified Appendix I listing, which includes Appendix I volatiles and chromium, lead, and nickel, during the 2nd Semi-Annual Event of 2008.

Introduction

In July of 1998, REIC was contracted by Catawba County Solid Waste Authority to conduct a complete groundwater monitoring program for the closed landfill denoted as the "***Newton Landfill***", and registered with the NCDENR as Permit #18-01. REIC met with Mr. Larry Rose and Mr. Mark Poindexter of the NCDENR in August 1998, then again with Mr. Poindexter in March 1999, and discussed the requirements of the permit and subsequent Agency directives that have occurred during the past several years. Additionally, REIC reviewed records both from Catawba County's internal files and those stored at the NCDENR's Department of Records Facility in Raleigh, North Carolina. From these historical files REIC collated and generated a historical summary of the collected data for the monitoring points selected for monitoring consideration. Following the 2nd Semi-Annual monitoring event of 1998, monitoring wells MW-18, MW-19, MW-20, MW-21 and MW-22 were installed. In addition, after the 1st semi-annual 2004 event, monitoring wells MW-23, MW-24, and MW-24D were added to the program. All data from the approved monitoring network are incorporated within this report and represent what is believed to be a comprehensive collection of the groundwater quality profile for the Newton Facility.

Continuing the program in March 2008, REIC collected groundwater samples from 18 monitoring wells and two surface water sites located at the facility. The sampling was conducted to satisfy compliance with the groundwater monitoring program for the 1st Semi-Annual 2008 monitoring event. Well OW-3 was dry during the sampling event, and therefore no sample could be obtained from this well. All other wells were sampled with the exception of wells MW-7A and MW-18, which are scheduled to be sampled again during the 2nd semiannual period of 2008.

Additionally, the groundwater potentiometric surface has been modeled and is presented in the form of a static groundwater level contour map. This map identifies the general subsurface water movement and assists in determining potential, as well as identifiable, contaminant movement. As agreed, groundwater constituent levels (relative to NC groundwater standards), the potentiometric surface, and groundwater flow rates are presented in this report.

Investigation

The groundwater and surface water monitoring points were sampled in accordance with State and Federal guidelines. Static water levels were measured prior to and during well purging to ascertain groundwater elevations and generate data to later produce a valid potentiometric map. The monitoring wells were purged using laboratory decontaminated Teflon™ bailers before sampling, and field analytical testing was employed to assure adequate purging. Copies of the field sampling reports have been provided to Catawba County in a separate report (summaries of these logs are enclosed with this report in ***Appendix C***). Groundwater samples were taken as specified in REIC's Standard Operating Procedures (SOPs) that satisfy NCDENR Solid Waste regulations and guidance.

Groundwater samples were stored in pre-cleaned, preserved containers, transported in iced coolers, and delivered to the laboratory in good condition by REIC field personnel. The samples were analyzed in the laboratory referencing current EPA and NCDENR approved methodologies.

Methane measurements, as percent Lower Explosion Limit (% LEL), were recorded at each monitoring well prior to purging. Initial readings were taken at the top of casing as soon as the well caps (where installed) were removed. A second measurement was obtained after sufficient time had elapsed to allow for the equalization of any pressure differential between the well casing and the ambient surface. The methane measurements are documented in ***Appendix D: "Summary of All Static Water Levels and %LEL".***

The groundwater data are presented within this report relative to NC groundwater quality standards. Per instructions of the NCDENR Solid Waste Section representatives, the data have not been processed in a statistical manner to distinguish significant down-gradient elevations of constituents. However, constituents exceeding NC groundwater quality standards are noted in the ***"1st Semi Annual 2008 Summary of Detections"*** in Appendix A.

The laboratory Quality Assurance Program included all appropriate, method specific Quality Controls. All laboratory data met the required QC criteria and were subjected to stringent REIC acceptance review prior to approval for inclusion in this report. Copies of the individual laboratory reports have been provided to Catawba

County in a separate report. Data have been reported to method detection limits (MDLs) as requested by NCDENR. However, note that any values reported below Solid Waste Section Limits (SWSLs), flagged with a "J" qualifier, are only estimates, are not quantitative, and should not be used numerically in any way.

Investigation Results

A. HYDROLOGICAL POTENTIOMETRIC SUMMARY

Models of two potentiometric surfaces have been prepared from the field data collected during the 1st Semi-Annual 2008 groundwater sampling event. One model has been created to depict the upper-most or Shallow Aquifer and another has been produced to portray a deeper or Bedrock Aquifer.

Both models were developed from groundwater elevation data calculated from the static water levels measured during the fall 2007 sampling event. The groundwater depth measurements were obtained in the monitoring wells by REIC field personnel, prior to the execution of the purging and sampling procedures. Horizontal and vertical control for the field data was established from mapping based on NC State Plane coordinates, as provided by J. Mike Honeycutt Surveying.

Digital, grid-cell models were developed from the elevation data through the application of algorithms. The mapping area was divided into gridding cells and the algorithms were applied to determine the projected groundwater elevation at each cell node. Contour lines representing the potentiometric surfaces have been drawn between the grid-cells of discrete, integral elevation values to produce maps for the Shallow Aquifer and the Bedrock Aquifer that are contained in this report.

The potentiometric maps for each aquifer include the waste disposal area boundaries, landfill gas collection system, and streams. These features were transcribed from drawings provided by McGill Associates, P.A. An additional map that includes all wells at the facility as well as topographic contours is included in Appendix E: "Sampling Locations and Topographic Contours". Topographic contours were also provided by drawings from McGill Associates, P.A.

The Shallow Aquifer is the upper-most water-bearing zone of the Newton Landfill site. While some of the geologic material of the zone may be eluvial in origin, the lithology is essentially unconsolidated sediment of silt and sand sizes. It has been determined that 20 wells have screens set in this zone, although actual drill logs are not available for confirmation for a few of the wells at the site. The potentiometric map for this aquifer was modeled utilizing static water levels from wells screened in the upper-most aquifer, as well as from stream elevation points and topographic contours. A copy of this drawing is included in ***Appendix F: "Potentiometric Contour Maps"***.

The Bedrock Aquifer is the deeper groundwater zone monitored at the landfill site. The lithology of this aquifer has typically been described as a weathered, biotite gneiss. While the Shallow and Bedrock Aquifers were analyzed separately and are shown on two different potentiometric drawings, no continuous aquitard can be distinguished between the two zones in the drilling information. Groundwater elevations from 16 deeper-screened wells were utilized to create the Bedrock Aquifer model. No stream water elevations were included in this analysis. The databases for the Shallow and Bedrock Aquifers contained separate measurement points. The wells in the deeper database were shown by drill logs to have screens set in the bedrock or are of a sufficient depth to logically be screened in the referenced zone. All of the deep wells identified in the available drill logs have screens that are set fully in the weathered rock except for two partially penetrating wells that have screens with tops exposed to sediment. In order to estimate the bedrock potentiometric contours, a hybrid algorithm was applied to the Bedrock Aquifer data that consisted of three parts inverse-distance and one part multiple linear regression. A copy of the resulting potentiometric map is contained in ***Appendix F: "Potentiometric Contour Maps"***.

The horizontal component of hydraulic gradient has been estimated graphically for the Shallow and Bedrock Aquifers. In each case, flow paths were chosen which traverse the central portions of the main waste disposal area of the ***Newton Landfill***. The paths were drawn on the respective potentiometric maps, following traces that are approximately normal to the hydrostatic contours, from the up-gradient western portion of the waste area to the locale of the stream along the eastern border. Other flow routes could have been chosen with varying results for the measured hydraulic gradient. The flow paths utilized in the calculation of the hydraulic gradients for the two aquifers are illustrated on drawings included in ***Appendix F: "Potentiometric Contour Maps."***

Vertical gradient calculations have been prepared for seven sets of clustered wells at the Newton Facility. These calculations generally indicate discharge conditions in the vicinity of the streams and recharge in upland areas of the site. A copy of the vertical gradient analysis is included in ***Appendix G***.

Lateral groundwater flow velocities have been estimated for the two aquifers using a form of Darcy's Law, as follows:

Shallow Aquifer:

$$V = \frac{KI}{n} = \frac{45\ \text{ft}}{\text{yr}}$$

where:

V = Groundwater Seepage Velocity in ft/yr.
K = Average Hydraulic Conductivity = 2.8×10^{-4} cm/sec
(Averaged from data previously provided by others).
I = Hydraulic Gradient = 0.031 ft/ft.
Following a path normal to the groundwater potentiometric contours across the main waste disposal area.
n = Effective Porosity = 0.20 (unitless).
(Typical textbook value).

Bedrock Aquifer:

$$V = \frac{KI}{n} = \frac{1090\ \text{ft}}{\text{yr}}$$

where:

V = Groundwater Seepage Velocity in ft/yr.
K = Average Hydraulic Conductivity = 2.5×10^{-3} cm/ sec.
(Averaged from data previously provided by others).
I = Hydraulic Gradient = 0.042 ft/ft.
Following a path normal to the groundwater potentiometric contours across the main waste disposal area.
n = Effective Porosity = 0.10 (unitless).
(Typical textbook value).

B. ANALYTICAL SUMMARY

Analytical parameters which were detected above the minimum laboratory Practical Quantitation Limits are summarized in ***Appendix A***, a ***"Summary of Detections by Monitoring Well"***, which is included on the following pages. Values greater than the North Carolina groundwater standards are shown in red print.

All available analytical results of previous sampling events are included as a separate document under the section: ***"Historical Data Summary"***. Components determined to be above North Carolina groundwater standards for the 1st Semi-Annual 2008 groundwater sampling event are as follows:

Component/Parameter	**Monitoring Point**
Acetone	MW-1
Benzene	MW-1, MW-3, MW-9, MW-10A, MW-14, MW-15, MW-16, MW-20, OW-1
1,4-Dichlorobenzene	MW-10A, MW-14, MW-15, MW-20
1,1-Dichloroethane	MW-1, MW-9, MW-10A, MW-14, MW-15, MW-16, MW-20
1,2-Dichloroethane	MW-9, MW-11, MW-14
1,1-Dichloroethene	MW-10A, MW-20
cis-1,2-Dichloroethene	MW-10A, MW-15, MW-20
1,2-Dichloropropane	MW-9, MW-10A, MW-10B, MW-11, MW-14, MW-15, MW-20
Methylene chloride	MW-1, MW-14, MW-15, MW-20, OW-1
Methyl Ethyl Ketone	MW-1
Tetrachloroethene	MW-3, MW-10A, MW-11, MW-13, MW-14, MW-14A, MW-15, MW-16, MW-16A, MW-20, OW-1
Trichloroethene	MW-3, MW-10B, MW-13, MW-14, MW-14A, MW-15, MW-16, MW-16A, MW-20
Vinyl Chloride	MW-9, MW-10A, MW-10B, MW-13, MW-14, MW-15, MW-16, MW-16A, MW-20, OW-1
Nickel	MW-9

These findings are summarized specifically in ***Appendix A*** as ***"Summary of 1st Semi-Annual 2008 Detections by Monitoring Well"***.

General Conclusions and Recommendations

Based upon the results of the current groundwater monitoring event, and pursuant to NCDENR policy and directives, it is recommended that the ***Newton Landfill*** continue in its current monitoring mode, with analysis of the modified Appendix I list, during the 2nd Semi-Annual Event of 2008.

APPENDIX A

Newton Landfill

1st Semi-Annual 2008 Summary of Detections

The following summary is a complete listing of concentrations detected above laboratory Practical Quantitation Limits (PQLs) during the 1st Semi-Annual monitoring event of 2008. Concentrations detected at levels above established North Carolina groundwater standards (as denoted in bold print) are highlighted in red. Monitoring wells having specimens containing less than SWSL quantities of respective analytes are noted as blank entries.

Newton Landfill

Permit: #18-01
1st Semi Annual 2008

-Summary of Detections-

Summary of Detections by Monitoring Well

Parameter	GW Standard[1]	SWSL	MW-1	MW-3	MW-7A	MW-9	MW-10A	MW-10B	MW-11	MW-13	MW-14	MW-14A	MW-15	MW-16	MW-16A	MW-18	MW-20	MW-21	MW-23	MW-24	MW-24D	OW-1	OW-3	CR-1	SW-2
Acetone	**0.7**	0.100	4.83		No sample						0.119					No sample							No sample		
Benzene	**0.001**	0.001	**0.014**	**0.001**		**0.012**	**0.006**				**0.012**		**0.019**	**0.0022**			**0.019**					**0.0121**			
Chlorobenzene	**0.05**	0.003									0.004		0.005												
Chloroethane	**2.800**	0.010	0.472											0.0101											
Chloromethane	0.0026	0.001																						0.002	0.0014
1,4-Dichlorobenzene	**0.0014**	0.001					**0.004**				**0.010**		**0.0051**				**0.0026**								
1,1-Dichloroethane	**0.07**	0.005	**0.242**	0.034		**0.340**	**0.156**	**0.045**	**0.008**	**0.038**	**0.169**		**0.661**	**0.099**	**0.030**		**0.91**					0.017		0.012	
1,2-Dichloroethane	**0.00038**	0.001				**0.011**			**0.0066**		**0.0077**														
1,1-Dichloroethene	**0.007**	0.005					**0.0100**										0.015								
cis-1,2-Dichloroethene	**0.07**	0.005					**0.101**	**0.007**		**0.044**			**0.704**	**0.013**	**0.043**		**1.110**					0.012			
1,2-Dichloropropane	**0.00051**	0.001				**0.040**	**0.017**		**0.0011**		**0.0044**		**0.0015**				**0.0054**								
Ethylbenzene	**0.550**	0.001	0.021								0.0202														
Methylene chloride	**0.0046**	0.001	**0.021**								**0.484**		**0.209**				**0.064**					**0.033**			
Methyl ethyl ketone	**4.20**	0.100	**5.36**																						
Tetrachloroethene	**0.0007**	0.001		**0.0030**			**0.0053**		**0.0016**	**0.0014**	**0.003**	**0.017**	**0.0058**	**0.0016**	**0.001**		**0.054**					**0.001**			
Trichloroethene	**0.0028**	0.001		**0.0041**			0.002	**0.004**	0.0014	**0.020**	**0.0924**	**0.0040**	**0.162**	**0.036**	**0.021**		**0.912**					0.002			
Trichlorofluoromethane	**2.1**	0.001							0.021			0.0018			0.018										
Toluene	**1**	0.001	0.527			0.152					0.080														
Vinyl chloride	**0.000015**	0.001				**0.014**	**0.0137**	**0.006**		**0.006**	**0.040**		**0.0085**	**0.007**	**0.0055**		**0.0058**					**0.0039**			
Xylenes	**0.53**	0.003	0.012	0.006		0.059					0.104		0.063				0.004					0.015			
Chromium	**0.05**	0.010					0.010																		
Nickel	**0.1**	0.050				**0.143**																			
Lead	**0.015**	0.010																							
TSS		1	90	46		172	49	5	20	19	56	17	413	37	3		6	29	650	225	228	147		6	3

Footnotes:

1 GW Standard - North Carolina groundwater standards (mg/L).
SWSL - Solid Waste Section Limits

Special Notes:

-All concentrations detected above the GWS are highlighted in red and bold text.
-All data reported in mg/L.
-Trip Blank results for all volatile analyses were ND (not detected) at the PQL.

APPENDIX B

Newton Landfill

Dissolved Metals and TSS Detections

The data for dissolved metals and Total Suspended Solids (TSS) are reported on a voluntary basis and is not required by North Carolina DENR regulations. The following summary is a complete listing of concentrations detected above laboratory Practical Quantitation Limits (PQLs) during the 1st Semi-Annual monitoring event of 2008. Monitoring wells having specimens containing less than SWSL quantities of respective analytes are noted as blank entries.

Newton Landfill

Permit: #18-01
1st Semi Annual 2008

-Summary of Dissolved Metals and TSS Detections-

		Summary of Detections by Monitoring Well																				
Parameter	**PQL[1]**	**MW-1**	**MW-3**	**MW-9**	**MW-10A**	**MW-10B**	**MW-11**	**MW-13**	**MW-14**	**MW-14A**	**MW-15**	**MW-16**	**MW-16A**	**MW-20**	**MW-21**	**MW-23**	**MW-24**	**MW-24D**	**OW-1**	**OW-3**	**CR-1**	**SW-2**
Chromium, Dissolved	0.010																					
Lead, Dissolved	0.010																					
Nickel, Dissolved	0.050			0.187																		
Total Suspended Solids (TSS)	1	90	46	172	49	5	20	19	56	17	413	37	3	6	29	650	225	228	147		6	3

Footnotes:
1. *PQL - Practical Quantitation Limit (mg/L).*
2. *ND - Not Detected at the PQL.*

Special Notes: *-All data reported in mg/L.*

APPENDIX C

Newton Landfill

Sampling/Field Log Summaries

Newton Landfill

Permit: #18-01

1st Semi-Annual Monitoring 2008

-Sampling Information-

Sampling Date: 03-18-08
Sampler(s): R. Farley/A. McBride/L. Harrison
Weather Conditions: Light Rain 50°F

Sampling Log Summaries

Property	Units	MW-1	MW-3	MW-9	MW-10A	MW-10B	MW-11	MW-13	MW-14	MW-14A	MW-15	MW-16	MW-16A	MW-20	MW-21	MW-23	MW-24	MW-24D	OW-1	OW-3	CR-1	SW-2
Sampling Depth	**Feet**	16.70	36.13	40.45	36.45	33.03	16.27	18.10	32.76	37.11	26.98	11.02	8.60	51.67	69.80	28.70	27.27	64.35	34.70	DRY	-	-
Static Depth	**Feet**	13.5	33.85	35.85	35.35	33.03	15.80	17.50	32.70	33.68	23.31	7.36	4.77	33.00	24.91	24.58	24.65	26.80	32.62		-	-
Well Depth	**Feet**	29.60	40.40	45.63	49.02	87.78	36.12	78.70	34.45	85.56	33.78	20.40	81.70	84.80	69.80	34.11	36.60	86.32	36.46		-	-
Water Column Height	**Feet**	16.1	6.55	9.78	13.67	54.75	20.32	61.20	1.75	51.88	10.47	13.04	76.93	51.80	44.89	9.53	11.95	59.52	3.84		-	-
Volume Purged	**Liters**	28	7	3	25		36	90	3	90	18	23	120	38	0	17	22	64	3		-	-
Purging Status	-----	Finished	Purged Dry	Stopped	Finished		Finished	Finished	Finisheed	Finished	Finished	Finished	Finished	Purged Dry		Finished	Finished	Purged Dry	Purged Dry		-	-
Physical Properties																						
pH	**SU**	6.83	5.64	6.42	6.74	8.89	6.69	6.72	5.85	6.20	4.43	6.13	6.89	5.20	9.99	5.1	5.02	5.99	5.51		6.97	7.48
Temperature	**°C**	14.8	15.8	16.3	16	15.9	15.1	16.1	16.7	16.5	16.5	13.7	14.3	15.9	16.6	16.5	15.8	15.4	14.9		12.3	12.2
Conductivity	**umhos/cm**	2990	71.9	1588	979	231	105.1	192.9	757	60.3	41.1	367	232	180.7	134.8	19.1	45.2	54.6	65.4		185.8	207
Turbidity	**NTU**	30.4	97.3	147	78.9	7.81	29.2	19.11	21.0	23.2	>200	30.7	4.86	12.54	20.6	>200	>200	>200	>200		1.73	2.4
Appearance	-----	Cloudy slight odor	Cloudy no odor	Cloudy slight odor	Cloudy slight odor	Clear slight odor	Cloudy no odor	Clear no odor	Clear no odor	Cloudy no odor	Cloudy no odor	Cloudy no odor	Clear no odor	Clear no odor	Clear no odor	Muddy no odor	Muddy no odor	Cloudy no odor	Cloudy no odor		Clear no odor	Clear no odor
TSS	**mg/L**	90	46	172	49	5	20	19	56	17	413	37	3	6	29	650	225	228	147		6	3

APPENDIX D

Newton Landfill

Static Water Levels and % LEL

Newton Landfill

Permit: #18-01
1st Semi 2008

Sampler(s): R. Farley/A. McBride
Weather Conditions: Light Rain 55°F

-Static Water Levels and %LEL-

Monitoring Point	Sampling Date	TOC (feet)	Depths to Water (feet)	Groundwater Elevation (feet)	% LEL Initial	% LEL Final
MW-1	9/24/2007	916.09	13.50	902.59	0	0
MW-3	9/24/2007	1021.81	33.85	987.96	0	0
MW-4	9/24/2007	912.82	10.90	901.92	0	0
MW-5	9/24/2007	933.54	10.40	923.14	0	0
MW-6	9/24/2007	922.26	18.00	904.26	0	0
MW-7A	9/24/2007	912.48	14.90	897.58	0	0
MW-9	9/24/2007	949.58	35.85	913.73	7	0
MW-10A	9/24/2007	944.11	35.35	908.76	0	0
MW-10B	9/24/2007	945.93	33.03	912.90	0	0
MW-11	9/24/2007	944.70	15.80	928.90	0	0
MW-13	9/24/2007	923.19	17.50	905.69	0	0
MW-14	9/24/2007	1003.63	32.70	970.93	0	0
MW-14A	9/24/2007	1004.46	33.68	970.78	0	0
MW-15	9/24/2007	979.88	23.31	956.57	0	0
MW-15A	9/24/2007	980.82	29.90	950.92	0	0
MW-16	9/24/2007	907.13	7.36	899.77	0	0
MW-16A	9/24/2007	906.14	4.77	901.37	0	0
MW-18	9/24/2007	921.45	15.60	905.85	0	0
MW-19	9/24/2007	913.67	16.48	897.19	0	0
MW-20	9/24/2007	966.19	33.00	933.19	0	0
MW-21	9/24/2007	980.61	24.91	955.70	0	0
MW-22	9/24/2007	1016.33	41.90	974.43	10	0
MW-23	9/24/2007	1016.50	25.58	990.92	0	0
MW-24	9/24/2007	954.14	24.65	929.49	0	0
MW-24D	9/24/2007	953.64	26.80	926.84	0	0
OW-1	9/24/2007	1004.76	32.62	972.14	0	0
OW-2	9/24/2007	1007.99	Dry	Dry	0	0
OW-3	9/24/2007	1010.24	Dry	Dry	0	0
			Miscellaneous			
RW-3	9/24/2007	911.24	9.62	901.62	0	0
MW-12	9/24/2007	924.55	15.80	908.75	0	0
MW-8	9/24/2007	905.49	12.75	892.74	0	0
RW-2	9/24/2007	918.78	15.59	903.19	0	0
MW-2A	9/24/2007	924.32	19.56	904.76	0	0
RW-1	9/24/2007	924.97	18.75	906.22	0	0
MW-17	9/24/2007	1005.41	Dry	Dry	0	0
MW-7	9/24/2007	913.21	17.35	895.86	0	0

TOC - Top of Casing

APPENDIX E

Newton Landfill

Sampling Locations & Topographic Contours

NEWTON LANDFILL, PERMIT NO. 18-01

CATAWBA COUNTY, N0RTH CAROLINA

WATER QUALITY MONITORING LOCATIONS

1ST SEMIANNUAL 2008 MONITORING EVENT



LEGEND

MW-3	MONITORING WELL ID
◉	MONITORING WELL LOCATION - SAMPLE COLLECTED
○	MONITORING WELL LOCATION - WATER LEVEL ONLY
△	STREAM SAMPLE
———	TOPOGRAPHIC CONTOURS
———	STREAMS AND PONDS
- - - - -	PROPERTY LINE
———	APPROXIMATE LIMITS OF WASTE AREAS

ALL MEASUREMENTS IN FEET

SCALE: 1" = 320'

0 100 200 300 400

PREPARED BY REI CONSULTANTS, INC.
BEAVER, WV
JUNE 2008

REI Consultants, Inc.

APPENDIX F

Newton Landfill

Potentiometric Contour Maps

NEWTON LANDFILL, PERMIT NO. 18-01

CATAWBA COUNTY, N0RTH CAROLINA

SHALLOW AQUIFER POTENTIOMETRIC MAP

1ST SEMIANNUAL 2008 MONITORING EVENT



LEGEND

MW-3	MONITORING WELL ID
◉	MONITORING WELL LOCATION - SAMPLE COLLECTED
○	MONITORING WELL LOCATION - WATER LEVEL ONLY
△	STREAM SAMPLE
	TOPOGRAPHIC CONTOURS
	POTENTIOMETRIC CONTOURS
	PATH FOR HYDRAULIC GRADIENT CALCULATION
	STREAMS AND PONDS
	PROPERTY LINE
	APPROXIMATE LIMITS OF WASTE AREAS

ALL MEASUREMENTS IN FEET

SCALE: 1" = 320'

0 100 200 300 400

PREPARED BY REI CONSULTANTS, INC.
BEAVER, WV
JUNE 2008

REI Consultants, Inc.

NEWTON LANDFILL, PERMIT NO. 18-01

CATAWBA COUNTY, N0RTH CAROLINA

BEDROCK AQUIFER POTENTIOMETRIC MAP

1ST SEMIANNUAL 2008 MONITORING EVENT



LEGEND

MW-3	MONITORING WELL ID
◉	MONITORING WELL LOCATION - SAMPLE COLLECTED
○	MONITORING WELL LOCATION - WATER LEVEL ONLY
△	STREAM SAMPLE
———	TOPOGRAPHIC CONTOURS
———	STREAMS AND PONDS
———	PATH FOR HYDRAULIC GRADIENT CALCULATION
———	STREAMS AND PONDS
- - - - -	PROPERTY LINE
———	APPROXIMATE LIMITS OF WASTE AREAS

ALL MEASUREMENTS IN FEET

SCALE: 1" = 320'

0 100 200 300 400

PREPARED BY REI CONSULTANTS, INC.
BEAVER, WV
JUNE 2008

REI Consultants, Inc.

APPENDIX G

Newton Landfill

Vertical Gradient Calculations

Newton Landfill (Closed Facility) *1st Semi-Annual Groundwater Monitoring Event 2008*

VERTICAL GRADIENT CALCULATIONS

Well ID	Easting (Feet)	Northing (Feet)	Sur. El. (Feet)	TOC (Feet)	Material Screened	GW Depth (from TOC) (Feet)	GW El. (Feet)	Top Scn. Elevation (Feet)	Bot. Scn. Elevation (Feet)	Saturated Screen Mid-Point Elevation (Feet)
MW-2A	1359171.20	699131.50	921.12	924.32	Sediment	19.56	904.76	911.12	901.12	906.12
MW-13	1359184.60	699134.60	921.69	923.19	Rock	17.50	905.69	856.69	846.69	851.69

COMPARISON:	DH (Ft.):	DZ (Ft.):	DH/DZ (Ft./Ft.):	CONDITION:
MW-2A TO MW-13	-0.93	54.43	-0.017	DISCHARGE

MW-7	1359605.50	699187.80	910.31	913.21	Sediment	17.35	895.86	897.01	887.01	892.01
MW-7A	1359601.00	699191.40	909.48	912.48	Rock	14.90	897.58	843.48	833.48	838.48
MW-19	1359617.60	699201.90	911.36	913.67	Rock? No Log	16.48	897.19	805.17	795.17	800.17

COMPARISON:	DH (Ft.):	DZ (Ft.):	DH/DZ (Ft./Ft.):	CONDITION:
MW-7 TO MW-7A	-1.72	53.53	-0.032	DISCHARGE
MW-7A TO MW-19	0.39	38.31	0.010	RECHARGE
MW-7 TO MW-19	-1.33	91.84	-0.014	DISCHARGE

MW-10A	1359040.10	699576.50	942.61	944.11	Sediment	35.35	908.76	904.61	894.61	899.61
MW-10B	1359041.30	699592.60	942.60	945.93	Rock	33.03	912.90	868.15	858.15	863.15

COMPARISON:	DH (Ft.):	DZ (Ft.):	DH/DZ (Ft./Ft.):	CONDITION:
MW-10A TO MW-10B	-4.14	36.46	-0.114	DISCHARGE

Abbreviations:

Well ID: Well Identification Number
Easting: Well Location East Coordinate
Northing: Well Location North Coordinate
Sur. El.: Ground Surface Elevation
TOC: Top Of Casing Elevation
Material Screened: Lithology Of Materials In Screened Zone
GW Depth: Measured Depth To Groundwater From TOC
GW El.: Elevation Of Groundwater

Top Scn. Elevation: Elevation Of Top Of Screen
Bot. Scn. Elevation: Elevation Of Bottom Of Screen
Saturated Screen Mid-Point Elevation: Mid-Point Elevation Of Wetted Portion Of Well Screen
DH: Difference In Groundwater Elevation (Head), Upper Screen Minus Lower Screen
DZ: Difference In Saturated Well Screen Mid-Point Elevations Upper Screen Minus Lower Screen
DH/DZ: DH Divided By DZ = Vertical Gradient

Newton Landfill (Closed Facility) *1st Semi-Annual Groundwater Monitoring Event 2008*

VERTICAL GRADIENT CALCULATIONS

Well ID	Easting (Feet)	Northing (Feet)	Sur. El. (Feet)	TOC (Feet)	Material Screened	GW Depth (from TOC) (Feet)	GW El. (Feet)	Top Scn. Elevation (Feet)	Bot. Scn. Elevation (Feet)	Saturated Screen Mid-Point Elevation (Feet)
MW-14	1357834.90	698855.70	1002.13	1003.63	Sediment	32.70	970.93	979.13	969.13	970.03
MW-14A	1357821.20	698861.10	1002.46	1004.46	Rock? No Log	33.68	970.78	929.46	919.46	924.46
COMPARISON:				DH (Ft.):	DZ (Ft.):		DH/DZ (Ft./Ft.):		CONDITION:	
MW-14 TO MW-14A				0.15	45.57		0.003		RECHARGE	
MW-15	1358150.40	698848.20	977.60	979.88	Sediment	23.31	956.57	955.60	945.60	950.60
MW-15A	1358139.90	698840.70	978.54	980.82	Rock? No Log	29.90	950.92	908.54	898.54	903.54
COMPARISON:				DH (Ft.):	DZ (Ft.):		DH/DZ (Ft./Ft.):		CONDITION:	
MW-15 TO MW-15A				5.65	47.06		0.120		RECHARGE	
MW-16	1359385.20	699085.70	905.63	907.13	Sediment? No Log	7.36	899.77	897.63	887.63	892.63
MW-16A	1359395.60	699074.50	904.14	906.14	Rock	4.77	901.37	833.84	823.84	828.84
COMPARISON:				DH (Ft.):	DZ (Ft.):		DH/DZ (Ft./Ft.):		CONDITION:	
MW-16 TO MW-16A				-1.60	63.79		-0.025		DISCHARGE	

Abbreviations:

Well ID: Well Identification Number
Easting: Well Location East Coordinate
Northing: Well Location North Coordinate
Sur. El.: Ground Surface Elevation
TOC: Top Of Casing Elevation
Material Screened: Lithology Of Materials In Screened Zone
GW Depth: Measured Depth To Groundwater From TOC
GW El.: Elevation Of Groundwater

Top Scn. Elevation: Elevation Of Top Of Screen
Bot. Scn. Elevation: Elevation Of Bottom Of Screen
Saturated Screen Mid-Point Elevation: Mid-Point Elevation Of Wetted Portion Of Well Screen
DH: Difference In Groundwater Elevation (Head), Upper Screen Minus Lower Screen
DZ: Difference In Saturated Well Screen Mid-Point Elevations Upper Screen Minus Lower Screen
DH/DZ: DH Divided By DZ = Vertical Gradient

Newton Landfill (Closed Facility) *1st Semi-Annual Groundwater Monitoring Event 2008*

VERTICAL GRADIENT CALCULATIONS

Well ID	Easting (Feet)	Northing (Feet)	Sur. El. (Feet)	TOC (Feet)	Material Screened	GW Depth (from TOC) (Feet)	GW El. (Feet)	Top Scn. Elevation (Feet)	Bot. Scn. Elevation (Feet)	Saturated Screen Mid-Point Elevation (Feet)
MW-24	1358715.00	698582.70	951.20	954.14	Sediment	24.65	929.49	927.70	917.70	922.70
MW-24D	1358722.10	698600.00	950.23	953.64	Rock? No Log	26.80	926.84	877.60	867.60	872.60

COMPARISON:	DH (Ft.):	DZ (Ft.):	DH/DZ (Ft./Ft.):	CONDITION:
MW-24 TO MW-24D	2.65	50.1	0.053	RECHARGE

Abbreviations:

Well ID: Well Identification Number
Easting: Well Location East Coordinate
Northing: Well Location North Coordinate
Sur. El.: Ground Surface Elevation
TOC: Top Of Casing Elevation
Material Screened: Lithology Of Materials In Screened Zone
GW Depth: Measured Depth To Groundwater From TOC
GW El.: Elevation Of Groundwater
Top Scn. Elevation: Elevation Of Top Of Screen
Bot. Scn. Elevation: Elevation Of Bottom Of Screen
Saturated Screen Mid-Point Elevation: Mid-Point Elevation Of Wetted Portion Of Well Screen
DH: Difference In Groundwater Elevation (Head), Upper Screen Minus Lower Screen
DZ: Difference In Saturated Well Screen Mid-Point Elevations Upper Screen Minus Lower Screen
DH/DZ: DH Divided By DZ = Vertical Gradient

225 Industrial Park Drive
Beaver, WV 25813
TEL: 304.255.2500
FAX: 304.255.2572
Website: www.reiclabs.com

Improving the environment, one client at a time...

June 25, 2008

Mr. Rodney Hamby
COUNTY OF CATAWBA
P O BOX 389
NEWTON NC 28658

TEL: (828) 465-8200
FAX: (828) 465-8392

RE: NEWTON

Order No.: 0803C51

Dear Mr. Rodney Hamby:

REI Consultants, Inc. received 23 sample(s) on 3/19/2008 for the analyses presented in the following report.

Please note two changes you may see on your report.

- Results for "Dissolved" parameters will be shown under a separate sample ID, rather than as a separate analysis under the same sample ID. The sample ID for "Dissolved" parameters will include "Field Filtered" or "Lab Filtered", as appropriate.
- Metals results will no longer be identified as "Total" or "Total Recoverable". The methods have not been changed, only their appearance on the report.

If you have any questions regarding these results, please do not hesitate to call.

Sincerely,

Beth Johnson

Beth Johnson
Project Manager

ACCREDITED IN ACCORDANCE WITH nelac

225 Industrial Park Drive
Beaver, WV 25813
TEL: 304.255.2500
FAX: 304.255.2572
Website: www.reiclabs.com

Improving the environment, one client at a time...

Report Narrative

Project Manager:: **Beth Johnson**

WO#: **0803C51**
Date: **6/25/2008**

CLIENT: COUNTY OF CATAWBA
Project: NEWTON

All analyses were performed using documented laboratory SOPs that incorporate appropriate quality control procedures as described in the applicable methods. REI Consultants, Inc. (REIC) technical managers have verified compliance of reported results with the REIC's Quality Program and SOPs, except as noted in this case narrative. Any deviation from compliance is explained below and/or identified within the body of this report by a qualifier footnote which is defined at the bottom of each page.

All samples were analyzed using the methods stated in the analytical report without modification, unless otherwise noted.

All sample results are reported on an "as-received" basis unless otherwise noted.

Results reported for sums of individual parameters, such as Total Trihalomethanes (TTHM) and Total Haloacetic Acids (HAA5), may vary slightly from the sum of the individual parameter results. This apparent anomaly is caused by rounding individual results and summations at reporting, as required by EPA.

The test results in this report meet all NELAP requirements for parameters for which accreditations are required or available. Any exceptions are noted in this report. This report may not be reproduced, except in full, without the written approval of REIC.

In compliance with federal guidelines and standard operating procedures, all reports, including raw data and supporting quality control, will be disposed of after five years unless otherwise arranged by the client via written notification or contract requirement.

Analytical Comments for METHOD 8260_L, SAMPLE 8260/624cc: The LCS for bromomethane, chloroethane, chloromethane, dichlorodifluoromethane and vinyl chloride exceeded REIC control limits indicating a high bias. Since the analyte results were ND, this exceedance does not adversely impact data usability.

Analytical Comments for METHOD 8260_L, SAMPLE 8260/624cc: The CCV for chloromethane vinyl chloride exceeded REIC control limits indicating a high bias. Since the analyte results were ND, this exceedance does not adversely impact data usability.

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-1	**Lab ID:**	0803C51-01A
Project:	NEWTON	**Collection Date:**	3/18/2008 2:23:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0037	mg/L	J	0.00100	0.0050	3/24/2008 12:46:00 PM
Lead	0.0004	mg/L	J	0.00020	0.0010	3/24/2008 12:46:00 PM
Nickel	0.0258	mg/L		0.00200	0.0100	3/24/2008 12:46:00 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	4,830	µg/L		488	2,000	3/22/2008 2:39:00 PM
Acrylonitrile	ND	µg/L		42.4	2,000	3/24/2008 8:08:00 PM
Benzene	14.2	µg/L		1.29	10.0	3/24/2008 8:08:00 PM
Bromochloromethane	ND	µg/L		3.46	30.0	3/24/2008 8:08:00 PM
Bromodichloromethane	ND	µg/L		1.62	10.0	3/24/2008 8:08:00 PM
Bromoform	ND	µg/L		4.00	30.0	3/24/2008 8:08:00 PM
Bromomethane	ND	µg/L		4.97	100	3/24/2008 8:08:00 PM
2-Butanone	5,360	µg/L		468	1,000	3/22/2008 2:39:00 PM
Carbon disulfide	ND	µg/L		12.7	1,000	3/24/2008 8:08:00 PM
Carbon tetrachloride	ND	µg/L		2.50	10.0	3/24/2008 8:08:00 PM
Chlorobenzene	ND	µg/L		1.77	30.0	3/24/2008 8:08:00 PM
Chloroethane	472	µg/L		94.2	100	3/22/2008 2:39:00 PM
Chloroform	ND	µg/L		2.53	50.0	3/24/2008 8:08:00 PM
Chloromethane	ND	µg/L		3.27	10.0	3/24/2008 8:08:00 PM
Dibromochloromethane	ND	µg/L		4.19	10.0	3/24/2008 8:08:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		4.99	10.0	3/24/2008 8:08:00 PM
1,2-Dibromoethane	ND	µg/L		3.41	10.0	3/24/2008 8:08:00 PM
Dibromomethane	ND	µg/L		2.93	100	3/24/2008 8:08:00 PM
1,2-Dichlorobenzene	ND	µg/L		4.50	50.0	3/24/2008 8:08:00 PM
1,4-Dichlorobenzene	ND	µg/L		2.87	10.0	3/24/2008 8:08:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		28.1	1,000	3/24/2008 8:08:00 PM
1,1-Dichloroethane	242	µg/L		3.83	50.0	3/24/2008 8:08:00 PM
1,2-Dichloroethane	ND	µg/L		4.28	10.0	3/24/2008 8:08:00 PM
1,1-Dichloroethene	ND	µg/L		3.28	50.0	3/24/2008 8:08:00 PM
cis-1,2-Dichloroethene	ND	µg/L		2.26	50.0	3/24/2008 8:08:00 PM
trans-1,2-Dichloroethene	ND	µg/L		3.92	50.0	3/24/2008 8:08:00 PM
1,2-Dichloropropane	5.0	µg/L	J	4.61	10.0	3/24/2008 8:08:00 PM
cis-1,3-Dichloropropene	ND	µg/L		2.20	10.0	3/24/2008 8:08:00 PM
trans-1,3-Dichloropropene	ND	µg/L		2.16	10.0	3/24/2008 8:08:00 PM
Ethylbenzene	20.9	µg/L		1.78	10.0	3/24/2008 8:08:00 PM
2-Hexanone	132	µg/L	J	41.1	500	3/24/2008 8:08:00 PM
Iodomethane	ND	µg/L		34.4	100	3/24/2008 8:08:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-1	**Lab ID:**	0803C51-01A
Project:	NEWTON	**Collection Date:**	3/18/2008 2:23:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	20.7	µg/L		5.39	10.0	3/24/2008 8:08:00 PM
4-Methyl-2-pentanone	491	µg/L	J	44.0	1,000	3/24/2008 8:08:00 PM
Styrene	ND	µg/L		2.40	10.0	3/24/2008 8:08:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		3.60	50.0	3/24/2008 8:08:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		3.84	10.0	3/24/2008 8:08:00 PM
Tetrachloroethene	ND	µg/L		1.96	10.0	3/24/2008 8:08:00 PM
Toluene	527	µg/L		16.7	100	3/22/2008 2:39:00 PM
1,1,1-Trichloroethane	ND	µg/L		3.54	10.0	3/24/2008 8:08:00 PM
1,1,2-Trichloroethane	ND	µg/L		4.92	50.0	3/24/2008 8:08:00 PM
Trichloroethene	ND	µg/L		3.02	10.0	3/24/2008 8:08:00 PM
Trichlorofluoromethane	ND	µg/L		2.99	10.0	3/24/2008 8:08:00 PM
1,2,3-Trichloropropane	ND	µg/L		3.58	10.0	3/24/2008 8:08:00 PM
Vinyl acetate	ND	µg/L		48.7	500	3/24/2008 8:08:00 PM
Vinyl chloride	ND	µg/L		2.23	10.0	3/24/2008 8:08:00 PM
o-Xylene	11.5	µg/L		1.86	10.0	3/24/2008 8:08:00 PM
m,p-Xylene	19.9	µg/L	J	2.87	20.0	3/24/2008 8:08:00 PM
Surr: 1,2-Dichloroethane-d4	102	%REC			80-120	3/24/2008 8:08:00 PM
Surr: 4-Bromofluorobenzene	96.4	%REC			86-115	3/24/2008 8:08:00 PM
Surr: Dibromofluoromethane	107	%REC			80-120	3/24/2008 8:08:00 PM
Surr: Toluene-d8	96.5	%REC			88-110	3/24/2008 8:08:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-3	**Lab ID:**	0803C51-02A
Project:	NEWTON	**Collection Date:**	3/18/2008 1:20:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0029	mg/L	J	0.00100	0.0050	3/24/2008 1:15:16 PM
Lead	0.0035	mg/L		0.00020	0.0010	3/24/2008 1:15:16 PM
Nickel	0.0063	mg/L	J	0.00200	0.0100	3/24/2008 1:15:16 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/22/2008 12:26:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/22/2008 12:26:00 PM
Benzene	1.2	µg/L		0.13	1.0	3/22/2008 12:26:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/22/2008 12:26:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/22/2008 12:26:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/22/2008 12:26:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/22/2008 12:26:00 PM
2-Butanone	ND	µg/L		4.68	100	3/22/2008 12:26:00 PM
Carbon disulfide	ND	µg/L		1.27	100	3/22/2008 12:26:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/22/2008 12:26:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/22/2008 12:26:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/22/2008 12:26:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/22/2008 12:26:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/22/2008 12:26:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/22/2008 12:26:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/22/2008 12:26:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/22/2008 12:26:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/22/2008 12:26:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/22/2008 12:26:00 PM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/22/2008 12:26:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/22/2008 12:26:00 PM
1,1-Dichloroethane	33.6	µg/L		1.92	25.0	3/24/2008 2:07:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/22/2008 12:26:00 PM
1,1-Dichloroethene	4.2	µg/L	J	0.33	5.0	3/22/2008 12:26:00 PM
cis-1,2-Dichloroethene	0.5	µg/L	J	0.23	5.0	3/22/2008 12:26:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/22/2008 12:26:00 PM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/22/2008 12:26:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/22/2008 12:26:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/22/2008 12:26:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/22/2008 12:26:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/22/2008 12:26:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/22/2008 12:26:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-3	**Lab ID:**	0803C51-02A
Project:	NEWTON	**Collection Date:**	3/18/2008 1:20:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	0.8	µg/L	J	0.54	1.0	3/22/2008 12:26:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/22/2008 12:26:00 PM
Styrene	ND	µg/L		0.24	1.0	3/22/2008 12:26:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/22/2008 12:26:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/22/2008 12:26:00 PM
Tetrachloroethene	3.0	µg/L		0.20	1.0	3/22/2008 12:26:00 PM
Toluene	ND	µg/L		0.17	1.0	3/22/2008 12:26:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/22/2008 12:26:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/22/2008 12:26:00 PM
Trichloroethene	4.1	µg/L		0.30	1.0	3/22/2008 12:26:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/22/2008 12:26:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/22/2008 12:26:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/22/2008 12:26:00 PM
Vinyl chloride	ND	µg/L		0.22	1.0	3/22/2008 12:26:00 PM
o-Xylene	0.3	µg/L	J	0.19	1.0	3/22/2008 12:26:00 PM
m,p-Xylene	5.6	µg/L		0.29	2.0	3/22/2008 12:26:00 PM
Surr: 1,2-Dichloroethane-d4	112	%REC			80-120	3/22/2008 12:26:00 PM
Surr: 4-Bromofluorobenzene	101	%REC			86-115	3/22/2008 12:26:00 PM
Surr: Dibromofluoromethane	109	%REC			80-120	3/22/2008 12:26:00 PM
Surr: Toluene-d8	95.7	%REC			88-110	3/22/2008 12:26:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-9	**Lab ID:**	0803C51-03A
Project:	NEWTON	**Collection Date:**	3/18/2008 3:30:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0095	mg/L		0.00100	0.0050	3/24/2008 1:21:07 PM
Lead	0.0019	mg/L		0.00020	0.0010	3/24/2008 1:21:07 PM
Nickel	0.143	mg/L		0.00200	0.0100	3/24/2008 1:21:07 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		48.8	1,000	3/24/2008 8:42:00 PM
Acrylonitrile	ND	µg/L		42.4	2,000	3/24/2008 8:42:00 PM
Benzene	12.4	µg/L		1.29	10.0	3/24/2008 8:42:00 PM
Bromochloromethane	ND	µg/L		3.46	30.0	3/24/2008 8:42:00 PM
Bromodichloromethane	ND	µg/L		1.62	10.0	3/24/2008 8:42:00 PM
Bromoform	ND	µg/L		4.00	30.0	3/24/2008 8:42:00 PM
Bromomethane	ND	µg/L		4.97	100	3/24/2008 8:42:00 PM
2-Butanone	ND	µg/L		46.8	1,000	3/24/2008 8:42:00 PM
Carbon disulfide	ND	µg/L		12.7	1,000	3/24/2008 8:42:00 PM
Carbon tetrachloride	ND	µg/L		2.50	10.0	3/24/2008 8:42:00 PM
Chlorobenzene	1.9	µg/L	J	1.77	30.0	3/24/2008 8:42:00 PM
Chloroethane	ND	µg/L		9.42	100	3/24/2008 8:42:00 PM
Chloroform	ND	µg/L		2.53	50.0	3/24/2008 8:42:00 PM
Chloromethane	ND	µg/L		3.27	10.0	3/24/2008 8:42:00 PM
Dibromochloromethane	ND	µg/L		4.19	10.0	3/24/2008 8:42:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		4.99	10.0	3/24/2008 8:42:00 PM
1,2-Dibromoethane	ND	µg/L		3.41	10.0	3/24/2008 8:42:00 PM
Dibromomethane	ND	µg/L		2.93	100	3/24/2008 8:42:00 PM
1,2-Dichlorobenzene	ND	µg/L		4.50	50.0	3/24/2008 8:42:00 PM
1,4-Dichlorobenzene	6.3	µg/L	J	2.87	10.0	3/24/2008 8:42:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		28.1	1,000	3/24/2008 8:42:00 PM
1,1-Dichloroethane	340	µg/L		38.3	100	3/22/2008 3:13:00 PM
1,2-Dichloroethane	10.5	µg/L		4.28	10.0	3/24/2008 8:42:00 PM
1,1-Dichloroethene	ND	µg/L		3.28	50.0	3/24/2008 8:42:00 PM
cis-1,2-Dichloroethene	5.5	µg/L	J	2.26	50.0	3/24/2008 8:42:00 PM
trans-1,2-Dichloroethene	ND	µg/L		3.92	50.0	3/24/2008 8:42:00 PM
1,2-Dichloropropane	40.0	µg/L		4.61	10.0	3/24/2008 8:42:00 PM
cis-1,3-Dichloropropene	ND	µg/L		2.20	10.0	3/24/2008 8:42:00 PM
trans-1,3-Dichloropropene	ND	µg/L		2.16	10.0	3/24/2008 8:42:00 PM
Ethylbenzene	7.2	µg/L	J	1.78	10.0	3/24/2008 8:42:00 PM
2-Hexanone	ND	µg/L		41.1	500	3/24/2008 8:42:00 PM
Iodomethane	ND	µg/L		34.4	100	3/24/2008 8:42:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-9	**Lab ID:**	0803C51-03A
Project:	NEWTON	**Collection Date:**	3/18/2008 3:30:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		5.39	10.0	3/24/2008 8:42:00 PM
4-Methyl-2-pentanone	70.1	µg/L	J	44.0	1,000	3/24/2008 8:42:00 PM
Styrene	ND	µg/L		2.40	10.0	3/24/2008 8:42:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		3.60	50.0	3/24/2008 8:42:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		3.84	10.0	3/24/2008 8:42:00 PM
Tetrachloroethene	6.8	µg/L	J	1.96	10.0	3/24/2008 8:42:00 PM
Toluene	152	µg/L		1.67	10.0	3/24/2008 8:42:00 PM
1,1,1-Trichloroethane	ND	µg/L		3.54	10.0	3/24/2008 8:42:00 PM
1,1,2-Trichloroethane	ND	µg/L		4.92	50.0	3/24/2008 8:42:00 PM
Trichloroethene	ND	µg/L		3.02	10.0	3/24/2008 8:42:00 PM
Trichlorofluoromethane	ND	µg/L		2.99	10.0	3/24/2008 8:42:00 PM
1,2,3-Trichloropropane	ND	µg/L		3.58	10.0	3/24/2008 8:42:00 PM
Vinyl acetate	ND	µg/L		48.7	500	3/24/2008 8:42:00 PM
Vinyl chloride	14.4	µg/L		2.23	10.0	3/24/2008 8:42:00 PM
o-Xylene	22.6	µg/L		1.86	10.0	3/24/2008 8:42:00 PM
m,p-Xylene	36.7	µg/L		2.87	20.0	3/24/2008 8:42:00 PM
Surr: 1,2-Dichloroethane-d4	105	%REC			80-120	3/24/2008 8:42:00 PM
Surr: 4-Bromofluorobenzene	95.6	%REC			86-115	3/24/2008 8:42:00 PM
Surr: Dibromofluoromethane	112	%REC			80-120	3/24/2008 8:42:00 PM
Surr: Toluene-d8	99.1	%REC			88-110	3/24/2008 8:42:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-10A	**Lab ID:**	0803C51-04A
Project:	NEWTON	**Collection Date:**	3/18/2008 3:14:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0100	mg/L		0.00100	0.0050	3/24/2008 1:26:58 PM
Lead	0.0008	mg/L	J	0.00020	0.0010	3/24/2008 1:26:58 PM
Nickel	0.0064	mg/L	J	0.00200	0.0100	3/24/2008 1:26:58 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/22/2008 12:59:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/22/2008 12:59:00 PM
Benzene	6.3	µg/L		0.13	1.0	3/22/2008 12:59:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/22/2008 12:59:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/22/2008 12:59:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/22/2008 12:59:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/22/2008 12:59:00 PM
2-Butanone	ND	µg/L		4.68	100	3/22/2008 12:59:00 PM
Carbon disulfide	4.4	µg/L	J	1.27	100	3/22/2008 12:59:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/22/2008 12:59:00 PM
Chlorobenzene	1.1	µg/L	J	0.18	3.0	3/22/2008 12:59:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/22/2008 12:59:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/22/2008 12:59:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/22/2008 12:59:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/22/2008 12:59:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/22/2008 12:59:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/22/2008 12:59:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/22/2008 12:59:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/22/2008 12:59:00 PM
1,4-Dichlorobenzene	4.4	µg/L		0.29	1.0	3/22/2008 12:59:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/22/2008 12:59:00 PM
1,1-Dichloroethane	156	µg/L		3.83	50.0	3/24/2008 9:15:00 PM
1,2-Dichloroethane	10.0	µg/L		0.43	1.0	3/22/2008 12:59:00 PM
1,1-Dichloroethene	4.9	µg/L	J	0.33	5.0	3/22/2008 12:59:00 PM
cis-1,2-Dichloroethene	101	µg/L		2.26	50.0	3/24/2008 9:15:00 PM
trans-1,2-Dichloroethene	2.1	µg/L	J	0.39	5.0	3/22/2008 12:59:00 PM
1,2-Dichloropropane	17.4	µg/L		0.46	1.0	3/22/2008 12:59:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/22/2008 12:59:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/22/2008 12:59:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/22/2008 12:59:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/22/2008 12:59:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/22/2008 12:59:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-10A	**Lab ID:**	0803C51-04A
Project:	NEWTON	**Collection Date:**	3/18/2008 3:14:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/22/2008 12:59:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/22/2008 12:59:00 PM
Styrene	ND	µg/L		0.24	1.0	3/22/2008 12:59:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/22/2008 12:59:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/22/2008 12:59:00 PM
Tetrachloroethene	5.3	µg/L		0.20	1.0	3/22/2008 12:59:00 PM
Toluene	ND	µg/L		0.17	1.0	3/22/2008 12:59:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/22/2008 12:59:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/22/2008 12:59:00 PM
Trichloroethene	2.2	µg/L		0.30	1.0	3/22/2008 12:59:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/22/2008 12:59:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/22/2008 12:59:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/22/2008 12:59:00 PM
Vinyl chloride	13.7	µg/L		0.22	1.0	3/22/2008 12:59:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/22/2008 12:59:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/22/2008 12:59:00 PM
Surr: 1,2-Dichloroethane-d4	111	%REC			80-120	3/22/2008 12:59:00 PM
Surr: 4-Bromofluorobenzene	103	%REC			86-115	3/22/2008 12:59:00 PM
Surr: Dibromofluoromethane	106	%REC			80-120	3/22/2008 12:59:00 PM
Surr: Toluene-d8	98.3	%REC			88-110	3/22/2008 12:59:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-10B	**Lab ID:**	0803C51-05A
Project:	NEWTON	**Collection Date:**	3/18/2008 2:38:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0034	mg/L	J	0.00100	0.0050	3/24/2008 1:32:50 PM
Lead	0.0002	mg/L	J	0.00020	0.0010	3/24/2008 1:32:50 PM
Nickel	0.0029	mg/L	J	0.00200	0.0100	3/24/2008 1:32:50 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/22/2008 1:32:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/22/2008 1:32:00 PM
Benzene	ND	µg/L		0.13	1.0	3/22/2008 1:32:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/22/2008 1:32:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/22/2008 1:32:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/22/2008 1:32:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/22/2008 1:32:00 PM
2-Butanone	ND	µg/L		4.68	100	3/22/2008 1:32:00 PM
Carbon disulfide	4.6	µg/L	J	1.27	100	3/22/2008 1:32:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/22/2008 1:32:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/22/2008 1:32:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/22/2008 1:32:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/22/2008 1:32:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/22/2008 1:32:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/22/2008 1:32:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/22/2008 1:32:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/22/2008 1:32:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/22/2008 1:32:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/22/2008 1:32:00 PM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/22/2008 1:32:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/22/2008 1:32:00 PM
1,1-Dichloroethane	44.6	µg/L		1.92	25.0	3/24/2008 2:40:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/22/2008 1:32:00 PM
1,1-Dichloroethene	0.5	µg/L	J	0.33	5.0	3/22/2008 1:32:00 PM
cis-1,2-Dichloroethene	7.4	µg/L		0.23	5.0	3/22/2008 1:32:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/22/2008 1:32:00 PM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/22/2008 1:32:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/22/2008 1:32:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/22/2008 1:32:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/22/2008 1:32:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/22/2008 1:32:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/22/2008 1:32:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-10B	**Lab ID:**	0803C51-05A
Project:	NEWTON	**Collection Date:**	3/18/2008 2:38:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	1.0	µg/L	J	0.54	1.0	3/22/2008 1:32:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/22/2008 1:32:00 PM
Styrene	ND	µg/L		0.24	1.0	3/22/2008 1:32:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/22/2008 1:32:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/22/2008 1:32:00 PM
Tetrachloroethene	0.2	µg/L	J	0.20	1.0	3/22/2008 1:32:00 PM
Toluene	ND	µg/L		0.17	1.0	3/22/2008 1:32:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/22/2008 1:32:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/22/2008 1:32:00 PM
Trichloroethene	4.2	µg/L		0.30	1.0	3/22/2008 1:32:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/22/2008 1:32:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/22/2008 1:32:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/22/2008 1:32:00 PM
Vinyl chloride	6.3	µg/L		0.22	1.0	3/22/2008 1:32:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/22/2008 1:32:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/22/2008 1:32:00 PM
Surr: 1,2-Dichloroethane-d4	109	%REC			80-120	3/22/2008 1:32:00 PM
Surr: 4-Bromofluorobenzene	99.6	%REC			86-115	3/22/2008 1:32:00 PM
Surr: Dibromofluoromethane	108	%REC			80-120	3/22/2008 1:32:00 PM
Surr: Toluene-d8	97.8	%REC			88-110	3/22/2008 1:32:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-11	**Lab ID:**	0803C51-06A
Project:	NEWTON	**Collection Date:**	3/18/2008 4:05:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0051	mg/L		0.00100	0.0050	3/24/2008 1:38:42 PM
Lead	0.0003	mg/L	J	0.00020	0.0010	3/24/2008 1:38:42 PM
Nickel	ND	mg/L		0.00200	0.0100	3/24/2008 1:38:42 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/22/2008 2:05:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/22/2008 2:05:00 PM
Benzene	ND	µg/L		0.13	1.0	3/22/2008 2:05:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/22/2008 2:05:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/22/2008 2:05:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/22/2008 2:05:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/22/2008 2:05:00 PM
2-Butanone	ND	µg/L		4.68	100	3/22/2008 2:05:00 PM
Carbon disulfide	ND	µg/L		1.27	100	3/22/2008 2:05:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/22/2008 2:05:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/22/2008 2:05:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/22/2008 2:05:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/22/2008 2:05:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/22/2008 2:05:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/22/2008 2:05:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/22/2008 2:05:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/22/2008 2:05:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/22/2008 2:05:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/22/2008 2:05:00 PM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/22/2008 2:05:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/22/2008 2:05:00 PM
1,1-Dichloroethane	8.2	µg/L		0.38	5.0	3/22/2008 2:05:00 PM
1,2-Dichloroethane	6.6	µg/L		0.43	1.0	3/22/2008 2:05:00 PM
1,1-Dichloroethene	1.0	µg/L	J	0.33	5.0	3/22/2008 2:05:00 PM
cis-1,2-Dichloroethene	0.5	µg/L	J	0.23	5.0	3/22/2008 2:05:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/22/2008 2:05:00 PM
1,2-Dichloropropane	1.1	µg/L		0.46	1.0	3/22/2008 2:05:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/22/2008 2:05:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/22/2008 2:05:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/22/2008 2:05:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/22/2008 2:05:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/22/2008 2:05:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-11	**Lab ID:**	0803C51-06A
Project:	NEWTON	**Collection Date:**	3/18/2008 4:05:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/22/2008 2:05:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/22/2008 2:05:00 PM
Styrene	ND	µg/L		0.24	1.0	3/22/2008 2:05:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/22/2008 2:05:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/22/2008 2:05:00 PM
Tetrachloroethene	1.6	µg/L		0.20	1.0	3/22/2008 2:05:00 PM
Toluene	ND	µg/L		0.17	1.0	3/22/2008 2:05:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/22/2008 2:05:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/22/2008 2:05:00 PM
Trichloroethene	1.4	µg/L		0.30	1.0	3/22/2008 2:05:00 PM
Trichlorofluoromethane	21.1	µg/L		1.50	5.0	3/24/2008 3:13:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/22/2008 2:05:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/22/2008 2:05:00 PM
Vinyl chloride	ND	µg/L		0.22	1.0	3/22/2008 2:05:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/22/2008 2:05:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/22/2008 2:05:00 PM
Surr: 1,2-Dichloroethane-d4	110	%REC			80-120	3/22/2008 2:05:00 PM
Surr: 4-Bromofluorobenzene	101	%REC			86-115	3/22/2008 2:05:00 PM
Surr: Dibromofluoromethane	106	%REC			80-120	3/22/2008 2:05:00 PM
Surr: Toluene-d8	96.1	%REC			88-110	3/22/2008 2:05:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-13	**Lab ID:**	0803C51-07A
Project:	NEWTON	**Collection Date:**	3/19/2008 9:45:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0036	mg/L	J	0.00100	0.0050	3/24/2008 1:44:35 PM
Lead	0.0004	mg/L	J	0.00020	0.0010	3/24/2008 1:44:35 PM
Nickel	ND	mg/L		0.00200	0.0100	3/24/2008 1:44:35 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/24/2008 9:48:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 9:48:00 PM
Benzene	0.3	µg/L	J	0.13	1.0	3/24/2008 9:48:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 9:48:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 9:48:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 9:48:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 9:48:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 9:48:00 PM
Carbon disulfide	2.9	µg/L	J	1.27	100	3/24/2008 9:48:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 9:48:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/24/2008 9:48:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/24/2008 9:48:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/24/2008 9:48:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/24/2008 9:48:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 9:48:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 9:48:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 9:48:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 9:48:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/24/2008 9:48:00 PM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/24/2008 9:48:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 9:48:00 PM
1,1-Dichloroethane	38.0	µg/L		1.92	25.0	3/25/2008 1:55:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/24/2008 9:48:00 PM
1,1-Dichloroethene	4.0	µg/L	J	0.33	5.0	3/24/2008 9:48:00 PM
cis-1,2-Dichloroethene	44.3	µg/L		1.13	5.0	3/25/2008 1:55:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/24/2008 9:48:00 PM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/24/2008 9:48:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 9:48:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 9:48:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/24/2008 9:48:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/24/2008 9:48:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 9:48:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-13	**Lab ID:**	0803C51-07A
Project:	NEWTON	**Collection Date:**	3/19/2008 9:45:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/24/2008 9:48:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/24/2008 9:48:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 9:48:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 9:48:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 9:48:00 PM
Tetrachloroethene	1.4	µg/L		0.20	1.0	3/24/2008 9:48:00 PM
Toluene	ND	µg/L		0.17	1.0	3/24/2008 9:48:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 9:48:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 9:48:00 PM
Trichloroethene	20.1	µg/L		0.30	1.0	3/24/2008 9:48:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/24/2008 9:48:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 9:48:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 9:48:00 PM
Vinyl chloride	6.0	µg/L		0.22	1.0	3/24/2008 9:48:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/24/2008 9:48:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/24/2008 9:48:00 PM
Surr: 1,2-Dichloroethane-d4	104	%REC			80-120	3/24/2008 9:48:00 PM
Surr: 4-Bromofluorobenzene	96.1	%REC			86-115	3/24/2008 9:48:00 PM
Surr: Dibromofluoromethane	109	%REC			80-120	3/24/2008 9:48:00 PM
Surr: Toluene-d8	101	%REC			88-110	3/24/2008 9:48:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-14	**Lab ID:**	0803C51-08A
Project:	NEWTON	**Collection Date:**	3/19/2008 10:25:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0024	mg/L	J	0.00100	0.0050	3/24/2008 1:50:28 PM
Lead	0.0004	mg/L	J	0.00020	0.0010	3/24/2008 1:50:28 PM
Nickel	0.0050	mg/L	J	0.00200	0.0100	3/24/2008 1:50:28 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	119	µg/L		4.88	100	3/24/2008 10:21:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 10:21:00 PM
Benzene	12.0	µg/L		0.13	1.0	3/24/2008 10:21:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 10:21:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 10:21:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 10:21:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 10:21:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 10:21:00 PM
Carbon disulfide	6.8	µg/L	J	1.27	100	3/24/2008 10:21:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 10:21:00 PM
Chlorobenzene	3.7	µg/L		0.18	3.0	3/24/2008 10:21:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/24/2008 10:21:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/24/2008 10:21:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/24/2008 10:21:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 10:21:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 10:21:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 10:21:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 10:21:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/24/2008 10:21:00 PM
1,4-Dichlorobenzene	10.1	µg/L		0.29	1.0	3/24/2008 10:21:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 10:21:00 PM
1,1-Dichloroethane	169	µg/L		3.83	50.0	3/25/2008 8:29:00 PM
1,2-Dichloroethane	7.7	µg/L		0.43	1.0	3/24/2008 10:21:00 PM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/24/2008 10:21:00 PM
cis-1,2-Dichloroethene	ND	µg/L		0.23	5.0	3/24/2008 10:21:00 PM
trans-1,2-Dichloroethene	1.9	µg/L	J	0.39	5.0	3/24/2008 10:21:00 PM
1,2-Dichloropropane	4.4	µg/L		0.46	1.0	3/24/2008 10:21:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 10:21:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 10:21:00 PM
Ethylbenzene	20.2	µg/L		0.18	1.0	3/24/2008 10:21:00 PM
2-Hexanone	6.9	µg/L	J	4.11	50.0	3/24/2008 10:21:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 10:21:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-14	**Lab ID:**	0803C51-08A
Project:	NEWTON	**Collection Date:**	3/19/2008 10:25:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	484	µg/L		27.0	50.0	3/25/2008 10:43:00 PM
4-Methyl-2-pentanone	30.0	µg/L	J	4.40	100	3/24/2008 10:21:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 10:21:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 10:21:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 10:21:00 PM
Tetrachloroethene	3.2	µg/L		0.20	1.0	3/24/2008 10:21:00 PM
Toluene	80.3	µg/L		1.67	10.0	3/25/2008 8:29:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 10:21:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 10:21:00 PM
Trichloroethene	92.4	µg/L		3.02	10.0	3/25/2008 8:29:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/24/2008 10:21:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 10:21:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 10:21:00 PM
Vinyl chloride	40.0	µg/L		2.23	10.0	3/25/2008 8:29:00 PM
o-Xylene	63.4	µg/L		1.86	10.0	3/25/2008 8:29:00 PM
m,p-Xylene	40.4	µg/L		0.29	2.0	3/24/2008 10:21:00 PM
Surr: 1,2-Dichloroethane-d4	102	%REC			80-120	3/24/2008 10:21:00 PM
Surr: 4-Bromofluorobenzene	97.8	%REC			86-115	3/24/2008 10:21:00 PM
Surr: Dibromofluoromethane	105	%REC			80-120	3/24/2008 10:21:00 PM
Surr: Toluene-d8	97.7	%REC			88-110	3/24/2008 10:21:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-14A	**Lab ID:**	0803C51-09A
Project:	NEWTON	**Collection Date:**	3/19/2008 10:45:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0058	mg/L		0.00100	0.0050	3/24/2008 1:56:21 PM
Lead	0.0004	mg/L	J	0.00020	0.0010	3/24/2008 1:56:21 PM
Nickel	ND	mg/L		0.00200	0.0100	3/24/2008 1:56:21 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/24/2008 10:53:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 10:53:00 PM
Benzene	ND	µg/L		0.13	1.0	3/24/2008 10:53:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 10:53:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 10:53:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 10:53:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 10:53:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 10:53:00 PM
Carbon disulfide	11.7	µg/L	J	1.27	100	3/24/2008 10:53:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 10:53:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/24/2008 10:53:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/24/2008 10:53:00 PM
Chloroform	0.3	µg/L	J	0.25	5.0	3/24/2008 10:53:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/24/2008 10:53:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 10:53:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 10:53:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 10:53:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 10:53:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/24/2008 10:53:00 PM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/24/2008 10:53:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 10:53:00 PM
1,1-Dichloroethane	2.2	µg/L	J	0.38	5.0	3/24/2008 10:53:00 PM
1,2-Dichloroethane	0.6	µg/L	J	0.43	1.0	3/24/2008 10:53:00 PM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/24/2008 10:53:00 PM
cis-1,2-Dichloroethene	1.6	µg/L	J	0.23	5.0	3/24/2008 10:53:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/24/2008 10:53:00 PM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/24/2008 10:53:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 10:53:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 10:53:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/24/2008 10:53:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/24/2008 10:53:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 10:53:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-14A	**Lab ID:**	0803C51-09A
Project:	NEWTON	**Collection Date:**	3/19/2008 10:45:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/24/2008 10:53:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/24/2008 10:53:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 10:53:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 10:53:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 10:53:00 PM
Tetrachloroethene	16.5	µg/L		0.20	1.0	3/24/2008 10:53:00 PM
Toluene	ND	µg/L		0.17	1.0	3/24/2008 10:53:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 10:53:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 10:53:00 PM
Trichloroethene	4.0	µg/L		0.30	1.0	3/24/2008 10:53:00 PM
Trichlorofluoromethane	1.8	µg/L		0.30	1.0	3/24/2008 10:53:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 10:53:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 10:53:00 PM
Vinyl chloride	ND	µg/L		0.22	1.0	3/24/2008 10:53:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/24/2008 10:53:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/24/2008 10:53:00 PM
Surr: 1,2-Dichloroethane-d4	104	%REC			80-120	3/24/2008 10:53:00 PM
Surr: 4-Bromofluorobenzene	97.0	%REC			86-115	3/24/2008 10:53:00 PM
Surr: Dibromofluoromethane	110	%REC			80-120	3/24/2008 10:53:00 PM
Surr: Toluene-d8	101	%REC			88-110	3/24/2008 10:53:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-15	**Lab ID:**	0803C51-10A
Project:	NEWTON	**Collection Date:**	3/19/2008 9:02:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0040	mg/L	J	0.00100	0.0050	3/24/2008 2:02:14 PM
Lead	0.0029	mg/L		0.00020	0.0010	3/24/2008 2:02:14 PM
Nickel	0.0039	mg/L	J	0.00200	0.0100	3/24/2008 2:02:14 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/24/2008 11:26:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 11:26:00 PM
Benzene	19.4	µg/L		0.13	1.0	3/24/2008 11:26:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 11:26:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 11:26:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 11:26:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 11:26:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 11:26:00 PM
Carbon disulfide	ND	µg/L		1.27	100	3/24/2008 11:26:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 11:26:00 PM
Chlorobenzene	5.3	µg/L		0.18	3.0	3/24/2008 11:26:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/24/2008 11:26:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/24/2008 11:26:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/24/2008 11:26:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 11:26:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 11:26:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 11:26:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 11:26:00 PM
1,2-Dichlorobenzene	0.8	µg/L	J	0.45	5.0	3/24/2008 11:26:00 PM
1,4-Dichlorobenzene	5.1	µg/L		0.29	1.0	3/24/2008 11:26:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 11:26:00 PM
1,1-Dichloroethane	661	µg/L		38.3	500	3/26/2008 12:34:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/24/2008 11:26:00 PM
1,1-Dichloroethene	3.8	µg/L	J	0.33	5.0	3/24/2008 11:26:00 PM
cis-1,2-Dichloroethene	704	µg/L		22.6	500	3/26/2008 12:34:00 PM
trans-1,2-Dichloroethene	2.2	µg/L	J	0.39	5.0	3/24/2008 11:26:00 PM
1,2-Dichloropropane	1.5	µg/L		0.46	1.0	3/24/2008 11:26:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 11:26:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 11:26:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/24/2008 11:26:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/24/2008 11:26:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 11:26:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-15	**Lab ID:**	0803C51-10A
Project:	NEWTON	**Collection Date:**	3/19/2008 9:02:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	209	µg/L		5.39	10.0	3/25/2008 9:02:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/24/2008 11:26:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 11:26:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 11:26:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 11:26:00 PM
Tetrachloroethene	5.8	µg/L		0.20	1.0	3/24/2008 11:26:00 PM
Toluene	0.3	µg/L	J	0.17	1.0	3/24/2008 11:26:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 11:26:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 11:26:00 PM
Trichloroethene	162	µg/L		3.02	10.0	3/25/2008 9:02:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/24/2008 11:26:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 11:26:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 11:26:00 PM
Vinyl chloride	8.5	µg/L		0.22	1.0	3/24/2008 11:26:00 PM
o-Xylene	32.0	µg/L		1.86	10.0	3/25/2008 9:02:00 PM
m,p-Xylene	31.4	µg/L		0.29	2.0	3/24/2008 11:26:00 PM
Surr: 1,2-Dichloroethane-d4	98.6	%REC			80-120	3/24/2008 11:26:00 PM
Surr: 4-Bromofluorobenzene	96.0	%REC			86-115	3/24/2008 11:26:00 PM
Surr: Dibromofluoromethane	105	%REC			80-120	3/24/2008 11:26:00 PM
Surr: Toluene-d8	100	%REC			88-110	3/24/2008 11:26:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-16	**Lab ID:**	0803C51-11A
Project:	NEWTON	**Collection Date:**	3/18/2008 5:19:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0087	mg/L		0.00100	0.0050	3/24/2008 2:19:47 PM
Lead	0.0005	mg/L	J	0.00020	0.0010	3/24/2008 2:19:47 PM
Nickel	0.0136	mg/L		0.00200	0.0100	3/24/2008 2:19:47 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/24/2008 11:59:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 11:59:00 PM
Benzene	2.2	µg/L		0.13	1.0	3/24/2008 11:59:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 11:59:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 11:59:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 11:59:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 11:59:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 11:59:00 PM
Carbon disulfide	ND	µg/L		1.27	100	3/24/2008 11:59:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 11:59:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/24/2008 11:59:00 PM
Chloroethane	10.1	µg/L		0.94	10.0	3/24/2008 11:59:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/24/2008 11:59:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/24/2008 11:59:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 11:59:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 11:59:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 11:59:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 11:59:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/24/2008 11:59:00 PM
1,4-Dichlorobenzene	0.4	µg/L	J	0.29	1.0	3/24/2008 11:59:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 11:59:00 PM
1,1-Dichloroethane	99.4	µg/L		1.92	25.0	3/25/2008 2:27:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/24/2008 11:59:00 PM
1,1-Dichloroethene	2.5	µg/L	J	0.33	5.0	3/24/2008 11:59:00 PM
cis-1,2-Dichloroethene	12.8	µg/L		0.23	5.0	3/24/2008 11:59:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/24/2008 11:59:00 PM
1,2-Dichloropropane	0.7	µg/L	J	0.46	1.0	3/24/2008 11:59:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 11:59:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 11:59:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/24/2008 11:59:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/24/2008 11:59:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 11:59:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-16	**Lab ID:**	0803C51-11A
Project:	NEWTON	**Collection Date:**	3/18/2008 5:19:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/24/2008 11:59:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/24/2008 11:59:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 11:59:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 11:59:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 11:59:00 PM
Tetrachloroethene	1.6	µg/L		0.20	1.0	3/24/2008 11:59:00 PM
Toluene	ND	µg/L		0.17	1.0	3/24/2008 11:59:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 11:59:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 11:59:00 PM
Trichloroethene	35.6	µg/L		1.51	5.0	3/25/2008 2:27:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/24/2008 11:59:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 11:59:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 11:59:00 PM
Vinyl chloride	7.3	µg/L		0.22	1.0	3/24/2008 11:59:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/24/2008 11:59:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/24/2008 11:59:00 PM
Surr: 1,2-Dichloroethane-d4	102	%REC			80-120	3/24/2008 11:59:00 PM
Surr: 4-Bromofluorobenzene	97.6	%REC			86-115	3/24/2008 11:59:00 PM
Surr: Dibromofluoromethane	109	%REC			80-120	3/24/2008 11:59:00 PM
Surr: Toluene-d8	101	%REC			88-110	3/24/2008 11:59:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-16A	**Lab ID:**	0803C51-12A
Project:	NEWTON	**Collection Date:**	3/18/2008 5:27:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0020	mg/L	J	0.00100	0.0050	3/24/2008 2:25:38 PM
Lead	ND	mg/L		0.00020	0.0010	3/24/2008 2:25:38 PM
Nickel	ND	mg/L		0.00200	0.0100	3/24/2008 2:25:38 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/25/2008 12:31:00 AM
Acrylonitrile	ND	µg/L		4.24	200	3/25/2008 12:31:00 AM
Benzene	0.2	µg/L	J	0.13	1.0	3/25/2008 12:31:00 AM
Bromochloromethane	ND	µg/L		0.35	3.0	3/25/2008 12:31:00 AM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/25/2008 12:31:00 AM
Bromoform	ND	µg/L		0.40	3.0	3/25/2008 12:31:00 AM
Bromomethane	ND	µg/L		0.50	10.0	3/25/2008 12:31:00 AM
2-Butanone	ND	µg/L		4.68	100	3/25/2008 12:31:00 AM
Carbon disulfide	ND	µg/L		1.27	100	3/25/2008 12:31:00 AM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/25/2008 12:31:00 AM
Chlorobenzene	ND	µg/L		0.18	3.0	3/25/2008 12:31:00 AM
Chloroethane	ND	µg/L		0.94	10.0	3/25/2008 12:31:00 AM
Chloroform	ND	µg/L		0.25	5.0	3/25/2008 12:31:00 AM
Chloromethane	ND	µg/L		0.33	1.0	3/25/2008 12:31:00 AM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/25/2008 12:31:00 AM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/25/2008 12:31:00 AM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/25/2008 12:31:00 AM
Dibromomethane	ND	µg/L		0.29	10.0	3/25/2008 12:31:00 AM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/25/2008 12:31:00 AM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/25/2008 12:31:00 AM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/25/2008 12:31:00 AM
1,1-Dichloroethane	30.4	µg/L		1.92	25.0	3/25/2008 3:00:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/25/2008 12:31:00 AM
1,1-Dichloroethene	3.9	µg/L	J	0.33	5.0	3/25/2008 12:31:00 AM
cis-1,2-Dichloroethene	43.0	µg/L		1.13	25.0	3/25/2008 3:00:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/25/2008 12:31:00 AM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/25/2008 12:31:00 AM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 12:31:00 AM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 12:31:00 AM
Ethylbenzene	ND	µg/L		0.18	1.0	3/25/2008 12:31:00 AM
2-Hexanone	ND	µg/L		4.11	50.0	3/25/2008 12:31:00 AM
Iodomethane	ND	µg/L		3.44	10.0	3/25/2008 12:31:00 AM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-16A	**Lab ID:**	0803C51-12A
Project:	NEWTON	**Collection Date:**	3/18/2008 5:27:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/25/2008 12:31:00 AM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/25/2008 12:31:00 AM
Styrene	ND	µg/L		0.24	1.0	3/25/2008 12:31:00 AM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/25/2008 12:31:00 AM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/25/2008 12:31:00 AM
Tetrachloroethene	1.0	µg/L		0.20	1.0	3/25/2008 12:31:00 AM
Toluene	ND	µg/L		0.17	1.0	3/25/2008 12:31:00 AM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/25/2008 12:31:00 AM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/25/2008 12:31:00 AM
Trichloroethene	21.0	µg/L		0.30	1.0	3/25/2008 12:31:00 AM
Trichlorofluoromethane	17.8	µg/L		0.30	1.0	3/25/2008 12:31:00 AM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/25/2008 12:31:00 AM
Vinyl acetate	ND	µg/L		4.87	50.0	3/25/2008 12:31:00 AM
Vinyl chloride	5.5	µg/L		0.22	1.0	3/25/2008 12:31:00 AM
o-Xylene	ND	µg/L		0.19	1.0	3/25/2008 12:31:00 AM
m,p-Xylene	ND	µg/L		0.29	2.0	3/25/2008 12:31:00 AM
Surr: 1,2-Dichloroethane-d4	103	%REC			80-120	3/25/2008 12:31:00 AM
Surr: 4-Bromofluorobenzene	93.5	%REC			86-115	3/25/2008 12:31:00 AM
Surr: Dibromofluoromethane	108	%REC			80-120	3/25/2008 12:31:00 AM
Surr: Toluene-d8	100	%REC			88-110	3/25/2008 12:31:00 AM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-20	**Lab ID:**	0803C51-13A
Project:	NEWTON	**Collection Date:**	3/19/2008 9:10:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0024	mg/L	J	0.00100	0.0050	3/24/2008 2:31:29 PM
Lead	0.0002	mg/L	J	0.00020	0.0010	3/24/2008 2:31:29 PM
Nickel	0.0029	mg/L	J	0.00200	0.0100	3/24/2008 2:31:29 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/25/2008 1:04:00 AM
Acrylonitrile	ND	µg/L		4.24	200	3/25/2008 1:04:00 AM
Benzene	18.8	µg/L		0.13	1.0	3/25/2008 1:04:00 AM
Bromochloromethane	ND	µg/L		0.35	3.0	3/25/2008 1:04:00 AM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/25/2008 1:04:00 AM
Bromoform	ND	µg/L		0.40	3.0	3/25/2008 1:04:00 AM
Bromomethane	ND	µg/L		0.50	10.0	3/25/2008 1:04:00 AM
2-Butanone	ND	µg/L		4.68	100	3/25/2008 1:04:00 AM
Carbon disulfide	2.4	µg/L	J	1.27	100	3/25/2008 1:04:00 AM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/25/2008 1:04:00 AM
Chlorobenzene	1.1	µg/L	J	0.18	3.0	3/25/2008 1:04:00 AM
Chloroethane	1.3	µg/L	J	0.94	10.0	3/25/2008 1:04:00 AM
Chloroform	ND	µg/L		0.25	5.0	3/25/2008 1:04:00 AM
Chloromethane	ND	µg/L		0.33	1.0	3/25/2008 1:04:00 AM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/25/2008 1:04:00 AM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/25/2008 1:04:00 AM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/25/2008 1:04:00 AM
Dibromomethane	ND	µg/L		0.29	10.0	3/25/2008 1:04:00 AM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/25/2008 1:04:00 AM
1,4-Dichlorobenzene	2.6	µg/L		0.29	1.0	3/25/2008 1:04:00 AM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/25/2008 1:04:00 AM
1,1-Dichloroethane	910	µg/L		38.3	500	3/26/2008 1:08:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/25/2008 1:04:00 AM
1,1-Dichloroethene	15.1	µg/L		0.33	5.0	3/25/2008 1:04:00 AM
cis-1,2-Dichloroethene	1,110	µg/L		22.6	500	3/26/2008 1:08:00 PM
trans-1,2-Dichloroethene	2.4	µg/L	J	0.39	5.0	3/25/2008 1:04:00 AM
1,2-Dichloropropane	5.4	µg/L		0.46	1.0	3/25/2008 1:04:00 AM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 1:04:00 AM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 1:04:00 AM
Ethylbenzene	ND	µg/L		0.18	1.0	3/25/2008 1:04:00 AM
2-Hexanone	ND	µg/L		4.11	50.0	3/25/2008 1:04:00 AM
Iodomethane	ND	µg/L		3.44	10.0	3/25/2008 1:04:00 AM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-20	**Lab ID:**	0803C51-13A
Project:	NEWTON	**Collection Date:**	3/19/2008 9:10:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	64.1	µg/L		5.39	10.0	3/25/2008 9:36:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/25/2008 1:04:00 AM
Styrene	ND	µg/L		0.24	1.0	3/25/2008 1:04:00 AM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/25/2008 1:04:00 AM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/25/2008 1:04:00 AM
Tetrachloroethene	54.4	µg/L		1.96	10.0	3/25/2008 9:36:00 PM
Toluene	ND	µg/L		0.17	1.0	3/25/2008 1:04:00 AM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/25/2008 1:04:00 AM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/25/2008 1:04:00 AM
Trichloroethene	912	µg/L		30.2	100	3/26/2008 1:08:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/25/2008 1:04:00 AM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/25/2008 1:04:00 AM
Vinyl acetate	ND	µg/L		4.87	50.0	3/25/2008 1:04:00 AM
Vinyl chloride	5.8	µg/L		0.22	1.0	3/25/2008 1:04:00 AM
o-Xylene	4.0	µg/L		0.19	1.0	3/25/2008 1:04:00 AM
m,p-Xylene	ND	µg/L		0.29	2.0	3/25/2008 1:04:00 AM
Surr: 1,2-Dichloroethane-d4	104	%REC			80-120	3/25/2008 1:04:00 AM
Surr: 4-Bromofluorobenzene	97.5	%REC			86-115	3/25/2008 1:04:00 AM
Surr: Dibromofluoromethane	104	%REC			80-120	3/25/2008 1:04:00 AM
Surr: Toluene-d8	101	%REC			88-110	3/25/2008 1:04:00 AM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-21	**Lab ID:**	0803C51-14A
Project:	NEWTON	**Collection Date:**	3/19/2008 8:15:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0038	mg/L	J	0.00100	0.0050	3/24/2008 2:37:21 PM
Lead	0.0008	mg/L	J	0.00020	0.0010	3/24/2008 2:37:21 PM
Nickel	0.0031	mg/L	J	0.00200	0.0100	3/24/2008 2:37:21 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/25/2008 1:37:00 AM
Acrylonitrile	ND	µg/L		4.24	200	3/25/2008 1:37:00 AM
Benzene	ND	µg/L		0.13	1.0	3/25/2008 1:37:00 AM
Bromochloromethane	ND	µg/L		0.35	3.0	3/25/2008 1:37:00 AM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/25/2008 1:37:00 AM
Bromoform	ND	µg/L		0.40	3.0	3/25/2008 1:37:00 AM
Bromomethane	ND	µg/L		0.50	10.0	3/25/2008 1:37:00 AM
2-Butanone	ND	µg/L		4.68	100	3/25/2008 1:37:00 AM
Carbon disulfide	ND	µg/L		1.27	100	3/25/2008 1:37:00 AM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/25/2008 1:37:00 AM
Chlorobenzene	ND	µg/L		0.18	3.0	3/25/2008 1:37:00 AM
Chloroethane	ND	µg/L		0.94	10.0	3/25/2008 1:37:00 AM
Chloroform	ND	µg/L		0.25	5.0	3/25/2008 1:37:00 AM
Chloromethane	ND	µg/L		0.33	1.0	3/25/2008 1:37:00 AM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/25/2008 1:37:00 AM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/25/2008 1:37:00 AM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/25/2008 1:37:00 AM
Dibromomethane	ND	µg/L		0.29	10.0	3/25/2008 1:37:00 AM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/25/2008 1:37:00 AM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/25/2008 1:37:00 AM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/25/2008 1:37:00 AM
1,1-Dichloroethane	ND	µg/L		0.38	5.0	3/25/2008 1:37:00 AM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/25/2008 1:37:00 AM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/25/2008 1:37:00 AM
cis-1,2-Dichloroethene	ND	µg/L		0.23	5.0	3/25/2008 1:37:00 AM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/25/2008 1:37:00 AM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/25/2008 1:37:00 AM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 1:37:00 AM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 1:37:00 AM
Ethylbenzene	ND	µg/L		0.18	1.0	3/25/2008 1:37:00 AM
2-Hexanone	ND	µg/L		4.11	50.0	3/25/2008 1:37:00 AM
Iodomethane	ND	µg/L		3.44	10.0	3/25/2008 1:37:00 AM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-21	**Lab ID:**	0803C51-14A
Project:	NEWTON	**Collection Date:**	3/19/2008 8:15:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/25/2008 1:37:00 AM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/25/2008 1:37:00 AM
Styrene	ND	µg/L		0.24	1.0	3/25/2008 1:37:00 AM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/25/2008 1:37:00 AM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/25/2008 1:37:00 AM
Tetrachloroethene	ND	µg/L		0.20	1.0	3/25/2008 1:37:00 AM
Toluene	ND	µg/L		0.17	1.0	3/25/2008 1:37:00 AM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/25/2008 1:37:00 AM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/25/2008 1:37:00 AM
Trichloroethene	ND	µg/L		0.30	1.0	3/25/2008 1:37:00 AM
Trichlorofluoromethane	0.3	µg/L	J	0.30	1.0	3/25/2008 1:37:00 AM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/25/2008 1:37:00 AM
Vinyl acetate	ND	µg/L		4.87	50.0	3/25/2008 1:37:00 AM
Vinyl chloride	ND	µg/L		0.22	1.0	3/25/2008 1:37:00 AM
o-Xylene	ND	µg/L		0.19	1.0	3/25/2008 1:37:00 AM
m,p-Xylene	ND	µg/L		0.29	2.0	3/25/2008 1:37:00 AM
Surr: 1,2-Dichloroethane-d4	106	%REC			80-120	3/25/2008 1:37:00 AM
Surr: 4-Bromofluorobenzene	96.9	%REC			86-115	3/25/2008 1:37:00 AM
Surr: Dibromofluoromethane	109	%REC			80-120	3/25/2008 1:37:00 AM
Surr: Toluene-d8	100	%REC			88-110	3/25/2008 1:37:00 AM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-23	**Lab ID:**	0803C51-15A
Project:	NEWTON	**Collection Date:**	3/18/2008 12:40:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0040	mg/L	J	0.00100	0.0050	3/24/2008 2:43:13 PM
Lead	0.0083	mg/L		0.00020	0.0010	3/24/2008 2:43:13 PM
Nickel	ND	mg/L		0.00200	0.0100	3/24/2008 2:43:13 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/25/2008 2:09:00 AM
Acrylonitrile	ND	µg/L		4.24	200	3/25/2008 2:09:00 AM
Benzene	ND	µg/L		0.13	1.0	3/25/2008 2:09:00 AM
Bromochloromethane	ND	µg/L		0.35	3.0	3/25/2008 2:09:00 AM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/25/2008 2:09:00 AM
Bromoform	ND	µg/L		0.40	3.0	3/25/2008 2:09:00 AM
Bromomethane	ND	µg/L		0.50	10.0	3/25/2008 2:09:00 AM
2-Butanone	ND	µg/L		4.68	100	3/25/2008 2:09:00 AM
Carbon disulfide	ND	µg/L		1.27	100	3/25/2008 2:09:00 AM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/25/2008 2:09:00 AM
Chlorobenzene	ND	µg/L		0.18	3.0	3/25/2008 2:09:00 AM
Chloroethane	ND	µg/L		0.94	10.0	3/25/2008 2:09:00 AM
Chloroform	ND	µg/L		0.25	5.0	3/25/2008 2:09:00 AM
Chloromethane	ND	µg/L		0.33	1.0	3/25/2008 2:09:00 AM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/25/2008 2:09:00 AM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/25/2008 2:09:00 AM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/25/2008 2:09:00 AM
Dibromomethane	ND	µg/L		0.29	10.0	3/25/2008 2:09:00 AM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/25/2008 2:09:00 AM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/25/2008 2:09:00 AM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/25/2008 2:09:00 AM
1,1-Dichloroethane	ND	µg/L		0.38	5.0	3/25/2008 2:09:00 AM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/25/2008 2:09:00 AM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/25/2008 2:09:00 AM
cis-1,2-Dichloroethene	ND	µg/L		0.23	5.0	3/25/2008 2:09:00 AM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/25/2008 2:09:00 AM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/25/2008 2:09:00 AM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 2:09:00 AM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 2:09:00 AM
Ethylbenzene	ND	µg/L		0.18	1.0	3/25/2008 2:09:00 AM
2-Hexanone	ND	µg/L		4.11	50.0	3/25/2008 2:09:00 AM
Iodomethane	ND	µg/L		3.44	10.0	3/25/2008 2:09:00 AM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-23	**Lab ID:**	0803C51-15A
Project:	NEWTON	**Collection Date:**	3/18/2008 12:40:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/25/2008 2:09:00 AM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/25/2008 2:09:00 AM
Styrene	ND	µg/L		0.24	1.0	3/25/2008 2:09:00 AM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/25/2008 2:09:00 AM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/25/2008 2:09:00 AM
Tetrachloroethene	ND	µg/L		0.20	1.0	3/25/2008 2:09:00 AM
Toluene	ND	µg/L		0.17	1.0	3/25/2008 2:09:00 AM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/25/2008 2:09:00 AM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/25/2008 2:09:00 AM
Trichloroethene	ND	µg/L		0.30	1.0	3/25/2008 2:09:00 AM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/25/2008 2:09:00 AM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/25/2008 2:09:00 AM
Vinyl acetate	ND	µg/L		4.87	50.0	3/25/2008 2:09:00 AM
Vinyl chloride	ND	µg/L		0.22	1.0	3/25/2008 2:09:00 AM
o-Xylene	ND	µg/L		0.19	1.0	3/25/2008 2:09:00 AM
m,p-Xylene	ND	µg/L		0.29	2.0	3/25/2008 2:09:00 AM
Surr: 1,2-Dichloroethane-d4	102	%REC			80-120	3/25/2008 2:09:00 AM
Surr: 4-Bromofluorobenzene	97.9	%REC			86-115	3/25/2008 2:09:00 AM
Surr: Dibromofluoromethane	109	%REC			80-120	3/25/2008 2:09:00 AM
Surr: Toluene-d8	101	%REC			88-110	3/25/2008 2:09:00 AM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-24	**Lab ID:**	0803C51-16A
Project:	NEWTON	**Collection Date:**	3/19/2008 8:28:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0049	mg/L	J	0.00100	0.0050	3/24/2008 2:49:05 PM
Lead	0.0022	mg/L		0.00020	0.0010	3/24/2008 2:49:05 PM
Nickel	0.0022	mg/L	J	0.00200	0.0100	3/24/2008 2:49:05 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/25/2008 2:42:00 AM
Acrylonitrile	ND	µg/L		4.24	200	3/25/2008 2:42:00 AM
Benzene	ND	µg/L		0.13	1.0	3/25/2008 2:42:00 AM
Bromochloromethane	ND	µg/L		0.35	3.0	3/25/2008 2:42:00 AM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/25/2008 2:42:00 AM
Bromoform	ND	µg/L		0.40	3.0	3/25/2008 2:42:00 AM
Bromomethane	ND	µg/L		0.50	10.0	3/25/2008 2:42:00 AM
2-Butanone	ND	µg/L		4.68	100	3/25/2008 2:42:00 AM
Carbon disulfide	ND	µg/L		1.27	100	3/25/2008 2:42:00 AM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/25/2008 2:42:00 AM
Chlorobenzene	ND	µg/L		0.18	3.0	3/25/2008 2:42:00 AM
Chloroethane	ND	µg/L		0.94	10.0	3/25/2008 2:42:00 AM
Chloroform	ND	µg/L		0.25	5.0	3/25/2008 2:42:00 AM
Chloromethane	ND	µg/L		0.33	1.0	3/25/2008 2:42:00 AM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/25/2008 2:42:00 AM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/25/2008 2:42:00 AM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/25/2008 2:42:00 AM
Dibromomethane	ND	µg/L		0.29	10.0	3/25/2008 2:42:00 AM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/25/2008 2:42:00 AM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/25/2008 2:42:00 AM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/25/2008 2:42:00 AM
1,1-Dichloroethane	ND	µg/L		0.38	5.0	3/25/2008 2:42:00 AM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/25/2008 2:42:00 AM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/25/2008 2:42:00 AM
cis-1,2-Dichloroethene	ND	µg/L		0.23	5.0	3/25/2008 2:42:00 AM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/25/2008 2:42:00 AM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/25/2008 2:42:00 AM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 2:42:00 AM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 2:42:00 AM
Ethylbenzene	ND	µg/L		0.18	1.0	3/25/2008 2:42:00 AM
2-Hexanone	ND	µg/L		4.11	50.0	3/25/2008 2:42:00 AM
Iodomethane	ND	µg/L		3.44	10.0	3/25/2008 2:42:00 AM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-24	**Lab ID:**	0803C51-16A
Project:	NEWTON	**Collection Date:**	3/19/2008 8:28:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/25/2008 2:42:00 AM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/25/2008 2:42:00 AM
Styrene	ND	µg/L		0.24	1.0	3/25/2008 2:42:00 AM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/25/2008 2:42:00 AM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/25/2008 2:42:00 AM
Tetrachloroethene	ND	µg/L		0.20	1.0	3/25/2008 2:42:00 AM
Toluene	ND	µg/L		0.17	1.0	3/25/2008 2:42:00 AM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/25/2008 2:42:00 AM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/25/2008 2:42:00 AM
Trichloroethene	ND	µg/L		0.30	1.0	3/25/2008 2:42:00 AM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/25/2008 2:42:00 AM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/25/2008 2:42:00 AM
Vinyl acetate	ND	µg/L		4.87	50.0	3/25/2008 2:42:00 AM
Vinyl chloride	ND	µg/L		0.22	1.0	3/25/2008 2:42:00 AM
o-Xylene	ND	µg/L		0.19	1.0	3/25/2008 2:42:00 AM
m,p-Xylene	ND	µg/L		0.29	2.0	3/25/2008 2:42:00 AM
Surr: 1,2-Dichloroethane-d4	103	%REC			80-120	3/25/2008 2:42:00 AM
Surr: 4-Bromofluorobenzene	98.4	%REC			86-115	3/25/2008 2:42:00 AM
Surr: Dibromofluoromethane	110	%REC			80-120	3/25/2008 2:42:00 AM
Surr: Toluene-d8	101	%REC			88-110	3/25/2008 2:42:00 AM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-24D	**Lab ID:**	0803C51-17A
Project:	NEWTON	**Collection Date:**	3/19/2008 8:35:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0040	mg/L	J	0.00100	0.0050	3/24/2008 2:54:58 PM
Lead	0.0019	mg/L		0.00020	0.0010	3/24/2008 2:54:58 PM
Nickel	0.0027	mg/L	J	0.00200	0.0100	3/24/2008 2:54:58 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/25/2008 3:14:00 AM
Acrylonitrile	ND	µg/L		4.24	200	3/25/2008 3:14:00 AM
Benzene	ND	µg/L		0.13	1.0	3/25/2008 3:14:00 AM
Bromochloromethane	ND	µg/L		0.35	3.0	3/25/2008 3:14:00 AM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/25/2008 3:14:00 AM
Bromoform	ND	µg/L		0.40	3.0	3/25/2008 3:14:00 AM
Bromomethane	ND	µg/L		0.50	10.0	3/25/2008 3:14:00 AM
2-Butanone	ND	µg/L		4.68	100	3/25/2008 3:14:00 AM
Carbon disulfide	1.6	µg/L	J	1.27	100	3/25/2008 3:14:00 AM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/25/2008 3:14:00 AM
Chlorobenzene	ND	µg/L		0.18	3.0	3/25/2008 3:14:00 AM
Chloroethane	ND	µg/L		0.94	10.0	3/25/2008 3:14:00 AM
Chloroform	ND	µg/L		0.25	5.0	3/25/2008 3:14:00 AM
Chloromethane	ND	µg/L		0.33	1.0	3/25/2008 3:14:00 AM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/25/2008 3:14:00 AM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/25/2008 3:14:00 AM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/25/2008 3:14:00 AM
Dibromomethane	ND	µg/L		0.29	10.0	3/25/2008 3:14:00 AM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/25/2008 3:14:00 AM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/25/2008 3:14:00 AM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/25/2008 3:14:00 AM
1,1-Dichloroethane	ND	µg/L		0.38	5.0	3/25/2008 3:14:00 AM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/25/2008 3:14:00 AM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/25/2008 3:14:00 AM
cis-1,2-Dichloroethene	ND	µg/L		0.23	5.0	3/25/2008 3:14:00 AM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/25/2008 3:14:00 AM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/25/2008 3:14:00 AM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 3:14:00 AM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 3:14:00 AM
Ethylbenzene	ND	µg/L		0.18	1.0	3/25/2008 3:14:00 AM
2-Hexanone	ND	µg/L		4.11	50.0	3/25/2008 3:14:00 AM
Iodomethane	ND	µg/L		3.44	10.0	3/25/2008 3:14:00 AM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-24D	**Lab ID:**	0803C51-17A
Project:	NEWTON	**Collection Date:**	3/19/2008 8:35:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/25/2008 3:14:00 AM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/25/2008 3:14:00 AM
Styrene	ND	µg/L		0.24	1.0	3/25/2008 3:14:00 AM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/25/2008 3:14:00 AM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/25/2008 3:14:00 AM
Tetrachloroethene	ND	µg/L		0.20	1.0	3/25/2008 3:14:00 AM
Toluene	ND	µg/L		0.17	1.0	3/25/2008 3:14:00 AM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/25/2008 3:14:00 AM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/25/2008 3:14:00 AM
Trichloroethene	ND	µg/L		0.30	1.0	3/25/2008 3:14:00 AM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/25/2008 3:14:00 AM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/25/2008 3:14:00 AM
Vinyl acetate	ND	µg/L		4.87	50.0	3/25/2008 3:14:00 AM
Vinyl chloride	ND	µg/L		0.22	1.0	3/25/2008 3:14:00 AM
o-Xylene	ND	µg/L		0.19	1.0	3/25/2008 3:14:00 AM
m,p-Xylene	ND	µg/L		0.29	2.0	3/25/2008 3:14:00 AM
Surr: 1,2-Dichloroethane-d4	105	%REC			80-120	3/25/2008 3:14:00 AM
Surr: 4-Bromofluorobenzene	98.6	%REC			86-115	3/25/2008 3:14:00 AM
Surr: Dibromofluoromethane	111	%REC			80-120	3/25/2008 3:14:00 AM
Surr: Toluene-d8	101	%REC			88-110	3/25/2008 3:14:00 AM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	OW-1	**Lab ID:**	0803C51-18A
Project:	NEWTON	**Collection Date:**	3/18/2008 1:48:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0017	mg/L	J	0.00100	0.0050	3/24/2008 3:00:51 PM
Lead	0.0047	mg/L		0.00020	0.0010	3/24/2008 3:00:51 PM
Nickel	ND	mg/L		0.00200	0.0100	3/24/2008 3:00:51 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/24/2008 9:43:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 9:43:00 PM
Benzene	12.1	µg/L		0.13	1.0	3/24/2008 9:43:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 9:43:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 9:43:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 9:43:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 9:43:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 9:43:00 PM
Carbon disulfide	ND	µg/L		1.27	100	3/24/2008 9:43:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 9:43:00 PM
Chlorobenzene	0.2	µg/L	J	0.18	3.0	3/24/2008 9:43:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/24/2008 9:43:00 PM
Chloroform	0.3	µg/L	J	0.25	5.0	3/24/2008 9:43:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/24/2008 9:43:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 9:43:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 9:43:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 9:43:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 9:43:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/24/2008 9:43:00 PM
1,4-Dichlorobenzene	0.4	µg/L	J	0.29	1.0	3/24/2008 9:43:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 9:43:00 PM
1,1-Dichloroethane	16.7	µg/L		0.38	5.0	3/24/2008 9:43:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/24/2008 9:43:00 PM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/24/2008 9:43:00 PM
cis-1,2-Dichloroethene	11.7	µg/L		0.23	5.0	3/24/2008 9:43:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/24/2008 9:43:00 PM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/24/2008 9:43:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 9:43:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 9:43:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/24/2008 9:43:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/24/2008 9:43:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 9:43:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	OW-1	**Lab ID:**	0803C51-18A
Project:	NEWTON	**Collection Date:**	3/18/2008 1:48:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	32.8	µg/L		2.70	5.0	3/25/2008 3:33:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/24/2008 9:43:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 9:43:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 9:43:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 9:43:00 PM
Tetrachloroethene	1.2	µg/L		0.20	1.0	3/24/2008 9:43:00 PM
Toluene	ND	µg/L		0.17	1.0	3/24/2008 9:43:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 9:43:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 9:43:00 PM
Trichloroethene	2.2	µg/L		0.30	1.0	3/24/2008 9:43:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/24/2008 9:43:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 9:43:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 9:43:00 PM
Vinyl chloride	3.9	µg/L		0.22	1.0	3/24/2008 9:43:00 PM
o-Xylene	1.9	µg/L		0.19	1.0	3/24/2008 9:43:00 PM
m,p-Xylene	12.9	µg/L		0.29	2.0	3/24/2008 9:43:00 PM
Surr: 1,2-Dichloroethane-d4	101	%REC			80-120	3/24/2008 9:43:00 PM
Surr: 4-Bromofluorobenzene	100	%REC			86-115	3/24/2008 9:43:00 PM
Surr: Dibromofluoromethane	104	%REC			80-120	3/24/2008 9:43:00 PM
Surr: Toluene-d8	96.3	%REC			88-110	3/24/2008 9:43:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	CR-1	**Lab ID:**	0803C51-19A
Project:	NEWTON	**Collection Date:**	3/18/2008 4:30:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0023	mg/L	J	0.00100	0.0050	3/24/2008 3:06:44 PM
Lead	ND	mg/L		0.00020	0.0010	3/24/2008 3:06:44 PM
Nickel	0.0049	mg/L	J	0.00200	0.0100	3/24/2008 3:06:44 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/24/2008 10:16:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 10:16:00 PM
Benzene	0.2	µg/L	J	0.13	1.0	3/24/2008 10:16:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 10:16:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 10:16:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 10:16:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 10:16:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 10:16:00 PM
Carbon disulfide	ND	µg/L		1.27	100	3/24/2008 10:16:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 10:16:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/24/2008 10:16:00 PM
Chloroethane	2.6	µg/L	J	0.94	10.0	3/24/2008 10:16:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/24/2008 10:16:00 PM
Chloromethane	2.0	µg/L		0.33	1.0	3/24/2008 10:16:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 10:16:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 10:16:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 10:16:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 10:16:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/24/2008 10:16:00 PM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/24/2008 10:16:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 10:16:00 PM
1,1-Dichloroethane	12.0	µg/L		0.38	5.0	3/24/2008 10:16:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/24/2008 10:16:00 PM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/24/2008 10:16:00 PM
cis-1,2-Dichloroethene	1.6	µg/L	J	0.23	5.0	3/24/2008 10:16:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/24/2008 10:16:00 PM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/24/2008 10:16:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 10:16:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 10:16:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/24/2008 10:16:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/24/2008 10:16:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 10:16:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	CR-1	**Lab ID:**	0803C51-19A
Project:	NEWTON	**Collection Date:**	3/18/2008 4:30:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/24/2008 10:16:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/24/2008 10:16:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 10:16:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 10:16:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 10:16:00 PM
Tetrachloroethene	ND	µg/L		0.20	1.0	3/24/2008 10:16:00 PM
Toluene	0.5	µg/L	J	0.17	1.0	3/24/2008 10:16:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 10:16:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 10:16:00 PM
Trichloroethene	0.9	µg/L	J	0.30	1.0	3/24/2008 10:16:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/24/2008 10:16:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 10:16:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 10:16:00 PM
Vinyl chloride	ND	µg/L		0.22	1.0	3/24/2008 10:16:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/24/2008 10:16:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/24/2008 10:16:00 PM
Surr: 1,2-Dichloroethane-d4	104	%REC			80-120	3/24/2008 10:16:00 PM
Surr: 4-Bromofluorobenzene	98.4	%REC			86-115	3/24/2008 10:16:00 PM
Surr: Dibromofluoromethane	107	%REC			80-120	3/24/2008 10:16:00 PM
Surr: Toluene-d8	96.2	%REC			88-110	3/24/2008 10:16:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	SW-2	**Lab ID:**	0803C51-20A
Project:	NEWTON	**Collection Date:**	3/18/2008 4:46:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0021	mg/L	J	0.00100	0.0050	3/24/2008 3:12:38 PM
Lead	ND	mg/L		0.00020	0.0010	3/24/2008 3:12:38 PM
Nickel	0.0024	mg/L	J	0.00200	0.0100	3/24/2008 3:12:38 PM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/24/2008 10:49:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 10:49:00 PM
Benzene	ND	µg/L		0.13	1.0	3/24/2008 10:49:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 10:49:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 10:49:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 10:49:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 10:49:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 10:49:00 PM
Carbon disulfide	ND	µg/L		1.27	100	3/24/2008 10:49:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 10:49:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/24/2008 10:49:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/24/2008 10:49:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/24/2008 10:49:00 PM
Chloromethane	1.4	µg/L		0.33	1.0	3/24/2008 10:49:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 10:49:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 10:49:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 10:49:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 10:49:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/24/2008 10:49:00 PM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/24/2008 10:49:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 10:49:00 PM
1,1-Dichloroethane	3.9	µg/L	J	0.38	5.0	3/24/2008 10:49:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/24/2008 10:49:00 PM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/24/2008 10:49:00 PM
cis-1,2-Dichloroethene	0.7	µg/L	J	0.23	5.0	3/24/2008 10:49:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/24/2008 10:49:00 PM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/24/2008 10:49:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 10:49:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 10:49:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/24/2008 10:49:00 PM
2-Hexanone	ND	µg/L		4.11	50.0	3/24/2008 10:49:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 10:49:00 PM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	SW-2	**Lab ID:**	0803C51-20A
Project:	NEWTON	**Collection Date:**	3/18/2008 4:46:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/24/2008 10:49:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/24/2008 10:49:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 10:49:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 10:49:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 10:49:00 PM
Tetrachloroethene	ND	µg/L		0.20	1.0	3/24/2008 10:49:00 PM
Toluene	ND	µg/L		0.17	1.0	3/24/2008 10:49:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 10:49:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 10:49:00 PM
Trichloroethene	0.4	µg/L	J	0.30	1.0	3/24/2008 10:49:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/24/2008 10:49:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 10:49:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 10:49:00 PM
Vinyl chloride	ND	µg/L		0.22	1.0	3/24/2008 10:49:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/24/2008 10:49:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/24/2008 10:49:00 PM
Surr: 1,2-Dichloroethane-d4	104	%REC			80-120	3/24/2008 10:49:00 PM
Surr: 4-Bromofluorobenzene	96.2	%REC			86-115	3/24/2008 10:49:00 PM
Surr: Dibromofluoromethane	105	%REC			80-120	3/24/2008 10:49:00 PM
Surr: Toluene-d8	95.9	%REC			88-110	3/24/2008 10:49:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-23 DUPE	**Lab ID:**	0803C51-21A
Project:	NEWTON	**Collection Date:**	3/18/2008 12:40:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	ND	mg/L		0.00500	0.0250	3/25/2008 3:29:39 PM
Lead	0.0023	mg/L		0.00020	0.0010	3/21/2008 10:49:24 AM
Nickel	ND	mg/L		0.0100	0.0500	3/25/2008 3:29:39 PM

NOTES:
The reporting limits elevated due to matrix complexity/interference.

VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/24/2008 11:21:00 PM
Acrylonitrile	ND	µg/L		4.24	200	3/24/2008 11:21:00 PM
Benzene	ND	µg/L		0.13	1.0	3/24/2008 11:21:00 PM
Bromochloromethane	ND	µg/L		0.35	3.0	3/24/2008 11:21:00 PM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/24/2008 11:21:00 PM
Bromoform	ND	µg/L		0.40	3.0	3/24/2008 11:21:00 PM
Bromomethane	ND	µg/L		0.50	10.0	3/24/2008 11:21:00 PM
2-Butanone	ND	µg/L		4.68	100	3/24/2008 11:21:00 PM
Carbon disulfide	ND	µg/L		1.27	100	3/24/2008 11:21:00 PM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/24/2008 11:21:00 PM
Chlorobenzene	ND	µg/L		0.18	3.0	3/24/2008 11:21:00 PM
Chloroethane	ND	µg/L		0.94	10.0	3/24/2008 11:21:00 PM
Chloroform	ND	µg/L		0.25	5.0	3/24/2008 11:21:00 PM
Chloromethane	ND	µg/L		0.33	1.0	3/24/2008 11:21:00 PM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/24/2008 11:21:00 PM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/24/2008 11:21:00 PM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/24/2008 11:21:00 PM
Dibromomethane	ND	µg/L		0.29	10.0	3/24/2008 11:21:00 PM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/24/2008 11:21:00 PM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/24/2008 11:21:00 PM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/24/2008 11:21:00 PM
1,1-Dichloroethane	ND	µg/L		0.38	5.0	3/24/2008 11:21:00 PM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/24/2008 11:21:00 PM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/24/2008 11:21:00 PM
cis-1,2-Dichloroethene	ND	µg/L		0.23	5.0	3/24/2008 11:21:00 PM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/24/2008 11:21:00 PM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/24/2008 11:21:00 PM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 11:21:00 PM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/24/2008 11:21:00 PM
Ethylbenzene	ND	µg/L		0.18	1.0	3/24/2008 11:21:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-23 DUPE	**Lab ID:**	0803C51-21A
Project:	NEWTON	**Collection Date:**	3/18/2008 12:40:00 PM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
2-Hexanone	ND	µg/L		4.11	50.0	3/24/2008 11:21:00 PM
Iodomethane	ND	µg/L		3.44	10.0	3/24/2008 11:21:00 PM
Methylene chloride	ND	µg/L		0.54	1.0	3/24/2008 11:21:00 PM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/24/2008 11:21:00 PM
Styrene	ND	µg/L		0.24	1.0	3/24/2008 11:21:00 PM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/24/2008 11:21:00 PM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/24/2008 11:21:00 PM
Tetrachloroethene	ND	µg/L		0.20	1.0	3/24/2008 11:21:00 PM
Toluene	ND	µg/L		0.17	1.0	3/24/2008 11:21:00 PM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/24/2008 11:21:00 PM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/24/2008 11:21:00 PM
Trichloroethene	ND	µg/L		0.30	1.0	3/24/2008 11:21:00 PM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/24/2008 11:21:00 PM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/24/2008 11:21:00 PM
Vinyl acetate	ND	µg/L		4.87	50.0	3/24/2008 11:21:00 PM
Vinyl chloride	ND	µg/L		0.22	1.0	3/24/2008 11:21:00 PM
o-Xylene	ND	µg/L		0.19	1.0	3/24/2008 11:21:00 PM
m,p-Xylene	ND	µg/L		0.29	2.0	3/24/2008 11:21:00 PM
Surr: 1,2-Dichloroethane-d4	103	%REC			80-120	3/24/2008 11:21:00 PM
Surr: 4-Bromofluorobenzene	97.3	%REC			86-115	3/24/2008 11:21:00 PM
Surr: Dibromofluoromethane	105	%REC			80-120	3/24/2008 11:21:00 PM
Surr: Toluene-d8	95.5	%REC			88-110	3/24/2008 11:21:00 PM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-24D DUPE	**Lab ID:**	0803C51-22A
Project:	NEWTON	**Collection Date:**	3/19/2008 8:35:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
TOTAL METALS BY ICP-MS			**SW6020**			Analyst: **DBB**
Chromium	0.0020	mg/L	J	0.00100	0.0050	3/21/2008 11:06:56 AM
Lead	0.0004	mg/L	J	0.00020	0.0010	3/21/2008 11:06:56 AM
Nickel	ND	mg/L		0.00200	0.0100	3/21/2008 11:06:56 AM
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/25/2008 4:18:00 AM
Acrylonitrile	ND	µg/L		4.24	200	3/25/2008 4:18:00 AM
Benzene	ND	µg/L		0.13	1.0	3/25/2008 4:18:00 AM
Bromochloromethane	ND	µg/L		0.35	3.0	3/25/2008 4:18:00 AM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/25/2008 4:18:00 AM
Bromoform	ND	µg/L		0.40	3.0	3/25/2008 4:18:00 AM
Bromomethane	ND	µg/L		0.50	10.0	3/25/2008 4:18:00 AM
2-Butanone	ND	µg/L		4.68	100	3/25/2008 4:18:00 AM
Carbon disulfide	ND	µg/L		1.27	100	3/25/2008 4:18:00 AM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/25/2008 4:18:00 AM
Chlorobenzene	ND	µg/L		0.18	3.0	3/25/2008 4:18:00 AM
Chloroethane	ND	µg/L		0.94	10.0	3/25/2008 4:18:00 AM
Chloroform	ND	µg/L		0.25	5.0	3/25/2008 4:18:00 AM
Chloromethane	ND	µg/L		0.33	1.0	3/25/2008 4:18:00 AM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/25/2008 4:18:00 AM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/25/2008 4:18:00 AM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/25/2008 4:18:00 AM
Dibromomethane	ND	µg/L		0.29	10.0	3/25/2008 4:18:00 AM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/25/2008 4:18:00 AM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/25/2008 4:18:00 AM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/25/2008 4:18:00 AM
1,1-Dichloroethane	ND	µg/L		0.38	5.0	3/25/2008 4:18:00 AM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/25/2008 4:18:00 AM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/25/2008 4:18:00 AM
cis-1,2-Dichloroethene	ND	µg/L		0.23	5.0	3/25/2008 4:18:00 AM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/25/2008 4:18:00 AM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/25/2008 4:18:00 AM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 4:18:00 AM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 4:18:00 AM
Ethylbenzene	ND	µg/L		0.18	1.0	3/25/2008 4:18:00 AM
2-Hexanone	ND	µg/L		4.11	50.0	3/25/2008 4:18:00 AM
Iodomethane	ND	µg/L		3.44	10.0	3/25/2008 4:18:00 AM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	MW-24D DUPE	**Lab ID:**	0803C51-22A
Project:	NEWTON	**Collection Date:**	3/19/2008 8:35:00 AM
Site ID:	CATAWBA CO NC	**Matrix:**	GROUNDWATER

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Methylene chloride	ND	µg/L		0.54	1.0	3/25/2008 4:18:00 AM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/25/2008 4:18:00 AM
Styrene	ND	µg/L		0.24	1.0	3/25/2008 4:18:00 AM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/25/2008 4:18:00 AM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/25/2008 4:18:00 AM
Tetrachloroethene	ND	µg/L		0.20	1.0	3/25/2008 4:18:00 AM
Toluene	ND	µg/L		0.17	1.0	3/25/2008 4:18:00 AM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/25/2008 4:18:00 AM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/25/2008 4:18:00 AM
Trichloroethene	ND	µg/L		0.30	1.0	3/25/2008 4:18:00 AM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/25/2008 4:18:00 AM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/25/2008 4:18:00 AM
Vinyl acetate	ND	µg/L		4.87	50.0	3/25/2008 4:18:00 AM
Vinyl chloride	ND	µg/L		0.22	1.0	3/25/2008 4:18:00 AM
o-Xylene	ND	µg/L		0.19	1.0	3/25/2008 4:18:00 AM
m,p-Xylene	ND	µg/L		0.29	2.0	3/25/2008 4:18:00 AM
Surr: 1,2-Dichloroethane-d4	98.5	%REC			80-120	3/25/2008 4:18:00 AM
Surr: 4-Bromofluorobenzene	97.5	%REC			86-115	3/25/2008 4:18:00 AM
Surr: Dibromofluoromethane	104	%REC			80-120	3/25/2008 4:18:00 AM
Surr: Toluene-d8	96.9	%REC			88-110	3/25/2008 4:18:00 AM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	TRIP BLANK	**Lab ID:**	0803C51-23A
Project:	NEWTON	**Collection Date:**	3/18/2008
Site ID:	CATAWBA CO NC	**Matrix:**	LIQUID

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Acetone	ND	µg/L		4.88	100	3/25/2008 4:50:00 AM
Acrylonitrile	ND	µg/L		4.24	200	3/25/2008 4:50:00 AM
Benzene	ND	µg/L		0.13	1.0	3/25/2008 4:50:00 AM
Bromochloromethane	ND	µg/L		0.35	3.0	3/25/2008 4:50:00 AM
Bromodichloromethane	ND	µg/L		0.16	1.0	3/25/2008 4:50:00 AM
Bromoform	ND	µg/L		0.40	3.0	3/25/2008 4:50:00 AM
Bromomethane	ND	µg/L		0.50	10.0	3/25/2008 4:50:00 AM
2-Butanone	ND	µg/L		4.68	100	3/25/2008 4:50:00 AM
Carbon disulfide	ND	µg/L		1.27	100	3/25/2008 4:50:00 AM
Carbon tetrachloride	ND	µg/L		0.25	1.0	3/25/2008 4:50:00 AM
Chlorobenzene	ND	µg/L		0.18	3.0	3/25/2008 4:50:00 AM
Chloroethane	ND	µg/L		0.94	10.0	3/25/2008 4:50:00 AM
Chloroform	ND	µg/L		0.25	5.0	3/25/2008 4:50:00 AM
Chloromethane	ND	µg/L		0.33	1.0	3/25/2008 4:50:00 AM
Dibromochloromethane	ND	µg/L		0.42	1.0	3/25/2008 4:50:00 AM
1,2-Dibromo-3-chloropropane	ND	µg/L		0.50	1.0	3/25/2008 4:50:00 AM
1,2-Dibromoethane	ND	µg/L		0.34	1.0	3/25/2008 4:50:00 AM
Dibromomethane	ND	µg/L		0.29	10.0	3/25/2008 4:50:00 AM
1,2-Dichlorobenzene	ND	µg/L		0.45	5.0	3/25/2008 4:50:00 AM
1,4-Dichlorobenzene	ND	µg/L		0.29	1.0	3/25/2008 4:50:00 AM
trans-1,4-Dichloro-2-butene	ND	µg/L		2.81	100	3/25/2008 4:50:00 AM
1,1-Dichloroethane	ND	µg/L		0.38	5.0	3/25/2008 4:50:00 AM
1,2-Dichloroethane	ND	µg/L		0.43	1.0	3/25/2008 4:50:00 AM
1,1-Dichloroethene	ND	µg/L		0.33	5.0	3/25/2008 4:50:00 AM
cis-1,2-Dichloroethene	ND	µg/L		0.23	5.0	3/25/2008 4:50:00 AM
trans-1,2-Dichloroethene	ND	µg/L		0.39	5.0	3/25/2008 4:50:00 AM
1,2-Dichloropropane	ND	µg/L		0.46	1.0	3/25/2008 4:50:00 AM
cis-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 4:50:00 AM
trans-1,3-Dichloropropene	ND	µg/L		0.22	1.0	3/25/2008 4:50:00 AM
Ethylbenzene	ND	µg/L		0.18	1.0	3/25/2008 4:50:00 AM
2-Hexanone	ND	µg/L		4.11	50.0	3/25/2008 4:50:00 AM
Iodomethane	ND	µg/L		3.44	10.0	3/25/2008 4:50:00 AM
Methylene chloride	ND	µg/L		0.54	1.0	3/25/2008 4:50:00 AM
4-Methyl-2-pentanone	ND	µg/L		4.40	100	3/25/2008 4:50:00 AM
Styrene	ND	µg/L		0.24	1.0	3/25/2008 4:50:00 AM
1,1,1,2-Tetrachloroethane	ND	µg/L		0.36	5.0	3/25/2008 4:50:00 AM
1,1,2,2-Tetrachloroethane	ND	µg/L		0.38	1.0	3/25/2008 4:50:00 AM

Key:

MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
NA	Not Applicable	E	Estimated Value above quantitation range
ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

REI Consultants, Inc. Analytical Results

Date: *25-Jun-08*

CLIENT:	COUNTY OF CATAWBA	**WorkOrder:**	0803C51
Client Sample ID:	TRIP BLANK	**Lab ID:**	0803C51-23A
Project:	NEWTON	**Collection Date:**	3/18/2008
Site ID:	CATAWBA CO NC	**Matrix:**	LIQUID

Analyses	Result	Units	Qual	MDL	PQL	Date Analyzed
VOLATILE ORGANIC COMPOUNDS			**SW8260B**			Analyst: **AS**
Tetrachloroethene	ND	µg/L		0.20	1.0	3/25/2008 4:50:00 AM
Toluene	ND	µg/L		0.17	1.0	3/25/2008 4:50:00 AM
1,1,1-Trichloroethane	ND	µg/L		0.35	1.0	3/25/2008 4:50:00 AM
1,1,2-Trichloroethane	ND	µg/L		0.49	5.0	3/25/2008 4:50:00 AM
Trichloroethene	ND	µg/L		0.30	1.0	3/25/2008 4:50:00 AM
Trichlorofluoromethane	ND	µg/L		0.30	1.0	3/25/2008 4:50:00 AM
1,2,3-Trichloropropane	ND	µg/L		0.36	1.0	3/25/2008 4:50:00 AM
Vinyl acetate	ND	µg/L		4.87	50.0	3/25/2008 4:50:00 AM
Vinyl chloride	ND	µg/L		0.22	1.0	3/25/2008 4:50:00 AM
o-Xylene	ND	µg/L		0.19	1.0	3/25/2008 4:50:00 AM
m,p-Xylene	ND	µg/L		0.29	2.0	3/25/2008 4:50:00 AM
Surr: 1,2-Dichloroethane-d4	101	%REC			80-120	3/25/2008 4:50:00 AM
Surr: 4-Bromofluorobenzene	97.8	%REC			86-115	3/25/2008 4:50:00 AM
Surr: Dibromofluoromethane	105	%REC			80-120	3/25/2008 4:50:00 AM
Surr: Toluene-d8	98.2	%REC			88-110	3/25/2008 4:50:00 AM

Key:				
	MCL	Maximum Contaminant Level	J	Analyte detected below quantitation limits
	MDL	Minimum Detection Limit	B	Analyte detected in the associated Method Blank
	NA	Not Applicable	E	Estimated Value above quantitation range
	ND	Not Detected at the PQL or MDL	H	Holding times for preparation or analysis exceeded
	PQL	Practical Quantitation Limit	S	Spike/Surrogate Recovery outside accepted recovery limits
	TIC	Tentatively Identified Compound, Estimated Concentration	*	Value exceeds Maximum Contaminant Level

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	CR-1	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	75-34-3	75	1,1-Dichloroethane	12.0	µg/L		1	3/18/2008		3/24/2008
18-01	CR-1	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	71-43-2	16	Benzene	0.2	µg/L	J	1	3/18/2008		3/24/2008
18-01	CR-1	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	75-00-3	41	Chloroethane	2.6	µg/L	J	1	3/18/2008		3/24/2008
18-01	CR-1	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	74-87-3	137	Chloromethane	2.0	µg/L		1	3/18/2008		3/24/2008
18-01	CR-1	7440-47-3		Chromium	0.0023	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	CR-1	156-59-2	78	cis-1,2-Dichloroethene	1.6	µg/L	J	1	3/18/2008		3/24/2008
18-01	CR-1	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	7439-92-1		Lead	0.001	mg/L	U	1	3/18/2008	3/20/2008	3/24/2008
18-01	CR-1	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	7440-02-0		Nickel	0.0049	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	CR-1	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	108-88-3	196	Toluene	0.5	µg/L	J	1	3/18/2008		3/24/2008
18-01	CR-1	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	79-01-6	201	Trichloroethene	0.9	µg/L	J	1	3/18/2008		3/24/2008
18-01	CR-1	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	CR-1	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-1	630-20-6	190	1,1,1,2-Tetrachloroethane	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	71-55-6	200	1,1,1-Trichloroethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	79-34-5	191	1,1,2,2-Tetrachloroethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	79-00-5	202	1,1,2-Trichloroethane	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	75-34-3	75	1,1-Dichloroethane	242	µg/L		10	3/18/2008		3/24/2008
18-01	MW-1	75-35-4	77	1,1-Dichloroethene	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	96-18-4	206	1,2,3-Trichloropropane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	96-12-8	67	1,2-Dibromo-3-chloropropane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	106-93-4	68	1,2-Dibromoethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	95-50-1	69	1,2-Dichlorobenzene	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	107-06-2	76	1,2-Dichloroethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	78-87-5	82	1,2-Dichloropropane	5.0	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-1	106-46-7	71	1,4-Dichlorobenzene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	78-93-3	141	2-Butanone	5,360	µg/L		100	3/18/2008		3/22/2008
18-01	MW-1	591-78-6	124	2-Hexanone	132	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-1	108-10-1	147	4-Methyl-2-pentanone	491	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-1	67-64-1	3	Acetone	4,830	µg/L		100	3/18/2008		3/22/2008
18-01	MW-1	107-13-1	8	Acrylonitrile	2000	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	71-43-2	16	Benzene	14.2	µg/L		10	3/18/2008		3/24/2008
18-01	MW-1	74-97-5	28	Bromochloromethane	30	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	75-27-4	29	Bromodichloromethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	75-25-2	30	Bromoform	30	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	74-83-9	136	Bromomethane	100	µg/L	U	10	3/18/2008		3/24/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-1	75-15-0	35	Carbon disulfide	1000	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	56-23-5	36	Carbon tetrachloride	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	108-90-7	39	Chlorobenzene	30	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	75-00-3	41	Chloroethane	472	µg/L		100	3/18/2008		3/22/2008
18-01	MW-1	67-66-3	44	Chloroform	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	74-87-3	137	Chloromethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	7440-47-3		Chromium	0.0037	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-1	156-59-2	78	cis-1,2-Dichloroethene	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	10061-01-5	86	cis-1,3-Dichloropropene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	124-48-1	66	Dibromochloromethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	74-95-3	139	Dibromomethane	100	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	100-41-4	110	Ethylbenzene	20.9	µg/L		10	3/18/2008		3/24/2008
18-01	MW-1	74-88-4	142	Iodomethane	100	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	7439-92-1		Lead	0.0004	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-1	1330-20-7	359	m,p-Xylene	19.9	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-1	75-09-2	140	Methylene chloride	20.7	µg/L		10	3/18/2008		3/24/2008
18-01	MW-1	7440-02-0		Nickel	0.0258	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-1	95-47-6	408	o-Xylene	11.5	µg/L		10	3/18/2008		3/24/2008
18-01	MW-1	100-42-5	186	Styrene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	127-18-4	192	Tetrachloroethene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	108-88-3	196	Toluene	527	µg/L		100	3/18/2008		3/22/2008
18-01	MW-1	156-60-5	79	trans-1,2-Dichloroethene	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	10061-02-6	87	trans-1,3-Dichloropropene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	110-57-6	73	trans-1,4-Dichloro-2-butene	1000	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	79-01-6	201	Trichloroethene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	75-69-4	203	Trichlorofluoromethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	108-05-4	210	Vinyl acetate	500	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-1	75-01-4	211	Vinyl chloride	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-10A	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	75-34-3	75	1,1-Dichloroethane	156	µg/L		10	3/18/2008		3/24/2008
18-01	MW-10A	75-35-4	77	1,1-Dichloroethene	4.9	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-10A	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	107-06-2	76	1,2-Dichloroethane	10.0	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10A	78-87-5	82	1,2-Dichloropropane	17.4	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10A	106-46-7	71	1,4-Dichlorobenzene	4.4	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10A	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	71-43-2	16	Benzene	6.3	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10A	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	75-15-0	35	Carbon disulfide	4.4	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-10A	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	108-90-7	39	Chlorobenzene	1.1	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-10A	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	7440-47-3		Chromium	0.0100	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-10A	156-59-2	78	cis-1,2-Dichloroethene	101	µg/L		10	3/18/2008		3/24/2008
18-01	MW-10A	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	7439-92-1		Lead	0.0008	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-10A	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	7440-02-0		Nickel	0.0064	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-10A	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	127-18-4	192	Tetrachloroethene	5.3	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10A	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	156-60-5	79	trans-1,2-Dichloroethene	2.1	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-10A	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/22/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-10A	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	79-01-6	201	Trichloroethene	2.2	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10A	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10A	75-01-4	211	Vinyl chloride	13.7	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10B	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	75-34-3	75	1,1-Dichloroethane	44.6	µg/L		5	3/18/2008		3/24/2008
18-01	MW-10B	75-35-4	77	1,1-Dichloroethene	0.5	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-10B	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	71-43-2	16	Benzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	75-15-0	35	Carbon disulfide	4.6	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-10B	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	7440-47-3		Chromium	0.0034	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-10B	156-59-2	78	cis-1,2-Dichloroethene	7.4	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10B	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	7439-92-1		Lead	0.0002	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-10B	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	75-09-2	140	Methylene chloride	1.0	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-10B	7440-02-0		Nickel	0.0029	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-10B	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	127-18-4	192	Tetrachloroethene	0.2	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-10B	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	79-01-6	201	Trichloroethene	4.2	µg/L		1	3/18/2008		3/22/2008
18-01	MW-10B	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-10B	75-01-4	211	Vinyl chloride	6.3	µg/L		1	3/18/2008		3/22/2008
18-01	MW-11	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	75-34-3	75	1,1-Dichloroethane	8.2	µg/L		1	3/18/2008		3/22/2008
18-01	MW-11	75-35-4	77	1,1-Dichloroethene	1.0	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-11	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	107-06-2	76	1,2-Dichloroethane	6.6	µg/L		1	3/18/2008		3/22/2008
18-01	MW-11	78-87-5	82	1,2-Dichloropropane	1.1	µg/L		1	3/18/2008		3/22/2008
18-01	MW-11	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/22/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-11	71-43-2	16	Benzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	7440-47-3		Chromium	0.0051	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-11	156-59-2	78	cis-1,2-Dichloroethene	0.5	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-11	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	7439-92-1		Lead	0.0003	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-11	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	7440-02-0		Nickel	0.01	mg/L	U	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-11	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	127-18-4	192	Tetrachloroethene	1.6	µg/L		1	3/18/2008		3/22/2008
18-01	MW-11	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	79-01-6	201	Trichloroethene	1.4	µg/L		1	3/18/2008		3/22/2008
18-01	MW-11	75-69-4	203	Trichlorofluoromethane	21.1	µg/L		5	3/18/2008		3/24/2008
18-01	MW-11	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-11	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-13	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	75-34-3	75	1,1-Dichloroethane	38.0	µg/L		5	3/19/2008		3/25/2008
18-01	MW-13	75-35-4	77	1,1-Dichloroethene	4.0	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-13	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	67-64-1	3	Acetone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	71-43-2	16	Benzene	0.3	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-13	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	75-15-0	35	Carbon disulfide	2.9	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-13	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	75-00-3	41	Chloroethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	67-66-3	44	Chloroform	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	7440-47-3		Chromium	0.0036	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-13	156-59-2	78	cis-1,2-Dichloroethene	44.3	µg/L		5	3/19/2008		3/25/2008
18-01	MW-13	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	7439-92-1		Lead	0.0004	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-13	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	7440-02-0		Nickel	0.01	mg/L	U	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-13	95-47-6	408	o-Xylene	1	µg/L	U	1	3/19/2008		3/24/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-13	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	127-18-4	192	Tetrachloroethene	1.4	µg/L		1	3/19/2008		3/24/2008
18-01	MW-13	108-88-3	196	Toluene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	79-01-6	201	Trichloroethene	20.1	µg/L		1	3/19/2008		3/24/2008
18-01	MW-13	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-13	75-01-4	211	Vinyl chloride	6.0	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	75-34-3	75	1,1-Dichloroethane	169	µg/L		10	3/19/2008		3/25/2008
18-01	MW-14	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	107-06-2	76	1,2-Dichloroethane	7.7	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	78-87-5	82	1,2-Dichloropropane	4.4	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	106-46-7	71	1,4-Dichlorobenzene	10.1	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	591-78-6	124	2-Hexanone	6.9	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14	108-10-1	147	4-Methyl-2-pentanone	30.0	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14	67-64-1	3	Acetone	119	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	71-43-2	16	Benzene	12.0	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	75-15-0	35	Carbon disulfide	6.8	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	108-90-7	39	Chlorobenzene	3.7	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	75-00-3	41	Chloroethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	67-66-3	44	Chloroform	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	7440-47-3		Chromium	0.0024	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-14	156-59-2	78	cis-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	100-41-4	110	Ethylbenzene	20.2	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	7439-92-1		Lead	0.0004	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-14	1330-20-7	359	m,p-Xylene	40.4	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	75-09-2	140	Methylene chloride	484	µg/L		50	3/19/2008		3/25/2008
18-01	MW-14	7440-02-0		Nickel	0.0050	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-14	95-47-6	408	o-Xylene	63.4	µg/L		10	3/19/2008		3/25/2008
18-01	MW-14	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	127-18-4	192	Tetrachloroethene	3.2	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14	108-88-3	196	Toluene	80.3	µg/L		10	3/19/2008		3/25/2008
18-01	MW-14	156-60-5	79	trans-1,2-Dichloroethene	1.9	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	79-01-6	201	Trichloroethene	92.4	µg/L		10	3/19/2008		3/25/2008
18-01	MW-14	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14	75-01-4	211	Vinyl chloride	40.0	µg/L		10	3/19/2008		3/25/2008
18-01	MW-14A	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	75-34-3	75	1,1-Dichloroethane	2.2	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14A	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	107-06-2	76	1,2-Dichloroethane	0.6	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14A	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/19/2008		3/24/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-14A	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	67-64-1	3	Acetone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	71-43-2	16	Benzene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	75-15-0	35	Carbon disulfide	11.7	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14A	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	75-00-3	41	Chloroethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	67-66-3	44	Chloroform	0.3	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14A	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	7440-47-3		Chromium	0.0058	mg/L		1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-14A	156-59-2	78	cis-1,2-Dichloroethene	1.6	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-14A	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	7439-92-1		Lead	0.0004	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-14A	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	7440-02-0		Nickel	0.01	mg/L	U	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-14A	95-47-6	408	o-Xylene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	127-18-4	192	Tetrachloroethene	16.5	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14A	108-88-3	196	Toluene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	79-01-6	201	Trichloroethene	4.0	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14A	75-69-4	203	Trichlorofluoromethane	1.8	µg/L		1	3/19/2008		3/24/2008
18-01	MW-14A	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-14A	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	75-34-3	75	1,1-Dichloroethane	661	µg/L		100	3/19/2008		3/26/2008
18-01	MW-15	75-35-4	77	1,1-Dichloroethene	3.8	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-15	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	95-50-1	69	1,2-Dichlorobenzene	0.8	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-15	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	78-87-5	82	1,2-Dichloropropane	1.5	µg/L		1	3/19/2008		3/24/2008
18-01	MW-15	106-46-7	71	1,4-Dichlorobenzene	5.1	µg/L		1	3/19/2008		3/24/2008
18-01	MW-15	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	67-64-1	3	Acetone	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	71-43-2	16	Benzene	19.4	µg/L		1	3/19/2008		3/24/2008
18-01	MW-15	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	108-90-7	39	Chlorobenzene	5.3	µg/L		1	3/19/2008		3/24/2008
18-01	MW-15	75-00-3	41	Chloroethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	67-66-3	44	Chloroform	5	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	7440-47-3		Chromium	0.0040	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-15	156-59-2	78	cis-1,2-Dichloroethene	704	µg/L		100	3/19/2008		3/26/2008
18-01	MW-15	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/24/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-15	7439-92-1		Lead	0.0029	mg/L		1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-15	1330-20-7	359	m,p-Xylene	31.4	µg/L		1	3/19/2008		3/24/2008
18-01	MW-15	75-09-2	140	Methylene chloride	209	µg/L		10	3/19/2008		3/25/2008
18-01	MW-15	7440-02-0		Nickel	0.0039	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-15	95-47-6	408	o-Xylene	32.0	µg/L		10	3/19/2008		3/25/2008
18-01	MW-15	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	127-18-4	192	Tetrachloroethene	5.8	µg/L		1	3/19/2008		3/24/2008
18-01	MW-15	108-88-3	196	Toluene	0.3	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-15	156-60-5	79	trans-1,2-Dichloroethene	2.2	µg/L	J	1	3/19/2008		3/24/2008
18-01	MW-15	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	79-01-6	201	Trichloroethene	162	µg/L		10	3/19/2008		3/25/2008
18-01	MW-15	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/24/2008
18-01	MW-15	75-01-4	211	Vinyl chloride	8.5	µg/L		1	3/19/2008		3/24/2008
18-01	MW-16	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	75-34-3	75	1,1-Dichloroethane	99.4	µg/L		5	3/18/2008		3/25/2008
18-01	MW-16	75-35-4	77	1,1-Dichloroethene	2.5	µg/L	J	1	3/18/2008		3/24/2008
18-01	MW-16	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	78-87-5	82	1,2-Dichloropropane	0.7	µg/L	J	1	3/18/2008		3/24/2008
18-01	MW-16	106-46-7	71	1,4-Dichlorobenzene	0.4	µg/L	J	1	3/18/2008		3/24/2008
18-01	MW-16	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	71-43-2	16	Benzene	2.2	µg/L		1	3/18/2008		3/24/2008
18-01	MW-16	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	75-00-3	41	Chloroethane	10.1	µg/L		1	3/18/2008		3/24/2008
18-01	MW-16	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	7440-47-3		Chromium	0.0087	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-16	156-59-2	78	cis-1,2-Dichloroethene	12.8	µg/L		1	3/18/2008		3/24/2008
18-01	MW-16	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	7439-92-1		Lead	0.0005	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-16	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	7440-02-0		Nickel	0.0136	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-16	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	127-18-4	192	Tetrachloroethene	1.6	µg/L		1	3/18/2008		3/24/2008
18-01	MW-16	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	79-01-6	201	Trichloroethene	35.6	µg/L		5	3/18/2008		3/25/2008
18-01	MW-16	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-16	75-01-4	211	Vinyl chloride	7.3	µg/L		1	3/18/2008		3/24/2008
18-01	MW-16A	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	75-34-3	75	1,1-Dichloroethane	30.4	µg/L		5	3/18/2008		3/25/2008
18-01	MW-16A	75-35-4	77	1,1-Dichloroethene	3.9	µg/L	J	1	3/18/2008		3/25/2008
18-01	MW-16A	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/25/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-16A	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	71-43-2	16	Benzene	0.2	µg/L	J	1	3/18/2008		3/25/2008
18-01	MW-16A	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	7440-47-3		Chromium	0.0020	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-16A	156-59-2	78	cis-1,2-Dichloroethene	43.0	µg/L		5	3/18/2008		3/25/2008
18-01	MW-16A	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	7439-92-1		Lead	0.001	mg/L	U	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-16A	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	7440-02-0		Nickel	0.01	mg/L	U	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-16A	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	127-18-4	192	Tetrachloroethene	1.0	µg/L		1	3/18/2008		3/25/2008
18-01	MW-16A	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	79-01-6	201	Trichloroethene	21.0	µg/L		1	3/18/2008		3/25/2008
18-01	MW-16A	75-69-4	203	Trichlorofluoromethane	17.8	µg/L		1	3/18/2008		3/25/2008
18-01	MW-16A	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-16A	75-01-4	211	Vinyl chloride	5.5	µg/L		1	3/18/2008		3/25/2008
18-01	MW-20	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	75-34-3	75	1,1-Dichloroethane	910	µg/L		100	3/19/2008		3/26/2008
18-01	MW-20	75-35-4	77	1,1-Dichloroethene	15.1	µg/L		1	3/19/2008		3/25/2008
18-01	MW-20	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	78-87-5	82	1,2-Dichloropropane	5.4	µg/L		1	3/19/2008		3/25/2008
18-01	MW-20	106-46-7	71	1,4-Dichlorobenzene	2.6	µg/L		1	3/19/2008		3/25/2008
18-01	MW-20	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	67-64-1	3	Acetone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	71-43-2	16	Benzene	18.8	µg/L		1	3/19/2008		3/25/2008
18-01	MW-20	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	75-15-0	35	Carbon disulfide	2.4	µg/L	J	1	3/19/2008		3/25/2008
18-01	MW-20	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	108-90-7	39	Chlorobenzene	1.1	µg/L	J	1	3/19/2008		3/25/2008
18-01	MW-20	75-00-3	41	Chloroethane	1.3	µg/L	J	1	3/19/2008		3/25/2008
18-01	MW-20	67-66-3	44	Chloroform	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	7440-47-3		Chromium	0.0024	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-20	156-59-2	78	cis-1,2-Dichloroethene	1,110	µg/L		100	3/19/2008		3/26/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-20	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	7439-92-1		Lead	0.0002	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-20	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	75-09-2	140	Methylene chloride	64.1	µg/L		10	3/19/2008		3/25/2008
18-01	MW-20	7440-02-0		Nickel	0.0029	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-20	95-47-6	408	o-Xylene	4.0	µg/L		1	3/19/2008		3/25/2008
18-01	MW-20	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	127-18-4	192	Tetrachloroethene	54.4	µg/L		10	3/19/2008		3/25/2008
18-01	MW-20	108-88-3	196	Toluene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	156-60-5	79	trans-1,2-Dichloroethene	2.4	µg/L	J	1	3/19/2008		3/25/2008
18-01	MW-20	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	79-01-6	201	Trichloroethene	912	µg/L		100	3/19/2008		3/26/2008
18-01	MW-20	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-20	75-01-4	211	Vinyl chloride	5.8	µg/L		1	3/19/2008		3/25/2008
18-01	MW-21	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-34-3	75	1,1-Dichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	67-64-1	3	Acetone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	71-43-2	16	Benzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-00-3	41	Chloroethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	67-66-3	44	Chloroform	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	7440-47-3		Chromium	0.0038	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-21	156-59-2	78	cis-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	7439-92-1		Lead	0.0008	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-21	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	7440-02-0		Nickel	0.0031	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-21	95-47-6	408	o-Xylene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	108-88-3	196	Toluene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	79-01-6	201	Trichloroethene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-69-4	203	Trichlorofluoromethane	0.3	µg/L	J	1	3/19/2008		3/25/2008
18-01	MW-21	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-21	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-23	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/25/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-23	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-34-3	75	1,1-Dichloroethane	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	71-43-2	16	Benzene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	7440-47-3		Chromium	0.0040	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-23	156-59-2	78	cis-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	7439-92-1		Lead	0.0083	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-23	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	7440-02-0		Nickel	0.01	mg/L	U	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-23	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	79-01-6	201	Trichloroethene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	MW-23 DUPE	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	75-34-3	75	1,1-Dichloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	71-43-2	16	Benzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/24/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-23 DUPE	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	7440-47-3		Chromium	0.025	mg/L	U	1	3/18/2008	3/20/2008	3/25/2008
18-01	MW-23 DUPE	156-59-2	78	cis-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	7439-92-1		Lead	0.0023	mg/L		1	3/18/2008	3/20/2008	3/21/2008
18-01	MW-23 DUPE	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	7440-02-0		Nickel	0.05	mg/L	U	1	3/18/2008	3/20/2008	3/25/2008
18-01	MW-23 DUPE	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	79-01-6	201	Trichloroethene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-23 DUPE	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	MW-24	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-34-3	75	1,1-Dichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	67-64-1	3	Acetone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	71-43-2	16	Benzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-00-3	41	Chloroethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	67-66-3	44	Chloroform	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	7440-47-3		Chromium	0.0049	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-24	156-59-2	78	cis-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	7439-92-1		Lead	0.0022	mg/L		1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-24	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	7440-02-0		Nickel	0.0022	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-24	95-47-6	408	o-Xylene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	108-88-3	196	Toluene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	79-01-6	201	Trichloroethene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/19/2008		3/25/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-24	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-34-3	75	1,1-Dichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	67-64-1	3	Acetone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	71-43-2	16	Benzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-15-0	35	Carbon disulfide	1.6	µg/L	J	1	3/19/2008		3/25/2008
18-01	MW-24D	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-00-3	41	Chloroethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	67-66-3	44	Chloroform	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	7440-47-3		Chromium	0.0040	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-24D	156-59-2	78	cis-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	7439-92-1		Lead	0.0019	mg/L		1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-24D	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	7440-02-0		Nickel	0.0027	mg/L	J	1	3/19/2008	3/20/2008	3/24/2008
18-01	MW-24D	95-47-6	408	o-Xylene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	108-88-3	196	Toluene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	79-01-6	201	Trichloroethene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	75-34-3	75	1,1-Dichloroethane	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	78-93-3	141	2-Butanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	67-64-1	3	Acetone	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	71-43-2	16	Benzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/19/2008		3/25/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-24D DUPE	75-25-2	30	Bromoform	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	74-83-9	136	Bromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	75-00-3	41	Chloroethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	67-66-3	44	Chloroform	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	74-87-3	137	Chloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	7440-47-3		Chromium	0.0020	mg/L	J	1	3/19/2008	3/20/2008	3/21/2008
18-01	MW-24D DUPE	156-59-2	78	cis-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	74-88-4	142	Iodomethane	10	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	7439-92-1		Lead	0.0004	mg/L	J	1	3/19/2008	3/20/2008	3/21/2008
18-01	MW-24D DUPE	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	7440-02-0		Nickel	0.01	mg/L	U	1	3/19/2008	3/20/2008	3/21/2008
18-01	MW-24D DUPE	95-47-6	408	o-Xylene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	100-42-5	186	Styrene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	108-88-3	196	Toluene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	79-01-6	201	Trichloroethene	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-24D DUPE	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/19/2008		3/25/2008
18-01	MW-3	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	75-34-3	75	1,1-Dichloroethane	33.6	µg/L		5	3/18/2008		3/24/2008
18-01	MW-3	75-35-4	77	1,1-Dichloroethene	4.2	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-3	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	71-43-2	16	Benzene	1.2	µg/L		1	3/18/2008		3/22/2008
18-01	MW-3	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	7440-47-3		Chromium	0.0029	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-3	156-59-2	78	cis-1,2-Dichloroethene	0.5	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-3	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	7439-92-1		Lead	0.0035	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-3	1330-20-7	359	m,p-Xylene	5.6	µg/L		1	3/18/2008		3/22/2008
18-01	MW-3	75-09-2	140	Methylene chloride	0.8	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-3	7440-02-0		Nickel	0.0063	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-3	95-47-6	408	o-Xylene	0.3	µg/L	J	1	3/18/2008		3/22/2008
18-01	MW-3	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	127-18-4	192	Tetrachloroethene	3.0	µg/L		1	3/18/2008		3/22/2008
18-01	MW-3	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/22/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	MW-3	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	79-01-6	201	Trichloroethene	4.1	µg/L		1	3/18/2008		3/22/2008
18-01	MW-3	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-3	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/18/2008		3/22/2008
18-01	MW-9	630-20-6	190	1,1,1,2-Tetrachloroethane	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	71-55-6	200	1,1,1-Trichloroethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	79-34-5	191	1,1,2,2-Tetrachloroethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	79-00-5	202	1,1,2-Trichloroethane	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	75-34-3	75	1,1-Dichloroethane	340	µg/L		100	3/18/2008		3/22/2008
18-01	MW-9	75-35-4	77	1,1-Dichloroethene	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	96-18-4	206	1,2,3-Trichloropropane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	96-12-8	67	1,2-Dibromo-3-chloropropane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	106-93-4	68	1,2-Dibromoethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	95-50-1	69	1,2-Dichlorobenzene	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	107-06-2	76	1,2-Dichloroethane	10.5	µg/L		10	3/18/2008		3/24/2008
18-01	MW-9	78-87-5	82	1,2-Dichloropropane	40.0	µg/L		10	3/18/2008		3/24/2008
18-01	MW-9	106-46-7	71	1,4-Dichlorobenzene	6.3	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-9	78-93-3	141	2-Butanone	1000	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	591-78-6	124	2-Hexanone	500	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	108-10-1	147	4-Methyl-2-pentanone	70.1	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-9	67-64-1	3	Acetone	1000	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	107-13-1	8	Acrylonitrile	2000	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	71-43-2	16	Benzene	12.4	µg/L		10	3/18/2008		3/24/2008
18-01	MW-9	74-97-5	28	Bromochloromethane	30	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	75-27-4	29	Bromodichloromethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	75-25-2	30	Bromoform	30	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	74-83-9	136	Bromomethane	100	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	75-15-0	35	Carbon disulfide	1000	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	56-23-5	36	Carbon tetrachloride	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	108-90-7	39	Chlorobenzene	1.9	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-9	75-00-3	41	Chloroethane	100	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	67-66-3	44	Chloroform	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	74-87-3	137	Chloromethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	7440-47-3		Chromium	0.0095	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-9	156-59-2	78	cis-1,2-Dichloroethene	5.5	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-9	10061-01-5	86	cis-1,3-Dichloropropene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	124-48-1	66	Dibromochloromethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	74-95-3	139	Dibromomethane	100	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	100-41-4	110	Ethylbenzene	7.2	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-9	74-88-4	142	Iodomethane	100	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	7439-92-1		Lead	0.0019	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-9	1330-20-7	359	m,p-Xylene	36.7	µg/L		10	3/18/2008		3/24/2008
18-01	MW-9	75-09-2	140	Methylene chloride	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	7440-02-0		Nickel	0.143	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	MW-9	95-47-6	408	o-Xylene	22.6	µg/L		10	3/18/2008		3/24/2008
18-01	MW-9	100-42-5	186	Styrene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	127-18-4	192	Tetrachloroethene	6.8	µg/L	J	10	3/18/2008		3/24/2008
18-01	MW-9	108-88-3	196	Toluene	152	µg/L		10	3/18/2008		3/24/2008
18-01	MW-9	156-60-5	79	trans-1,2-Dichloroethene	50	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	10061-02-6	87	trans-1,3-Dichloropropene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	110-57-6	73	trans-1,4-Dichloro-2-butene	1000	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	79-01-6	201	Trichloroethene	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	75-69-4	203	Trichlorofluoromethane	10	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	108-05-4	210	Vinyl acetate	500	µg/L	U	10	3/18/2008		3/24/2008
18-01	MW-9	75-01-4	211	Vinyl chloride	14.4	µg/L		10	3/18/2008		3/24/2008
18-01	OW-1	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	75-34-3	75	1,1-Dichloroethane	16.7	µg/L		1	3/18/2008		3/24/2008
18-01	OW-1	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	106-46-7	71	1,4-Dichlorobenzene	0.4	µg/L	J	1	3/18/2008		3/24/2008
18-01	OW-1	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/24/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	OW-1	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	71-43-2	16	Benzene	12.1	µg/L		1	3/18/2008		3/24/2008
18-01	OW-1	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	108-90-7	39	Chlorobenzene	0.2	µg/L	J	1	3/18/2008		3/24/2008
18-01	OW-1	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	67-66-3	44	Chloroform	0.3	µg/L	J	1	3/18/2008		3/24/2008
18-01	OW-1	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	7440-47-3		Chromium	0.0017	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	OW-1	156-59-2	78	cis-1,2-Dichloroethene	11.7	µg/L		1	3/18/2008		3/24/2008
18-01	OW-1	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	7439-92-1		Lead	0.0047	mg/L		1	3/18/2008	3/20/2008	3/24/2008
18-01	OW-1	1330-20-7	359	m,p-Xylene	12.9	µg/L		1	3/18/2008		3/24/2008
18-01	OW-1	75-09-2	140	Methylene chloride	32.8	µg/L		5	3/18/2008		3/25/2008
18-01	OW-1	7440-02-0		Nickel	0.01	mg/L	U	1	3/18/2008	3/20/2008	3/24/2008
18-01	OW-1	95-47-6	408	o-Xylene	1.9	µg/L		1	3/18/2008		3/24/2008
18-01	OW-1	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	127-18-4	192	Tetrachloroethene	1.2	µg/L		1	3/18/2008		3/24/2008
18-01	OW-1	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	79-01-6	201	Trichloroethene	2.2	µg/L		1	3/18/2008		3/24/2008
18-01	OW-1	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	OW-1	75-01-4	211	Vinyl chloride	3.9	µg/L		1	3/18/2008		3/24/2008
18-01	SW-2	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	75-34-3	75	1,1-Dichloroethane	3.9	µg/L	J	1	3/18/2008		3/24/2008
18-01	SW-2	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	71-43-2	16	Benzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	74-87-3	137	Chloromethane	1.4	µg/L		1	3/18/2008		3/24/2008
18-01	SW-2	7440-47-3		Chromium	0.0021	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	SW-2	156-59-2	78	cis-1,2-Dichloroethene	0.7	µg/L	J	1	3/18/2008		3/24/2008
18-01	SW-2	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	7439-92-1		Lead	0.001	mg/L	U	1	3/18/2008	3/20/2008	3/24/2008
18-01	SW-2	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/24/2008

FacilityPermit	ClientSampID	CAS	SWSID	R_Analyte	Result	R_Units	Qual	DF	DateCollected	PrepDate	AnalDate
18-01	SW-2	7440-02-0		Nickel	0.0024	mg/L	J	1	3/18/2008	3/20/2008	3/24/2008
18-01	SW-2	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	79-01-6	201	Trichloroethene	0.4	µg/L	J	1	3/18/2008		3/24/2008
18-01	SW-2	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/24/2008
18-01	SW-2	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/18/2008		3/24/2008
18-01	TRIP BLANK	630-20-6	190	1,1,1,2-Tetrachloroethane	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	71-55-6	200	1,1,1-Trichloroethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	79-34-5	191	1,1,2,2-Tetrachloroethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	79-00-5	202	1,1,2-Trichloroethane	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-34-3	75	1,1-Dichloroethane	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-35-4	77	1,1-Dichloroethene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	96-18-4	206	1,2,3-Trichloropropane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	96-12-8	67	1,2-Dibromo-3-chloropropane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	106-93-4	68	1,2-Dibromoethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	95-50-1	69	1,2-Dichlorobenzene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	107-06-2	76	1,2-Dichloroethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	78-87-5	82	1,2-Dichloropropane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	106-46-7	71	1,4-Dichlorobenzene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	78-93-3	141	2-Butanone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	591-78-6	124	2-Hexanone	50	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	108-10-1	147	4-Methyl-2-pentanone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	67-64-1	3	Acetone	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	107-13-1	8	Acrylonitrile	200	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	71-43-2	16	Benzene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	74-97-5	28	Bromochloromethane	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-27-4	29	Bromodichloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-25-2	30	Bromoform	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	74-83-9	136	Bromomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-15-0	35	Carbon disulfide	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	56-23-5	36	Carbon tetrachloride	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	108-90-7	39	Chlorobenzene	3	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-00-3	41	Chloroethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	67-66-3	44	Chloroform	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	74-87-3	137	Chloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	156-59-2	78	cis-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	10061-01-5	86	cis-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	124-48-1	66	Dibromochloromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	74-95-3	139	Dibromomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	100-41-4	110	Ethylbenzene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	74-88-4	142	Iodomethane	10	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	1330-20-7	359	m,p-Xylene	2	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-09-2	140	Methylene chloride	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	95-47-6	408	o-Xylene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	100-42-5	186	Styrene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	127-18-4	192	Tetrachloroethene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	108-88-3	196	Toluene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	156-60-5	79	trans-1,2-Dichloroethene	5	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	10061-02-6	87	trans-1,3-Dichloropropene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	110-57-6	73	trans-1,4-Dichloro-2-butene	100	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	79-01-6	201	Trichloroethene	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-69-4	203	Trichlorofluoromethane	1	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	108-05-4	210	Vinyl acetate	50	µg/L	U	1	3/18/2008		3/25/2008
18-01	TRIP BLANK	75-01-4	211	Vinyl chloride	1	µg/L	U	1	3/18/2008		3/25/2008