



According to (G.S. 130A-309.09D(b)) completed forms must be returned by August 1, 2012 and a copy of this report must be sent to the County Manager of each county from which waste was received. If you have questions or require assistance in completing this report, contact your Regional Environmental Senior Specialist.

Facility Name: Henderson County Construction and Demolition Facility Permit: 4501-CDLF-1998 ID: P0967

Facility Website (URL): http://ww2.hendersoncountync.org/engineering/solidwaste/index.html

Physical Address	Mailing Address
Street 1: <u>191 Transfer Station Drive</u>	Street 1: _____
Street 2: _____	Street 2: _____
City: <u>Hendersonville</u> County: <u>Henderson</u>	City: _____
State: <u>North Carolina</u> Zip: <u>28791</u>	State: <u>North Carolina</u> Zip: _____

Primary Facility Contact Person	Billing Contact Person
Name: <u>Greg Wiggins</u>	Name: <u>Greg Wiggins</u>
Phone: <u>(828) 694-7982</u> Fax: <u>(828) 698-5154</u>	Phone: <u>(828) 694-7982</u> Fax: <u>(828) 698-5154</u>
Email: <u>gwiggins@hendersoncountync.org</u>	Email: <u>gwiggins@hendersoncountync.org</u>

1. Tipping Fee: \$0.00 per Ton (Attach a schedule of tipping fees if appropriate.)
2. Does the tip fee above include the \$2.00 Solid Waste Tax? Yes No
3. What other activities occur at this facility? (check all that apply)
 - Recycling/Reuse Collection Scrap Tire Collection White Goods Collection Household Hazardous Waste Collection
 If you checked Recycling/Reuse Collection, please indicate the materials accepted and amount collected: (check all that apply and provide tonnages)
 - Paper _____ tons Fluorescent lightbulbs _____ tons Used oil/oil filters _____ tons Steel Cans _____ tons
 - Cardboard _____ tons PETE (#1) Plastic _____ tons Aluminum Cans _____ tons Other Metal _____ tons
 - Wood _____ tons HDPE (#2) Plastic _____ tons Computer Equipment _____ tons Televisions _____ tons
 - Glass _____ tons Concrete/rubble/asphalt _____ tons Gypsum/drywall _____ tons Other Plastic _____ tons
 - Shingles _____ tons Other (specify) _____

Airspace (Capacity): Questions in this section relate to all cells/units of the C&D facility operated under the current 4-digit permit number regardless of whether the cells/units are closed or are not contiguous at the time of this report. Tonnage questions must be based on scale records and cover the period between the opening date and the date of the last survey unless another time period is approved. Airspace measurements include weekly, intermediate and final cover.	4. Date Facility Last Surveyed: <u>06/07/2007</u>
	5. Airspace Used (cubic yards): <u>116,308</u>
	6. Total Tons Disposed in Airspace Used (tons): <u>75,120.58</u>

7. Did your facility stop receiving waste during this past Fiscal Year? Yes No
 If so, please report the date this occurred: _____

9. Are there SWANA or other certified operator(s) at this facility? Yes No

If yes, indicate the following:

Name: _____ Certification type and expiration date: _____

10. Comments, suggestions or notes:

Henderson County submitted documents for extension of closure of the Construction and Demolition Landfill to NCDENR Solid Waste Section requesting a date of June 30, 2009. Date was meet and we still have not received approval at this time. NJB

REMINDER: According to (G.S. 130A-309.09D(b)), this report must be sent to the Regional Environmental Senior Specialist for your area and a copy of this report must be sent to the County Manager of each county from which waste was received.

Please return your completed report to:

Andrea Keller
2090 US Highway 70
Swannanoa, NC 28778
phone: 828.296.4700 email: Andrea.Keller@ncdenr.gov

CERTIFICATION: I certify that the information provided is an accurate representation of the activity at this facility.

Signature: Natalie J Berry PE

Digitally signed by Natalie J Berry PE
DN: cn=Natalie J Berry PE, o=Henderson County Engineering, ou=Solid Waste Engineering,
email=nberry@hendersoncountync.org, c=US
Date: 2012.07.31 16:28:17 -0400

Date: Jul 31, 2012

Name: Natalie J. Berry PE

Title: Assistant County Engineer

Phone Number: (828) 694-6523

Email: nberry@hendersoncountync.org

Facility Name: Henderson County Construction and Demolition Facility Permit: 4501-CDLF-1998

Address: 191 Transfer Station Drive

City: Hendersonville State: North Carolina Zip: 28791

Person completing Assessment: Natalie J Berry PE Date: Jul 31, 2012

Phone Number: (828) 694-6523 Fax: (828) 694-6610 Email: nberry@hendersoncountync.org

Instructions: Please indicate either *Yes* or *No* for each Receptor and Post Closure Maintenance question. Then please determine the distance or distances for each Receptor from the *Edge of Waste* (using range finders and/or GIS maps) and type that information into the form. Please attach additional information including GIS maps, lists of potable well locations, etc.

Receptors

- 1. Are there Residential Dwellings Within 1,500 feet of the Edge of Waste? Yes No
If Yes, how many? 20
What are the three closest distances from the *Edge of Waste*? 700 Feet 800 Feet 850 Feet
- 2. Are there Potable Wells Within 1,500 feet of the Edge of Waste? Yes No
If Yes, how many? unknown
What are the three closest distances from the *Edge of Waste*? 1000 Feet 1200 Feet _____ Feet
- 3. Are there Community/Municipal Wells Within 1,500 feet of the Edge of Waste? Yes No
If Yes, how many? _____
What are the three closest distances from the *Edge of Waste*? _____ Feet _____ Feet _____ Feet
- 4. Are there Surface Water Bodies Within 1,500 feet of the Edge of Waste? Yes No
If Yes, how many? _____
What are the three closest distances from the *Edge of Waste*? _____ Feet _____ Feet _____ Feet
Please list the names of the water bodies: _____
- 5. Is Public Water Available Within 1,500 feet of the Edge of Waste? Yes No
If Yes, how many of the Residential Dwellings noted above are connected? _____

Corrective Measures

- 6. Is there an active methane extraction system (blower, flare, etc.)? Yes No
- 7. Is there a passive methane extraction system (trench, vents in cap, flare, etc.)? Yes No
- 8. Is there groundwater remediation taking place on site? Yes No
If Yes, what is the specific remedial technology used? _____

Comments