

Notice: This form and any information attached to it are "Public Records" as defined in NC General Statute 132-1. As such, these documents are available for inspection and examination by any person upon request (NC General Statute 132-6).

Instructions:

- Prepare one form for each individually monitored unit.
- Please type or print legibly.
- Attach a notification table with values that attain or exceed NC 2L groundwater standards or NC 2B surface water standards. The notification must include a preliminary analysis of the cause and significance of each value. (e.g. naturally occurring, off-site source, pre-existing condition, etc.).
- Attach a notification table of any groundwater or surface water values that equal or exceed the reporting limits.
- Attach a notification table of any methane gas values that attain or exceed explosive gas levels. This includes any structures on or nearby the facility (NCAC 13B .1629 (4)(a)(i)).
- Send the original signed and sealed form, any tables, and Electronic Data Deliverable to: Compliance Unit, NCDENR-DWM, Solid Waste Section, 1646 Mail Service Center, Raleigh, NC 27699-1646.

Solid Waste Monitoring Data Submittal Information

Name of entity submitting data (laboratory, consultant, facility owner):

Mecklenburg County Solid Waste Services

Contact for questions about data formatting. Include data preparer's name, telephone number and E-mail address:

Name: Amber R. Grzymski, P.G.

Phone: 704-432-2478

E-mail: Amber.Grzymski@mecklenburgcountync.gov

Facility name:	Facility Address:	Facility Permit #	NC Landfill Rule: (.0500 or .1600)	Actual sampling dates (e.g., October 20-24, 2006)
Holbrooks Road Landfill	15401 Holbrooks Road	60-02	.0500	March 20-12, 2012

Environmental Status: (Check all that apply)

- Initial/Background Monitoring
 Detection Monitoring
 Assessment Monitoring
 Corrective Action

Type of data submitted: (Check all that apply)

- Groundwater monitoring data from monitoring wells
 Methane gas monitoring data
 Groundwater monitoring data from private water supply wells
 Corrective action data (specify) _____
 Leachate monitoring data
 Other(specify) _____
 Surface water monitoring data

Notification attached?

- No. No groundwater or surface water standards were exceeded.
 Yes, a notification of values exceeding a groundwater or surface water standard is attached. It includes a list of groundwater and surface water monitoring points, dates, analytical values, NC 2L groundwater standard, NC 2B surface water standard or NC Solid Waste GWPS and preliminary analysis of the cause and significance of any concentration.
 Yes, a notification of values exceeding an explosive methane gas limit is attached. It includes the methane monitoring points, dates, sample values and explosive methane gas limits.

Certification

To the best of my knowledge, the information reported and statements made on this data submittal and attachments are true and correct. Furthermore, I have attached complete notification of any sampling values meeting or exceeding groundwater standards or explosive gas levels, and a preliminary analysis of the cause and significance of concentrations exceeding groundwater standards. I am aware that there are significant penalties for making any false statement, representation, or certification including the possibility of a fine and imprisonment.

Amber R. Grzymski, P.G.

Project Manager

704-432-2478

Facility Representative Name (Print)

Title

(Area Code) Telephone Number



4/18/ 2012

Affix NC Licensed/ Professional Geologist Seal

Signature

Date

700 N Tryon Street, Charlotte, NC 28202

Facility Representative Address

NC PE Firm License Number (if applicable effective May 1, 2009)

Revised 6/2009





MECKLENBURG COUNTY
Land Use and Environmental Services Agency
Solid Waste Services
April 18, 2012

Jaclyne Drummond
North Carolina Department of Environment
and Natural Resources
Division of Waste Management
Groundwater Compliance Unit
Mail Service Center 1646
Raleigh, NC 27699-1646

Subject: Holbrooks Road Landfill Permit 60-02
Semi-annual Monitoring Results

Dear Ms. Drummond:

Mecklenburg County conducted semi-annual water quality monitoring at the closed Holbrooks Road Landfill March 20-21, 2012 in accordance with the approved sample and analysis plan dated March 27, 2003. This report details the results of that monitoring event. Laboratory analytical data, field-measured data table of values exceeding 2L standards and landfill gas monitoring data is contained on the electronic data deliverable submittal.

Samples were collected from eleven (11) monitoring wells (HRW-7, HRW-8, HRW-9, HRW-10, HRW-11R, HRW-13, HRW-16, HRW-18, HRW-19, HRW-20 and HRW-21) and three (3) surface-water sampling locations (HRSW-2, HRSW-3 and HRSW-4). Samples were analyzed for metals and volatile organic compounds ("VOCs") listed in Appendix I of 40 CFR Part 258.54 "Detection monitoring program". Field measurements of temperature, pH, and specific conductivity were made at each sampling location using a calibrated instrument. Additionally, measurements of dissolved oxygen were made at each surface-water sampling location.

The electronic data deliverable package containing the monitoring data is labeled to reflect the units used for reporting. Surface water standards listed are the water quality standards established for freshwater classification for aquatic life as outlined in 15A NCAC 2B "Classification and Water Quality Standards Applicable to Surface Waters of North Carolina". Groundwater standards listed are the standards outlined in 15A NCAC 2L "Classification of Water Quality Standards applicable to the Groundwaters of North Carolina". If the sample is reported in parts per billion, then the standard is also reported in parts per billion.

PEOPLE • PRIDE • PROGRESS • PARTNERSHIP

700 North Tryon Street • Charlotte, North Carolina 28202 • (704) 336-2831 Fax (704) 336-4314
www.wipeoutwaste.com

Surface-water samples:

No VOCs were detected in any of the samples collected from the three surface-water sampling locations (HRSW-2, HRSW-4 and HRSW-3). Vanadium and copper were detected at HRSW-3 at 5.5 ug/l and 2.7 ug/l, respectively.

All field-measured parameters were within the established regulatory limits. The following table summarizes field-measured parameters for surface water samples.

Sample Location	Temp. °C	pH S.U.	Specific Conductivity ms/cm	Dissolved Oxygen mg/l
HRSW-2 upstream	16.5	7.90	0.199	10.51
HRSW-4 mid-stream	16.3	7.92	0.192	7.29
HRSW-3 downstream	16.1	7.97	0.222	9.68

Groundwater samples:

Vanadium, cobalt, cadmium and chromium were detected in various wells above the 2l standard. The standards for vanadium and cobalt were recently added and wells that have had no violations of the 2l standard in the past now currently have detections above the 2l standard. The following table summarizes metals detection for groundwater samples.

Well ID	Ba ug/l	Cd ug/l	Cr ug/l	Co ug/l	Cu ug/l	Pb ug/l	Ni ug/l	Se ug/l	Vn ug/l	Zn ug/l
HRW-7	240	59	-----	-----	8.5	-----	-----	-----	8.1	66
HRW-8	-----	-----	6.0	-----	12	-----	-----	-----	22	13
HRW-9	290	-----	-----	-----	3.5	-----	-----	-----	-----	-----
HRW-10	130	-----	-----	-----	5.7	-----	11	-----	6.5	-----
HRW-11R	-----	-----	-----	-----	3.4	-----	-----	-----	5.4	10
HRW-13	160	-----	16	9.7	28	-----	14	-----	35	36
HRW-16	-----	-----	-----	-----	7.2	-----	-----	-----	11	-----
HRW-18	280	-----	-----	-----	-----	-----	5.3	-----	-----	-----
HRW-19	-----	-----	-----	-----	4.7	-----	-----	-----	9.2	11
HRW-20	-----	-----	-----	-----	-----	-----	-----	-----	8.8	-----
HRW-21	-----	-----	-----	-----	-----	-----	-----	-----	5.8	-----
2L Std.	700	2	10	1	1,000	15	100	20	0.3	1,000

Note: Results shown in bold exceed the 2L standard.

VOCs were detected in four monitoring wells; HRW-7, HRW-9, HRW-13 and HRW-18. The following table summarizes VOC detections.

Well ID	Volatile Constituent	Concentration (ug/l)	2L Standard (ug/l)
HRW-7	Cis-1,2-Dichloroethene	9	70
	Trichloroethene	6	3
HRW-9	Cis-1,2 Dichloroethene	92	70
	Tetrachloroethene	4	0.7
	Trichloroethene	8	3
	Vinyl Chloride	9	0.03
	1,2-Dichlorobenzene	8	20
	1,4-Dichlorobenzene	9	6
	1,1-Dichloroethane	42	6
HRW-13	Toluene	11	600
HRW-18	Benzene	21	1
	Chloroethane	16	3,000
	1,1 Dichloroethane	31	6
	1,4 Dichlorobenzene	5	6
	Vinyl Chloride	23	0.03

Note: Results shown in bold exceed the 2L standard.

Measurements of pH were more acidic than the 2L standard range of 6.5 to 8.5 standard units at locations HRW-7, HRW-9, HRW-10, HRW-11R, HRW-13, HRW-18, HRW-20 and HRW-21. Field-measured parameters for groundwater samples are summarized in the following table.

Sample Location	Temp. °C	PH	Specific Conductivity ms/cm
HRW-7	18.6	6.02	0.485
HRW-8	11.7	6.53	0.078
HRW-9	14.5	6.29	0.723
HRW-10	13.1	6.30	0.649
HRW-11R	14.3	5.96	0.389
HRW-13	13.1	5.87	0.248
HRW-16	13.1	6.51	0.084
HRW-18	16.9	6.36	1.173
HRW-19	15.6	6.62	0.282
HRW-20	16.1	6.38	0.172
HRW-21	16.8	6.45	0.457

Note: Results shown in bold are outside of the 2L standard range of 6.5 - 8.5 S.U.

Please call me at (704) 432-2478 if you have any questions regarding this report.



Sincerely,

Amber R. Grzymski, P.G.
Project Manager
Solid Waste Services



LEGEND

- Y Methane Probe
- Y Methane Vent
- Z Monitor Well
- Surface Water
- Methane Intercept Trench
- 10 Foot Contour
- Creeks
- Mecklenburg County-Owned Parcel

Note:
Aerial Taken March of 2004

0 50 100 200 Feet
1 inch equals 100 Feet