92-10
4-16-03

Progress Energy

Carmen Johnson
Scanned by | Date 9/26/12 | Doc ID # 92-10

SERIAL: HNP-03-060

MAY 1 9 2003

Mr. Bobby Lutfy
North Carolina Department of Environment
and Natural Resources
Solid Waste Section
1646 Mail Service Center
Raleigh, NC 27699-1646

Subject: Shearon Harris Nuclear Power Plant
Solid Waste Permit No. 92-10
Groundwater Monitoring Data

Dear Mr. Lutfy:

In accordance with Solid Waste Permit No. 92-10, for the Harris Nuclear Plant (HNP) sanitary landfill, enclosed are the results of the first semi-annual sampling of the groundwater monitoring wells for 2003. The wells are scheduled to be sampled next in October 2003.

If you have any questions or need further information, please contact Mr. R. T. Wilson at (919) 362-2444.

Sincerely,

B. C. Waldrep
Plant General Manager
Harris Nuclear Plant

MGW

Enclosure

* No VOCs
No metals > 2L stds

Progress Energy Carolinas, Inc.
Harris Nuclear Plant
P.O. Box 165
New Hill, NC 27562

Progress Energy

memo

Date: May 6, 2003

To: Bob Wilson

From: Susan B. Weathers

Subject: Harris April 2003 Groundwater Well Sample Results

Attached are the data sheets from the vendor that performed the analyses for the Harris landfill groundwater well samples collected on 4/16/03. Listed below are the pH and specific conductance values for all wells. Conductivity and pH were measured here at the E&E Center lab immediately after sampling. I checked to verify all required analyses were performed by the vendor and I found no missing parameters. Let me know if you have any questions regarding the data.

	Well #1	**Well #2**	**Well #3**	**Well #4**	**Well #5**
pH	7.5	6.9	7.8	7.8	7.4
Specific Conductance	821	370	435	413	348

SBW:sbw
Attachment

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **4/30/2003**
Date Received: **4/17/2003**

Work Order #: **0303-00953**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
001	03-E041 SH W#1	4/16/2003	11:35	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Arsenic by ICP/MS-Water	**EPA 200.8**	**4.73 ug/L**	**4/22/03**	
Volatiles, Water/Low Level			**4/24/03**	
Acetone	**EPA 8260B**	**<50 ug/L**	**4/24/03**	
Acrolein	**EPA 8260B**	**<50 ug/L**	**4/24/03**	
Acrylonitrile	**EPA 8260B**	**<50 ug/L**	**4/24/03**	
Benzene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Bromodichloromethane	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Bromobenzene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Bromochloromethane	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Bromoform	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Bromomethane	**EPA 8260B**	**<10 ug/L**	**4/24/03**	
sec-Butylbenzene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
tert-Butylbenzene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Carbon disulfide	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Carbon tetrachloride	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Chlorobenzene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Chloroethane	**EPA 8260B**	**<10 ug/L**	**4/24/03**	
2-Chloroethylvinyl ether	**EPA 8260B**	**<10 ug/L**	**4/24/03**	
Chloroform	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Chloromethane	**EPA 8260B**	**<10 ug/L**	**4/24/03**	
2-Chlorotoluene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
4-Chlorotoluene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Dibromochloromethane	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
1,2-Dibromo-3-chloropropane	**EPA 8260B**	**<25 ug/L**	**4/24/03**	
1,2-Dibromoethane	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Dibromomethane	**EPA 8260B**	**<10 ug/L**	**4/24/03**	
1,2-Dichlorobenzene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
1,3-Dichlorobenzene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
1,4-Dichlorobenzene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Dichlorodifluoromethane	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
1,1-Dichloroethane	**EPA 8260B**	**136 ug/L**	**4/24/03**	
1,2-Dichloroethane	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
1,1-Dichloroethene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **4/30/2003**
Date Received: **4/17/2003**

Work Order #: **0303-00953**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
001	03-E041 SH W#1	4/16/2003	11:35	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
cis-1,2-Dichloroethene	EPA 8260B	<5 ug/L	4/24/03	
trans-1,2-Dichloroethene	EPA 8260B	<5 ug/L	4/24/03	
1,2-Dichloropropane	EPA 8260B	<5 ug/L	4/24/03	
1,3-Dichloropropane	EPA 8260B	<5 ug/L	4/24/03	
2,2-Dichloropropane	EPA 8260B	<5 ug/L	4/24/03	
1,1-Dichloropropene	EPA 8260B	<5 ug/L	4/24/03	
cis-1,3-Dichloropropene	EPA 8260B	<5 ug/L	4/24/03	
trans-1,3-Dichloropropene	EPA 8260B	<5 ug/L	4/24/03	
Ethylbenzene	EPA 8260B	<5 ug/L	4/24/03	
2-Hexanone	EPA 8260B	<50 ug/L	4/24/03	
Isopropylbenzene	EPA 8260B	<5 ug/L	4/24/03	
p-Isopropyltoluene	EPA 8260B	<5 ug/L	4/24/03	
Methylene chloride	EPA 8260B	<5 ug/L	4/24/03	
Methyl ethyl ketone (MEK)	EPA 8260B	<50 ug/L	4/24/03	
MIBK (4-Methyl-2-pentanone)	EPA 8260B	<50 ug/L	4/24/03	
n-Propylbenzene	EPA 8260B	<5 ug/L	4/24/03	
Styrene	EPA 8260B	<5 ug/L	4/24/03	
1,1,1,2-Tetrachloroethane	EPA 8260B	<5 ug/L	4/24/03	
1,1,2,2-Tetrachloroethane	EPA 8260B	<5 ug/L	4/24/03	
Tetrachloroethene	EPA 8260B	<5 ug/L	4/24/03	
Toluene	EPA 8260B	<5 ug/L	4/24/03	
1,2,4-Trichlorobenzene	EPA 8260B	<10 ug/L	4/24/03	
1,1,1-Trichloroethane	EPA 8260B	<5 ug/L	4/24/03	
1,1,2-Trichloroethane	EPA 8260B	<5 ug/L	4/24/03	
Trichloroethene	EPA 8260B	<5 ug/L	4/24/03	
Trichlorofluoromethane	EPA 8260B	<5 ug/L	4/24/03	
1,2,3-Trichloropropane	EPA 8260B	<15 ug/L	4/24/03	
1,2,4-Trimethylbenzene	EPA 8260B	<5 ug/L	4/24/03	
1,3,5-Trimethylbenzene	EPA 8260B	<10 ug/L	4/24/03	
Vinyl acetate	EPA 8260B	<50 ug/L	4/24/03	
Vinyl chloride	EPA 8260B	<10 ug/L	4/24/03	
o-Xylene	EPA 8260B	<5 ug/L	4/24/03	
m- & p-Xylene	EPA 8260B	<5 ug/L	4/24/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **4/30/2003**
Date Received: **4/17/2003**

Work Order #: **0303-00953**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
001	03-E041 SH W#1	4/16/2003	11:35	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
trans-1,4-Dichloro-2-butene	EPA 8260B	<100 ug/L	4/24/03	
Iodomethane	EPA 8260B	<10 ug/L	4/24/03	
Barium by ICP/MS-Water	EPA 200.8	117 ug/L	4/22/03	
Cadmium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	4/22/03	
Chromium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	4/22/03	
Lead by ICP/MS-Water	EPA 200.8	<1.0 ug/L	4/22/03	
Selenium by ICP/MS-Water	EPA 200.8	1.78 ug/L	4/22/03	
Silver by ICP/MS-Waters	EPA 200.8	<1.0 ug/L	4/22/03	
Sulfate in Water	EPA 375.4	2.67 mg/L	4/22/03	
Mercury by CV/Water	EPA 245.1	<0.2# ug/L	4/23/03	
Metals Prep	EPA 200.8	DONE	4/17/03	
Mercury Prep	EPA 7470A/71A	done#	4/23/03	

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
002	03-E042 SH W#2	4/16/2003	12:15	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Arsenic by ICP/MS-Water	EPA 200.8	2.68 ug/L	4/22/03	
Volatiles, Water/Low Level			4/24/03	
Acetone	EPA 8260B	<50 ug/L	4/24/03	
Acrolein	EPA 8260B	<50 ug/L	4/24/03	
Acrylonitrile	EPA 8260B	<50 ug/L	4/24/03	
Benzene	EPA 8260B	<5 ug/L	4/24/03	
Bromodichloromethane	EPA 8260B	<5 ug/L	4/24/03	
Bromobenzene	EPA 8260B	<5 ug/L	4/24/03	
Bromochloromethane	EPA 8260B	<5 ug/L	4/24/03	
Bromoform	EPA 8260B	<5 ug/L	4/24/03	
Bromomethane	EPA 8260B	<10 ug/L	4/24/03	
sec-Butylbenzene	EPA 8260B	<5 ug/L	4/24/03	
tert-Butylbenzene	EPA 8260B	<5 ug/L	4/24/03	
Carbon disulfide	EPA 8260B	<5 ug/L	4/24/03	
Carbon tetrachloride	EPA 8260B	<5 ug/L	4/24/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **4/30/2003**
Date Received: **4/17/2003**

Work Order #: **0303-00953**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
002	03-E042 SH W#2	4/16/2003	12:15	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Chlorobenzene	EPA 8260B	<5 ug/L	4/24/03	
Chloroethane	EPA 8260B	<10 ug/L	4/24/03	
2-Chloroethylvinyl ether	EPA 8260B	<10 ug/L	4/24/03	
Chloroform	EPA 8260B	<5 ug/L	4/24/03	
Chloromethane	EPA 8260B	<10 ug/L	4/24/03	
2-Chlorotoluene	EPA 8260B	<5 ug/L	4/24/03	
4-Chlorotoluene	EPA 8260B	<5 ug/L	4/24/03	
Dibromochloromethane	EPA 8260B	<5 ug/L	4/24/03	
1,2-Dibromo-3-chloropropane	EPA 8260B	<25 ug/L	4/24/03	
1,2-Dibromoethane	EPA 8260B	<5 ug/L	4/24/03	
Dibromomethane	EPA 8260B	<10 ug/L	4/24/03	
1,2-Dichlorobenzene	EPA 8260B	<5 ug/L	4/24/03	
1,3-Dichlorobenzene	EPA 8260B	<5 ug/L	4/24/03	
1,4-Dichlorobenzene	EPA 8260B	<5 ug/L	4/24/03	
Dichlorodifluoromethane	EPA 8260B	<5 ug/L	4/24/03	
1,1-Dichloroethane	EPA 8260B	<5 ug/L	4/24/03	
1,2-Dichloroethane	EPA 8260B	<5 ug/L	4/24/03	
1,1-Dichloroethene	EPA 8260B	<5 ug/L	4/24/03	
cis-1,2-Dichloroethene	EPA 8260B	<5 ug/L	4/24/03	
trans-1,2-Dichloroethene	EPA 8260B	<5 ug/L	4/24/03	
1,2-Dichloropropane	EPA 8260B	<5 ug/L	4/24/03	
1,3-Dichloropropane	EPA 8260B	<5 ug/L	4/24/03	
2,2-Dichloropropane	EPA 8260B	<5 ug/L	4/24/03	
1,1-Dichloropropene	EPA 8260B	<5 ug/L	4/24/03	
cis-1,3-Dichloropropene	EPA 8260B	<5 ug/L	4/24/03	
trans-1,3-Dichloropropene	EPA 8260B	<5 ug/L	4/24/03	
Ethylbenzene	EPA 8260B	<5 ug/L	4/24/03	
2-Hexanone	EPA 8260B	<50 ug/L	4/24/03	
Isopropylbenzene	EPA 8260B	<5 ug/L	4/24/03	
p-Isopropyltoluene	EPA 8260B	<5 ug/L	4/24/03	
Methylene chloride	EPA 8260B	<5 ug/L	4/24/03	
Methyl ethyl ketone (MEK)	EPA 8260B	<50 ug/L	4/24/03	
MIBK (4-Methyl-2-pentanone)	EPA 8260B	<50 ug/L	4/24/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **4/30/2003**
Date Received: **4/17/2003**

Work Order #: **0303-00953**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
002	03-E042 SH W#2	4/16/2003	12:15	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
n-Propylbenzene	EPA 8260B	<5 ug/L	4/24/03	
Styrene	EPA 8260B	<5 ug/L	4/24/03	
1,1,1,2-Tetrachloroethane	EPA 8260B	<5 ug/L	4/24/03	
1,1,2,2-Tetrachloroethane	EPA 8260B	<5 ug/L	4/24/03	
Tetrachloroethene	EPA 8260B	<5 ug/L	4/24/03	
Toluene	EPA 8260B	<5 ug/L	4/24/03	
1,2,4-Trichlorobenzene	EPA 8260B	<10 ug/L	4/24/03	
1,1,1-Trichloroethane	EPA 8260B	<5 ug/L	4/24/03	
1,1,2-Trichloroethane	EPA 8260B	<5 ug/L	4/24/03	
Trichloroethene	EPA 8260B	<5 ug/L	4/24/03	
Trichlorofluoromethane	EPA 8260B	<5 ug/L	4/24/03	
1,2,3-Trichloropropane	EPA 8260B	<15 ug/L	4/24/03	
1,2,4-Trimethylbenzene	EPA 8260B	<5 ug/L	4/24/03	
1,3,5-Trimethylbenzene	EPA 8260B	<10 ug/L	4/24/03	
Vinyl acetate	EPA 8260B	<50 ug/L	4/24/03	
Vinyl chloride	EPA 8260B	<10 ug/L	4/24/03	
o-Xylene	EPA 8260B	<5 ug/L	4/24/03	
m- & p-Xylene	EPA 8260B	<5 ug/L	4/24/03	
trans-1,4-Dichloro-2-butene	EPA 8260B	<100 ug/L	4/24/03	
Iodomethane	EPA 8260B	<10 ug/L	4/24/03	
Barium by ICP/MS-Water	EPA 200.8	91.5 ug/L	4/22/03	
Cadmium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	4/22/03	
Chromium by ICP/MS-Water	EPA 200.8	3.16 ug/L	4/22/03	
Lead by ICP/MS-Water	EPA 200.8	2.10 ug/L	4/22/03	
Selenium by ICP/MS-Water	EPA 200.8	1.36 ug/L	4/22/03	
Silver by ICP/MS-Waters	EPA 200.8	<1.0 ug/L	4/22/03	
Sulfate in Water	EPA 375.4	2.25 mg/L	4/22/03	
Mercury by CV/Water	EPA 245.1	<0.2# ug/L	4/23/03	
Metals Prep	EPA 200.8	DONE	4/17/03	
Mercury Prep	EPA 7470A/71A	done#	4/23/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **4/30/2003**
Date Received: **4/17/2003**

Work Order #: **0303-00953**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
003	03-E043 SH W#3	4/16/2003	12:15	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Arsenic by ICP/MS-Water	EPA 200.8	2.95 ug/L	4/22/03	
Volatiles, Water/Low Level			4/24/03	
Acetone	EPA 8260B	<50 ug/L	4/24/03	
Acrolein	EPA 8260B	<50 ug/L	4/24/03	
Acrylonitrile	EPA 8260B	<50 ug/L	4/24/03	
Benzene	EPA 8260B	<5 ug/L	4/24/03	
Bromodichloromethane	EPA 8260B	<5 ug/L	4/24/03	
Bromobenzene	EPA 8260B	<5 ug/L	4/24/03	
Bromochloromethane	EPA 8260B	<5 ug/L	4/24/03	
Bromoform	EPA 8260B	<5 ug/L	4/24/03	
Bromomethane	EPA 8260B	<10 ug/L	4/24/03	
sec-Butylbenzene	EPA 8260B	<5 ug/L	4/24/03	
tert-Butylbenzene	EPA 8260B	<5 ug/L	4/24/03	
Carbon disulfide	EPA 8260B	<5 ug/L	4/24/03	
Carbon tetrachloride	EPA 8260B	<5 ug/L	4/24/03	
Chlorobenzene	EPA 8260B	<5 ug/L	4/24/03	
Chloroethane	EPA 8260B	<10 ug/L	4/24/03	
2-Chloroethylvinyl ether	EPA 8260B	<10 ug/L	4/24/03	
Chloroform	EPA 8260B	<5 ug/L	4/24/03	
Chloromethane	EPA 8260B	<10 ug/L	4/24/03	
2-Chlorotoluene	EPA 8260B	<5 ug/L	4/24/03	
4-Chlorotoluene	EPA 8260B	<5 ug/L	4/24/03	
Dibromochloromethane	EPA 8260B	<5 ug/L	4/24/03	
1,2-Dibromo-3-chloropropane	EPA 8260B	<25 ug/L	4/24/03	
1,2-Dibromoethane	EPA 8260B	<5 ug/L	4/24/03	
Dibromomethane	EPA 8260B	<10 ug/L	4/24/03	
1,2-Dichlorobenzene	EPA 8260B	<5 ug/L	4/24/03	
1,3-Dichlorobenzene	EPA 8260B	<5 ug/L	4/24/03	
1,4-Dichlorobenzene	EPA 8260B	<5 ug/L	4/24/03	
Dichlorodifluoromethane	EPA 8260B	<5 ug/L	4/24/03	
1,1-Dichloroethane	EPA 8260B	<5 ug/L	4/24/03	
1,2-Dichloroethane	EPA 8260B	<5 ug/L	4/24/03	
1,1-Dichloroethene	EPA 8260B	<5 ug/L	4/24/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **4/30/2003**
Date Received: **4/17/2003**

Work Order #: **0303-00953**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
003	03-E043 SH W#3	4/16/2003	12:15	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
cis-1,2-Dichloroethene	EPA 8260B	<5 ug/L	4/24/03	
trans-1,2-Dichloroethene	EPA 8260B	<5 ug/L	4/24/03	
1,2-Dichloropropane	EPA 8260B	<5 ug/L	4/24/03	
1,3-Dichloropropane	EPA 8260B	<5 ug/L	4/24/03	
2,2-Dichloropropane	EPA 8260B	<5 ug/L	4/24/03	
1,1-Dichloropropene	EPA 8260B	<5 ug/L	4/24/03	
cis-1,3-Dichloropropene	EPA 8260B	<5 ug/L	4/24/03	
trans-1,3-Dichloropropene	EPA 8260B	<5 ug/L	4/24/03	
Ethylbenzene	EPA 8260B	<5 ug/L	4/24/03	
2-Hexanone	EPA 8260B	<50 ug/L	4/24/03	
Isopropylbenzene	EPA 8260B	<5 ug/L	4/24/03	
p-Isopropyltoluene	EPA 8260B	<5 ug/L	4/24/03	
Methylene chloride	EPA 8260B	<5 ug/L	4/24/03	
Methyl ethyl ketone (MEK)	EPA 8260B	<50 ug/L	4/24/03	
MIBK (4-Methyl-2-pentanone)	EPA 8260B	<50 ug/L	4/24/03	
n-Propylbenzene	EPA 8260B	<5 ug/L	4/24/03	
Styrene	EPA 8260B	<5 ug/L	4/24/03	
1,1,1,2-Tetrachloroethane	EPA 8260B	<5 ug/L	4/24/03	
1,1,2,2-Tetrachloroethane	EPA 8260B	<5 ug/L	4/24/03	
Tetrachloroethene	EPA 8260B	<5 ug/L	4/24/03	
Toluene	EPA 8260B	<5 ug/L	4/24/03	
1,2,4-Trichlorobenzene	EPA 8260B	<10 ug/L	4/24/03	
1,1,1-Trichloroethane	EPA 8260B	<5 ug/L	4/24/03	
1,1,2-Trichloroethane	EPA 8260B	<5 ug/L	4/24/03	
Trichloroethene	EPA 8260B	<5 ug/L	4/24/03	
Trichlorofluoromethane	EPA 8260B	<5 ug/L	4/24/03	
1,2,3-Trichloropropane	EPA 8260B	<15 ug/L	4/24/03	
1,2,4-Trimethylbenzene	EPA 8260B	<5 ug/L	4/24/03	
1,3,5-Trimethylbenzene	EPA 8260B	<10 ug/L	4/24/03	
Vinyl acetate	EPA 8260B	<50 ug/L	4/24/03	
Vinyl chloride	EPA 8260B	<10 ug/L	4/24/03	
o-Xylene	EPA 8260B	<5 ug/L	4/24/03	
m- & p-Xylene	EPA 8260B	<5 ug/L	4/24/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **4/30/2003**
Date Received: **4/17/2003**

Work Order #: **0303-00953**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
003	03-E043 SH W#3	4/16/2003	12:15	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
trans-1,4-Dichloro-2-butene	EPA 8260B	<100 ug/L	4/24/03	
Iodomethane	EPA 8260B	<10 ug/L	4/24/03	
Barium by ICP/MS-Water	EPA 200.8	152 ug/L	4/22/03	
Cadmium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	4/22/03	
Chromium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	4/22/03	
Lead by ICP/MS-Water	EPA 200.8	<1.0 ug/L	4/22/03	
Selenium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	4/22/03	
Silver by ICP/MS-Waters	EPA 200.8	<1.0 ug/L	4/22/03	
Sulfate in Water	EPA 375.4	2.92 mg/L	4/22/03	
Mercury by CV/Water	EPA 245.1	<0.2# ug/L	4/23/03	
Metals Prep	EPA 200.8	DONE	4/17/03	
Mercury Prep	EPA 7470A/71A	done#	4/23/03	

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
004	03-E044 SH W#4	4/16/2003	12:40	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Arsenic by ICP/MS-Water	EPA 200.8	3.17 ug/L	4/22/03	
Volatiles, Water/Low Level			4/24/03	
Acetone	EPA 8260B	<50 ug/L	4/24/03	
Acrolein	EPA 8260B	<50 ug/L	4/24/03	
Acrylonitrile	EPA 8260B	<50 ug/L	4/24/03	
Benzene	EPA 8260B	<5 ug/L	4/24/03	
Bromodichloromethane	EPA 8260B	<5 ug/L	4/24/03	
Bromobenzene	EPA 8260B	<5 ug/L	4/24/03	
Bromochloromethane	EPA 8260B	<5 ug/L	4/24/03	
Bromoform	EPA 8260B	<5 ug/L	4/24/03	
Bromomethane	EPA 8260B	<10 ug/L	4/24/03	
sec-Butylbenzene	EPA 8260B	<5 ug/L	4/24/03	
tert-Butylbenzene	EPA 8260B	<5 ug/L	4/24/03	
Carbon disulfide	EPA 8260B	<5 ug/L	4/24/03	
Carbon tetrachloride	EPA 8260B	<5 ug/L	4/24/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **4/30/2003**
Date Received: **4/17/2003**

Work Order #: **0303-00953**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
004	03-E044 SH W#4	4/16/2003	12:40	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Chlorobenzene	EPA 8260B	<5 ug/L	4/24/03	
Chloroethane	EPA 8260B	<10 ug/L	4/24/03	
2-Chloroethylvinyl ether	EPA 8260B	<10 ug/L	4/24/03	
Chloroform	EPA 8260B	<5 ug/L	4/24/03	
Chloromethane	EPA 8260B	<10 ug/L	4/24/03	
2-Chlorotoluene	EPA 8260B	<5 ug/L	4/24/03	
4-Chlorotoluene	EPA 8260B	<5 ug/L	4/24/03	
Dibromochloromethane	EPA 8260B	<5 ug/L	4/24/03	
1,2-Dibromo-3-chloropropane	EPA 8260B	<25 ug/L	4/24/03	
1,2-Dibromoethane	EPA 8260B	<5 ug/L	4/24/03	
Dibromomethane	EPA 8260B	<10 ug/L	4/24/03	
1,2-Dichlorobenzene	EPA 8260B	<5 ug/L	4/24/03	
1,3-Dichlorobenzene	EPA 8260B	<5 ug/L	4/24/03	
1,4-Dichlorobenzene	EPA 8260B	<5 ug/L	4/24/03	
Dichlorodifluoromethane	EPA 8260B	<5 ug/L	4/24/03	
1,1-Dichloroethane	EPA 8260B	<5 ug/L	4/24/03	
1,2-Dichloroethane	EPA 8260B	<5 ug/L	4/24/03	
1,1-Dichloroethene	EPA 8260B	<5 ug/L	4/24/03	
cis-1,2-Dichloroethene	EPA 8260B	<5 ug/L	4/24/03	
trans-1,2-Dichloroethene	EPA 8260B	<5 ug/L	4/24/03	
1,2-Dichloropropane	EPA 8260B	<5 ug/L	4/24/03	
1,3-Dichloropropane	EPA 8260B	<5 ug/L	4/24/03	
2,2-Dichloropropane	EPA 8260B	<5 ug/L	4/24/03	
1,1-Dichloropropene	EPA 8260B	<5 ug/L	4/24/03	
cis-1,3-Dichloropropene	EPA 8260B	<5 ug/L	4/24/03	
trans-1,3-Dichloropropene	EPA 8260B	<5 ug/L	4/24/03	
Ethylbenzene	EPA 8260B	<5 ug/L	4/24/03	
2-Hexanone	EPA 8260B	<50 ug/L	4/24/03	
Isopropylbenzene	EPA 8260B	<5 ug/L	4/24/03	
p-Isopropyltoluene	EPA 8260B	<5 ug/L	4/24/03	
Methylene chloride	EPA 8260B	<5 ug/L	4/24/03	
Methyl ethyl ketone (MEK)	EPA 8260B	<50 ug/L	4/24/03	
MIBK (4-Methyl-2-pentanone)	EPA 8260B	<50 ug/L	4/24/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **4/30/2003**
Date Received: **4/17/2003**

Work Order #: **0303-00953**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
004	03-E044 SH W#4	4/16/2003	12:40	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
n-Propylbenzene	EPA 8260B	<5 ug/L	4/24/03	
Styrene	EPA 8260B	<5 ug/L	4/24/03	
1,1,1,2-Tetrachloroethane	EPA 8260B	<5 ug/L	4/24/03	
1,1,2,2-Tetrachloroethane	EPA 8260B	<5 ug/L	4/24/03	
Tetrachloroethene	EPA 8260B	<5 ug/L	4/24/03	
Toluene	EPA 8260B	<5 ug/L	4/24/03	
1,2,4-Trichlorobenzene	EPA 8260B	<10 ug/L	4/24/03	
1,1,1-Trichloroethane	EPA 8260B	<5 ug/L	4/24/03	
1,1,2-Trichloroethane	EPA 8260B	<5 ug/L	4/24/03	
Trichloroethene	EPA 8260B	<5 ug/L	4/24/03	
Trichlorofluoromethane	EPA 8260B	<5 ug/L	4/24/03	
1,2,3-Trichloropropane	EPA 8260B	<15 ug/L	4/24/03	
1,2,4-Trimethylbenzene	EPA 8260B	<5 ug/L	4/24/03	
1,3,5-Trimethylbenzene	EPA 8260B	<10 ug/L	4/24/03	
Vinyl acetate	EPA 8260B	<50 ug/L	4/24/03	
Vinyl chloride	EPA 8260B	<10 ug/L	4/24/03	
o-Xylene	EPA 8260B	<5 ug/L	4/24/03	
m- & p-Xylene	EPA 8260B	<5 ug/L	4/24/03	
trans-1,4-Dichloro-2-butene	EPA 8260B	<100 ug/L	4/24/03	
Iodomethane	EPA 8260B	<10 ug/L	4/24/03	
Barium by ICP/MS-Water	EPA 200.8	18.7 ug/L	4/22/03	
Cadmium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	4/22/03	
Chromium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	4/22/03	
Lead by ICP/MS-Water	EPA 200.8	<1.0 ug/L	4/22/03	
Selenium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	4/22/03	
Silver by ICP/MS-Waters	EPA 200.8	<1.0 ug/L	4/22/03	
Sulfate in Water	EPA 375.4	<2.0 mg/L	4/22/03	
Mercury by CV/Water	EPA 245.1	<0.2# ug/L	4/23/03	
Metals Prep	EPA 200.8	DONE	4/17/03	
Mercury Prep	EPA 7470A/71A	done#	4/23/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **4/30/2003**
Date Received: **4/17/2003**

Work Order #: **0303-00953**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
005	03-E045 SH W#5	4/16/2003	13:05	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Arsenic by ICP/MS-Water	**EPA 200.8**	**2.23 ug/L**	**4/22/03**	
Volatiles, Water/Low Level			**4/24/03**	
Acetone	**EPA 8260B**	**<50 ug/L**	**4/24/03**	
Acrolein	**EPA 8260B**	**<50 ug/L**	**4/24/03**	
Acrylonitrile	**EPA 8260B**	**<50 ug/L**	**4/24/03**	
Benzene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Bromodichloromethane	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Bromobenzene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Bromochloromethane	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Bromoform	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Bromomethane	**EPA 8260B**	**<10 ug/L**	**4/24/03**	
sec-Butylbenzene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
tert-Butylbenzene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Carbon disulfide	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Carbon tetrachloride	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Chlorobenzene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Chloroethane	**EPA 8260B**	**<10 ug/L**	**4/24/03**	
2-Chloroethylvinyl ether	**EPA 8260B**	**<10 ug/L**	**4/24/03**	
Chloroform	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Chloromethane	**EPA 8260B**	**<10 ug/L**	**4/24/03**	
2-Chlorotoluene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
4-Chlorotoluene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Dibromochloromethane	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
1,2-Dibromo-3-chloropropane	**EPA 8260B**	**<25 ug/L**	**4/24/03**	
1,2-Dibromoethane	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Dibromomethane	**EPA 8260B**	**<10 ug/L**	**4/24/03**	
1,2-Dichlorobenzene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
1,3-Dichlorobenzene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
1,4-Dichlorobenzene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
Dichlorodifluoromethane	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
1,1-Dichloroethane	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
1,2-Dichloroethane	**EPA 8260B**	**<5 ug/L**	**4/24/03**	
1,1-Dichloroethene	**EPA 8260B**	**<5 ug/L**	**4/24/03**	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **4/30/2003**
Date Received: **4/17/2003**

Work Order #: **0303-00953**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
005	03-E045 SH W#5	4/16/2003	13:05	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
cis-1,2-Dichloroethene	EPA 8260B	<5 ug/L	4/24/03	
trans-1,2-Dichloroethene	EPA 8260B	<5 ug/L	4/24/03	
1,2-Dichloropropane	EPA 8260B	<5 ug/L	4/24/03	
1,3-Dichloropropane	EPA 8260B	<5 ug/L	4/24/03	
2,2-Dichloropropane	EPA 8260B	<5 ug/L	4/24/03	
1,1-Dichloropropene	EPA 8260B	<5 ug/L	4/24/03	
cis-1,3-Dichloropropene	EPA 8260B	<5 ug/L	4/24/03	
trans-1,3-Dichloropropene	EPA 8260B	<5 ug/L	4/24/03	
Ethylbenzene	EPA 8260B	<5 ug/L	4/24/03	
2-Hexanone	EPA 8260B	<50 ug/L	4/24/03	
Isopropylbenzene	EPA 8260B	<5 ug/L	4/24/03	
p-Isopropyltoluene	EPA 8260B	<5 ug/L	4/24/03	
Methylene chloride	EPA 8260B	<5 ug/L	4/24/03	
Methyl ethyl ketone (MEK)	EPA 8260B	<50 ug/L	4/24/03	
MIBK (4-Methyl-2-pentanone)	EPA 8260B	<50 ug/L	4/24/03	
n-Propylbenzene	EPA 8260B	<5 ug/L	4/24/03	
Styrene	EPA 8260B	<5 ug/L	4/24/03	
1,1,1,2-Tetrachloroethane	EPA 8260B	<5 ug/L	4/24/03	
1,1,2,2-Tetrachloroethane	EPA 8260B	<5 ug/L	4/24/03	
Tetrachloroethene	EPA 8260B	<5 ug/L	4/24/03	
Toluene	EPA 8260B	<5 ug/L	4/24/03	
1,2,4-Trichlorobenzene	EPA 8260B	<10 ug/L	4/24/03	
1,1,1-Trichloroethane	EPA 8260B	<5 ug/L	4/24/03	
1,1,2-Trichloroethane	EPA 8260B	<5 ug/L	4/24/03	
Trichloroethene	EPA 8260B	<5 ug/L	4/24/03	
Trichlorofluoromethane	EPA 8260B	<5 ug/L	4/24/03	
1,2,3-Trichloropropane	EPA 8260B	<15 ug/L	4/24/03	
1,2,4-Trimethylbenzene	EPA 8260B	<5 ug/L	4/24/03	
1,3,5-Trimethylbenzene	EPA 8260B	<10 ug/L	4/24/03	
Vinyl acetate	EPA 8260B	<50 ug/L	4/24/03	
Vinyl chloride	EPA 8260B	<10 ug/L	4/24/03	
o-Xylene	EPA 8260B	<5 ug/L	4/24/03	
m- & p-Xylene	EPA 8260B	<5 ug/L	4/24/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **4/30/2003**
Date Received: **4/17/2003**

Work Order #: **0303-00953**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
005	03-E045 SH W#5	4/16/2003	13:05	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
trans-1,4-Dichloro-2-butene	EPA 8260B	<100 ug/L	4/24/03	
Iodomethane	EPA 8260B	<10 ug/L	4/24/03	
Barium by ICP/MS-Water	EPA 200.8	69.1 ug/L	4/22/03	
Cadmium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	4/22/03	
Chromium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	4/22/03	
Lead by ICP/MS-Water	EPA 200.8	<1.0 ug/L	4/22/03	
Selenium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	4/22/03	
Silver by ICP/MS-Waters	EPA 200.8	<1.0 ug/L	4/22/03	
Sulfate in Water	EPA 375.4	3.68 mg/L	4/22/03	
Mercury by CV/Water	EPA 245.1	<0.2# ug/L	4/23/03	
Metals Prep	EPA 200.8	DONE	4/17/03	
Mercury Prep	EPA 7470A/71A	done#	4/23/03	

#ANALYZED BY OXFORD LABORATORIES, INC., WILMINGTON, NC.

Report Certified by:

for Tritest, Inc.

Tritest, Inc.
3909 Beryl Road, Raleigh, NC 27607
ph: (919) 834-4984 fax: (919) 834-6497
NCWW CERT#67, NCDW CERT#37731

Chain of Custody

Tritest W.O. # 0303-00953

HARRIS GWW

Report Results To:

Company: PROGRESS ENERGY - HEEC ENVIRON
Address: HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562
Attn: SUSAN WEATHERS
Phone: (919)362-3588 Fax: (919)362-3391
Sampled by (signature): R. N. [illegible], Clarence R. [illegible]

Bill To:

PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project Reference:
Project Number:
Purchase Order #:

☐ Standard Report Delivery
☐ Rush Report Delivery (w/surcharge)
**Rush projects are subject to prior approval by the laboratory
Requested Due Date:

Sample Description	Composite Grab	Start Date / Start Time	End Date / End Time	Matrix WW,DW SW,GWS	Analyses Requested	Tritest Sample #
03-E041 SH W#1	Grab		1135 4/16/03 RWS	GW	AA-ASGFW, MS-8260LOW, ZZ-826W-1, ZZ-826W-2, ZZ-826W-3, ZZ-826W-4, ZZ-826W-5, ZZ-826W-6, ZZ-826W-7, ZZ-826W-8, ZZ-826W-9, ZZ-826W-10, ZZ-826W-11, ZZ-826W-12, ZZ-826W-13, ZZ-826W-14, ZZ-826W-15, ZZ-826W-16, ZZ-826W-17, ZZ-826W-18, ZZ-826W-19, ZZ-826W-20, ZZ-826W-21, ZZ-826W-22, ZZ-826W-23, ZZ-826W-24, ZZ-826W-25, ZZ-826W-26, ZZ-826W-27, ZZ-826W-28, ZZ-826W-29, ZZ-826W-30, ZZ-826W-31, ZZ-826W-32, ZZ-826W-33, ZZ-826W-34, ZZ-826W-35, ZZ-826W-36, ZZ-826W-37, ZZ-826W-38, ZZ-826W-39, ZZ-826W-40, ZZ-826W-41, ZZ-826W-42, ZZ-826W-43, ZZ-826W-44, ZZ-826W-45, ZZ-826W-46, ZZ-826W-47, ZZ-826W-48, ZZ-826W-49, ZZ-826W-50, ZZ-826W-51, ZZ-826W-52, ZZ-826W-53, ZZ-826W-54, ZZ-826W-55, ZZ-826W-56, ZZ-826W-57, ZZ-826W-58, ZZ-826W-59	001

Relinquished by (signature)	Received by (signature)	Date	Time
R. N. [illegible]	Janice James	4/16/03	1548
Janice James	W H Franklin	4/17/03	1105
W H Franklin	Christine Hammond	4/17/03	1130

Receipt Conditions (Lab Use Only):
☐ 4±2°C ☐Temp: 2.0°C
Res. Chlorine ☒Absent ☐Present ☐n/a
Acid preserv. <2? ☒Yes ☐No ☐n/a
Base preserv. >12? ☐Yes ☐No ☒n/a

4/17/03 [illegible]

Tritest, Inc.
3909 Beryl Road, Raleigh, NC 27607
ph: (919) 834-4984 fax: (919) 834-6497
NCWW CERT#67, NCDW CERT#37731

Chain of Custody

Tritest W.O. # 0303-00953

Report Results To:

Company: PROGRESS ENERGY - HEEC ENVIRON
Address: HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562
Attn: SUSAN WEATHERS
Phone: (919)362-3588 Fax: (919)362-3391
Sampled by (signature): R. W. [illegible], Clarence R. Cofield

Bill To:

PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project Reference:
Project Number:
Purchase Order #:

☐ Standard Report Delivery
☐ Rush Report Delivery (w/surcharge)
**Rush projects are subject to prior approval by the laboratory
Requested Due Date:

Sample Description	Composite Grab	Start Date / Start Time	End Date / End Time	Matrix WW,DW SW,GWS	Analyses Requested	Tritest Sample #
03-E042 SH W#2	Grab		1155 4/16/03	GW	AA-ASGFW, MS-8260LOW, ZZ-826W-1, ZZ-826W-2, ZZ-826W-3, ZZ-826W-4, ZZ-826W-5, ZZ-826W-6, ZZ-826W-7, ZZ-826W-8, ZZ-826W-9, ZZ-826W-10, ZZ-826W-11, ZZ-826W-12, ZZ-826W-13, ZZ-826W-14, ZZ-826W-15, ZZ-826W-16, ZZ-826W-17, ZZ-826W-18, ZZ-826W-19, ZZ-826W-20, ZZ-826W-21, ZZ-826W-22, ZZ-826W-23, ZZ-826W-24, ZZ-826W-25, ZZ-826W-26, ZZ-826W-27, ZZ-826W-28, ZZ-826W-29, ZZ-826W-30, ZZ-826W-31, ZZ-826W-32, ZZ-826W-33, ZZ-826W-34, ZZ-826W-35, ZZ-826W-36, ZZ-826W-37, ZZ-826W-38, ZZ-826W-39, ZZ-826W-40, ZZ-826W-41, ZZ-826W-42, ZZ-826W-43, ZZ-826W-44, ZZ-826W-45, ZZ-826W-46, ZZ-826W-47, ZZ-826W-48, ZZ-826W-49, ZZ-826W-50, ZZ-826W-51, ZZ-826W-52, ZZ-826W-53, ZZ-826W-54, ZZ-826W-55, ZZ-826W-56, ZZ-826W-57, ZZ-826W-58, ZZ-826W-59	002

Relinquished by (signature)	Received by (signature)	Date	Time
R. W. [illegible]	Janice James	4/16/03	1548
Janice James	W H Franklin	4/17/03	1105
W H Franklin	[illegible]	4/17/03	1130

Receipt Conditions (Lab Use Only):
☐ 4±2°C ☐Temp: 2.0 °C
Res. Chlorine ☒Absent ☐Present ☐n/a
Acid preserv. <2? ☒Yes ☐No ☐n/a
Base preserv. >12? ☐Yes ☐No ☒n/a

Tritest, Inc.
3909 Beryl Road, Raleigh, NC 27607
ph: (919) 834-4984 fax: (919) 834-6497
NCWW CERT#67, NCDW CERT#37731

Chain of Custody

Tritest W.O. # 0303-00953

Report Results To:

Company: PROGRESS ENERGY - HEEC ENVIRON
Address: HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562
Attn: SUSAN WEATHERS
Phone: (919)362-3588 Fax: (919)362-3391
Sampled by (signature): R.W. [illegible], Clarence [illegible]

Bill To:

PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project Reference:
Project Number:
Purchase Order #:

☐ Standard Report Delivery
☐ Rush Report Delivery (w/surcharge)
**Rush projects are subject to prior approval by the laboratory
Requested Due Date:

Sample Description	Composite Grab	Start Date / Start Time	End Date / End Time	Matrix WW,DW SW,GWS	Analyses Requested	Tritest Sample #
03-E043 SH W#3	Grab		1215 4/16/03	GW	AA-ASGFW, MS-8260LOW, ZZ-826W-1, ZZ-826W-2, ZZ-826W-3, ZZ-826W-4, ZZ-826W-5, ZZ-826W-6, ZZ-826W-7, ZZ-826W-8, ZZ-826W-9, ZZ-826W-10, ZZ-826W-11, ZZ-826W-12, ZZ-826W-13, ZZ-826W-14, ZZ-826W-15, ZZ-826W-16, ZZ-826W-17, ZZ-826W-18, ZZ-826W-19, ZZ-826W-20, ZZ-826W-21, ZZ-826W-22, ZZ-826W-23, ZZ-826W-24, ZZ-826W-25, ZZ-826W-26, ZZ-826W-27, ZZ-826W-28, ZZ-826W-29, ZZ-826W-30, ZZ-826W-31, ZZ-826W-32, ZZ-826W-33, ZZ-826W-34, ZZ-826W-35, ZZ-826W-36, ZZ-826W-37, ZZ-826W-38, ZZ-826W-39, ZZ-826W-40, ZZ-826W-41, ZZ-826W-42, ZZ-826W-43, ZZ-826W-44, ZZ-826W-45, ZZ-826W-46, ZZ-826W-47, ZZ-826W-48, ZZ-826W-49, ZZ-826W-50, ZZ-826W-51, ZZ-826W-52, ZZ-826W-53, ZZ-826W-54, ZZ-826W-55, ZZ-826W-56, ZZ-826W-57, ZZ-826W-58, ZZ-826W-59	003

Relinquished by (signature)	Received by (signature)	Date	Time
R.W. [illegible]	James James	4/16/03	1548
James James	W H Franklin	4/16/03	1105
W H Franklin	Christine Hammond	4/17/03	1130

Receipt Conditions (Lab Use Only):
☐ 4±2°C ☐Temp: 2.0 °C
Res. Chlorine ☒Absent ☐Present ☐n/a
Acid preserv. <2? ☒Yes ☐No ☐n/a
Base preserv. >12? ☐Yes ☐No ☒n/a

Tritest, Inc.
3909 Beryl Road, Raleigh, NC 27607
ph: (919) 834-4984 fax: (919) 834-6497
NCWW CERT#67, NCDW CERT#37731

Chain of Custody

Tritest W.O. # 0303-00953

Report Results To:

Company: PROGRESS ENERGY - HEEC ENVIRON
Address: HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562
Attn: SUSAN WEATHERS

Phone: (919)362-3588 Fax: (919)362-3391

Sampled by (signature): R W. Smith, Clarence Cofield

Bill To:

PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project Reference:
Project Number:
Purchase Order #:

☐ Standard Report Delivery
☐ Rush Report Delivery (w/surcharge)
**Rush projects are subject to prior approval by the laboratory
Requested Due Date:

Sample Description	Composite Grab	Start Date / Start Time	End Date / End Time	Matrix WW,DW SW,GWS	Analyses Requested	Tritest Sample #
03-E044 SH W#4	Grab	X	1240 / 4/16/03	GW	AA-ASGFW, MS-8260LOW, ZZ-826W-1, ZZ-826W-2, ZZ-826W-3, ZZ-826W-4, ZZ-826W-5, ZZ-826W-6, ZZ-826W-7, ZZ-826W-8, ZZ-826W-9, ZZ-826W-10, ZZ-826W-11, ZZ-826W-12, ZZ-826W-13,	004
					ZZ-826W-14, ZZ-826W-15, ZZ-826W-16, ZZ-826W-17, ZZ-826W-18, ZZ-826W-19, ZZ-826W-20, ZZ-826W-21, ZZ-826W-22, ZZ-826W-23, ZZ-826W-24, ZZ-826W-25, ZZ-826W-26, ZZ-826W-27, ZZ-826W-28, ZZ-826W-29, ZZ-826W-30, ZZ-826W-31, ZZ-826W-32, ZZ-826W-33, ZZ-826W-34, ZZ-826W-35, ZZ-826W-36, ZZ-826W-37, ZZ-826W-38, ZZ-826W-39, ZZ-826W-40, ZZ-826W-41, ZZ-826W-42, ZZ-826W-43, ZZ-826W-44, ZZ-826W-45, ZZ-826W-46, ZZ-826W-47, ZZ-826W-48, ZZ-826W-49, ZZ-826W-50, ZZ-826W-51, ZZ-826W-52, ZZ-826W-53, ZZ-826W-54, ZZ-826W-55, ZZ-826W-56, ZZ-826W-57, ZZ-826W-58, ZZ-826W-59	

Relinquished by (signature)	Received by (signature)	Date	Time
R W. Smith	Janice James	4/16/03	1548
Janice James	W H Franklin	4/17/03	1105
W H Franklin	Christine Hamma	4/17/03	1130

Receipt Conditions (Lab Use Only):
☐ 4±2°C ☐Temp: 2.0 °C
Res. Chlorine ☑Absent ☐Present ☐n/a
Acid preserv. <2? ☐Yes ☐No ☐n/a
Base preserv. >12? ☐Yes ☐No ☐n/a

Tritest, Inc.
3909 Beryl Road, Raleigh, NC 27607
ph: (919) 834-4984 fax: (919) 834-6497
NCWW CERT#67, NCDW CERT#37731

Chain of Custody

Tritest W.O. # 0303-00953

Report Results To:

Company: PROGRESS ENERGY - HEEC ENVIRON
Address: HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562
Attn: SUSAN WEATHERS
Phone: (919)362-3588 Fax: (919)362-3391
Sampled by (signature): R. W. [illegible], Clarence R. Cofield

Bill To:

PROGRESS ENERGY - HEEC ENVIRON
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project Reference:
Project Number:
Purchase Order #:

☐ Standard Report Delivery
☐ Rush Report Delivery (w/surcharge)
**Rush projects are subject to prior approval by the laboratory
Requested Due Date:

Sample Description	Composite Grab	Start Date / Start Time	End Date / End Time	Matrix WW,DW SW,GWS	Analyses Requested	Tritest Sample #
03-E045 SH W#5	Grab		1305 4/16/03	GW	AA-ASGFW, MS-8260LOW, ZZ-826W-1, ZZ-826W-2, ZZ-826W-3, ZZ-826W-4, ZZ-826W-5, ZZ-826W-6, ZZ-826W-7, ZZ-826W-8, ZZ-826W-9, ZZ-826W-10, ZZ-826W-11, ZZ-826W-12, ZZ-826W-13, ZZ-826W-14, ZZ-826W-15, ZZ-826W-16, ZZ-826W-17, ZZ-826W-18, ZZ-826W-19, ZZ-826W-20, ZZ-826W-21, ZZ-826W-22, ZZ-826W-23, ZZ-826W-24, ZZ-826W-25, ZZ-826W-26, ZZ-826W-27, ZZ-826W-28, ZZ-826W-29, ZZ-826W-30, ZZ-826W-31, ZZ-826W-32, ZZ-826W-33, ZZ-826W-34, ZZ-826W-35, ZZ-826W-36, ZZ-826W-37, ZZ-826W-38, ZZ-826W-39, ZZ-826W-40, ZZ-826W-41, ZZ-826W-42, ZZ-826W-43, ZZ-826W-44, ZZ-826W-45, ZZ-826W-46, ZZ-826W-47, ZZ-826W-48, ZZ-826W-49, ZZ-826W-50, ZZ-826W-51, ZZ-826W-52, ZZ-826W-53, ZZ-826W-54, ZZ-826W-55, ZZ-826W-56, ZZ-826W-57, ZZ-826W-58, ZZ-826W-59	005

Relinquished by (signature)	Received by (signature)	Date	Time
[illegible]	Janice James	4/16/03	1548
Janice James	W H Franklin	4/17/03	1105
W H Franklin	Chris Jane Hammerc	4/12/03	1130

Receipt Conditions (Lab Use Only):
☐ 4±2°C ☐Temp: 2.0 °C
Res. Chlorine ☒Absent ☐Present ☐n/a
Acid preserv. <2? ☒Yes ☐No ☐n/a
Base preserv. >12? ☐Yes ☐No ☒n/a