92-10

10-15-03

Progress Energy

NOV 2 0 2003

SERIAL: HNP-03-130

Mr. Bobby Lutfy
North Carolina Department of Environment
and Natural Resources
Solid Waste Section
1646 Mail Service Center
Raleigh, NC 27699-1646

Carmen Johnson
Scanned by | Date 9/26/12 | Doc ID # 92-10

Subject: Shearon Harris Nuclear Power Plant
Solid Waste Permit No. 92-10
Groundwater Monitoring Data

Dear Mr. Lutfy:

In accordance with Solid Waste Permit No. 92-10, for the Harris Nuclear Plant (HNP) sanitary landfill, enclosed are the results of the second semi-annual sampling of the groundwater monitoring wells for 2003.

If you have any questions or need further information, please contact Mr. R. T. Wilson at (919) 362-2444.

Sincerely,

B. C. Waldrep
Plant General Manager
Harris Nuclear Plant

MGW

Enclosure

MW-1:
CFC-12 - 128 ppb
T-1,2-DCE - 32.6 ppb

Received
NOV 2003
Solid Waste Section

Progress Energy Carolinas, Inc.
Harris Nuclear Plant
P.O. Box 165
New Hill, NC 27562

Progress Energy

memo

Date: November 13, 2003

To: Bob Wilson

From: Susan B. Weathers

Subject: Harris October 2003 Groundwater Well Sample Results

Attached are the data sheets from the vendor that performed the analyses for the Harris landfill groundwater well samples collected on 10/15/03. Listed below are the pH and specific conductance values for all wells. Conductivity and pH were measured here at the E&E Center lab immediately after sampling. I checked to verify all required analyses were performed by the vendor and I found no missing parameters. Let me know if you have any questions regarding the data.

	Well #1	**Well #2**	**Well #3**	**Well #4**	**Well #5**
pH	7.6	7.5	7.3	7.4	7.9
Specific Conductance	650	397	361	272	326

SBW:sbw
Attachment

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
Susan Weathers
Progress Energy - HEEC Env.
Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562

Report Date: **11/11/2003**
Date Received: **10/16/2003**

Work Order #: **0309-01317**

Project ID: **HARRIS PLANT / GWW**
Project ID: **HARRIS GWW - OCTOBER 2003**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
001	03-E108 SH W#1	10/15/2003	10:45	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Arsenic by ICP/MS-Water	EPA 200.8	5.46 ug/L	10/21/03	
Barium by ICP/MS-Water	EPA 200.8	102 ug/L	10/21/03	
Cadmium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	10/21/03	
Chromium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	10/21/03	
Lead by ICP/MS-Water	EPA 200.8	<1.0 ug/L	10/21/03	
Selenium by ICP/MS-Water	EPA 200.8	2.77 ug/L	10/21/03	
Silver by ICP/MS-Waters	EPA 200.8	<1.0 ug/L	10/21/03	
Sulfate in Water	EPA 375.4	2.7 mg/L	10/30/03	
Mercury by CV/Water	EPA 245.1	<0.2# ug/L	10/29/03	
Metals Prep	EPA 200.8	DONE	10/17/03	
Mercury Prep	EPA 7470A/71A	DONE	10/29/03	
Volatiles, Water/Low Level			10/28/03	
Acetone	EPA 8260B	<10 ug/L	10/28/03	
Acrolein	EPA 8260B	<10 ug/L	10/28/03	
Acrylonitrile	EPA 8260B	<10 ug/L	10/28/03	
Benzene	EPA 8260B	<1 ug/L	10/28/03	
Bromodichloromethane	EPA 8260B	<1 ug/L	10/28/03	
Bromobenzene	EPA 8260B	<1 ug/L	10/28/03	
Bromochloromethane	EPA 8260B	<1 ug/L	10/28/03	
Bromoform	EPA 8260B	<1 ug/L	10/28/03	
Bromomethane	EPA 8260B	<2 ug/L	10/28/03	
sec-Butylbenzene	EPA 8260B	<1 ug/L	10/28/03	
tert-Butylbenzene	EPA 8260B	<1 ug/L	10/28/03	
Carbon disulfide	EPA 8260B	<1 ug/L	10/28/03	
Carbon tetrachloride	EPA 8260B	<1 ug/L	10/28/03	
Chlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
Chloroethane	EPA 8260B	<2 ug/L	10/28/03	
2-Chloroethylvinyl ether	EPA 8260B	<2 ug/L	10/28/03	
Chloroform	EPA 8260B	<1 ug/L	10/28/03	
Chloromethane	EPA 8260B	<2 ug/L	10/28/03	
2-Chlorotoluene	EPA 8260B	<1 ug/L	10/28/03	
4-Chlorotoluene	EPA 8260B	<1 ug/L	10/28/03	
Dibromochloromethane	EPA 8260B	<1 ug/L	10/28/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
Susan Weathers
Progress Energy - HEEC Env.
Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562

Report Date: **11/11/2003**
Date Received: **10/16/2003**

Work Order #: **0309-01317**

Project ID: **HARRIS PLANT / GWW**
Project ID: **HARRIS GWW - OCTOBER 2003**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
001	03-E108 SH W#1	10/15/2003	10:45	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
1,2-Dibromo-3-chloropropane	EPA 8260B	<5 ug/L	10/28/03	
1,2-Dibromoethane	EPA 8260B	<1 ug/L	10/28/03	
Dibromomethane	EPA 8260B	<2 ug/L	10/28/03	
1,2-Dichlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
1,3-Dichlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
1,4-Dichlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
Dichlorodifluoromethane	EPA 8260B	128 ug/L	10/28/03	
1,1-Dichloroethane	EPA 8260B	<1 ug/L	10/28/03	
1,2-Dichloroethane	EPA 8260B	<1 ug/L	10/28/03	
1,1-Dichloroethene	EPA 8260B	<1 ug/L	10/28/03	
cis-1,2-Dichloroethene	EPA 8260B	<1 ug/L	10/28/03	
trans-1,2-Dichloroethene	EPA 8260B	32.6 ug/L	10/28/03	
1,2-Dichloropropane	EPA 8260B	<1 ug/L	10/28/03	
1,3-Dichloropropane	EPA 8260B	<1 ug/L	10/28/03	
2,2-Dichloropropane	EPA 8260B	<1 ug/L	10/28/03	
1,1-Dichloropropene	EPA 8260B	<1 ug/L	10/28/03	
cis-1,3-Dichloropropene	EPA 8260B	<1 ug/L	10/28/03	
trans-1,3-Dichloropropene	EPA 8260B	<1 ug/L	10/28/03	
Ethylbenzene	EPA 8260B	<1 ug/L	10/28/03	
2-Hexanone	EPA 8260B	<10 ug/L	10/28/03	
Isopropylbenzene	EPA 8260B	<1 ug/L	10/28/03	
p-Isopropyltoluene	EPA 8260B	<1 ug/L	10/28/03	
Methylene chloride	EPA 8260B	<1 ug/L	10/28/03	
Methyl ethyl ketone (MEK)	EPA 8260B	<10 ug/L	10/28/03	
MIBK (4-Methyl-2-pentanone)	EPA 8260B	<10 ug/L	10/28/03	
n-Propylbenzene	EPA 8260B	<1 ug/L	10/28/03	
Styrene	EPA 8260B	<1 ug/L	10/28/03	
1,1,1,2-Tetrachloroethane	EPA 8260B	<1 ug/L	10/28/03	
1,1,2,2-Tetrachloroethane	EPA 8260B	<1 ug/L	10/28/03	
Tetrachloroethene	EPA 8260B	<1 ug/L	10/28/03	
Toluene	EPA 8260B	<1 ug/L	10/28/03	
1,2,4-Trichlorobenzene	EPA 8260B	<2 ug/L	10/28/03	
1,1,1-Trichloroethane	EPA 8260B	<1 ug/L	10/28/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
Susan Weathers
Progress Energy - HEEC Env.
Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562

Report Date: **11/11/2003**
Date Received: **10/16/2003**

Work Order #: **0309-01317**

Project ID: **HARRIS PLANT / GWW**
Project ID: **HARRIS GWW - OCTOBER 2003**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
001	03-E108 SH W#1	10/15/2003	10:45	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
1,1,2-Trichloroethane	EPA 8260B	<1 ug/L	10/28/03	
Trichloroethene	EPA 8260B	<1 ug/L	10/28/03	
Trichlorofluoromethane	EPA 8260B	<1 ug/L	10/28/03	
1,2,3-Trichloropropane	EPA 8260B	<3 ug/L	10/28/03	
1,2,4-Trimethylbenzene	EPA 8260B	<1 ug/L	10/28/03	
1,3,5-Trimethylbenzene	EPA 8260B	<2 ug/L	10/28/03	
Vinyl acetate	EPA 8260B	<10 ug/L	10/28/03	
Vinyl chloride	EPA 8260B	<2 ug/L	10/28/03	
o-Xylene	EPA 8260B	<1 ug/L	10/28/03	
m- & p-Xylene	EPA 8260B	<1 ug/L	10/28/03	
trans-1,4-Dichloro-2-butene	EPA 8260B	<20 ug/L	10/28/03	
Iodomethane	EPA 8260B	<2 ug/L	10/28/03	

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
002	03-E109 SH W#2	10/15/2003	11:25	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Arsenic by ICP/MS-Water	EPA 200.8	2.83 ug/L	10/21/03	
Barium by ICP/MS-Water	EPA 200.8	85.7 ug/L	10/21/03	
Cadmium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	10/21/03	
Chromium by ICP/MS-Water	EPA 200.8	2.40 ug/L	10/21/03	
Lead by ICP/MS-Water	EPA 200.8	1.27 ug/L	10/21/03	
Selenium by ICP/MS-Water	EPA 200.8	2.49 ug/L	10/21/03	
Silver by ICP/MS-Waters	EPA 200.8	<1.0 ug/L	10/21/03	
Sulfate in Water	EPA 375.4	4.1 mg/L	10/30/03	
Mercury by CV/Water	EPA 245.1	<0.2# ug/L	10/29/03	
Metals Prep	EPA 200.8	DONE	10/17/03	
Mercury Prep	EPA 7470A/71A	DONE	10/29/03	
Volatiles, Water/Low Level			10/28/03	
Acetone	EPA 8260B	<10 ug/L	10/28/03	
Acrolein	EPA 8260B	<10 ug/L	10/28/03	
Acrylonitrile	EPA 8260B	<10 ug/L	10/28/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
Susan Weathers
Progress Energy - HEEC Env.
Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562

Report Date: **11/11/2003**
Date Received: **10/16/2003**

Work Order #: **0309-01317**

Project ID: **HARRIS PLANT / GWW**
Project ID: **HARRIS GWW - OCTOBER 2003**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
002	03-E109 SH W#2	10/15/2003	11:25	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Benzene	EPA 8260B	<1 ug/L	10/28/03	
Bromodichloromethane	EPA 8260B	<1 ug/L	10/28/03	
Bromobenzene	EPA 8260B	<1 ug/L	10/28/03	
Bromochloromethane	EPA 8260B	<1 ug/L	10/28/03	
Bromoform	EPA 8260B	<1 ug/L	10/28/03	
Bromomethane	EPA 8260B	<2 ug/L	10/28/03	
sec-Butylbenzene	EPA 8260B	<1 ug/L	10/28/03	
tert-Butylbenzene	EPA 8260B	<1 ug/L	10/28/03	
Carbon disulfide	EPA 8260B	<1 ug/L	10/28/03	
Carbon tetrachloride	EPA 8260B	<1 ug/L	10/28/03	
Chlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
Chloroethane	EPA 8260B	<2 ug/L	10/28/03	
2-Chloroethylvinyl ether	EPA 8260B	<2 ug/L	10/28/03	
Chloroform	EPA 8260B	<1 ug/L	10/28/03	
Chloromethane	EPA 8260B	<2 ug/L	10/28/03	
2-Chlorotoluene	EPA 8260B	<1 ug/L	10/28/03	
4-Chlorotoluene	EPA 8260B	<1 ug/L	10/28/03	
Dibromochloromethane	EPA 8260B	<1 ug/L	10/28/03	
1,2-Dibromo-3-chloropropane	EPA 8260B	<5 ug/L	10/28/03	
1,2-Dibromoethane	EPA 8260B	<1 ug/L	10/28/03	
Dibromomethane	EPA 8260B	<2 ug/L	10/28/03	
1,2-Dichlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
1,3-Dichlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
1,4-Dichlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
Dichlorodifluoromethane	EPA 8260B	<1 ug/L	10/28/03	
1,1-Dichloroethane	EPA 8260B	<1 ug/L	10/28/03	
1,2-Dichloroethane	EPA 8260B	<1 ug/L	10/28/03	
1,1-Dichloroethene	EPA 8260B	<1 ug/L	10/28/03	
cis-1,2-Dichloroethene	EPA 8260B	<1 ug/L	10/28/03	
trans-1,2-Dichloroethene	EPA 8260B	<1 ug/L	10/28/03	
1,2-Dichloropropane	EPA 8260B	<1 ug/L	10/28/03	
1,3-Dichloropropane	EPA 8260B	<1 ug/L	10/28/03	
2,2-Dichloropropane	EPA 8260B	<1 ug/L	10/28/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
Susan Weathers
Progress Energy - HEEC Env.
Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562

Report Date: **11/11/2003**
Date Received: **10/16/2003**

Work Order #: **0309-01317**

Project ID: **HARRIS PLANT / GWW**
Project ID: **HARRIS GWW - OCTOBER 2003**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
002	03-E109 SH W#2	10/15/2003	11:25	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
1,1-Dichloropropene	EPA 8260B	<1 ug/L	10/28/03	
cis-1,3-Dichloropropene	EPA 8260B	<1 ug/L	10/28/03	
trans-1,3-Dichloropropene	EPA 8260B	<1 ug/L	10/28/03	
Ethylbenzene	EPA 8260B	<1 ug/L	10/28/03	
2-Hexanone	EPA 8260B	<10 ug/L	10/28/03	
Isopropylbenzene	EPA 8260B	<1 ug/L	10/28/03	
p-Isopropyltoluene	EPA 8260B	<1 ug/L	10/28/03	
Methylene chloride	EPA 8260B	<1 ug/L	10/28/03	
Methyl ethyl ketone (MEK)	EPA 8260B	<10 ug/L	10/28/03	
MIBK (4-Methyl-2-pentanone)	EPA 8260B	<10 ug/L	10/28/03	
n-Propylbenzene	EPA 8260B	<1 ug/L	10/28/03	
Styrene	EPA 8260B	<1 ug/L	10/28/03	
1,1,1,2-Tetrachloroethane	EPA 8260B	<1 ug/L	10/28/03	
1,1,2,2-Tetrachloroethane	EPA 8260B	<1 ug/L	10/28/03	
Tetrachloroethene	EPA 8260B	<1 ug/L	10/28/03	
Toluene	EPA 8260B	<1 ug/L	10/28/03	
1,2,4-Trichlorobenzene	EPA 8260B	<2 ug/L	10/28/03	
1,1,1-Trichloroethane	EPA 8260B	<1 ug/L	10/28/03	
1,1,2-Trichloroethane	EPA 8260B	<1 ug/L	10/28/03	
Trichloroethene	EPA 8260B	<1 ug/L	10/28/03	
Trichlorofluoromethane	EPA 8260B	<1 ug/L	10/28/03	
1,2,3-Trichloropropane	EPA 8260B	<3 ug/L	10/28/03	
1,2,4-Trimethylbenzene	EPA 8260B	<1 ug/L	10/28/03	
1,3,5-Trimethylbenzene	EPA 8260B	<2 ug/L	10/28/03	
Vinyl acetate	EPA 8260B	<10 ug/L	10/28/03	
Vinyl chloride	EPA 8260B	<2 ug/L	10/28/03	
o-Xylene	EPA 8260B	<1 ug/L	10/28/03	
m- & p-Xylene	EPA 8260B	<1 ug/L	10/28/03	
trans-1,4-Dichloro-2-butene	EPA 8260B	<20 ug/L	10/28/03	
Iodomethane	EPA 8260B	<2 ug/L	10/28/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
Susan Weathers
Progress Energy - HEEC Env.
Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562

Report Date: **11/11/2003**
Date Received: **10/16/2003**

Work Order #: **0309-01317**

Project ID: **HARRIS PLANT / GWW**
Project ID: **HARRIS GWW - OCTOBER 2003**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
003	03-E110 SH W#3	10/15/2003	12:10	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Arsenic by ICP/MS-Water	EPA 200.8	3.16 ug/L	10/21/03	
Barium by ICP/MS-Water	EPA 200.8	140 ug/L	10/21/03	
Cadmium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	10/21/03	
Chromium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	10/21/03	
Lead by ICP/MS-Water	EPA 200.8	<1.0 ug/L	10/21/03	
Selenium by ICP/MS-Water	EPA 200.8	1.11 ug/L	10/21/03	
Silver by ICP/MS-Waters	EPA 200.8	<1.0 ug/L	10/21/03	
Sulfate in Water	EPA 375.4	13.9 mg/L	10/30/03	
Mercury by CV/Water	EPA 245.1	<0.2# ug/L	10/29/03	
Metals Prep	EPA 200.8	DONE	10/17/03	
Mercury Prep	EPA 7470A/71A	DONE	10/29/03	
Volatiles, Water/Low Level			10/28/03	
Acetone	EPA 8260B	<10 ug/L	10/28/03	
Acrolein	EPA 8260B	<10 ug/L	10/28/03	
Acrylonitrile	EPA 8260B	<10 ug/L	10/28/03	
Benzene	EPA 8260B	<1 ug/L	10/28/03	
Bromodichloromethane	EPA 8260B	<1 ug/L	10/28/03	
Bromobenzene	EPA 8260B	<1 ug/L	10/28/03	
Bromochloromethane	EPA 8260B	<1 ug/L	10/28/03	
Bromoform	EPA 8260B	<1 ug/L	10/28/03	
Bromomethane	EPA 8260B	<2 ug/L	10/28/03	
sec-Butylbenzene	EPA 8260B	<1 ug/L	10/28/03	
tert-Butylbenzene	EPA 8260B	<1 ug/L	10/28/03	
Carbon disulfide	EPA 8260B	<1 ug/L	10/28/03	
Carbon tetrachloride	EPA 8260B	<1 ug/L	10/28/03	
Chlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
Chloroethane	EPA 8260B	<2 ug/L	10/28/03	
2-Chloroethylvinyl ether	EPA 8260B	<2 ug/L	10/28/03	
Chloroform	EPA 8260B	<1 ug/L	10/28/03	
Chloromethane	EPA 8260B	<2 ug/L	10/28/03	
2-Chlorotoluene	EPA 8260B	<1 ug/L	10/28/03	
4-Chlorotoluene	EPA 8260B	<1 ug/L	10/28/03	
Dibromochloromethane	EPA 8260B	<1 ug/L	10/28/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
Susan Weathers
Progress Energy - HEEC Env.
Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562

Report Date: **11/11/2003**
Date Received: **10/16/2003**

Work Order #: **0309-01317**

Project ID: **HARRIS PLANT / GWW**
Project ID: **HARRIS GWW - OCTOBER 2003**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
003	03-E110 SH W#3	10/15/2003	12:10	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
1,2-Dibromo-3-chloropropane	EPA 8260B	<5 ug/L	10/28/03	
1,2-Dibromoethane	EPA 8260B	<1 ug/L	10/28/03	
Dibromomethane	EPA 8260B	<2 ug/L	10/28/03	
1,2-Dichlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
1,3-Dichlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
1,4-Dichlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
Dichlorodifluoromethane	EPA 8260B	<1 ug/L	10/28/03	
1,1-Dichloroethane	EPA 8260B	<1 ug/L	10/28/03	
1,2-Dichloroethane	EPA 8260B	<1 ug/L	10/28/03	
1,1-Dichloroethene	EPA 8260B	<1 ug/L	10/28/03	
cis-1,2-Dichloroethene	EPA 8260B	<1 ug/L	10/28/03	
trans-1,2-Dichloroethene	EPA 8260B	<1 ug/L	10/28/03	
1,2-Dichloropropane	EPA 8260B	<1 ug/L	10/28/03	
1,3-Dichloropropane	EPA 8260B	<1 ug/L	10/28/03	
2,2-Dichloropropane	EPA 8260B	<1 ug/L	10/28/03	
1,1-Dichloropropene	EPA 8260B	<1 ug/L	10/28/03	
cis-1,3-Dichloropropene	EPA 8260B	<1 ug/L	10/28/03	
trans-1,3-Dichloropropene	EPA 8260B	<1 ug/L	10/28/03	
Ethylbenzene	EPA 8260B	<1 ug/L	10/28/03	
2-Hexanone	EPA 8260B	<10 ug/L	10/28/03	
Isopropylbenzene	EPA 8260B	<1 ug/L	10/28/03	
p-Isopropyltoluene	EPA 8260B	<1 ug/L	10/28/03	
Methylene chloride	EPA 8260B	<1 ug/L	10/28/03	
Methyl ethyl ketone (MEK)	EPA 8260B	<10 ug/L	10/28/03	
MIBK (4-Methyl-2-pentanone)	EPA 8260B	<10 ug/L	10/28/03	
n-Propylbenzene	EPA 8260B	<1 ug/L	10/28/03	
Styrene	EPA 8260B	<1 ug/L	10/28/03	
1,1,1,2-Tetrachloroethane	EPA 8260B	<1 ug/L	10/28/03	
1,1,2,2-Tetrachloroethane	EPA 8260B	<1 ug/L	10/28/03	
Tetrachloroethene	EPA 8260B	<1 ug/L	10/28/03	
Toluene	EPA 8260B	<1 ug/L	10/28/03	
1,2,4-Trichlorobenzene	EPA 8260B	<2 ug/L	10/28/03	
1,1,1-Trichloroethane	EPA 8260B	<1 ug/L	10/28/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
Susan Weathers
Progress Energy - HEEC Env.
Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562

Report Date: **11/11/2003**
Date Received: **10/16/2003**

Work Order #: **0309-01317**

Project ID: **HARRIS PLANT / GWW**
Project ID: **HARRIS GWW - OCTOBER 2003**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
003	03-E110 SH W#3	10/15/2003	12:10	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
1,1,2-Trichloroethane	EPA 8260B	<1 ug/L	10/28/03	
Trichloroethene	EPA 8260B	<1 ug/L	10/28/03	
Trichlorofluoromethane	EPA 8260B	<1 ug/L	10/28/03	
1,2,3-Trichloropropane	EPA 8260B	<3 ug/L	10/28/03	
1,2,4-Trimethylbenzene	EPA 8260B	<1 ug/L	10/28/03	
1,3,5-Trimethylbenzene	EPA 8260B	<2 ug/L	10/28/03	
Vinyl acetate	EPA 8260B	<10 ug/L	10/28/03	
Vinyl chloride	EPA 8260B	<2 ug/L	10/28/03	
o-Xylene	EPA 8260B	<1 ug/L	10/28/03	
m- & p-Xylene	EPA 8260B	<1 ug/L	10/28/03	
trans-1,4-Dichloro-2-butene	EPA 8260B	<20 ug/L	10/28/03	
Iodomethane	EPA 8260B	<2 ug/L	10/28/03	

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
004	03-E111 SH W#4	10/15/2003	13:15	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Arsenic by ICP/MS-Water	EPA 200.8	3.48 ug/L	10/21/03	
Barium by ICP/MS-Water	EPA 200.8	16.3 ug/L	10/21/03	
Cadmium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	10/21/03	
Chromium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	10/21/03	
Lead by ICP/MS-Water	EPA 200.8	<1.0 ug/L	10/21/03	
Selenium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	10/21/03	
Silver by ICP/MS-Waters	EPA 200.8	<1.0 ug/L	10/21/03	
Sulfate in Water	EPA 375.4	4.0 mg/L	10/30/03	
Mercury by CV/Water	EPA 245.1	<0.2# ug/L	10/29/03	
Metals Prep	EPA 200.8	DONE	10/17/03	
Mercury Prep	EPA 7470A/71A	DONE	10/29/03	
Volatiles, Water/Low Level			10/28/03	
Acetone	EPA 8260B	<10 ug/L	10/28/03	
Acrolein	EPA 8260B	<10 ug/L	10/28/03	
Acrylonitrile	EPA 8260B	<10 ug/L	10/28/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
Susan Weathers
Progress Energy - HEEC Env.
Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562

Report Date: **11/11/2003**
Date Received: **10/16/2003**

Work Order #: **0309-01317**

Project ID: **HARRIS PLANT / GWW**
Project ID: **HARRIS GWW - OCTOBER 2003**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
004	03-E111 SH W#4	10/15/2003	13:15	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Benzene	EPA 8260B	<1 ug/L	10/28/03	
Bromodichloromethane	EPA 8260B	<1 ug/L	10/28/03	
Bromobenzene	EPA 8260B	<1 ug/L	10/28/03	
Bromochloromethane	EPA 8260B	<1 ug/L	10/28/03	
Bromoform	EPA 8260B	<1 ug/L	10/28/03	
Bromomethane	EPA 8260B	<2 ug/L	10/28/03	
sec-Butylbenzene	EPA 8260B	<1 ug/L	10/28/03	
tert-Butylbenzene	EPA 8260B	<1 ug/L	10/28/03	
Carbon disulfide	EPA 8260B	<1 ug/L	10/28/03	
Carbon tetrachloride	EPA 8260B	<1 ug/L	10/28/03	
Chlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
Chloroethane	EPA 8260B	<2 ug/L	10/28/03	
2-Chloroethylvinyl ether	EPA 8260B	<2 ug/L	10/28/03	
Chloroform	EPA 8260B	<1 ug/L	10/28/03	
Chloromethane	EPA 8260B	<2 ug/L	10/28/03	
2-Chlorotoluene	EPA 8260B	<1 ug/L	10/28/03	
4-Chlorotoluene	EPA 8260B	<1 ug/L	10/28/03	
Dibromochloromethane	EPA 8260B	<1 ug/L	10/28/03	
1,2-Dibromo-3-chloropropane	EPA 8260B	<5 ug/L	10/28/03	
1,2-Dibromoethane	EPA 8260B	<1 ug/L	10/28/03	
Dibromomethane	EPA 8260B	<2 ug/L	10/28/03	
1,2-Dichlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
1,3-Dichlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
1,4-Dichlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
Dichlorodifluoromethane	EPA 8260B	<1 ug/L	10/28/03	
1,1-Dichloroethane	EPA 8260B	<1 ug/L	10/28/03	
1,2-Dichloroethane	EPA 8260B	<1 ug/L	10/28/03	
1,1-Dichloroethene	EPA 8260B	<1 ug/L	10/28/03	
cis-1,2-Dichloroethene	EPA 8260B	<1 ug/L	10/28/03	
trans-1,2-Dichloroethene	EPA 8260B	<1 ug/L	10/28/03	
1,2-Dichloropropane	EPA 8260B	<1 ug/L	10/28/03	
1,3-Dichloropropane	EPA 8260B	<1 ug/L	10/28/03	
2,2-Dichloropropane	EPA 8260B	<1 ug/L	10/28/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
Susan Weathers
Progress Energy - HEEC Env.
Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562

Report Date: **11/11/2003**
Date Received: **10/16/2003**

Work Order #: **0309-01317**

Project ID: **HARRIS PLANT / GWW**
Project ID: **HARRIS GWW - OCTOBER 2003**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
004	03-E111 SH W#4	10/15/2003	13:15	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
1,1-Dichloropropene	EPA 8260B	<1 ug/L	10/28/03	
cis-1,3-Dichloropropene	EPA 8260B	<1 ug/L	10/28/03	
trans-1,3-Dichloropropene	EPA 8260B	<1 ug/L	10/28/03	
Ethylbenzene	EPA 8260B	<1 ug/L	10/28/03	
2-Hexanone	EPA 8260B	<10 ug/L	10/28/03	
Isopropylbenzene	EPA 8260B	<1 ug/L	10/28/03	
p-Isopropyltoluene	EPA 8260B	<1 ug/L	10/28/03	
Methylene chloride	EPA 8260B	<1 ug/L	10/28/03	
Methyl ethyl ketone (MEK)	EPA 8260B	<10 ug/L	10/28/03	
MIBK (4-Methyl-2-pentanone)	EPA 8260B	<10 ug/L	10/28/03	
n-Propylbenzene	EPA 8260B	<1 ug/L	10/28/03	
Styrene	EPA 8260B	<1 ug/L	10/28/03	
1,1,1,2-Tetrachloroethane	EPA 8260B	<1 ug/L	10/28/03	
1,1,2,2-Tetrachloroethane	EPA 8260B	<1 ug/L	10/28/03	
Tetrachloroethene	EPA 8260B	<1 ug/L	10/28/03	
Toluene	EPA 8260B	<1 ug/L	10/28/03	
1,2,4-Trichlorobenzene	EPA 8260B	<2 ug/L	10/28/03	
1,1,1-Trichloroethane	EPA 8260B	<1 ug/L	10/28/03	
1,1,2-Trichloroethane	EPA 8260B	<1 ug/L	10/28/03	
Trichloroethene	EPA 8260B	<1 ug/L	10/28/03	
Trichlorofluoromethane	EPA 8260B	<1 ug/L	10/28/03	
1,2,3-Trichloropropane	EPA 8260B	<3 ug/L	10/28/03	
1,2,4-Trimethylbenzene	EPA 8260B	<1 ug/L	10/28/03	
1,3,5-Trimethylbenzene	EPA 8260B	<2 ug/L	10/28/03	
Vinyl acetate	EPA 8260B	<10 ug/L	10/28/03	
Vinyl chloride	EPA 8260B	<2 ug/L	10/28/03	
o-Xylene	EPA 8260B	<1 ug/L	10/28/03	
m- & p-Xylene	EPA 8260B	<1 ug/L	10/28/03	
trans-1,4-Dichloro-2-butene	EPA 8260B	<20 ug/L	10/28/03	
Iodomethane	EPA 8260B	<2 ug/L	10/28/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
Susan Weathers
Progress Energy - HEEC Env.
Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562

Report Date: **11/11/2003**
Date Received: **10/16/2003**

Work Order #: **0309-01317**

Project ID: **HARRIS PLANT / GWW**
Project ID: **HARRIS GWW - OCTOBER 2003**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
005	03-E112 SH W#5	10/15/2003	13:40	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Arsenic by ICP/MS-Water	EPA 200.8	2.29 ug/L	10/21/03	
Barium by ICP/MS-Water	EPA 200.8	63.9 ug/L	10/21/03	
Cadmium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	10/21/03	
Chromium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	10/21/03	
Lead by ICP/MS-Water	EPA 200.8	<1.0 ug/L	10/21/03	
Selenium by ICP/MS-Water	EPA 200.8	<1.0 ug/L	10/21/03	
Silver by ICP/MS-Waters	EPA 200.8	<1.0 ug/L	10/21/03	
Sulfate in Water	EPA 375.4	7.5 mg/L	10/30/03	
Mercury by CV/Water	EPA 245.1	<0.2# ug/L	10/29/03	
Metals Prep	EPA 200.8	DONE	10/17/03	
Mercury Prep	EPA 7470A/71A	DONE	10/29/03	
Volatiles, Water/Low Level			10/28/03	
Acetone	EPA 8260B	<10 ug/L	10/28/03	
Acrolein	EPA 8260B	<10 ug/L	10/28/03	
Acrylonitrile	EPA 8260B	<10 ug/L	10/28/03	
Benzene	EPA 8260B	<1 ug/L	10/28/03	
Bromodichloromethane	EPA 8260B	<1 ug/L	10/28/03	
Bromobenzene	EPA 8260B	<1 ug/L	10/28/03	
Bromochloromethane	EPA 8260B	<1 ug/L	10/28/03	
Bromoform	EPA 8260B	<1 ug/L	10/28/03	
Bromomethane	EPA 8260B	<2 ug/L	10/28/03	
sec-Butylbenzene	EPA 8260B	<1 ug/L	10/28/03	
tert-Butylbenzene	EPA 8260B	<1 ug/L	10/28/03	
Carbon disulfide	EPA 8260B	<1 ug/L	10/28/03	
Carbon tetrachloride	EPA 8260B	<1 ug/L	10/28/03	
Chlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
Chloroethane	EPA 8260B	<2 ug/L	10/28/03	
2-Chloroethylvinyl ether	EPA 8260B	<2 ug/L	10/28/03	
Chloroform	EPA 8260B	<1 ug/L	10/28/03	
Chloromethane	EPA 8260B	<2 ug/L	10/28/03	
2-Chlorotoluene	EPA 8260B	<1 ug/L	10/28/03	
4-Chlorotoluene	EPA 8260B	<1 ug/L	10/28/03	
Dibromochloromethane	EPA 8260B	<1 ug/L	10/28/03	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
Susan Weathers
Progress Energy - HEEC Env.
Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562

Report Date: 11/11/2003
Date Received: 10/16/2003

Work Order #: 0309-01317

Project ID: HARRIS PLANT / GWW
Project ID: HARRIS GWW - OCTOBER 2003

Cust. Code: CP3588
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
005	03-E112 SH W#5	10/15/2003	13:40	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
1,2-Dibromo-3-chloropropane	EPA 8260B	<5 ug/L	10/28/03	
1,2-Dibromoethane	EPA 8260B	<1 ug/L	10/28/03	
Dibromomethane	EPA 8260B	<2 ug/L	10/28/03	
1,2-Dichlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
1,3-Dichlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
1,4-Dichlorobenzene	EPA 8260B	<1 ug/L	10/28/03	
Dichlorodifluoromethane	EPA 8260B	<1 ug/L	10/28/03	
1,1-Dichloroethane	EPA 8260B	<1 ug/L	10/28/03	
1,2-Dichloroethane	EPA 8260B	<1 ug/L	10/28/03	
1,1-Dichloroethene	EPA 8260B	<1 ug/L	10/28/03	
cis-1,2-Dichloroethene	EPA 8260B	<1 ug/L	10/28/03	
trans-1,2-Dichloroethene	EPA 8260B	<1 ug/L	10/28/03	
1,2-Dichloropropane	EPA 8260B	<1 ug/L	10/28/03	
1,3-Dichloropropane	EPA 8260B	<1 ug/L	10/28/03	
2,2-Dichloropropane	EPA 8260B	<1 ug/L	10/28/03	
1,1-Dichloropropene	EPA 8260B	<1 ug/L	10/28/03	
cis-1,3-Dichloropropene	EPA 8260B	<1 ug/L	10/28/03	
trans-1,3-Dichloropropene	EPA 8260B	<1 ug/L	10/28/03	
Ethylbenzene	EPA 8260B	<1 ug/L	10/28/03	
2-Hexanone	EPA 8260B	<10 ug/L	10/28/03	
Isopropylbenzene	EPA 8260B	<1 ug/L	10/28/03	
p-Isopropyltoluene	EPA 8260B	<1 ug/L	10/28/03	
Methylene chloride	EPA 8260B	<1 ug/L	10/28/03	
Methyl ethyl ketone (MEK)	EPA 8260B	<10 ug/L	10/28/03	
MIBK (4-Methyl-2-pentanone)	EPA 8260B	<10 ug/L	10/28/03	
n-Propylbenzene	EPA 8260B	<1 ug/L	10/28/03	
Styrene	EPA 8260B	<1 ug/L	10/28/03	
1,1,1,2-Tetrachloroethane	EPA 8260B	<1 ug/L	10/28/03	
1,1,2,2-Tetrachloroethane	EPA 8260B	<1 ug/L	10/28/03	
Tetrachloroethene	EPA 8260B	<1 ug/L	10/28/03	
Toluene	EPA 8260B	<1 ug/L	10/28/03	
1,2,4-Trichlorobenzene	EPA 8260B	<2 ug/L	10/28/03	
1,1,1-Trichloroethane	EPA 8260B	<1 ug/L	10/28/03	

Tritest, Inc.
3909 Beryl Road, Raleigh, NC 27607
ph: (919) 834-4984 fax: (919) 834-6497
NCWW CERT#67, NCDW CERT#37731

Chain of Custody

Tritest W.O. # 0309-01317

Report Results To:

Company: Progress Energy - HEEC Env.
Address: Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562
Attn: Susan Weathers
Phone: (919)362-3588 Fax: (919)362-3391
Sampled by (signature): [signature]

Bill To:

Progress Energy - HEEC Env.
Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562

Project Reference: HARRIS ENVIRONMENTAL GROUND
Project Number: HARRIS PLANT / GWW
Purchase Order #:

☐ Standard Report Delivery
☐ Rush Report Delivery (w/surcharge)
**Rush projects are subject to prior approval by the laboratory
Requested Due Date:

Sample Description	Composite Grab	Start Date / Start Time	End Date / End Time	Matrix WW,DW SW,GWS	Analyses Requested	Tritest Sample #
03-E108 SH W#1	Grab		10/15/03 1045	GW	AA-ASGFW, MS-8260LOW, ZZ-826W-1, ZZ-826W-2, ZZ-826W-3, ZZ-826W-4, ZZ-826W-5, ZZ-826W-6, ZZ-826W-7, ZZ-826W-8, ZZ-826W-9, ZZ-826W-10, ZZ-826W-11, ZZ-826W-12, ZZ-826W-13,	001
					ZZ-826W-14, ZZ-826W-15, ZZ-826W-16, ZZ-826W-17, ZZ-826W-18, ZZ-826W-19, ZZ-826W-20, ZZ-826W-21, ZZ-826W-22, ZZ-826W-23, ZZ-826W-24, ZZ-826W-25, ZZ-826W-26, ZZ-826W-27, ZZ-826W-28, ZZ-826W-29, ZZ-826W-30, ZZ-826W-31, ZZ-826W-32, ZZ-826W-33, ZZ-826W-34, ZZ-826W-35, ZZ-826W-36, ZZ-826W-37, ZZ-826W-38, ZZ-826W-39, ZZ-826W-40, ZZ-826W-41, ZZ-826W-42, ZZ-826W-43, ZZ-826W-44, ZZ-826W-45, ZZ-826W-46, ZZ-826W-47, ZZ-826W-48, ZZ-826W-49, ZZ-826W-50, ZZ-826W-51, ZZ-826W-52, ZZ-826W-53, ZZ-826W-54, ZZ-826W-55, ZZ-826W-56, ZZ-826W-57, ZZ-826W-58, ZZ-826W-59	

Relinquished by (signature)	Received by (signature)	Date	Time
[signature]	Sue Hicks	10-15-03	1530
Relinquished by (signature)	Received by (signature)	Date	Time
Sue Hicks	[signature]	10-16-03	1105
Relinquished by (signature)	Received by (signature)	Date	Time
[signature]	[signature]	10-16-03	1135

Receipt Conditions (Lab Use Only):
☐ 4±2°C ☐Temp: 2.5 °C
Res. Chlorine ☑Absent ☐Present ☐n/a
Acid preserv. <2? ☑Yes ☐No ☐n/a
Base preserv. >12? ☐Yes ☐No ☑n/a

OH 10/16

Tritest, Inc.
3909 Beryl Road, Raleigh, NC 27607
ph: (919) 834-4984 fax: (919) 834-6497
NCWW CERT#67, NCDW CERT#37731

Chain of Custody

Tritest W.O. # 0309-01317

Report Results To:

Company: Progress Energy - HEEC Env.
Address: Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562
Attn: Susan Weathers
Phone: (919)362-3588 Fax: (919)362-839[illegible]
Sampled by (signature): [illegible]

Bill To:

Progress Energy - HEEC Env.
Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562

Project Reference: HARRIS ENVIRONMENTAL GROUND
Project Number: HARRIS PLANT / GWW
Purchase Order #:

☐ Standard Report Delivery
☐ Rush Report Delivery (w/surcharge)
**Rush projects are subject to prior approval by the laboratory
Requested Due Date:

Sample Description	Composite / Grab	Start Date / Start Time	End Date / End Time	Matrix WW,DW SW,GWS	Analyses Requested	Tritest Sample #
03-E109 SH W#2	Grab		10/15/03 1125	GW	AA-ASGFW, MS-8260LOW, ZZ-826W-1, ZZ-826W-2, ZZ-826W-3, ZZ-826W-4, ZZ-826W-5, ZZ-826W-6, ZZ-826W-7, ZZ-826W-8, ZZ-826W-9, ZZ-826W-10, ZZ-826W-11, ZZ-826W-12, ZZ-826W-13,	002
					ZZ-826W-14, ZZ-826W-15, ZZ-826W-16, ZZ-826W-17, ZZ-826W-18, ZZ-826W-19, ZZ-826W-20, ZZ-826W-21, ZZ-826W-22, ZZ-826W-23, ZZ-826W-24, ZZ-826W-25, ZZ-826W-26, ZZ-826W-27, ZZ-826W-28, ZZ-826W-29, ZZ-826W-30, ZZ-826W-31, ZZ-826W-32, ZZ-826W-33, ZZ-826W-34, ZZ-826W-35, ZZ-826W-36, ZZ-826W-37, ZZ-826W-38, ZZ-826W-39, ZZ-826W-40, ZZ-826W-41, ZZ-826W-42, ZZ-826W-43, ZZ-826W-44, ZZ-826W-45, ZZ-826W-46, ZZ-826W-47, ZZ-826W-48, ZZ-826W-49, ZZ-826W-50, ZZ-826W-51, ZZ-826W-52, ZZ-826W-53, ZZ-826W-54, ZZ-826W-55, ZZ-826W-56, ZZ-826W-57, ZZ-826W-58, ZZ-826W-59	

Relinquished by (signature)	Received by (signature)	Date	Time
[illegible]	Sue Hicks	10-15-03	1530
Relinquished by (signature)	Received by (signature)	Date	Time
Sue Hicks	[illegible]	10-16-03	1105
Relinquished by (signature)	Received by (signature)	Date	Time
[illegible]	[illegible]	10/16/03	1135

Receipt Conditions (Lab Use Only):
☐ 4±2°C ☐Temp: 2.5 °C
Res. Chlorine ☐Absent ☐Present ☐n/a
Acid preserv. <2? ☐Yes ☐No ☐n/a
Base preserv. >12? ☐Yes ☐No ☐n/a

Tritest, Inc.
3909 Beryl Road, Raleigh, NC 27607
ph: (919) 834-4984 fax: (919) 834-6497
NCWW CERT#67, NCDW CERT#37731

Chain of Custody

Tritest W.O. # 0309-01317

Report Results To:

Company: Progress Energy - HEEC Env.
Address: Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562
Attn: Susan Weathers
Phone: (919)362-3588 Fax: (919)362-3391
Sampled by (signature): [signature]

Bill To:

Progress Energy - HEEC Env.
Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562

Project Reference: HARRIS ENVIRONMENTAL GROUND
Project Number: HARRIS PLANT / GWW
Purchase Order #:

☐ Standard Report Delivery
☐ Rush Report Delivery (w/surcharge)
**Rush projects are subject to prior approval by the laboratory
Requested Due Date:

Sample Description	Composite Grab	Start Date / Start Time	End Date / End Time	Matrix WW,DW SW,GWS	Analyses Requested	Tritest Sample #
03-E110 SH W#3	Grab		10/15/03 1210	GW	AA-ASGFW, MS-8260LOW, ZZ-826W-1, ZZ-826W-2, ZZ-826W-3, ZZ-826W-4, ZZ-826W-5, ZZ-826W-6, ZZ-826W-7, ZZ-826W-8, ZZ-826W-9, ZZ-826W-10, ZZ-826W-11, ZZ-826W-12, ZZ-826W-13,	003
					ZZ-826W-14, ZZ-826W-15, ZZ-826W-16, ZZ-826W-17, ZZ-826W-18, ZZ-826W-19, ZZ-826W-20, ZZ-826W-21, ZZ-826W-22, ZZ-826W-23, ZZ-826W-24, ZZ-826W-25, ZZ-826W-26, ZZ-826W-27, ZZ-826W-28, ZZ-826W-29, ZZ-826W-30, ZZ-826W-31, ZZ-826W-32, ZZ-826W-33, ZZ-826W-34, ZZ-826W-35, ZZ-826W-36, ZZ-826W-37, ZZ-826W-38, ZZ-826W-39, ZZ-826W-40, ZZ-826W-41, ZZ-826W-42, ZZ-826W-43, ZZ-826W-44, ZZ-826W-45, ZZ-826W-46, ZZ-826W-47, ZZ-826W-48, ZZ-826W-49, ZZ-826W-50, ZZ-826W-51, ZZ-826W-52, ZZ-826W-53, ZZ-826W-54, ZZ-826W-55, ZZ-826W-56, ZZ-826W-57, ZZ-826W-58, ZZ-826W-59	

Relinquished by (signature)	Received by (signature)	Date	Time
[signature]	Sue Hicks	10-15-03	1530
Relinquished by (signature)	Received by (signature)	Date	Time
Sue Hicks	[signature]	10-16-03	1105
Relinquished by (signature)	Received by (signature)	Date	Time
[signature]	[signature]	10-16-03	1135

Receipt Conditions (Lab Use Only):
☐ 4±2°C ☐Temp: 2.5 °C
Res. Chlorine ☒Absent ☐Present ☐n/a
Acid preserv. <2? ☒Yes ☐No ☐n/a
Base preserv. >12? ☐Yes ☐No ☒n/a

Tritest, Inc.
3909 Beryl Road, Raleigh, NC 27607
ph: (919) 834-4984 fax: (919) 834-6497
NCWW CERT#67, NCDW CERT#37731

Chain of Custody

Tritest W.O. # 0309-01317

Report Results To:

Company: Progress Energy - HEEC Env.
Address: Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562
Attn: Susan Weathers
Phone: (919)362-3588 Fax: (919)362-3391
Sampled by (signature): [signature]

Bill To:

Progress Energy - HEEC Env.
Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562

Project Reference: HARRIS ENVIRONMENTAL GROUND
Project Number: HARRIS PLANT / GWW
Purchase Order #:

☐ Standard Report Delivery
☐ Rush Report Delivery (w/surcharge)
**Rush projects are subject to prior approval by the laboratory
Requested Due Date:

Sample Description	Composite / Grab	Start Date / Start Time	End Date / End Time	Matrix WW,DW SW,GWS	Analyses Requested	Tritest Sample #
03-E111 SH W#4	Grab		10/15/03 1315	GW	AA-ASGFW, MS-8260LOW, ZZ-826W-1, ZZ-826W-2, ZZ-826W-3, ZZ-826W-4, ZZ-826W-5, ZZ-826W-6, ZZ-826W-7, ZZ-826W-8, ZZ-826W-9, ZZ-826W-10, ZZ-826W-11, ZZ-826W-12, ZZ-826W-13,	004
					ZZ-826W-14, ZZ-826W-15, ZZ-826W-16, ZZ-826W-17, ZZ-826W-18, ZZ-826W-19, ZZ-826W-20, ZZ-826W-21, ZZ-826W-22, ZZ-826W-23, ZZ-826W-24, ZZ-826W-25, ZZ-826W-26, ZZ-826W-27, ZZ-826W-28, ZZ-826W-29, ZZ-826W-30, ZZ-826W-31, ZZ-826W-32, ZZ-826W-33, ZZ-826W-34, ZZ-826W-35, ZZ-826W-36, ZZ-826W-37, ZZ-826W-38, ZZ-826W-39, ZZ-826W-40, ZZ-826W-41, ZZ-826W-42, ZZ-826W-43, ZZ-826W-44, ZZ-826W-45, ZZ-826W-46, ZZ-826W-47, ZZ-826W-48, ZZ-826W-49, ZZ-826W-50, ZZ-826W-51, ZZ-826W-52, ZZ-826W-53, ZZ-826W-54, ZZ-826W-55, ZZ-826W-56, ZZ-826W-57, ZZ-826W-58, ZZ-826W-59	

Relinquished by (signature)	Received by (signature)	Date	Time
[signature]	Sue Hicks	10-15-03	1530
Relinquished by (signature)	Received by (signature)	Date	Time
Sue Hicks	[signature]	10-16-03	1105
Relinquished by (signature)	Received by (signature)	Date	Time
[signature]	[signature]	10-16-03	1135

Receipt Conditions (Lab Use Only):
☐ 4±2°C ☐Temp: 2.5 °C
Res. Chlorine ☐Absent ☐Present ☐n/a
Acid preserv. <2? ☐Yes ☐No ☐n/a
Base preserv. >12? ☐Yes ☐No ☐n/a

Tritest, Inc.
3909 Beryl Road, Raleigh, NC 27607
ph: (919) 834-4984 fax: (919) 834-6497
NCWW CERT#67, NCDW CERT#37731

Chain of Custody

Tritest W.O. # 0309-01317

Report Results To:

Company: Progress Energy - HEEC Env.
Address: Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562
Attn: Susan Weathers
Phone: (919)362-3588 Fax: (919)362-3391
Sampled by (signature): [signature]

Bill To:

Progress Energy - HEEC Env.
Harris E&E Center
3932 New Hill-Holleman Rd.
New Hill, NC 27562

Project Reference: HARRIS ENVIRONMENTAL GROUND
Project Number: HARRIS PLANT / GWW
Purchase Order #:

☐ Standard Report Delivery
☐ Rush Report Delivery (w/surcharge)
**Rush projects are subject to prior approval by the laboratory
Requested Due Date:

Sample Description	Composite Grab	Start Date / Start Time	End Date / End Time	Matrix WW,DW SW,GWS	Analyses Requested	Tritest Sample #
03-E112 SH W#5	Grab		10/15/03 1340	GW	AA-ASGFW, MS-8260LOW, ZZ-826W-1, ZZ-826W-2, ZZ-826W-3, ZZ-826W-4, ZZ-826W-5, ZZ-826W-6, ZZ-826W-7, ZZ-826W-8, ZZ-826W-9, ZZ-826W-10, ZZ-826W-11, ZZ-826W-12, ZZ-826W-13,	005
					ZZ-826W-14, ZZ-826W-15, ZZ-826W-16, ZZ-826W-17, ZZ-826W-18, ZZ-826W-19, ZZ-826W-20, ZZ-826W-21, ZZ-826W-22, ZZ-826W-23, ZZ-826W-24, ZZ-826W-25, ZZ-826W-26, ZZ-826W-27, ZZ-826W-28, ZZ-826W-29, ZZ-826W-30, ZZ-826W-31, ZZ-826W-32, ZZ-826W-33, ZZ-826W-34, ZZ-826W-35, ZZ-826W-36, ZZ-826W-37, ZZ-826W-38, ZZ-826W-39, ZZ-826W-40, ZZ-826W-41, ZZ-826W-42, ZZ-826W-43, ZZ-826W-44, ZZ-826W-45, ZZ-826W-46, ZZ-826W-47, ZZ-826W-48, ZZ-826W-49, ZZ-826W-50, ZZ-826W-51, ZZ-826W-52, ZZ-826W-53, ZZ-826W-54, ZZ-826W-55, ZZ-826W-56, ZZ-826W-57, ZZ-826W-58, ZZ-826W-59	

Relinquished by (signature)	Received by (signature)	Date	Time
[signature]	Sue Hicks	10-15-03	1530
Relinquished by (signature)	Received by (signature)	Date	Time
Sue Hicks	[signature]	10-16-03	1105
Relinquished by (signature)	Received by (signature)	Date	Time
[signature]	[signature]	10-16-03	1135

Receipt Conditions (Lab Use Only):
☐ 4±2°C ☐Temp: 2.5 °C
Res. Chlorine ☐Absent ☐Present ☐n/a
Acid preserv. <2? ☐Yes ☐No ☐n/a
Base preserv. >12? ☐Yes ☐No ☐n/a