92-10
10-24-02

CP&L
A Progress Energy Company

Carmen Johnson
Scanned Date 9/26/12 Doc ID #

NOV 26 2002

92-10

SERIAL: HNP-02-159

Mr. Bobby Lutfy
North Carolina Department of Environment
and Natural Resources
Solid Waste Section
1646 Mail Service Center
Raleigh, NC 27699-1646

NOV 2002
Received
Solid Waste
Section

Subject: Shearon Harris Nuclear Power Plant
Solid Waste Permit No. 92-10
Groundwater Monitoring Data

Dear Mr. Lutfy:

In accordance with Solid Waste Permit No. 92-10, for the Harris Nuclear Plant (HNP) sanitary landfill, enclosed are the results of the second semi-annual sampling of the groundwater monitoring wells for 2002. The wells are scheduled to be sampled next in April 2003.

If you have any questions or need further information, please contact Mr. R. T. Wilson at (919) 362-2444.

Sincerely,

Ray Dated for B. Waldrep

B. C. Waldrep
Plant General Manager
Harris Nuclear Plant

MGW

Enclosure

MW-1 CFC-12 113 ppb
1,1-DCA 122 ppb

Harris Nuclear Plant
5413 Shearon Harris Road
New Hill, NC 27562

CP&L
A Progress Energy Company

memo

Date: November 21, 2002

To: Mr. Bob Wilson

From: Susan B. Weathers

Subject: Harris October 2002 Groundwater Well Sample Results

Attached are the data sheets from the vendor that performed the analyses for the Harris landfill groundwater well samples collected on 10/24/02. Listed below are the pH and specific conductance values for all wells. Conductivity and pH were measured here at the E&E Center lab immediately after sampling. I checked to verify all required analyses were performed by the vendor and I found no missing parameters. Let me know if you have any questions regarding the data.

	Well #1	**Well #2**	**Well #3**	**Well #4**	**Well #5**
pH	7.5	6.6	7.6	7.6	7.1
Specific Conductance	810	323	437	433	332

SBW:sbw
Attachment

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
CP&L/HEEC ENVIRONMENTALS
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **11/15/2002**
Date Received: **10/24/2002**

Work Order #: **0209-00627**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
001	02-E198 SH W#1	10/24/2002	09:10	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Arsenic by ICP/MS-Water	**EPA 200.8**	**4 ug/L**	**10/29/02**	
Volatiles, Water/Low Level			**11/5/02**	
Acetone	**EPA 8260B**	**<50 ug/L**	**11/5/02**	
Acrolein	**EPA 8260B**	**<50 ug/L**	**11/5/02**	
Acrylonitrile	**EPA 8260B**	**<50 ug/L**	**11/5/02**	
Benzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Bromodichloromethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Bromobenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Bromochloromethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Bromoform	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Bromomethane	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
sec-Butylbenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
tert-Butylbenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Carbon disulfide	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Carbon tetrachloride	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Chlorobenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Chloroethane	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
2-Chloroethylvinyl ether	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
Chloroform	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Chloromethane	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
2-Chlorotoluene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
4-Chlorotoluene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Dibromochloromethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,2-Dibromo-3-chloropropane	**EPA 8260B**	**<25 ug/L**	**11/5/02**	
1,2-Dibromoethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Dibromomethane	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
1,2-Dichlorobenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,3-Dichlorobenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,4-Dichlorobenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Dichlorodifluoromethane	**EPA 8260B**	**113 ug/L**	**11/5/02**	
1,1-Dichloroethane	**EPA 8260B**	**122 ug/L**	**11/5/02**	
1,2-Dichloroethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,1-Dichloroethene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
CP&L/HEEC ENVIRONMENTALS
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **11/15/2002**
Date Received: **10/24/2002**

Work Order #: **0209-00627**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
001	**02-E198 SH W#1**	**10/24/2002**	**09:10**	**GW**	**4ñ2øC**

Test Performed	Method	Results	Analyzed	Qualifier
cis-1,2-Dichloroethene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
trans-1,2-Dichloroethene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,2-Dichloropropane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,3-Dichloropropane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
2,2-Dichloropropane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,1-Dichloropropene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
cis-1,3-Dichloropropene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
trans-1,3-Dichloropropene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Ethylbenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
2-Hexanone	**EPA 8260B**	**<50 ug/L**	**11/5/02**	
Isopropylbenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
p-Isopropyltoluene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Methylene chloride	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Methyl ethyl ketone (MEK)	**EPA 8260B**	**<50 ug/L**	**11/5/02**	
MIBK (4-Methyl-2-pentanone)	**EPA 8260B**	**<50 ug/L**	**11/5/02**	
n-Propylbenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Styrene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,1,1,2-Tetrachloroethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,1,2,2-Tetrachloroethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Tetrachloroethene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Toluene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,2,4-Trichlorobenzene	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
1,1,1-Trichloroethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,1,2-Trichloroethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Trichloroethene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Trichlorofluoromethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,2,3-Trichloropropane	**EPA 8260B**	**<15 ug/L**	**11/5/02**	
1,2,4-Trimethylbenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,3,5-Trimethylbenzene	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
Vinyl acetate	**EPA 8260B**	**<50 ug/L**	**11/5/02**	
Vinyl chloride	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
o-Xylene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
m- & p-Xylene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	

IRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
CP&L/HEEC ENVIRONMENTALS
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **11/15/2002**
Date Received: **10/24/2002**

Work Order #: **0209-00627**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
001	02-E198 SH W#1	10/24/2002	09:10	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
trans-1,4-Dichloro-2-butene	EPA 8260B	<100 ug/L	11/5/02	
Iodomethane	EPA 8260B	<10 ug/L	11/5/02	
Barium by ICP/MS-Water	EPA 200.8	110 ug/L	10/29/02	
Cadmium by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Chromium by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Lead by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Mercury by CV/Water	EPA 245.1	<0.2 ug/L	10/30/02	
Selenium by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Silver by ICP/MS-Waters	EPA 200.8	<2 ug/L	10/29/02	
Sulfate in Water	EPA 375.4	5.34 mg/L	11/13/02	
Metals Prep	EPA 200.8	DONE	10/27/02	
Mercury Prep	EPA 7470A/71A	DONE	10/29/02	

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
002	02-E199 SH W#2	10/24/2002	09:35	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Arsenic by ICP/MS-Water	EPA 200.8	2 ug/L	10/29/02	
Volatiles, Water/Low Level			11/5/02	
Acetone	EPA 8260B	<50 ug/L	11/5/02	
Acrolein	EPA 8260B	<50 ug/L	11/5/02	
Acrylonitrile	EPA 8260B	<50 ug/L	11/5/02	
Benzene	EPA 8260B	<5 ug/L	11/5/02	
Bromodichloromethane	EPA 8260B	<5 ug/L	11/5/02	
Bromobenzene	EPA 8260B	<5 ug/L	11/5/02	
Bromochloromethane	EPA 8260B	<5 ug/L	11/5/02	
Bromoform	EPA 8260B	<5 ug/L	11/5/02	
Bromomethane	EPA 8260B	<10 ug/L	11/5/02	
sec-Butylbenzene	EPA 8260B	<5 ug/L	11/5/02	
tert-Butylbenzene	EPA 8260B	<5 ug/L	11/5/02	
Carbon disulfide	EPA 8260B	<5 ug/L	11/5/02	
Carbon tetrachloride	EPA 8260B	<5 ug/L	11/5/02	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
CP&L/HEEC ENVIRONMENTALS
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **11/15/2002**
Date Received: **10/24/2002**

Work Order #: **0209-00627**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
002	02-E199 SH W#2	10/24/2002	09:35	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Chlorobenzene	EPA 8260B	<5 ug/L	11/5/02	
Chloroethane	EPA 8260B	<10 ug/L	11/5/02	
2-Chloroethylvinyl ether	EPA 8260B	<10 ug/L	11/5/02	
Chloroform	EPA 8260B	<5 ug/L	11/5/02	
Chloromethane	EPA 8260B	<10 ug/L	11/5/02	
2-Chlorotoluene	EPA 8260B	<5 ug/L	11/5/02	
4-Chlorotoluene	EPA 8260B	<5 ug/L	11/5/02	
Dibromochloromethane	EPA 8260B	<5 ug/L	11/5/02	
1,2-Dibromo-3-chloropropane	EPA 8260B	<25 ug/L	11/5/02	
1,2-Dibromoethane	EPA 8260B	<5 ug/L	11/5/02	
Dibromomethane	EPA 8260B	<10 ug/L	11/5/02	
1,2-Dichlorobenzene	EPA 8260B	<5 ug/L	11/5/02	
1,3-Dichlorobenzene	EPA 8260B	<5 ug/L	11/5/02	
1,4-Dichlorobenzene	EPA 8260B	<5 ug/L	11/5/02	
Dichlorodifluoromethane	EPA 8260B	<5 ug/L	11/5/02	
1,1-Dichloroethane	EPA 8260B	<5 ug/L	11/5/02	
1,2-Dichloroethane	EPA 8260B	<5 ug/L	11/5/02	
1,1-Dichloroethene	EPA 8260B	<5 ug/L	11/5/02	
cis-1,2-Dichloroethene	EPA 8260B	<5 ug/L	11/5/02	
trans-1,2-Dichloroethene	EPA 8260B	<5 ug/L	11/5/02	
1,2-Dichloropropane	EPA 8260B	<5 ug/L	11/5/02	
1,3-Dichloropropane	EPA 8260B	<5 ug/L	11/5/02	
2,2-Dichloropropane	EPA 8260B	<5 ug/L	11/5/02	
1,1-Dichloropropene	EPA 8260B	<5 ug/L	11/5/02	
cis-1,3-Dichloropropene	EPA 8260B	<5 ug/L	11/5/02	
trans-1,3-Dichloropropene	EPA 8260B	<5 ug/L	11/5/02	
Ethylbenzene	EPA 8260B	<5 ug/L	11/5/02	
2-Hexanone	EPA 8260B	<50 ug/L	11/5/02	
Isopropylbenzene	EPA 8260B	<5 ug/L	11/5/02	
p-Isopropyltoluene	EPA 8260B	<5 ug/L	11/5/02	
Methylene chloride	EPA 8260B	<5 ug/L	11/5/02	
Methyl ethyl ketone (MEK)	EPA 8260B	<50 ug/L	11/5/02	
MIBK (4-Methyl-2-pentanone)	EPA 8260B	<50 ug/L	11/5/02	

IRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
CP&L/HEEC ENVIRONMENTALS
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **11/15/2002**
Date Received: **10/24/2002**

Work Order #: **0209-00627**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
002	02-E199 SH W#2	10/24/2002	09:35	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
n-Propylbenzene	EPA 8260B	<5 ug/L	11/5/02	
Styrene	EPA 8260B	<5 ug/L	11/5/02	
1,1,1,2-Tetrachloroethane	EPA 8260B	<5 ug/L	11/5/02	
1,1,2,2-Tetrachloroethane	EPA 8260B	<5 ug/L	11/5/02	
Tetrachloroethene	EPA 8260B	<5 ug/L	11/5/02	
Toluene	EPA 8260B	<5 ug/L	11/5/02	
1,2,4-Trichlorobenzene	EPA 8260B	<10 ug/L	11/5/02	
1,1,1-Trichloroethane	EPA 8260B	<5 ug/L	11/5/02	
1,1,2-Trichloroethane	EPA 8260B	<5 ug/L	11/5/02	
Trichloroethene	EPA 8260B	<5 ug/L	11/5/02	
Trichlorofluoromethane	EPA 8260B	<5 ug/L	11/5/02	
1,2,3-Trichloropropane	EPA 8260B	<15 ug/L	11/5/02	
1,2,4-Trimethylbenzene	EPA 8260B	<5 ug/L	11/5/02	
1,3,5-Trimethylbenzene	EPA 8260B	<10 ug/L	11/5/02	
Vinyl acetate	EPA 8260B	<50 ug/L	11/5/02	
Vinyl chloride	EPA 8260B	<10 ug/L	11/5/02	
o-Xylene	EPA 8260B	<5 ug/L	11/5/02	
m- & p-Xylene	EPA 8260B	<5 ug/L	11/5/02	
trans-1,4-Dichloro-2-butene	EPA 8260B	<100 ug/L	11/5/02	
Iodomethane	EPA 8260B	<10 ug/L	11/5/02	
Barium by ICP/MS-Water	EPA 200.8	68 ug/L	10/29/02	
Cadmium by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Chromium by ICP/MS-Water	EPA 200.8	2 ug/L	10/29/02	
Lead by ICP/MS-Water	EPA 200.8	2 ug/L	10/29/02	
Mercury by CV/Water	EPA 245.1	<0.2 ug/L	10/30/02	
Selenium by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Silver by ICP/MS-Waters	EPA 200.8	<2 ug/L	10/29/02	
Sulfate in Water	EPA 375.4	<2.0 mg/L	11/13/02	
Metals Prep	EPA 200.8	DONE	10/27/02	
Mercury Prep	EPA 7470A/71A	DONE	10/29/02	

IRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
CP&L/HEEC ENVIRONMENTALS
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **11/15/2002**
Date Received: **10/24/2002**

Work Order #: **0209-00627**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
003	02-E200 SH W#3	10/24/2002	10:05	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Arsenic by ICP/MS-Water	**EPA 200.8**	**2 ug/L**	**10/29/02**	
Volatiles, Water/Low Level			**11/5/02**	
Acetone	**EPA 8260B**	**<50 ug/L**	**11/5/02**	
Acrolein	**EPA 8260B**	**<50 ug/L**	**11/5/02**	
Acrylonitrile	**EPA 8260B**	**<50 ug/L**	**11/5/02**	
Benzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Bromodichloromethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Bromobenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Bromochloromethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Bromoform	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Bromomethane	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
sec-Butylbenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
tert-Butylbenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Carbon disulfide	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Carbon tetrachloride	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Chlorobenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Chloroethane	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
2-Chloroethylvinyl ether	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
Chloroform	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Chloromethane	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
2-Chlorotoluene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
4-Chlorotoluene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Dibromochloromethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,2-Dibromo-3-chloropropane	**EPA 8260B**	**<25 ug/L**	**11/5/02**	
1,2-Dibromoethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Dibromomethane	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
1,2-Dichlorobenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,3-Dichlorobenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,4-Dichlorobenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Dichlorodifluoromethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,1-Dichloroethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,2-Dichloroethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,1-Dichloroethene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
CP&L/HEEC ENVIRONMENTALS
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **11/15/2002**
Date Received: **10/24/2002**

Work Order #: **0209-00627**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
003	02-E200 SH W#3	10/24/2002	10:05	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
cis-1,2-Dichloroethene	EPA 8260B	<5 ug/L	11/5/02	
trans-1,2-Dichloroethene	EPA 8260B	<5 ug/L	11/5/02	
1,2-Dichloropropane	EPA 8260B	<5 ug/L	11/5/02	
1,3-Dichloropropane	EPA 8260B	<5 ug/L	11/5/02	
2,2-Dichloropropane	EPA 8260B	<5 ug/L	11/5/02	
1,1-Dichloropropene	EPA 8260B	<5 ug/L	11/5/02	
cis-1,3-Dichloropropene	EPA 8260B	<5 ug/L	11/5/02	
trans-1,3-Dichloropropene	EPA 8260B	<5 ug/L	11/5/02	
Ethylbenzene	EPA 8260B	<5 ug/L	11/5/02	
2-Hexanone	EPA 8260B	<50 ug/L	11/5/02	
Isopropylbenzene	EPA 8260B	<5 ug/L	11/5/02	
p-Isopropyltoluene	EPA 8260B	<5 ug/L	11/5/02	
Methylene chloride	EPA 8260B	<5 ug/L	11/5/02	
Methyl ethyl ketone (MEK)	EPA 8260B	<50 ug/L	11/5/02	
MIBK (4-Methyl-2-pentanone)	EPA 8260B	<50 ug/L	11/5/02	
n-Propylbenzene	EPA 8260B	<5 ug/L	11/5/02	
Styrene	EPA 8260B	<5 ug/L	11/5/02	
1,1,1,2-Tetrachloroethane	EPA 8260B	<5 ug/L	11/5/02	
1,1,2,2-Tetrachloroethane	EPA 8260B	<5 ug/L	11/5/02	
Tetrachloroethene	EPA 8260B	<5 ug/L	11/5/02	
Toluene	EPA 8260B	<5 ug/L	11/5/02	
1,2,4-Trichlorobenzene	EPA 8260B	<10 ug/L	11/5/02	
1,1,1-Trichloroethane	EPA 8260B	<5 ug/L	11/5/02	
1,1,2-Trichloroethane	EPA 8260B	<5 ug/L	11/5/02	
Trichloroethene	EPA 8260B	<5 ug/L	11/5/02	
Trichlorofluoromethane	EPA 8260B	<5 ug/L	11/5/02	
1,2,3-Trichloropropane	EPA 8260B	<15 ug/L	11/5/02	
1,2,4-Trimethylbenzene	EPA 8260B	<5 ug/L	11/5/02	
1,3,5-Trimethylbenzene	EPA 8260B	<10 ug/L	11/5/02	
Vinyl acetate	EPA 8260B	<50 ug/L	11/5/02	
Vinyl chloride	EPA 8260B	<10 ug/L	11/5/02	
o-Xylene	EPA 8260B	<5 ug/L	11/5/02	
m- & p-Xylene	EPA 8260B	<5 ug/L	11/5/02	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
CP&L/HEEC ENVIRONMENTALS
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **11/15/2002**
Date Received: **10/24/2002**

Work Order #: **0209-00627**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
003	02-E200 SH W#3	10/24/2002	10:05	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
trans-1,4-Dichloro-2-butene	EPA 8260B	<100 ug/L	11/5/02	
Iodomethane	EPA 8260B	<10 ug/L	11/5/02	
Barium by ICP/MS-Water	EPA 200.8	159 ug/L	10/29/02	
Cadmium by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Chromium by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Lead by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Mercury by CV/Water	EPA 245.1	<0.2 ug/L	10/30/02	
Selenium by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Silver by ICP/MS-Waters	EPA 200.8	<2 ug/L	10/29/02	
Sulfate in Water	EPA 375.4	5.28 mg/L	11/13/02	
Metals Prep	EPA 200.8	DONE	10/27/02	
Mercury Prep	EPA 7470A/71A	DONE	10/29/02	

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
004	02-E201 SH W#4	10/24/2002	10:30	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Arsenic by ICP/MS-Water	EPA 200.8	2 ug/L	10/29/02	
Volatiles, Water/Low Level			11/5/02	
Acetone	EPA 8260B	<50 ug/L	11/5/02	
Acrolein	EPA 8260B	<50 ug/L	11/5/02	
Acrylonitrile	EPA 8260B	<50 ug/L	11/5/02	
Benzene	EPA 8260B	<5 ug/L	11/5/02	
Bromodichloromethane	EPA 8260B	<5 ug/L	11/5/02	
Bromobenzene	EPA 8260B	<5 ug/L	11/5/02	
Bromochloromethane	EPA 8260B	<5 ug/L	11/5/02	
Bromoform	EPA 8260B	<5 ug/L	11/5/02	
Bromomethane	EPA 8260B	<10 ug/L	11/5/02	
sec-Butylbenzene	EPA 8260B	<5 ug/L	11/5/02	
tert-Butylbenzene	EPA 8260B	<5 ug/L	11/5/02	
Carbon disulfide	EPA 8260B	<5 ug/L	11/5/02	
Carbon tetrachloride	EPA 8260B	<5 ug/L	11/5/02	

IRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
CP&L/HEEC ENVIRONMENTALS
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **11/15/2002**
Date Received: **10/24/2002**

Work Order #: **0209-00627**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
004	02-E201 SH W#4	10/24/2002	10:30	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Chlorobenzene	EPA 8260B	<5 ug/L	11/5/02	
Chloroethane	EPA 8260B	<10 ug/L	11/5/02	
2-Chloroethylvinyl ether	EPA 8260B	<10 ug/L	11/5/02	
Chloroform	EPA 8260B	<5 ug/L	11/5/02	
Chloromethane	EPA 8260B	<10 ug/L	11/5/02	
2-Chlorotoluene	EPA 8260B	<5 ug/L	11/5/02	
4-Chlorotoluene	EPA 8260B	<5 ug/L	11/5/02	
Dibromochloromethane	EPA 8260B	<5 ug/L	11/5/02	
1,2-Dibromo-3-chloropropane	EPA 8260B	<25 ug/L	11/5/02	
1,2-Dibromoethane	EPA 8260B	<5 ug/L	11/5/02	
Dibromomethane	EPA 8260B	<10 ug/L	11/5/02	
1,2-Dichlorobenzene	EPA 8260B	<5 ug/L	11/5/02	
1,3-Dichlorobenzene	EPA 8260B	<5 ug/L	11/5/02	
1,4-Dichlorobenzene	EPA 8260B	<5 ug/L	11/5/02	
Dichlorodifluoromethane	EPA 8260B	<5 ug/L	11/5/02	
1,1-Dichloroethane	EPA 8260B	<5 ug/L	11/5/02	
1,2-Dichloroethane	EPA 8260B	<5 ug/L	11/5/02	
1,1-Dichloroethene	EPA 8260B	<5 ug/L	11/5/02	
cis-1,2-Dichloroethene	EPA 8260B	<5 ug/L	11/5/02	
trans-1,2-Dichloroethene	EPA 8260B	<5 ug/L	11/5/02	
1,2-Dichloropropane	EPA 8260B	<5 ug/L	11/5/02	
1,3-Dichloropropane	EPA 8260B	<5 ug/L	11/5/02	
2,2-Dichloropropane	EPA 8260B	<5 ug/L	11/5/02	
1,1-Dichloropropene	EPA 8260B	<5 ug/L	11/5/02	
cis-1,3-Dichloropropene	EPA 8260B	<5 ug/L	11/5/02	
trans-1,3-Dichloropropene	EPA 8260B	<5 ug/L	11/5/02	
Ethylbenzene	EPA 8260B	<5 ug/L	11/5/02	
2-Hexanone	EPA 8260B	<50 ug/L	11/5/02	
Isopropylbenzene	EPA 8260B	<5 ug/L	11/5/02	
p-Isopropyltoluene	EPA 8260B	<5 ug/L	11/5/02	
Methylene chloride	EPA 8260B	<5 ug/L	11/5/02	
Methyl ethyl ketone (MEK)	EPA 8260B	<50 ug/L	11/5/02	
MIBK (4-Methyl-2-pentanone)	EPA 8260B	<50 ug/L	11/5/02	

IRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
CP&L/HEEC ENVIRONMENTALS
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: HARRIS GWW ENVIRONMENTALS -

Report Date: 11/15/2002
Date Received: 10/24/2002

Work Order #: 0209-00627

Cust. Code: CP3588
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
004	02-E201 SH W#4	10/24/2002	10:30	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
n-Propylbenzene	EPA 8260B	<5 ug/L	11/5/02	
Styrene	EPA 8260B	<5 ug/L	11/5/02	
1,1,1,2-Tetrachloroethane	EPA 8260B	<5 ug/L	11/5/02	
1,1,2,2-Tetrachloroethane	EPA 8260B	<5 ug/L	11/5/02	
Tetrachloroethene	EPA 8260B	<5 ug/L	11/5/02	
Toluene	EPA 8260B	<5 ug/L	11/5/02	
1,2,4-Trichlorobenzene	EPA 8260B	<10 ug/L	11/5/02	
1,1,1-Trichloroethane	EPA 8260B	<5 ug/L	11/5/02	
1,1,2-Trichloroethane	EPA 8260B	<5 ug/L	11/5/02	
Trichloroethene	EPA 8260B	<5 ug/L	11/5/02	
Trichlorofluoromethane	EPA 8260B	<5 ug/L	11/5/02	
1,2,3-Trichloropropane	EPA 8260B	<15 ug/L	11/5/02	
1,2,4-Trimethylbenzene	EPA 8260B	<5 ug/L	11/5/02	
1,3,5-Trimethylbenzene	EPA 8260B	<10 ug/L	11/5/02	
Vinyl acetate	EPA 8260B	<50 ug/L	11/5/02	
Vinyl chloride	EPA 8260B	<10 ug/L	11/5/02	
o-Xylene	EPA 8260B	<5 ug/L	11/5/02	
m- & p-Xylene	EPA 8260B	<5 ug/L	11/5/02	
trans-1,4-Dichloro-2-butene	EPA 8260B	<100 ug/L	11/5/02	
Iodomethane	EPA 8260B	<10 ug/L	11/5/02	
Barium by ICP/MS-Water	EPA 200.8	20 ug/L	10/29/02	
Cadmium by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Chromium by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Lead by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Mercury by CV/Water	EPA 245.1	<0.2 ug/L	10/30/02	
Selenium by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Silver by ICP/MS-Waters	EPA 200.8	<2 ug/L	10/29/02	
Sulfate in Water	EPA 375.4	2.42 mg/L	11/13/02	
Metals Prep	EPA 200.8	DONE	10/27/02	
Mercury Prep	EPA 7470A/71A	DONE	10/29/02	

IRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
CP&L/HEEC ENVIRONMENTALS
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **11/15/2002**
Date Received: **10/24/2002**

Work Order #: **0209-00627**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
005	02-E202 SH W#5	10/24/2002	10:50	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
Arsenic by ICP/MS-Water	**EPA 200.8**	**<2 ug/L**	**10/29/02**	
Volatiles, Water/Low Level			**11/5/02**	
Acetone	**EPA 8260B**	**<50 ug/L**	**11/5/02**	
Acrolein	**EPA 8260B**	**<50 ug/L**	**11/5/02**	
Acrylonitrile	**EPA 8260B**	**<50 ug/L**	**11/5/02**	
Benzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Bromodichloromethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Bromobenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Bromochloromethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Bromoform	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Bromomethane	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
sec-Butylbenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
tert-Butylbenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Carbon disulfide	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Carbon tetrachloride	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Chlorobenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Chloroethane	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
2-Chloroethylvinyl ether	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
Chloroform	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Chloromethane	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
2-Chlorotoluene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
4-Chlorotoluene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Dibromochloromethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,2-Dibromo-3-chloropropane	**EPA 8260B**	**<25 ug/L**	**11/5/02**	
1,2-Dibromoethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Dibromomethane	**EPA 8260B**	**<10 ug/L**	**11/5/02**	
1,2-Dichlorobenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,3-Dichlorobenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,4-Dichlorobenzene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
Dichlorodifluoromethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,1-Dichloroethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,2-Dichloroethane	**EPA 8260B**	**<5 ug/L**	**11/5/02**	
1,1-Dichloroethene	**EPA 8260B**	**<5 ug/L**	**11/5/02**	

IRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
CP&L/HEEC ENVIRONMENTALS
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: HARRIS GWW ENVIRONMENTALS -

Report Date: 11/15/2002
Date Received: 10/24/2002

Work Order #: 0209-00627

Cust. Code: CP3588
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
005	02-E202 SH W#5	10/24/2002	10:50	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
cis-1,2-Dichloroethene	EPA 8260B	<5 ug/L	11/5/02	
trans-1,2-Dichloroethene	EPA 8260B	<5 ug/L	11/5/02	
1,2-Dichloropropane	EPA 8260B	<5 ug/L	11/5/02	
1,3-Dichloropropane	EPA 8260B	<5 ug/L	11/5/02	
2,2-Dichloropropane	EPA 8260B	<5 ug/L	11/5/02	
1,1-Dichloropropene	EPA 8260B	<5 ug/L	11/5/02	
cis-1,3-Dichloropropene	EPA 8260B	<5 ug/L	11/5/02	
trans-1,3-Dichloropropene	EPA 8260B	<5 ug/L	11/5/02	
Ethylbenzene	EPA 8260B	<5 ug/L	11/5/02	
2-Hexanone	EPA 8260B	<50 ug/L	11/5/02	
Isopropylbenzene	EPA 8260B	<5 ug/L	11/5/02	
p-Isopropyltoluene	EPA 8260B	<5 ug/L	11/5/02	
Methylene chloride	EPA 8260B	<5 ug/L	11/5/02	
Methyl ethyl ketone (MEK)	EPA 8260B	<50 ug/L	11/5/02	
MIBK (4-Methyl-2-pentanone)	EPA 8260B	<50 ug/L	11/5/02	
n-Propylbenzene	EPA 8260B	<5 ug/L	11/5/02	
Styrene	EPA 8260B	<5 ug/L	11/5/02	
1,1,1,2-Tetrachloroethane	EPA 8260B	<5 ug/L	11/5/02	
1,1,2,2-Tetrachloroethane	EPA 8260B	<5 ug/L	11/5/02	
Tetrachloroethene	EPA 8260B	<5 ug/L	11/5/02	
Toluene	EPA 8260B	<5 ug/L	11/5/02	
1,2,4-Trichlorobenzene	EPA 8260B	<10 ug/L	11/5/02	
1,1,1-Trichloroethane	EPA 8260B	<5 ug/L	11/5/02	
1,1,2-Trichloroethane	EPA 8260B	<5 ug/L	11/5/02	
Trichloroethene	EPA 8260B	<5 ug/L	11/5/02	
Trichlorofluoromethane	EPA 8260B	<5 ug/L	11/5/02	
1,2,3-Trichloropropane	EPA 8260B	<15 ug/L	11/5/02	
1,2,4-Trimethylbenzene	EPA 8260B	<5 ug/L	11/5/02	
1,3,5-Trimethylbenzene	EPA 8260B	<10 ug/L	11/5/02	
Vinyl acetate	EPA 8260B	<50 ug/L	11/5/02	
Vinyl chloride	EPA 8260B	<10 ug/L	11/5/02	
o-Xylene	EPA 8260B	<5 ug/L	11/5/02	
m- & p-Xylene	EPA 8260B	<5 ug/L	11/5/02	

TRITEST, INC.
3909 Beryl Road
Raleigh, NC 27607

Telephone: (919) 834-4984
Fax: (919) 834-6497

NC/WW Cert. #: 067
NC/DW Cert. #: 37731

Laboratory Report

--- Prepared for ---
SUSAN WEATHERS
CP&L/HEEC ENVIRONMENTALS
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project ID:
Project ID: **HARRIS GWW ENVIRONMENTALS -**

Report Date: **11/15/2002**
Date Received: **10/24/2002**

Work Order #: **0209-00627**

Cust. Code: **CP3588**
Cust. P.O.#:

No.	Sample ID	Date Sampled	Time Sampled	Matrix	Condition
005	02-E202 SH W#5	10/24/2002	10:50	GW	4ñ2øC

Test Performed	Method	Results	Analyzed	Qualifier
trans-1,4-Dichloro-2-butene	EPA 8260B	<100 ug/L	11/5/02	
Iodomethane	EPA 8260B	<10 ug/L	11/5/02	
Barium by ICP/MS-Water	EPA 200.8	62 ug/L	10/29/02	
Cadmium by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Chromium by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Lead by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Mercury by CV/Water	EPA 245.1	<0.2 ug/L	10/30/02	
Selenium by ICP/MS-Water	EPA 200.8	<2 ug/L	10/29/02	
Silver by ICP/MS-Waters	EPA 200.8	<2 ug/L	10/29/02	
Sulfate in Water	EPA 375.4	6.50 mg/L	11/13/02	
Metals Prep	EPA 200.8	DONE	10/27/02	
Mercury Prep	EPA 7470A/71A	DONE	10/29/02	

Report Certified by:

for Tritest, Inc.

Tritest,
3909 Beryl R
ph: (919) 834
NCWW CERT#67,

Tritest, Inc.
3909 Beryl Road, Raleigh, NC 27607
ph: (919) 834-4984 fax: (919) 834-6497
NCWW CERT#67, NCDW CERT#37731

Chain of Custody

Tritest W.O. # 0209-00627

Report Res

Report Results To:

Company:
Address:

Attn:
Phone:
Sampled by

Company: CP&L/HEEC ENVIRONMENTALS
Address: HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562
Attn: SUSAN WEATHERS
Phone: (919)362-3588 Fax: (919)362-3891
Sampled by (signature):

Bill To:

CP&L/HEEC ENVIRONMENTALS
HARRIS E&E CENTER
3932 NEW HILL-HOLLEMAN RD.
NEW HILL, NC 27562

Project Reference: HARRIS GWW
Project Number:
Purchase Order #:

☐ Standard Report Delivery
☐ Rush Report Delivery (w/surcharge)
**Rush projects are subject to prior approval by the laboratory
Requested Due Date:

Sample Des	Sample Description	Composite Grab	Start Date / Start Time	End Date / End Time	Matrix WW,DW SW,GWS	Analyses Requested	Tritest Sample #
02-E199 S	02-E198 SH W#1	Grab	10/24/02 0910		GW	AA-ASGFW, MS-8260LOW, ZZ-826W-1, ZZ-826W-2, ZZ-826W-3, ZZ-826W-4, ZZ-826W-5, ZZ-826W-6, ZZ-826W-7, ZZ-826W-8, ZZ-826W-9, ZZ-826W-10, ZZ-826W-11, ZZ-826W-12, ZZ-826W-13,	001
						ZZ-826W-14, ZZ-826W-15, ZZ-826W-16, ZZ-826W-17, ZZ-826W-18, ZZ-826W-19, ZZ-826W-20, ZZ-826W-21, ZZ-826W-22, ZZ-826W-23, ZZ-826W-24, ZZ-826W-25, ZZ-826W-26, ZZ-826W-27, ZZ-826W-28, ZZ-826W-29, ZZ-826W-30, ZZ-826W-31, ZZ-826W-32, ZZ-826W-33, ZZ-826W-34, ZZ-826W-35, ZZ-826W-36, ZZ-826W-37, ZZ-826W-38, ZZ-826W-39, ZZ-826W-40, ZZ-826W-41, ZZ-826W-42, ZZ-826W-43, ZZ-826W-44, ZZ-826W-45, ZZ-826W-46, ZZ-826W-47, ZZ-826W-48, ZZ-826W-49, ZZ-826W-50, ZZ-826W-51, ZZ-826W-52, ZZ-826W-53, ZZ-826W-54, ZZ-826W-55, ZZ-826W-56, ZZ-826W-57, ZZ-826W-58, ZZ-826W-59	

Relinquished by (signature)	Received by (signature)	Date	Time
	Sue Hicks	10-24-02	1305
Relinquished by (signature)	Received by (signature)	Date	Time
		10-24-02	3:25
Relinquished by (signature)	Received by (signature)	Date	Time
		10-24-02	3:55

Receipt Conditions (Lab Use Only):
☐ 4±2°C ☒ Temp: 2 °C
Res. Chlorine ☐Absent ☐Present ☐n/a
Acid preserv. <2? ☐Yes ☐No ☐n/a
Base preserv. >12? ☐Yes ☐No ☐n/a