Permit#
13-04 NO EDD

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

Laboratory Report

Report Number: ATF0720

Project: CMS 4

Project #:[none]

Prepared For:
Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord, NC 28027

Attention: Mr. Mike Gurley

July 08, 2010

We appreciate the opportunity to provide the analytical support for your project. The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call. Analytical Services, Inc. certifies that the following analytical results meet all requirements of the National Environmental Laboratory Accreditation Conference(NELAC).All test results relate only to the samples analyzed.

Approved:

Project Manager

This report may not be reproduced, except in full, without written approval from Analytical Services, Inc.

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
1304-MW5	ATF0720-01	Ground Water	06/21/10 13:00	06/22/10 09:05
1304-MW5D	ATF0720-02	Ground Water	06/21/10 13:00	06/22/10 09:05
1304-MW6	ATF0720-03	Ground Water	06/21/10 14:00	06/22/10 09:05
1304-MW7	ATF0720-04	Ground Water	06/21/10 15:10	06/22/10 09:05
1304-MW2	ATF0720-05	Ground Water	06/22/10 10:05	06/23/10 09:20
1304-MW3	ATF0720-06	Ground Water	06/22/10 10:35	06/23/10 09:20
1304-MW4	ATF0720-07	Ground Water	06/22/10 11:15	06/23/10 09:20
1304-Equipment Blank	ATF0720-08	Water	06/22/10 12:05	06/23/10 09:20
1304-Field Blank	ATF0720-09	Water	06/22/10 12:15	06/23/10 09:20
1304-MW1	ATF0720-10	Ground Water	06/22/10 13:10	06/23/10 09:20

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW5
Lab No: ATF0720-01
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 13:00
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Total												
Antimony	EPA 6020A	EPA 3005A	ND	6.00	1	ug/L		0.15	7440-36-0	06/25/10 10:40	06/28/10 21:52	0060782
Arsenic	EPA 6020A	EPA 3005A	2.33	10.0	1	ug/L	J	1.58	7440-38-2	06/25/10 10:40	06/28/10 21:52	0060782
Barium	EPA 6020A	EPA 3005A	135	100	1	ug/L		0.05	7440-39-3	06/25/10 10:40	06/28/10 21:52	0060782
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/25/10 10:40	06/28/10 21:52	0060782
Cadmium	EPA 6020A	EPA 3005A	0.86	1.00	1	ug/L	J	0.16	7440-43-9	06/25/10 10:40	06/28/10 21:52	0060782
Chromium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.63	7440-47-3	06/25/10 10:40	06/29/10 20:05	0060782
Cobalt	EPA 6020A	EPA 3005A	24.2	10.0	1	ug/L		0.13	7440-48-4	06/25/10 10:40	06/28/10 21:52	0060782
Copper	EPA 6020A	EPA 3005A	5.14	10.0	1	ug/L	J	2.01	7440-50-8	06/25/10 10:40	06/28/10 21:52	0060782
Lead	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.15	7439-92-1	06/25/10 10:40	06/29/10 20:05	0060782
Nickel	EPA 6020A	EPA 3005A	34.8	50.0	1	ug/L	J	0.14	7440-02-0	06/25/10 10:40	06/28/10 21:52	0060782
Selenium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.56	7782-49-2	06/25/10 10:40	06/28/10 21:52	0060782
Silver	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.32	7440-22-4	06/25/10 10:40	06/28/10 21:52	0060782
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/25/10 10:40	06/29/10 20:05	0060782
Vanadium	EPA 6020A	EPA 3005A	ND	25.0	1	ug/L		6.47	7440-62-2	06/25/10 10:40	06/29/10 20:05	0060782
Zinc	EPA 6020A	EPA 3005A	6.14	10.0	1	ug/L	J	3.24	7440-66-6	06/25/10 10:40	06/28/10 21:52	0060782
Metals, Dissolved												
Antimony	EPA 6020A	EPA 3005A	0.22	6.00	1	ug/L	J	0.15	7440-36-0	06/30/10 09:20	06/30/10 22:42	0060913
Arsenic	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		1.58	7440-38-2	06/30/10 09:20	06/30/10 22:42	0060913
Barium	EPA 6020A	EPA 3005A	107	100	1	ug/L		0.05	7440-39-3	06/30/10 09:20	06/30/10 22:42	0060913
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/30/10 09:20	06/30/10 22:42	0060913

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW5
Lab No: ATF0720-01
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 13:00
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Dissolved												
Cadmium	EPA 6020A	EPA 3005A	0.18	1.00	1	ug/L	J	0.16	7440-43-9	06/30/10 09:20	06/30/10 22:42	0060913
Chromium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.63	7440-47-3	06/30/10 09:20	06/30/10 22:42	0060913
Cobalt	EPA 6020A	EPA 3005A	28.9	10.0	1	ug/L		0.13	7440-48-4	06/30/10 09:20	06/30/10 22:42	0060913
Copper	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		2.01	7440-50-8	06/30/10 09:20	06/30/10 22:42	0060913
Lead	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.15	7439-92-1	06/30/10 09:20	06/30/10 22:42	0060913
Nickel	EPA 6020A	EPA 3005A	47.8	50.0	1	ug/L	J	0.14	7440-02-0	06/30/10 09:20	06/30/10 22:42	0060913
Selenium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.56	7782-49-2	06/30/10 09:20	06/30/10 22:42	0060913
Silver	EPA 6020A	EPA 3005A	0.38	10.0	1	ug/L	J	0.32	7440-22-4	06/30/10 09:20	06/30/10 22:42	0060913
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/30/10 09:20	07/02/10 16:26	0060913
Vanadium	EPA 6020A	EPA 3005A	ND	25.0	1	ug/L		6.47	7440-62-2	06/30/10 09:20	06/30/10 22:42	0060913
Zinc	EPA 6020A	EPA 3005A	7.27	10.0	1	ug/L	J	3.24	7440-66-6	06/30/10 09:20	06/30/10 22:42	0060913
Volatile Organic Compounds by EPA 8260												
Acetone	EPA 8260B	EPA 5030B	ND	100	1	ug/L		3.4	67-64-1	06/24/10 14:45	06/24/10 18:30	0060766
Acrylonitrile	EPA 8260B	EPA 5030B	ND	200	1	ug/L		0.8	107-13-1	06/24/10 14:45	06/24/10 18:30	0060766
Benzene	EPA 8260B	EPA 5030B	0.9	1.0	1	ug/L	J	0.2	71-43-2	06/24/10 14:45	06/24/10 18:30	0060766
Bromochloromethane	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.2	74-97-5	06/24/10 14:45	06/24/10 18:30	0060766
Bromodichloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	75-27-4	06/24/10 14:45	06/24/10 18:30	0060766
Bromoform	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.3	75-25-2	06/24/10 14:45	06/24/10 18:30	0060766
Bromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		2.9	74-83-9	06/24/10 14:45	06/24/10 18:30	0060766
Carbon Disulfide	EPA 8260B	EPA 5030B	ND	100	1	ug/L		0.3	75-15-0	06/24/10 14:45	06/24/10 18:30	0060766
Carbon Tetrachloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	56-23-5	06/24/10 14:45	06/24/10 18:30	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW5
Lab No: ATF0720-01
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 13:00
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Chlorobenzene	EPA 8260B	EPA 5030B	1.6	3.0	1	ug/L	J	0.3	108-90-7	06/24/10 14:45	06/24/10 18:30	0060766
Chloroethane	EPA 8260B	EPA 5030B	19	10	1	ug/L		0.5	75-00-3	06/24/10 14:45	06/24/10 18:30	0060766
Chloroform	EPA 8260B	EPA 5030B	0.5	5.0	1	ug/L	B-01, J	0.2	67-66-3	06/24/10 14:45	06/24/10 18:30	0060766
Chloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	74-87-3	06/24/10 14:45	06/24/10 18:30	0060766
Dibromochloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	124-48-1	06/24/10 14:45	06/24/10 18:30	0060766
1,2-Dibromo-3-chloropropane	EPA 8260B	EPA 5030B	ND	13	1	ug/L		0.8	96-12-8	06/24/10 14:45	06/24/10 18:30	0060766
1,2-Dibromoethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	106-93-4	06/24/10 14:45	06/24/10 18:30	0060766
Dibromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.3	74-95-3	06/24/10 14:45	06/24/10 18:30	0060766
1,2-Dichlorobenzene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.4	95-50-1	06/24/10 14:45	06/24/10 18:30	0060766
1,4-Dichlorobenzene	EPA 8260B	EPA 5030B	1.5	1.0	1	ug/L		0.3	106-46-7	06/24/10 14:45	06/24/10 18:30	0060766
trans-1,4-Dichloro-2-butene	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.8	110-57-6	06/24/10 14:45	06/24/10 18:30	0060766
1,1-Dichloroethane	EPA 8260B	EPA 5030B	0.9	5.0	1	ug/L	J	0.2	75-34-3	06/24/10 14:45	06/24/10 18:30	0060766
1,2-Dichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	107-06-2	06/24/10 14:45	06/24/10 18:30	0060766
1,1-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	75-35-4	06/24/10 14:45	06/24/10 18:30	0060766
cis-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	156-59-2	06/24/10 14:45	06/24/10 18:30	0060766
trans-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	156-60-5	06/24/10 14:45	06/24/10 18:30	0060766
1,2-Dichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	78-87-5	06/24/10 14:45	06/24/10 18:30	0060766
cis-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-01-5	06/24/10 14:45	06/24/10 18:30	0060766
trans-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-02-6	06/24/10 14:45	06/24/10 18:30	0060766
Ethylbenzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-41-4	06/24/10 14:45	06/24/10 18:30	0060766
Iodomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.6	74-88-4	06/24/10 14:45	06/24/10 18:30	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW5
Lab No: ATF0720-01
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 13:00
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Methyl Butyl Ketone (2-Hexanone)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.6	591-78-6	06/24/10 14:45	06/24/10 18:30	0060766
Methylene Chloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	75-09-2	06/24/10 14:45	06/24/10 18:30	0060766
Methyl Ethyl Ketone (2-Butanone)	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.1	78-93-3	06/24/10 14:45	06/24/10 18:30	0060766
4-Methyl-2-pentanone (MIBK)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.8	108-10-1	06/24/10 14:45	06/24/10 18:30	0060766
Styrene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-42-5	06/24/10 14:45	06/24/10 18:30	0060766
1,1,1,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	630-20-6	06/24/10 14:45	06/24/10 18:30	0060766
1,1,2,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	79-34-5	06/24/10 14:45	06/24/10 18:30	0060766
Tetrachloroethene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	127-18-4	06/24/10 14:45	06/24/10 18:30	0060766
Toluene	EPA 8260B	EPA 5030B	0.3	1.0	1	ug/L	B-01, J	0.2	108-88-3	06/24/10 14:45	06/24/10 18:30	0060766
1,1,1-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.1	71-55-6	06/24/10 14:45	06/24/10 18:30	0060766
1,1,2-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.5	79-00-5	06/24/10 14:45	06/24/10 18:30	0060766
Trichloroethene	EPA 8260B	EPA 5030B	1.0	1.0	1	ug/L		0.3	79-01-6	06/24/10 14:45	06/24/10 18:30	0060766
Trichlorofluoromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	75-69-4	06/24/10 14:45	06/24/10 18:30	0060766
1,2,3-Trichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	96-18-4	06/24/10 14:45	06/24/10 18:30	0060766
Vinyl Acetate	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.2	108-05-4	06/24/10 14:45	06/24/10 18:30	0060766
Vinyl Chloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	75-01-4	06/24/10 14:45	06/24/10 18:30	0060766
Xylenes, total	EPA 8260B	EPA 5030B	ND	4.0	1	ug/L		0.6	1330-20-7	06/24/10 14:45	06/24/10 18:30	0060766
Surr: Dibromofluoromethane	EPA 8260B	EPA 5030B	104 %		80-120				1868-53-7	06/24/10 14:45	06/24/10 18:30	0060766
Surr: 1,2-Dichloroethane-d4	EPA 8260B	EPA 5030B	105 %		77-116				17060-07-0	06/24/10 14:45	06/24/10 18:30	0060766
Surr: Toluene-d8	EPA 8260B	EPA 5030B	98 %		80-120				2037-26-5	06/24/10 14:45	06/24/10 18:30	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW5
Lab No: ATF0720-01
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 13:00
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Surr: 4-Bromofluorobenzene	EPA 8260B	EPA 5030B	101 %		80-120				460-00-4	06/24/10 14:45	06/24/10 18:30	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Client ID: 1304-MW5D
Lab No: ATF0720-02
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 13:00
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Total												
Antimony	EPA 6020A	EPA 3005A	ND	6.00	1	ug/L		0.15	7440-36-0	06/25/10 10:40	06/28/10 21:57	0060782
Arsenic	EPA 6020A	EPA 3005A	3.96	10.0	1	ug/L	J	1.58	7440-38-2	06/25/10 10:40	06/28/10 21:57	0060782
Barium	EPA 6020A	EPA 3005A	139	100	1	ug/L		0.05	7440-39-3	06/25/10 10:40	06/28/10 21:57	0060782
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/25/10 10:40	06/28/10 21:57	0060782
Cadmium	EPA 6020A	EPA 3005A	1.33	1.00	1	ug/L		0.16	7440-43-9	06/25/10 10:40	06/28/10 21:57	0060782
Chromium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.63	7440-47-3	06/25/10 10:40	06/29/10 20:12	0060782
Cobalt	EPA 6020A	EPA 3005A	51.3	10.0	1	ug/L		0.13	7440-48-4	06/25/10 10:40	06/28/10 21:57	0060782
Copper	EPA 6020A	EPA 3005A	5.49	10.0	1	ug/L	J	2.01	7440-50-8	06/25/10 10:40	06/28/10 21:57	0060782
Lead	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.15	7439-92-1	06/25/10 10:40	06/29/10 20:12	0060782
Nickel	EPA 6020A	EPA 3005A	76.2	50.0	1	ug/L		0.14	7440-02-0	06/25/10 10:40	06/28/10 21:57	0060782
Selenium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.56	7782-49-2	06/25/10 10:40	06/28/10 21:57	0060782
Silver	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.32	7440-22-4	06/25/10 10:40	06/28/10 21:57	0060782
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/25/10 10:40	06/29/10 20:12	0060782
Vanadium	EPA 6020A	EPA 3005A	ND	25.0	1	ug/L		6.47	7440-62-2	06/25/10 10:40	06/29/10 20:12	0060782
Zinc	EPA 6020A	EPA 3005A	7.17	10.0	1	ug/L	J	3.24	7440-66-6	06/25/10 10:40	06/28/10 21:57	0060782
Metals, Dissolved												
Antimony	EPA 6020A	EPA 3005A	ND	6.00	1	ug/L		0.15	7440-36-0	06/30/10 09:20	06/30/10 22:48	0060913
Arsenic	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		1.58	7440-38-2	06/30/10 09:20	06/30/10 22:48	0060913
Barium	EPA 6020A	EPA 3005A	105	100	1	ug/L		0.05	7440-39-3	06/30/10 09:20	06/30/10 22:48	0060913
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/30/10 09:20	06/30/10 22:48	0060913

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW5D
Lab No: ATF0720-02
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 13:00
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Dissolved												
Cadmium	EPA 6020A	EPA 3005A	0.28	1.00	1	ug/L	J	0.16	7440-43-9	06/30/10 09:20	06/30/10 22:48	0060913
Chromium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.63	7440-47-3	06/30/10 09:20	06/30/10 22:48	0060913
Cobalt	EPA 6020A	EPA 3005A	43.3	10.0	1	ug/L		0.13	7440-48-4	06/30/10 09:20	06/30/10 22:48	0060913
Copper	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		2.01	7440-50-8	06/30/10 09:20	06/30/10 22:48	0060913
Lead	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.15	7439-92-1	06/30/10 09:20	06/30/10 22:48	0060913
Nickel	EPA 6020A	EPA 3005A	69.3	50.0	1	ug/L		0.14	7440-02-0	06/30/10 09:20	06/30/10 22:48	0060913
Selenium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.56	7782-49-2	06/30/10 09:20	06/30/10 22:48	0060913
Silver	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.32	7440-22-4	06/30/10 09:20	06/30/10 22:48	0060913
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/30/10 09:20	07/02/10 16:32	0060913
Vanadium	EPA 6020A	EPA 3005A	ND	25.0	1	ug/L		6.47	7440-62-2	06/30/10 09:20	06/30/10 22:48	0060913
Zinc	EPA 6020A	EPA 3005A	5.72	10.0	1	ug/L	J	3.24	7440-66-6	06/30/10 09:20	06/30/10 22:48	0060913
Volatile Organic Compounds by EPA 8260												
Acetone	EPA 8260B	EPA 5030B	ND	100	1	ug/L		3.4	67-64-1	06/24/10 14:45	06/24/10 20:31	0060766
Acrylonitrile	EPA 8260B	EPA 5030B	ND	200	1	ug/L		0.8	107-13-1	06/24/10 14:45	06/24/10 20:31	0060766
Benzene	EPA 8260B	EPA 5030B	0.9	1.0	1	ug/L	J	0.2	71-43-2	06/24/10 14:45	06/24/10 20:31	0060766
Bromochloromethane	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.2	74-97-5	06/24/10 14:45	06/24/10 20:31	0060766
Bromodichloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	75-27-4	06/24/10 14:45	06/24/10 20:31	0060766
Bromoform	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.3	75-25-2	06/24/10 14:45	06/24/10 20:31	0060766
Bromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		2.9	74-83-9	06/24/10 14:45	06/24/10 20:31	0060766
Carbon Disulfide	EPA 8260B	EPA 5030B	ND	100	1	ug/L		0.3	75-15-0	06/24/10 14:45	06/24/10 20:31	0060766
Carbon Tetrachloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	56-23-5	06/24/10 14:45	06/24/10 20:31	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW5D
Lab No: ATF0720-02
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 13:00
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Chlorobenzene	EPA 8260B	EPA 5030B	1.5	3.0	1	ug/L	J	0.3	108-90-7	06/24/10 14:45	06/24/10 20:31	0060766
Chloroethane	EPA 8260B	EPA 5030B	19	10	1	ug/L		0.5	75-00-3	06/24/10 14:45	06/24/10 20:31	0060766
Chloroform	EPA 8260B	EPA 5030B	0.5	5.0	1	ug/L	B-01, J	0.2	67-66-3	06/24/10 14:45	06/24/10 20:31	0060766
Chloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	74-87-3	06/24/10 14:45	06/24/10 20:31	0060766
Dibromochloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	124-48-1	06/24/10 14:45	06/24/10 20:31	0060766
1,2-Dibromo-3-chloropropane	EPA 8260B	EPA 5030B	ND	13	1	ug/L		0.8	96-12-8	06/24/10 14:45	06/24/10 20:31	0060766
1,2-Dibromoethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	106-93-4	06/24/10 14:45	06/24/10 20:31	0060766
Dibromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.3	74-95-3	06/24/10 14:45	06/24/10 20:31	0060766
1,2-Dichlorobenzene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.4	95-50-1	06/24/10 14:45	06/24/10 20:31	0060766
1,4-Dichlorobenzene	EPA 8260B	EPA 5030B	1.4	1.0	1	ug/L		0.3	106-46-7	06/24/10 14:45	06/24/10 20:31	0060766
trans-1,4-Dichloro-2-butene	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.8	110-57-6	06/24/10 14:45	06/24/10 20:31	0060766
1,1-Dichloroethane	EPA 8260B	EPA 5030B	0.9	5.0	1	ug/L	J	0.2	75-34-3	06/24/10 14:45	06/24/10 20:31	0060766
1,2-Dichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	107-06-2	06/24/10 14:45	06/24/10 20:31	0060766
1,1-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	75-35-4	06/24/10 14:45	06/24/10 20:31	0060766
cis-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	156-59-2	06/24/10 14:45	06/24/10 20:31	0060766
trans-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	156-60-5	06/24/10 14:45	06/24/10 20:31	0060766
1,2-Dichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	78-87-5	06/24/10 14:45	06/24/10 20:31	0060766
cis-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-01-5	06/24/10 14:45	06/24/10 20:31	0060766
trans-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-02-6	06/24/10 14:45	06/24/10 20:31	0060766
Ethylbenzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-41-4	06/24/10 14:45	06/24/10 20:31	0060766
Iodomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.6	74-88-4	06/24/10 14:45	06/24/10 20:31	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Client ID: 1304-MW5D
Lab No: ATF0720-02
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 13:00
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Methyl Butyl Ketone (2-Hexanone)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.6	591-78-6	06/24/10 14:45	06/24/10 20:31	0060766
Methylene Chloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	75-09-2	06/24/10 14:45	06/24/10 20:31	0060766
Methyl Ethyl Ketone (2-Butanone)	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.1	78-93-3	06/24/10 14:45	06/24/10 20:31	0060766
4-Methyl-2-pentanone (MIBK)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.8	108-10-1	06/24/10 14:45	06/24/10 20:31	0060766
Styrene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-42-5	06/24/10 14:45	06/24/10 20:31	0060766
1,1,1,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	630-20-6	06/24/10 14:45	06/24/10 20:31	0060766
1,1,2,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	79-34-5	06/24/10 14:45	06/24/10 20:31	0060766
Tetrachloroethene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	127-18-4	06/24/10 14:45	06/24/10 20:31	0060766
Toluene	EPA 8260B	EPA 5030B	0.3	1.0	1	ug/L	B-01, J	0.2	108-88-3	06/24/10 14:45	06/24/10 20:31	0060766
1,1,1-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.1	71-55-6	06/24/10 14:45	06/24/10 20:31	0060766
1,1,2-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.5	79-00-5	06/24/10 14:45	06/24/10 20:31	0060766
Trichloroethene	EPA 8260B	EPA 5030B	0.6	1.0	1	ug/L	J	0.3	79-01-6	06/24/10 14:45	06/24/10 20:31	0060766
Trichlorofluoromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	75-69-4	06/24/10 14:45	06/24/10 20:31	0060766
1,2,3-Trichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	96-18-4	06/24/10 14:45	06/24/10 20:31	0060766
Vinyl Acetate	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.2	108-05-4	06/24/10 14:45	06/24/10 20:31	0060766
Vinyl Chloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	75-01-4	06/24/10 14:45	06/24/10 20:31	0060766
Xylenes, total	EPA 8260B	EPA 5030B	ND	4.0	1	ug/L		0.6	1330-20-7	06/24/10 14:45	06/24/10 20:31	0060766
Surr: Dibromofluoromethane	EPA 8260B	EPA 5030B	104 %		80-120				1868-53-7	06/24/10 14:45	06/24/10 20:31	0060766
Surr: 1,2-Dichloroethane-d4	EPA 8260B	EPA 5030B	106 %		77-116				17060-07-0	06/24/10 14:45	06/24/10 20:31	0060766
Surr: Toluene-d8	EPA 8260B	EPA 5030B	99 %		80-120				2037-26-5	06/24/10 14:45	06/24/10 20:31	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW5D
Lab No: ATF0720-02
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 13:00
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Surr: 4-Bromofluorobenzene	EPA 8260B	EPA 5030B	100 %		80-120				460-00-4	06/24/10 14:45	06/24/10 20:31	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW6
Lab No: ATF0720-03
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 14:00
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Total												
Antimony	EPA 6020A	EPA 3005A	ND	6.00	1	ug/L		0.15	7440-36-0	06/25/10 10:40	06/28/10 22:13	0060782
Arsenic	EPA 6020A	EPA 3005A	6.75	10.0	1	ug/L	J	1.58	7440-38-2	06/25/10 10:40	06/28/10 22:13	0060782
Barium	EPA 6020A	EPA 3005A	282	100	1	ug/L		0.05	7440-39-3	06/25/10 10:40	06/28/10 22:13	0060782
Beryllium	EPA 6020A	EPA 3005A	0.36	1.00	1	ug/L	J	0.34	7440-41-7	06/25/10 10:40	06/28/10 22:13	0060782
Cadmium	EPA 6020A	EPA 3005A	0.67	1.00	1	ug/L	J	0.16	7440-43-9	06/25/10 10:40	06/28/10 22:13	0060782
Chromium	EPA 6020A	EPA 3005A	7.20	10.0	1	ug/L	B-01, J	0.63	7440-47-3	06/25/10 10:40	06/29/10 20:29	0060782
Cobalt	EPA 6020A	EPA 3005A	16.4	10.0	1	ug/L		0.13	7440-48-4	06/25/10 10:40	06/28/10 22:13	0060782
Copper	EPA 6020A	EPA 3005A	14.3	10.0	1	ug/L		2.01	7440-50-8	06/25/10 10:40	06/28/10 22:13	0060782
Lead	EPA 6020A	EPA 3005A	5.36	10.0	1	ug/L	J	0.15	7439-92-1	06/25/10 10:40	06/29/10 20:29	0060782
Nickel	EPA 6020A	EPA 3005A	4.97	50.0	1	ug/L	J	0.14	7440-02-0	06/25/10 10:40	06/28/10 22:13	0060782
Selenium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.56	7782-49-2	06/25/10 10:40	06/28/10 22:13	0060782
Silver	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.32	7440-22-4	06/25/10 10:40	06/28/10 22:13	0060782
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/25/10 10:40	06/29/10 20:29	0060782
Vanadium	EPA 6020A	EPA 3005A	37.0	25.0	1	ug/L		6.47	7440-62-2	06/25/10 10:40	06/29/10 20:29	0060782
Zinc	EPA 6020A	EPA 3005A	28.6	10.0	1	ug/L		3.24	7440-66-6	06/25/10 10:40	06/28/10 22:13	0060782
Metals, Dissolved												
Antimony	EPA 6020A	EPA 3005A	ND	6.00	1	ug/L		0.15	7440-36-0	06/30/10 09:20	06/30/10 22:55	0060913
Arsenic	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		1.58	7440-38-2	06/30/10 09:20	06/30/10 22:55	0060913
Barium	EPA 6020A	EPA 3005A	135	100	1	ug/L		0.05	7440-39-3	06/30/10 09:20	06/30/10 22:55	0060913
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/30/10 09:20	06/30/10 22:55	0060913

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW6
Lab No: ATF0720-03
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 14:00
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Dissolved												
Cadmium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.16	7440-43-9	06/30/10 09:20	06/30/10 22:55	0060913
Chromium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.63	7440-47-3	06/30/10 09:20	06/30/10 22:55	0060913
Cobalt	EPA 6020A	EPA 3005A	1.95	10.0	1	ug/L	J	0.13	7440-48-4	06/30/10 09:20	06/30/10 22:55	0060913
Copper	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		2.01	7440-50-8	06/30/10 09:20	06/30/10 22:55	0060913
Lead	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.15	7439-92-1	06/30/10 09:20	06/30/10 22:55	0060913
Nickel	EPA 6020A	EPA 3005A	0.72	50.0	1	ug/L	J	0.14	7440-02-0	06/30/10 09:20	06/30/10 22:55	0060913
Selenium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.56	7782-49-2	06/30/10 09:20	06/30/10 22:55	0060913
Silver	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.32	7440-22-4	06/30/10 09:20	06/30/10 22:55	0060913
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/30/10 09:20	07/02/10 16:38	0060913
Vanadium	EPA 6020A	EPA 3005A	ND	25.0	1	ug/L		6.47	7440-62-2	06/30/10 09:20	06/30/10 22:55	0060913
Zinc	EPA 6020A	EPA 3005A	6.43	10.0	1	ug/L	J	3.24	7440-66-6	06/30/10 09:20	06/30/10 22:55	0060913
Volatile Organic Compounds by EPA 8260												
Acetone	EPA 8260B	EPA 5030B	ND	100	1	ug/L		3.4	67-64-1	06/24/10 14:45	06/24/10 21:11	0060766
Acrylonitrile	EPA 8260B	EPA 5030B	ND	200	1	ug/L		0.8	107-13-1	06/24/10 14:45	06/24/10 21:11	0060766
Benzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	71-43-2	06/24/10 14:45	06/24/10 21:11	0060766
Bromochloromethane	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.2	74-97-5	06/24/10 14:45	06/24/10 21:11	0060766
Bromodichloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	75-27-4	06/24/10 14:45	06/24/10 21:11	0060766
Bromoform	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.3	75-25-2	06/24/10 14:45	06/24/10 21:11	0060766
Bromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		2.9	74-83-9	06/24/10 14:45	06/24/10 21:11	0060766
Carbon Disulfide	EPA 8260B	EPA 5030B	ND	100	1	ug/L		0.3	75-15-0	06/24/10 14:45	06/24/10 21:11	0060766
Carbon Tetrachloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	56-23-5	06/24/10 14:45	06/24/10 21:11	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW6
Lab No: ATF0720-03
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 14:00
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Chlorobenzene	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.3	108-90-7	06/24/10 14:45	06/24/10 21:11	0060766
Chloroethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.5	75-00-3	06/24/10 14:45	06/24/10 21:11	0060766
Chloroform	EPA 8260B	EPA 5030B	0.5	5.0	1	ug/L	B-01, J	0.2	67-66-3	06/24/10 14:45	06/24/10 21:11	0060766
Chloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	74-87-3	06/24/10 14:45	06/24/10 21:11	0060766
Dibromochloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	124-48-1	06/24/10 14:45	06/24/10 21:11	0060766
1,2-Dibromo-3-chloropropane	EPA 8260B	EPA 5030B	ND	13	1	ug/L		0.8	96-12-8	06/24/10 14:45	06/24/10 21:11	0060766
1,2-Dibromoethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	106-93-4	06/24/10 14:45	06/24/10 21:11	0060766
Dibromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.3	74-95-3	06/24/10 14:45	06/24/10 21:11	0060766
1,2-Dichlorobenzene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.4	95-50-1	06/24/10 14:45	06/24/10 21:11	0060766
1,4-Dichlorobenzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	106-46-7	06/24/10 14:45	06/24/10 21:11	0060766
trans-1,4-Dichloro-2-butene	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.8	110-57-6	06/24/10 14:45	06/24/10 21:11	0060766
1,1-Dichloroethane	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	75-34-3	06/24/10 14:45	06/24/10 21:11	0060766
1,2-Dichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	107-06-2	06/24/10 14:45	06/24/10 21:11	0060766
1,1-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	75-35-4	06/24/10 14:45	06/24/10 21:11	0060766
cis-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	156-59-2	06/24/10 14:45	06/24/10 21:11	0060766
trans-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	156-60-5	06/24/10 14:45	06/24/10 21:11	0060766
1,2-Dichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	78-87-5	06/24/10 14:45	06/24/10 21:11	0060766
cis-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-01-5	06/24/10 14:45	06/24/10 21:11	0060766
trans-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-02-6	06/24/10 14:45	06/24/10 21:11	0060766
Ethylbenzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-41-4	06/24/10 14:45	06/24/10 21:11	0060766
Iodomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.6	74-88-4	06/24/10 14:45	06/24/10 21:11	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW6
Lab No: ATF0720-03
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 14:00
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Methyl Butyl Ketone (2-Hexanone)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.6	591-78-6	06/24/10 14:45	06/24/10 21:11	0060766
Methylene Chloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	75-09-2	06/24/10 14:45	06/24/10 21:11	0060766
Methyl Ethyl Ketone (2-Butanone)	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.1	78-93-3	06/24/10 14:45	06/24/10 21:11	0060766
4-Methyl-2-pentanone (MIBK)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.8	108-10-1	06/24/10 14:45	06/24/10 21:11	0060766
Styrene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-42-5	06/24/10 14:45	06/24/10 21:11	0060766
1,1,1,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	630-20-6	06/24/10 14:45	06/24/10 21:11	0060766
1,1,2,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	79-34-5	06/24/10 14:45	06/24/10 21:11	0060766
Tetrachloroethene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	127-18-4	06/24/10 14:45	06/24/10 21:11	0060766
Toluene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	108-88-3	06/24/10 14:45	06/24/10 21:11	0060766
1,1,1-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.1	71-55-6	06/24/10 14:45	06/24/10 21:11	0060766
1,1,2-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.5	79-00-5	06/24/10 14:45	06/24/10 21:11	0060766
Trichloroethene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	79-01-6	06/24/10 14:45	06/24/10 21:11	0060766
Trichlorofluoromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	75-69-4	06/24/10 14:45	06/24/10 21:11	0060766
1,2,3-Trichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	96-18-4	06/24/10 14:45	06/24/10 21:11	0060766
Vinyl Acetate	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.2	108-05-4	06/24/10 14:45	06/24/10 21:11	0060766
Vinyl Chloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	75-01-4	06/24/10 14:45	06/24/10 21:11	0060766
Xylenes, total	EPA 8260B	EPA 5030B	ND	4.0	1	ug/L		0.6	1330-20-7	06/24/10 14:45	06/24/10 21:11	0060766
Surr: Dibromofluoromethane	EPA 8260B	EPA 5030B	103 %		80-120				1868-53-7	06/24/10 14:45	06/24/10 21:11	0060766
Surr: 1,2-Dichloroethane-d4	EPA 8260B	EPA 5030B	105 %		77-116				17060-07-0	06/24/10 14:45	06/24/10 21:11	0060766
Surr: Toluene-d8	EPA 8260B	EPA 5030B	100 %		80-120				2037-26-5	06/24/10 14:45	06/24/10 21:11	0060766
Surr: 4-Bromofluorobenzene	EPA 8260B	EPA 5030B	102 %		80-120				460-00-4	06/24/10 14:45	06/24/10 21:11	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW6
Lab No: ATF0720-03
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 14:00
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW7
Lab No: ATF0720-04
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 15:10
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Total												
Antimony	EPA 6020A	EPA 3005A	ND	6.00	1	ug/L		0.15	7440-36-0	06/25/10 10:40	06/28/10 22:19	0060782
Arsenic	EPA 6020A	EPA 3005A	3.99	10.0	1	ug/L	J	1.58	7440-38-2	06/25/10 10:40	06/28/10 22:19	0060782
Barium	EPA 6020A	EPA 3005A	318	100	1	ug/L		0.05	7440-39-3	06/25/10 10:40	06/28/10 22:19	0060782
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/25/10 10:40	06/28/10 22:19	0060782
Cadmium	EPA 6020A	EPA 3005A	1.06	1.00	1	ug/L		0.16	7440-43-9	06/25/10 10:40	06/28/10 22:19	0060782
Chromium	EPA 6020A	EPA 3005A	1.65	10.0	1	ug/L	B-01, J	0.63	7440-47-3	06/25/10 10:40	06/29/10 20:35	0060782
Cobalt	EPA 6020A	EPA 3005A	13.2	10.0	1	ug/L		0.13	7440-48-4	06/25/10 10:40	06/28/10 22:19	0060782
Copper	EPA 6020A	EPA 3005A	3.72	10.0	1	ug/L	J	2.01	7440-50-8	06/25/10 10:40	06/28/10 22:19	0060782
Lead	EPA 6020A	EPA 3005A	6.88	10.0	1	ug/L	J	0.15	7439-92-1	06/25/10 10:40	06/29/10 20:35	0060782
Nickel	EPA 6020A	EPA 3005A	20.1	50.0	1	ug/L	J	0.14	7440-02-0	06/25/10 10:40	06/28/10 22:19	0060782
Selenium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.56	7782-49-2	06/25/10 10:40	06/28/10 22:19	0060782
Silver	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.32	7440-22-4	06/25/10 10:40	06/28/10 22:19	0060782
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/25/10 10:40	06/29/10 20:35	0060782
Vanadium	EPA 6020A	EPA 3005A	ND	25.0	1	ug/L		6.47	7440-62-2	06/25/10 10:40	06/29/10 20:35	0060782
Zinc	EPA 6020A	EPA 3005A	15.5	10.0	1	ug/L		3.24	7440-66-6	06/25/10 10:40	06/28/10 22:19	0060782
Metals, Dissolved												
Antimony	EPA 6020A	EPA 3005A	ND	6.00	1	ug/L		0.15	7440-36-0	06/30/10 09:20	06/30/10 23:01	0060913
Arsenic	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		1.58	7440-38-2	06/30/10 09:20	06/30/10 23:01	0060913
Barium	EPA 6020A	EPA 3005A	260	100	1	ug/L		0.05	7440-39-3	06/30/10 09:20	06/30/10 23:01	0060913
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/30/10 09:20	07/02/10 16:44	0060913

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Client ID: 1304-MW7
Lab No: ATF0720-04
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 15:10
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Dissolved												
Cadmium	EPA 6020A	EPA 3005A	0.98	1.00	1	ug/L	J	0.16	7440-43-9	06/30/10 09:20	06/30/10 23:01	0060913
Chromium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.63	7440-47-3	06/30/10 09:20	06/30/10 23:01	0060913
Cobalt	EPA 6020A	EPA 3005A	11.8	10.0	1	ug/L		0.13	7440-48-4	06/30/10 09:20	06/30/10 23:01	0060913
Copper	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		2.01	7440-50-8	06/30/10 09:20	06/30/10 23:01	0060913
Lead	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.15	7439-92-1	06/30/10 09:20	06/30/10 23:01	0060913
Nickel	EPA 6020A	EPA 3005A	17.6	50.0	1	ug/L	J	0.14	7440-02-0	06/30/10 09:20	06/30/10 23:01	0060913
Selenium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.56	7782-49-2	06/30/10 09:20	06/30/10 23:01	0060913
Silver	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.32	7440-22-4	06/30/10 09:20	06/30/10 23:01	0060913
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/30/10 09:20	07/02/10 16:44	0060913
Vanadium	EPA 6020A	EPA 3005A	ND	25.0	1	ug/L		6.47	7440-62-2	06/30/10 09:20	06/30/10 23:01	0060913
Zinc	EPA 6020A	EPA 3005A	10.9	10.0	1	ug/L		3.24	7440-66-6	06/30/10 09:20	06/30/10 23:01	0060913
Volatile Organic Compounds by EPA 8260												
Acetone	EPA 8260B	EPA 5030B	ND	100	1	ug/L		3.4	67-64-1	06/24/10 14:45	06/24/10 21:51	0060766
Acrylonitrile	EPA 8260B	EPA 5030B	ND	200	1	ug/L		0.8	107-13-1	06/24/10 14:45	06/24/10 21:51	0060766
Benzene	EPA 8260B	EPA 5030B	1.1	1.0	1	ug/L		0.2	71-43-2	06/24/10 14:45	06/24/10 21:51	0060766
Bromochloromethane	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.2	74-97-5	06/24/10 14:45	06/24/10 21:51	0060766
Bromodichloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	75-27-4	06/24/10 14:45	06/24/10 21:51	0060766
Bromoform	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.3	75-25-2	06/24/10 14:45	06/24/10 21:51	0060766
Bromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		2.9	74-83-9	06/24/10 14:45	06/24/10 21:51	0060766
Carbon Disulfide	EPA 8260B	EPA 5030B	ND	100	1	ug/L		0.3	75-15-0	06/24/10 14:45	06/24/10 21:51	0060766
Carbon Tetrachloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	56-23-5	06/24/10 14:45	06/24/10 21:51	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW7
Lab No: ATF0720-04
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 15:10
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Chlorobenzene	EPA 8260B	EPA 5030B	0.6	3.0	1	ug/L	J	0.3	108-90-7	06/24/10 14:45	06/24/10 21:51	0060766
Chloroethane	EPA 8260B	EPA 5030B	15	10	1	ug/L		0.5	75-00-3	06/24/10 14:45	06/24/10 21:51	0060766
Chloroform	EPA 8260B	EPA 5030B	0.6	5.0	1	ug/L	B-01, J	0.2	67-66-3	06/24/10 14:45	06/24/10 21:51	0060766
Chloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	74-87-3	06/24/10 14:45	06/24/10 21:51	0060766
Dibromochloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	124-48-1	06/24/10 14:45	06/24/10 21:51	0060766
1,2-Dibromo-3-chloropropane	EPA 8260B	EPA 5030B	ND	13	1	ug/L		0.8	96-12-8	06/24/10 14:45	06/24/10 21:51	0060766
1,2-Dibromoethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	106-93-4	06/24/10 14:45	06/24/10 21:51	0060766
Dibromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.3	74-95-3	06/24/10 14:45	06/24/10 21:51	0060766
1,2-Dichlorobenzene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.4	95-50-1	06/24/10 14:45	06/24/10 21:51	0060766
1,4-Dichlorobenzene	EPA 8260B	EPA 5030B	4.4	1.0	1	ug/L		0.3	106-46-7	06/24/10 14:45	06/24/10 21:51	0060766
trans-1,4-Dichloro-2-butene	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.8	110-57-6	06/24/10 14:45	06/24/10 21:51	0060766
1,1-Dichloroethane	EPA 8260B	EPA 5030B	32	5.0	1	ug/L		0.2	75-34-3	06/24/10 14:45	06/24/10 21:51	0060766
1,2-Dichloroethane	EPA 8260B	EPA 5030B	12	1.0	1	ug/L		0.2	107-06-2	06/24/10 14:45	06/24/10 21:51	0060766
1,1-Dichloroethene	EPA 8260B	EPA 5030B	0.5	5.0	1	ug/L	J	0.2	75-35-4	06/24/10 14:45	06/24/10 21:51	0060766
cis-1,2-Dichloroethene	EPA 8260B	EPA 5030B	26	5.0	1	ug/L		0.3	156-59-2	06/24/10 14:45	06/24/10 21:51	0060766
trans-1,2-Dichloroethene	EPA 8260B	EPA 5030B	0.3	5.0	1	ug/L	J	0.2	156-60-5	06/24/10 14:45	06/24/10 21:51	0060766
1,2-Dichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	78-87-5	06/24/10 14:45	06/24/10 21:51	0060766
cis-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-01-5	06/24/10 14:45	06/24/10 21:51	0060766
trans-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-02-6	06/24/10 14:45	06/24/10 21:51	0060766
Ethylbenzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-41-4	06/24/10 14:45	06/24/10 21:51	0060766
Iodomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.6	74-88-4	06/24/10 14:45	06/24/10 21:51	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW7
Lab No: ATF0720-04
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 15:10
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Methyl Butyl Ketone (2-Hexanone)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.6	591-78-6	06/24/10 14:45	06/24/10 21:51	0060766
Methylene Chloride	EPA 8260B	EPA 5030B	11	1.0	1	ug/L		0.4	75-09-2	06/24/10 14:45	06/24/10 21:51	0060766
Methyl Ethyl Ketone (2-Butanone)	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.1	78-93-3	06/24/10 14:45	06/24/10 21:51	0060766
4-Methyl-2-pentanone (MIBK)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.8	108-10-1	06/24/10 14:45	06/24/10 21:51	0060766
Styrene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-42-5	06/24/10 14:45	06/24/10 21:51	0060766
1,1,1,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	630-20-6	06/24/10 14:45	06/24/10 21:51	0060766
1,1,2,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	79-34-5	06/24/10 14:45	06/24/10 21:51	0060766
Tetrachloroethene	EPA 8260B	EPA 5030B	1.7	1.0	1	ug/L		0.2	127-18-4	06/24/10 14:45	06/24/10 21:51	0060766
Toluene	EPA 8260B	EPA 5030B	0.3	1.0	1	ug/L	B-01, J	0.2	108-88-3	06/24/10 14:45	06/24/10 21:51	0060766
1,1,1-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.1	71-55-6	06/24/10 14:45	06/24/10 21:51	0060766
1,1,2-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.5	79-00-5	06/24/10 14:45	06/24/10 21:51	0060766
Trichloroethene	EPA 8260B	EPA 5030B	2.0	1.0	1	ug/L		0.3	79-01-6	06/24/10 14:45	06/24/10 21:51	0060766
Trichlorofluoromethane	EPA 8260B	EPA 5030B	0.3	1.0	1	ug/L	J	0.2	75-69-4	06/24/10 14:45	06/24/10 21:51	0060766
1,2,3-Trichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	96-18-4	06/24/10 14:45	06/24/10 21:51	0060766
Vinyl Acetate	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.2	108-05-4	06/24/10 14:45	06/24/10 21:51	0060766
Vinyl Chloride	EPA 8260B	EPA 5030B	4.3	1.0	1	ug/L		0.2	75-01-4	06/24/10 14:45	06/24/10 21:51	0060766
Xylenes, total	EPA 8260B	EPA 5030B	ND	4.0	1	ug/L		0.6	1330-20-7	06/24/10 14:45	06/24/10 21:51	0060766
Surr: Dibromofluoromethane	EPA 8260B	EPA 5030B	104 %		80-120				1868-53-7	06/24/10 14:45	06/24/10 21:51	0060766
Surr: 1,2-Dichloroethane-d4	EPA 8260B	EPA 5030B	104 %		77-116				17060-07-0	06/24/10 14:45	06/24/10 21:51	0060766
Surr: Toluene-d8	EPA 8260B	EPA 5030B	99 %		80-120				2037-26-5	06/24/10 14:45	06/24/10 21:51	0060766

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW7
Lab No: ATF0720-04
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/21/10 15:10
Date/Time Received: 06/22/10 09:05

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Surr: 4-Bromofluorobenzene	EPA 8260B	EPA 5030B	100 %		80-120				460-00-4	06/24/10 14:45	06/24/10 21:51	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW2
Lab No: ATF0720-05
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 10:05
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Total												
Antimony	EPA 6020A	EPA 3005A	ND	6.00	1	ug/L		0.15	7440-36-0	06/25/10 10:40	06/28/10 22:25	0060782
Arsenic	EPA 6020A	EPA 3005A	5.51	10.0	1	ug/L	J	1.58	7440-38-2	06/25/10 10:40	06/28/10 22:25	0060782
Barium	EPA 6020A	EPA 3005A	408	100	1	ug/L		0.05	7440-39-3	06/25/10 10:40	06/28/10 22:25	0060782
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/25/10 10:40	06/28/10 22:25	0060782
Cadmium	EPA 6020A	EPA 3005A	1.16	1.00	1	ug/L		0.16	7440-43-9	06/25/10 10:40	06/28/10 22:25	0060782
Chromium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.63	7440-47-3	06/25/10 10:40	06/29/10 20:41	0060782
Cobalt	EPA 6020A	EPA 3005A	11.4	10.0	1	ug/L		0.13	7440-48-4	06/25/10 10:40	06/28/10 22:25	0060782
Copper	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		2.01	7440-50-8	06/25/10 10:40	06/28/10 22:25	0060782
Lead	EPA 6020A	EPA 3005A	0.19	10.0	1	ug/L	J	0.15	7439-92-1	06/25/10 10:40	06/29/10 20:41	0060782
Nickel	EPA 6020A	EPA 3005A	1.33	50.0	1	ug/L	J	0.14	7440-02-0	06/25/10 10:40	06/28/10 22:25	0060782
Selenium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.56	7782-49-2	06/25/10 10:40	06/28/10 22:25	0060782
Silver	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.32	7440-22-4	06/25/10 10:40	06/28/10 22:25	0060782
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/25/10 10:40	06/29/10 20:41	0060782
Vanadium	EPA 6020A	EPA 3005A	ND	25.0	1	ug/L		6.47	7440-62-2	06/25/10 10:40	06/29/10 20:41	0060782
Zinc	EPA 6020A	EPA 3005A	5.53	10.0	1	ug/L	J	3.24	7440-66-6	06/25/10 10:40	06/28/10 22:25	0060782
Metals, Dissolved												
Antimony	EPA 6020A	EPA 3005A	ND	6.00	1	ug/L		0.15	7440-36-0	06/30/10 09:20	06/30/10 23:07	0060913
Arsenic	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		1.58	7440-38-2	06/30/10 09:20	06/30/10 23:07	0060913
Barium	EPA 6020A	EPA 3005A	218	100	1	ug/L		0.05	7440-39-3	06/30/10 09:20	06/30/10 23:07	0060913
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/30/10 09:20	06/30/10 23:07	0060913

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW2
Lab No: ATF0720-05
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 10:05
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Dissolved												
Cadmium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.16	7440-43-9	06/30/10 09:20	06/30/10 23:07	0060913
Chromium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.63	7440-47-3	06/30/10 09:20	06/30/10 23:07	0060913
Cobalt	EPA 6020A	EPA 3005A	12.8	10.0	1	ug/L		0.13	7440-48-4	06/30/10 09:20	06/30/10 23:07	0060913
Copper	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		2.01	7440-50-8	06/30/10 09:20	06/30/10 23:07	0060913
Lead	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.15	7439-92-1	06/30/10 09:20	06/30/10 23:07	0060913
Nickel	EPA 6020A	EPA 3005A	1.32	50.0	1	ug/L	J	0.14	7440-02-0	06/30/10 09:20	06/30/10 23:07	0060913
Selenium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.56	7782-49-2	06/30/10 09:20	06/30/10 23:07	0060913
Silver	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.32	7440-22-4	06/30/10 09:20	06/30/10 23:07	0060913
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/30/10 09:20	07/02/10 16:50	0060913
Vanadium	EPA 6020A	EPA 3005A	ND	25.0	1	ug/L		6.47	7440-62-2	06/30/10 09:20	06/30/10 23:07	0060913
Zinc	EPA 6020A	EPA 3005A	4.75	10.0	1	ug/L	J	3.24	7440-66-6	06/30/10 09:20	06/30/10 23:07	0060913
Volatile Organic Compounds by EPA 8260												
Acetone	EPA 8260B	EPA 5030B	ND	100	1	ug/L		3.4	67-64-1	06/24/10 14:45	06/24/10 22:31	0060766
Acrylonitrile	EPA 8260B	EPA 5030B	ND	200	1	ug/L		0.8	107-13-1	06/24/10 14:45	06/24/10 22:31	0060766
Benzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	71-43-2	06/24/10 14:45	06/24/10 22:31	0060766
Bromochloromethane	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.2	74-97-5	06/24/10 14:45	06/24/10 22:31	0060766
Bromodichloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	75-27-4	06/24/10 14:45	06/24/10 22:31	0060766
Bromoform	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.3	75-25-2	06/24/10 14:45	06/24/10 22:31	0060766
Bromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		2.9	74-83-9	06/24/10 14:45	06/24/10 22:31	0060766
Carbon Disulfide	EPA 8260B	EPA 5030B	ND	100	1	ug/L		0.3	75-15-0	06/24/10 14:45	06/24/10 22:31	0060766
Carbon Tetrachloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	56-23-5	06/24/10 14:45	06/24/10 22:31	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW2
Lab No: ATF0720-05
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 10:05
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Chlorobenzene	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.3	108-90-7	06/24/10 14:45	06/24/10 22:31	0060766
Chloroethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.5	75-00-3	06/24/10 14:45	06/24/10 22:31	0060766
Chloroform	EPA 8260B	EPA 5030B	0.5	5.0	1	ug/L	B-01, J	0.2	67-66-3	06/24/10 14:45	06/24/10 22:31	0060766
Chloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	74-87-3	06/24/10 14:45	06/24/10 22:31	0060766
Dibromochloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	124-48-1	06/24/10 14:45	06/24/10 22:31	0060766
1,2-Dibromo-3-chloropropane	EPA 8260B	EPA 5030B	ND	13	1	ug/L		0.8	96-12-8	06/24/10 14:45	06/24/10 22:31	0060766
1,2-Dibromoethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	106-93-4	06/24/10 14:45	06/24/10 22:31	0060766
Dibromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.3	74-95-3	06/24/10 14:45	06/24/10 22:31	0060766
1,2-Dichlorobenzene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.4	95-50-1	06/24/10 14:45	06/24/10 22:31	0060766
1,4-Dichlorobenzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	106-46-7	06/24/10 14:45	06/24/10 22:31	0060766
trans-1,4-Dichloro-2-butene	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.8	110-57-6	06/24/10 14:45	06/24/10 22:31	0060766
1,1-Dichloroethane	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	75-34-3	06/24/10 14:45	06/24/10 22:31	0060766
1,2-Dichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	107-06-2	06/24/10 14:45	06/24/10 22:31	0060766
1,1-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	75-35-4	06/24/10 14:45	06/24/10 22:31	0060766
cis-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	156-59-2	06/24/10 14:45	06/24/10 22:31	0060766
trans-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	156-60-5	06/24/10 14:45	06/24/10 22:31	0060766
1,2-Dichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	78-87-5	06/24/10 14:45	06/24/10 22:31	0060766
cis-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-01-5	06/24/10 14:45	06/24/10 22:31	0060766
trans-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-02-6	06/24/10 14:45	06/24/10 22:31	0060766
Ethylbenzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-41-4	06/24/10 14:45	06/24/10 22:31	0060766
Iodomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.6	74-88-4	06/24/10 14:45	06/24/10 22:31	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW2
Lab No: ATF0720-05
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 10:05
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Methyl Butyl Ketone (2-Hexanone)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.6	591-78-6	06/24/10 14:45	06/24/10 22:31	0060766
Methylene Chloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	75-09-2	06/24/10 14:45	06/24/10 22:31	0060766
Methyl Ethyl Ketone (2-Butanone)	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.1	78-93-3	06/24/10 14:45	06/24/10 22:31	0060766
4-Methyl-2-pentanone (MIBK)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.8	108-10-1	06/24/10 14:45	06/24/10 22:31	0060766
Styrene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-42-5	06/24/10 14:45	06/24/10 22:31	0060766
1,1,1,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	630-20-6	06/24/10 14:45	06/24/10 22:31	0060766
1,1,2,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	79-34-5	06/24/10 14:45	06/24/10 22:31	0060766
Tetrachloroethene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	127-18-4	06/24/10 14:45	06/24/10 22:31	0060766
Toluene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	108-88-3	06/24/10 14:45	06/24/10 22:31	0060766
1,1,1-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.1	71-55-6	06/24/10 14:45	06/24/10 22:31	0060766
1,1,2-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.5	79-00-5	06/24/10 14:45	06/24/10 22:31	0060766
Trichloroethene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	79-01-6	06/24/10 14:45	06/24/10 22:31	0060766
Trichlorofluoromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	75-69-4	06/24/10 14:45	06/24/10 22:31	0060766
1,2,3-Trichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	96-18-4	06/24/10 14:45	06/24/10 22:31	0060766
Vinyl Acetate	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.2	108-05-4	06/24/10 14:45	06/24/10 22:31	0060766
Vinyl Chloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	75-01-4	06/24/10 14:45	06/24/10 22:31	0060766
Xylenes, total	EPA 8260B	EPA 5030B	ND	4.0	1	ug/L		0.6	1330-20-7	06/24/10 14:45	06/24/10 22:31	0060766
Surr: Dibromofluoromethane	EPA 8260B	EPA 5030B	103 %		80-120				1868-53-7	06/24/10 14:45	06/24/10 22:31	0060766
Surr: 1,2-Dichloroethane-d4	EPA 8260B	EPA 5030B	105 %		77-116				17060-07-0	06/24/10 14:45	06/24/10 22:31	0060766
Surr: Toluene-d8	EPA 8260B	EPA 5030B	98 %		80-120				2037-26-5	06/24/10 14:45	06/24/10 22:31	0060766
Surr: 4-Bromofluorobenzene	EPA 8260B	EPA 5030B	101 %		80-120				460-00-4	06/24/10 14:45	06/24/10 22:31	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW2
Lab No: ATF0720-05
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 10:05
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW3
Lab No: ATF0720-06
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 10:35
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Total												
Antimony	EPA 6020A	EPA 3005A	0.34	6.00	1	ug/L	J	0.15	7440-36-0	06/25/10 10:40	06/28/10 22:31	0060782
Arsenic	EPA 6020A	EPA 3005A	10.9	10.0	1	ug/L		1.58	7440-38-2	06/25/10 10:40	06/28/10 22:31	0060782
Barium	EPA 6020A	EPA 3005A	308	100	1	ug/L		0.05	7440-39-3	06/25/10 10:40	06/28/10 22:31	0060782
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/25/10 10:40	06/28/10 22:31	0060782
Cadmium	EPA 6020A	EPA 3005A	4.22	1.00	1	ug/L		0.16	7440-43-9	06/25/10 10:40	06/28/10 22:31	0060782
Chromium	EPA 6020A	EPA 3005A	4.07	10.0	1	ug/L	B-01, J	0.63	7440-47-3	06/25/10 10:40	06/29/10 20:47	0060782
Cobalt	EPA 6020A	EPA 3005A	4.83	10.0	1	ug/L	J	0.13	7440-48-4	06/25/10 10:40	06/28/10 22:31	0060782
Copper	EPA 6020A	EPA 3005A	13.5	10.0	1	ug/L		2.01	7440-50-8	06/25/10 10:40	06/28/10 22:31	0060782
Lead	EPA 6020A	EPA 3005A	4.19	10.0	1	ug/L	J	0.15	7439-92-1	06/25/10 10:40	06/29/10 20:47	0060782
Nickel	EPA 6020A	EPA 3005A	4.37	50.0	1	ug/L	J	0.14	7440-02-0	06/25/10 10:40	06/28/10 22:31	0060782
Selenium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.56	7782-49-2	06/25/10 10:40	06/28/10 22:31	0060782
Silver	EPA 6020A	EPA 3005A	0.50	10.0	1	ug/L	J	0.32	7440-22-4	06/25/10 10:40	06/28/10 22:31	0060782
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/25/10 10:40	06/29/10 20:47	0060782
Vanadium	EPA 6020A	EPA 3005A	27.5	25.0	1	ug/L		6.47	7440-62-2	06/25/10 10:40	06/29/10 20:47	0060782
Zinc	EPA 6020A	EPA 3005A	25.0	10.0	1	ug/L		3.24	7440-66-6	06/25/10 10:40	06/28/10 22:31	0060782
Metals, Dissolved												
Antimony	EPA 6020A	EPA 3005A	ND	6.00	1	ug/L		0.15	7440-36-0	06/30/10 09:20	06/30/10 23:24	0060913
Arsenic	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		1.58	7440-38-2	06/30/10 09:20	06/30/10 23:24	0060913
Barium	EPA 6020A	EPA 3005A	147	100	1	ug/L		0.05	7440-39-3	06/30/10 09:20	06/30/10 23:24	0060913
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/30/10 09:20	07/02/10 17:07	0060913

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW3
Lab No: ATF0720-06
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 10:35
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Dissolved												
Cadmium	EPA 6020A	EPA 3005A	0.87	1.00	1	ug/L	J	0.16	7440-43-9	06/30/10 09:20	06/30/10 23:24	0060913
Chromium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.63	7440-47-3	06/30/10 09:20	06/30/10 23:24	0060913
Cobalt	EPA 6020A	EPA 3005A	1.20	10.0	1	ug/L	J	0.13	7440-48-4	06/30/10 09:20	06/30/10 23:24	0060913
Copper	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		2.01	7440-50-8	06/30/10 09:20	06/30/10 23:24	0060913
Lead	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.15	7439-92-1	06/30/10 09:20	07/02/10 17:07	0060913
Nickel	EPA 6020A	EPA 3005A	1.24	50.0	1	ug/L	J	0.14	7440-02-0	06/30/10 09:20	06/30/10 23:24	0060913
Selenium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.56	7782-49-2	06/30/10 09:20	06/30/10 23:24	0060913
Silver	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.32	7440-22-4	06/30/10 09:20	06/30/10 23:24	0060913
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/30/10 09:20	07/02/10 17:07	0060913
Vanadium	EPA 6020A	EPA 3005A	ND	25.0	1	ug/L		6.47	7440-62-2	06/30/10 09:20	06/30/10 23:24	0060913
Zinc	EPA 6020A	EPA 3005A	4.37	10.0	1	ug/L	J	3.24	7440-66-6	06/30/10 09:20	06/30/10 23:24	0060913
Volatile Organic Compounds by EPA 8260												
Acetone	EPA 8260B	EPA 5030B	ND	100	1	ug/L		3.4	67-64-1	06/24/10 14:45	06/24/10 23:11	0060766
Acrylonitrile	EPA 8260B	EPA 5030B	ND	200	1	ug/L		0.8	107-13-1	06/24/10 14:45	06/24/10 23:11	0060766
Benzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	71-43-2	06/24/10 14:45	06/24/10 23:11	0060766
Bromochloromethane	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.2	74-97-5	06/24/10 14:45	06/24/10 23:11	0060766
Bromodichloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	75-27-4	06/24/10 14:45	06/24/10 23:11	0060766
Bromoform	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.3	75-25-2	06/24/10 14:45	06/24/10 23:11	0060766
Bromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		2.9	74-83-9	06/24/10 14:45	06/24/10 23:11	0060766
Carbon Disulfide	EPA 8260B	EPA 5030B	ND	100	1	ug/L		0.3	75-15-0	06/24/10 14:45	06/24/10 23:11	0060766
Carbon Tetrachloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	56-23-5	06/24/10 14:45	06/24/10 23:11	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW3
Lab No: ATF0720-06
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 10:35
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Chlorobenzene	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.3	108-90-7	06/24/10 14:45	06/24/10 23:11	0060766
Chloroethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.5	75-00-3	06/24/10 14:45	06/24/10 23:11	0060766
Chloroform	EPA 8260B	EPA 5030B	0.6	5.0	1	ug/L	B-01, J	0.2	67-66-3	06/24/10 14:45	06/24/10 23:11	0060766
Chloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	74-87-3	06/24/10 14:45	06/24/10 23:11	0060766
Dibromochloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	124-48-1	06/24/10 14:45	06/24/10 23:11	0060766
1,2-Dibromo-3-chloropropane	EPA 8260B	EPA 5030B	ND	13	1	ug/L		0.8	96-12-8	06/24/10 14:45	06/24/10 23:11	0060766
1,2-Dibromoethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	106-93-4	06/24/10 14:45	06/24/10 23:11	0060766
Dibromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.3	74-95-3	06/24/10 14:45	06/24/10 23:11	0060766
1,2-Dichlorobenzene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.4	95-50-1	06/24/10 14:45	06/24/10 23:11	0060766
1,4-Dichlorobenzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	106-46-7	06/24/10 14:45	06/24/10 23:11	0060766
trans-1,4-Dichloro-2-butene	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.8	110-57-6	06/24/10 14:45	06/24/10 23:11	0060766
1,1-Dichloroethane	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	75-34-3	06/24/10 14:45	06/24/10 23:11	0060766
1,2-Dichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	107-06-2	06/24/10 14:45	06/24/10 23:11	0060766
1,1-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	75-35-4	06/24/10 14:45	06/24/10 23:11	0060766
cis-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	156-59-2	06/24/10 14:45	06/24/10 23:11	0060766
trans-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	156-60-5	06/24/10 14:45	06/24/10 23:11	0060766
1,2-Dichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	78-87-5	06/24/10 14:45	06/24/10 23:11	0060766
cis-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-01-5	06/24/10 14:45	06/24/10 23:11	0060766
trans-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-02-6	06/24/10 14:45	06/24/10 23:11	0060766
Ethylbenzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-41-4	06/24/10 14:45	06/24/10 23:11	0060766
Iodomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.6	74-88-4	06/24/10 14:45	06/24/10 23:11	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW3
Lab No: ATF0720-06
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 10:35
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Methyl Butyl Ketone (2-Hexanone)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.6	591-78-6	06/24/10 14:45	06/24/10 23:11	0060766
Methylene Chloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	75-09-2	06/24/10 14:45	06/24/10 23:11	0060766
Methyl Ethyl Ketone (2-Butanone)	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.1	78-93-3	06/24/10 14:45	06/24/10 23:11	0060766
4-Methyl-2-pentanone (MIBK)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.8	108-10-1	06/24/10 14:45	06/24/10 23:11	0060766
Styrene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-42-5	06/24/10 14:45	06/24/10 23:11	0060766
1,1,1,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	630-20-6	06/24/10 14:45	06/24/10 23:11	0060766
1,1,2,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	79-34-5	06/24/10 14:45	06/24/10 23:11	0060766
Tetrachloroethene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	127-18-4	06/24/10 14:45	06/24/10 23:11	0060766
Toluene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	108-88-3	06/24/10 14:45	06/24/10 23:11	0060766
1,1,1-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.1	71-55-6	06/24/10 14:45	06/24/10 23:11	0060766
1,1,2-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.5	79-00-5	06/24/10 14:45	06/24/10 23:11	0060766
Trichloroethene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	79-01-6	06/24/10 14:45	06/24/10 23:11	0060766
Trichlorofluoromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	75-69-4	06/24/10 14:45	06/24/10 23:11	0060766
1,2,3-Trichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	96-18-4	06/24/10 14:45	06/24/10 23:11	0060766
Vinyl Acetate	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.2	108-05-4	06/24/10 14:45	06/24/10 23:11	0060766
Vinyl Chloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	75-01-4	06/24/10 14:45	06/24/10 23:11	0060766
Xylenes, total	EPA 8260B	EPA 5030B	ND	4.0	1	ug/L		0.6	1330-20-7	06/24/10 14:45	06/24/10 23:11	0060766
Surr: Dibromofluoromethane	EPA 8260B	EPA 5030B	106 %		80-120				1868-53-7	06/24/10 14:45	06/24/10 23:11	0060766
Surr: 1,2-Dichloroethane-d4	EPA 8260B	EPA 5030B	107 %		77-116				17060-07-0	06/24/10 14:45	06/24/10 23:11	0060766
Surr: Toluene-d8	EPA 8260B	EPA 5030B	98 %		80-120				2037-26-5	06/24/10 14:45	06/24/10 23:11	0060766
Surr: 4-Bromofluorobenzene	EPA 8260B	EPA 5030B	99 %		80-120				460-00-4	06/24/10 14:45	06/24/10 23:11	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW3
Lab No: ATF0720-06
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 10:35
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW4
Lab No: ATF0720-07
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 11:15
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Total												
Antimony	EPA 6020A	EPA 3005A	0.39	6.00	1	ug/L	J	0.15	7440-36-0	06/25/10 10:40	06/28/10 22:37	0060782
Arsenic	EPA 6020A	EPA 3005A	9.09	10.0	1	ug/L	J	1.58	7440-38-2	06/25/10 10:40	06/28/10 22:37	0060782
Barium	EPA 6020A	EPA 3005A	394	100	1	ug/L		0.05	7440-39-3	06/25/10 10:40	06/28/10 22:37	0060782
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/25/10 10:40	06/28/10 22:37	0060782
Cadmium	EPA 6020A	EPA 3005A	5.77	1.00	1	ug/L		0.16	7440-43-9	06/25/10 10:40	06/28/10 22:37	0060782
Chromium	EPA 6020A	EPA 3005A	2.59	10.0	1	ug/L	B-01, J	0.63	7440-47-3	06/25/10 10:40	06/29/10 20:53	0060782
Cobalt	EPA 6020A	EPA 3005A	19.9	10.0	1	ug/L		0.13	7440-48-4	06/25/10 10:40	06/28/10 22:37	0060782
Copper	EPA 6020A	EPA 3005A	16.6	10.0	1	ug/L		2.01	7440-50-8	06/25/10 10:40	06/28/10 22:37	0060782
Lead	EPA 6020A	EPA 3005A	2.11	10.0	1	ug/L	J	0.15	7439-92-1	06/25/10 10:40	06/29/10 20:53	0060782
Nickel	EPA 6020A	EPA 3005A	5.38	50.0	1	ug/L	J	0.14	7440-02-0	06/25/10 10:40	06/28/10 22:37	0060782
Selenium	EPA 6020A	EPA 3005A	0.60	10.0	1	ug/L	J	0.56	7782-49-2	06/25/10 10:40	06/28/10 22:37	0060782
Silver	EPA 6020A	EPA 3005A	1.14	10.0	1	ug/L	J	0.32	7440-22-4	06/25/10 10:40	06/28/10 22:37	0060782
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/25/10 10:40	06/29/10 20:53	0060782
Vanadium	EPA 6020A	EPA 3005A	44.2	25.0	1	ug/L		6.47	7440-62-2	06/25/10 10:40	06/29/10 20:53	0060782
Zinc	EPA 6020A	EPA 3005A	35.5	10.0	1	ug/L		3.24	7440-66-6	06/25/10 10:40	06/28/10 22:37	0060782
Metals, Dissolved												
Antimony	EPA 6020A	EPA 3005A	ND	6.00	1	ug/L		0.15	7440-36-0	06/30/10 09:20	06/30/10 23:30	0060913
Arsenic	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		1.58	7440-38-2	06/30/10 09:20	06/30/10 23:30	0060913
Barium	EPA 6020A	EPA 3005A	125	100	1	ug/L		0.05	7440-39-3	06/30/10 09:20	06/30/10 23:30	0060913
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/30/10 09:20	07/02/10 17:13	0060913

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW4
Lab No: ATF0720-07
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 11:15
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Dissolved												
Cadmium	EPA 6020A	EPA 3005A	0.33	1.00	1	ug/L	J	0.16	7440-43-9	06/30/10 09:20	06/30/10 23:30	0060913
Chromium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.63	7440-47-3	06/30/10 09:20	06/30/10 23:30	0060913
Cobalt	EPA 6020A	EPA 3005A	3.76	10.0	1	ug/L	J	0.13	7440-48-4	06/30/10 09:20	06/30/10 23:30	0060913
Copper	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		2.01	7440-50-8	06/30/10 09:20	06/30/10 23:30	0060913
Lead	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.15	7439-92-1	06/30/10 09:20	07/02/10 17:13	0060913
Nickel	EPA 6020A	EPA 3005A	1.38	50.0	1	ug/L	J	0.14	7440-02-0	06/30/10 09:20	06/30/10 23:30	0060913
Selenium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.56	7782-49-2	06/30/10 09:20	06/30/10 23:30	0060913
Silver	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.32	7440-22-4	06/30/10 09:20	06/30/10 23:30	0060913
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/30/10 09:20	07/02/10 17:13	0060913
Vanadium	EPA 6020A	EPA 3005A	ND	25.0	1	ug/L		6.47	7440-62-2	06/30/10 09:20	06/30/10 23:30	0060913
Zinc	EPA 6020A	EPA 3005A	6.24	10.0	1	ug/L	J	3.24	7440-66-6	06/30/10 09:20	06/30/10 23:30	0060913
Volatile Organic Compounds by EPA 8260												
Acetone	EPA 8260B	EPA 5030B	ND	100	1	ug/L		3.4	67-64-1	06/24/10 14:45	06/25/10 03:11	0060766
Acrylonitrile	EPA 8260B	EPA 5030B	ND	200	1	ug/L		0.8	107-13-1	06/24/10 14:45	06/25/10 03:11	0060766
Benzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	71-43-2	06/24/10 14:45	06/25/10 03:11	0060766
Bromochloromethane	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.2	74-97-5	06/24/10 14:45	06/25/10 03:11	0060766
Bromodichloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	75-27-4	06/24/10 14:45	06/25/10 03:11	0060766
Bromoform	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.3	75-25-2	06/24/10 14:45	06/25/10 03:11	0060766
Bromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		2.9	74-83-9	06/24/10 14:45	06/25/10 03:11	0060766
Carbon Disulfide	EPA 8260B	EPA 5030B	ND	100	1	ug/L		0.3	75-15-0	06/24/10 14:45	06/25/10 03:11	0060766
Carbon Tetrachloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	56-23-5	06/24/10 14:45	06/25/10 03:11	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW4
Lab No: ATF0720-07
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 11:15
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Chlorobenzene	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.3	108-90-7	06/24/10 14:45	06/25/10 03:11	0060766
Chloroethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.5	75-00-3	06/24/10 14:45	06/25/10 03:11	0060766
Chloroform	EPA 8260B	EPA 5030B	0.6	5.0	1	ug/L	B-01, J	0.2	67-66-3	06/24/10 14:45	06/25/10 03:11	0060766
Chloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	74-87-3	06/24/10 14:45	06/25/10 03:11	0060766
Dibromochloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	124-48-1	06/24/10 14:45	06/25/10 03:11	0060766
1,2-Dibromo-3-chloropropane	EPA 8260B	EPA 5030B	ND	13	1	ug/L		0.8	96-12-8	06/24/10 14:45	06/25/10 03:11	0060766
1,2-Dibromoethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	106-93-4	06/24/10 14:45	06/25/10 03:11	0060766
Dibromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.3	74-95-3	06/24/10 14:45	06/25/10 03:11	0060766
1,2-Dichlorobenzene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.4	95-50-1	06/24/10 14:45	06/25/10 03:11	0060766
1,4-Dichlorobenzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	106-46-7	06/24/10 14:45	06/25/10 03:11	0060766
trans-1,4-Dichloro-2-butene	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.8	110-57-6	06/24/10 14:45	06/25/10 03:11	0060766
1,1-Dichloroethane	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	75-34-3	06/24/10 14:45	06/25/10 03:11	0060766
1,2-Dichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	107-06-2	06/24/10 14:45	06/25/10 03:11	0060766
1,1-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	75-35-4	06/24/10 14:45	06/25/10 03:11	0060766
cis-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	156-59-2	06/24/10 14:45	06/25/10 03:11	0060766
trans-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	156-60-5	06/24/10 14:45	06/25/10 03:11	0060766
1,2-Dichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	78-87-5	06/24/10 14:45	06/25/10 03:11	0060766
cis-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-01-5	06/24/10 14:45	06/25/10 03:11	0060766
trans-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-02-6	06/24/10 14:45	06/25/10 03:11	0060766
Ethylbenzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-41-4	06/24/10 14:45	06/25/10 03:11	0060766
Iodomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.6	74-88-4	06/24/10 14:45	06/25/10 03:11	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW4
Lab No: ATF0720-07
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 11:15
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Methyl Butyl Ketone (2-Hexanone)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.6	591-78-6	06/24/10 14:45	06/25/10 03:11	0060766
Methylene Chloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	75-09-2	06/24/10 14:45	06/25/10 03:11	0060766
Methyl Ethyl Ketone (2-Butanone)	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.1	78-93-3	06/24/10 14:45	06/25/10 03:11	0060766
4-Methyl-2-pentanone (MIBK)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.8	108-10-1	06/24/10 14:45	06/25/10 03:11	0060766
Styrene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-42-5	06/24/10 14:45	06/25/10 03:11	0060766
1,1,1,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	630-20-6	06/24/10 14:45	06/25/10 03:11	0060766
1,1,2,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	79-34-5	06/24/10 14:45	06/25/10 03:11	0060766
Tetrachloroethene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	127-18-4	06/24/10 14:45	06/25/10 03:11	0060766
Toluene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	108-88-3	06/24/10 14:45	06/25/10 03:11	0060766
1,1,1-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.1	71-55-6	06/24/10 14:45	06/25/10 03:11	0060766
1,1,2-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.5	79-00-5	06/24/10 14:45	06/25/10 03:11	0060766
Trichloroethene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	79-01-6	06/28/10 12:30	06/28/10 16:14	0060766
Trichlorofluoromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	75-69-4	06/24/10 14:45	06/25/10 03:11	0060766
1,2,3-Trichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	96-18-4	06/24/10 14:45	06/25/10 03:11	0060766
Vinyl Acetate	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.2	108-05-4	06/24/10 14:45	06/25/10 03:11	0060766
Vinyl Chloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	75-01-4	06/24/10 14:45	06/25/10 03:11	0060766
Xylenes, total	EPA 8260B	EPA 5030B	ND	4.0	1	ug/L		0.6	1330-20-7	06/24/10 14:45	06/25/10 03:11	0060766
Surr: Dibromofluoromethane	EPA 8260B	EPA 5030B	106 %		80-120				1868-53-7	06/24/10 14:45	06/25/10 03:11	0060766
Surr: Dibromofluoromethane	EPA 8260B	EPA 5030B	105 %		80-120				1868-53-7	06/28/10 12:30	06/28/10 16:14	0060766
Surr: 1,2-Dichloroethane-d4	EPA 8260B	EPA 5030B	107 %		77-116				17060-07-0	06/28/10 12:30	06/28/10 16:14	0060766
Surr: 1,2-Dichloroethane-d4	EPA 8260B	EPA 5030B	106 %		77-116				17060-07-0	06/24/10 14:45	06/25/10 03:11	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW4
Lab No: ATF0720-07
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 11:15
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Surr: Toluene-d8	EPA 8260B	EPA 5030B	99 %		80-120				2037-26-5	06/24/10 14:45	06/25/10 03:11	0060766
Surr: Toluene-d8	EPA 8260B	EPA 5030B	97 %		80-120				2037-26-5	06/28/10 12:30	06/28/10 16:14	0060766
Surr: 4-Bromofluorobenzene	EPA 8260B	EPA 5030B	100 %		80-120				460-00-4	06/24/10 14:45	06/25/10 03:11	0060766
Surr: 4-Bromofluorobenzene	EPA 8260B	EPA 5030B	100 %		80-120				460-00-4	06/28/10 12:30	06/28/10 16:14	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-Equipment Blank
Lab No: ATF0720-08
Matrix: Water

Project: CMS 4
Date/Time Sampled: 06/22/10 12:05
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Total												
Antimony	EPA 6020A	EPA 3005A	ND	6.00	1	ug/L		0.15	7440-36-0	06/25/10 10:40	06/28/10 22:43	0060782
Arsenic	EPA 6020A	EPA 3005A	3.59	10.0	1	ug/L	J	1.58	7440-38-2	06/25/10 10:40	06/28/10 22:43	0060782
Barium	EPA 6020A	EPA 3005A	0.31	100	1	ug/L	J	0.05	7440-39-3	06/25/10 10:40	06/28/10 22:43	0060782
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/25/10 10:40	06/28/10 22:43	0060782
Cadmium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.16	7440-43-9	06/25/10 10:40	06/28/10 22:43	0060782
Chromium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.63	7440-47-3	06/25/10 10:40	06/29/10 20:59	0060782
Cobalt	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.13	7440-48-4	06/25/10 10:40	06/28/10 22:43	0060782
Copper	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		2.01	7440-50-8	06/25/10 10:40	06/28/10 22:43	0060782
Lead	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.15	7439-92-1	06/25/10 10:40	06/29/10 20:59	0060782
Nickel	EPA 6020A	EPA 3005A	0.17	50.0	1	ug/L	J	0.14	7440-02-0	06/25/10 10:40	06/28/10 22:43	0060782
Selenium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.56	7782-49-2	06/25/10 10:40	06/28/10 22:43	0060782
Silver	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.32	7440-22-4	06/25/10 10:40	06/28/10 22:43	0060782
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/25/10 10:40	06/29/10 20:59	0060782
Vanadium	EPA 6020A	EPA 3005A	ND	25.0	1	ug/L		6.47	7440-62-2	06/25/10 10:40	06/29/10 20:59	0060782
Zinc	EPA 6020A	EPA 3005A	4.44	10.0	1	ug/L	J	3.24	7440-66-6	06/25/10 10:40	06/28/10 22:43	0060782
Metals, Dissolved												
Antimony	EPA 6020A	EPA 3005A	ND	6.00	1	ug/L		0.15	7440-36-0	06/30/10 09:20	06/30/10 23:36	0060913
Arsenic	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		1.58	7440-38-2	06/30/10 09:20	06/30/10 23:36	0060913
Barium	EPA 6020A	EPA 3005A	0.23	100	1	ug/L	J	0.05	7440-39-3	06/30/10 09:20	06/30/10 23:36	0060913
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/30/10 09:20	07/02/10 17:19	0060913
Cadmium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.16	7440-43-9	06/30/10 09:20	06/30/10 23:36	0060913

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-Equipment Blank
Lab No: ATF0720-08
Matrix: Water

Project: CMS 4
Date/Time Sampled: 06/22/10 12:05
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Dissolved												
Chromium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.63	7440-47-3	06/30/10 09:20	06/30/10 23:36	0060913
Cobalt	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.13	7440-48-4	06/30/10 09:20	06/30/10 23:36	0060913
Copper	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		2.01	7440-50-8	06/30/10 09:20	06/30/10 23:36	0060913
Lead	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.15	7439-92-1	06/30/10 09:20	07/02/10 17:19	0060913
Nickel	EPA 6020A	EPA 3005A	ND	50.0	1	ug/L		0.14	7440-02-0	06/30/10 09:20	06/30/10 23:36	0060913
Selenium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.56	7782-49-2	06/30/10 09:20	06/30/10 23:36	0060913
Silver	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.32	7440-22-4	06/30/10 09:20	06/30/10 23:36	0060913
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/30/10 09:20	07/02/10 17:19	0060913
Vanadium	EPA 6020A	EPA 3005A	ND	25.0	1	ug/L		6.47	7440-62-2	06/30/10 09:20	06/30/10 23:36	0060913
Zinc	EPA 6020A	EPA 3005A	4.32	10.0	1	ug/L	J	3.24	7440-66-6	06/30/10 09:20	06/30/10 23:36	0060913
Volatile Organic Compounds by EPA 8260												
Acetone	EPA 8260B	EPA 5030B	ND	100	1	ug/L		3.4	67-64-1	06/24/10 14:45	06/25/10 03:51	0060766
Acrylonitrile	EPA 8260B	EPA 5030B	ND	200	1	ug/L		0.8	107-13-1	06/24/10 14:45	06/25/10 03:51	0060766
Benzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	71-43-2	06/24/10 14:45	06/25/10 03:51	0060766
Bromochloromethane	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.2	74-97-5	06/24/10 14:45	06/25/10 03:51	0060766
Bromodichloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	75-27-4	06/24/10 14:45	06/25/10 03:51	0060766
Bromoform	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.3	75-25-2	06/24/10 14:45	06/25/10 03:51	0060766
Bromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		2.9	74-83-9	06/24/10 14:45	06/25/10 03:51	0060766
Carbon Disulfide	EPA 8260B	EPA 5030B	ND	100	1	ug/L		0.3	75-15-0	06/24/10 14:45	06/25/10 03:51	0060766
Carbon Tetrachloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	56-23-5	06/24/10 14:45	06/25/10 03:51	0060766
Chlorobenzene	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.3	108-90-7	06/24/10 14:45	06/25/10 03:51	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-Equipment Blank
Lab No: ATF0720-08
Matrix: Water

Project: CMS 4
Date/Time Sampled: 06/22/10 12:05
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Chloroethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.5	75-00-3	06/24/10 14:45	06/25/10 03:51	0060766
Chloroform	EPA 8260B	EPA 5030B	0.6	5.0	1	ug/L	B-01, J	0.2	67-66-3	06/24/10 14:45	06/25/10 03:51	0060766
Chloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	74-87-3	06/24/10 14:45	06/25/10 03:51	0060766
Dibromochloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	124-48-1	06/24/10 14:45	06/25/10 03:51	0060766
1,2-Dibromo-3-chloropropane	EPA 8260B	EPA 5030B	ND	13	1	ug/L		0.8	96-12-8	06/24/10 14:45	06/25/10 03:51	0060766
1,2-Dibromoethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	106-93-4	06/24/10 14:45	06/25/10 03:51	0060766
Dibromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.3	74-95-3	06/24/10 14:45	06/25/10 03:51	0060766
1,2-Dichlorobenzene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.4	95-50-1	06/24/10 14:45	06/25/10 03:51	0060766
1,4-Dichlorobenzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	106-46-7	06/24/10 14:45	06/25/10 03:51	0060766
trans-1,4-Dichloro-2-butene	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.8	110-57-6	06/24/10 14:45	06/25/10 03:51	0060766
1,1-Dichloroethane	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	75-34-3	06/24/10 14:45	06/25/10 03:51	0060766
1,2-Dichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	107-06-2	06/24/10 14:45	06/25/10 03:51	0060766
1,1-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	75-35-4	06/24/10 14:45	06/25/10 03:51	0060766
cis-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	156-59-2	06/24/10 14:45	06/25/10 03:51	0060766
trans-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	156-60-5	06/24/10 14:45	06/25/10 03:51	0060766
1,2-Dichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	78-87-5	06/24/10 14:45	06/25/10 03:51	0060766
cis-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-01-5	06/24/10 14:45	06/25/10 03:51	0060766
trans-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-02-6	06/24/10 14:45	06/25/10 03:51	0060766
Ethylbenzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-41-4	06/24/10 14:45	06/25/10 03:51	0060766
Iodomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.6	74-88-4	06/24/10 14:45	06/25/10 03:51	0060766
Methyl Butyl Ketone (2-Hexanone)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.6	591-78-6	06/24/10 14:45	06/25/10 03:51	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-Equipment Blank
Lab No: ATF0720-08
Matrix: Water

Project: CMS 4
Date/Time Sampled: 06/22/10 12:05
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Methylene Chloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	75-09-2	06/24/10 14:45	06/25/10 03:51	0060766
Methyl Ethyl Ketone (2-Butanone)	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.1	78-93-3	06/24/10 14:45	06/25/10 03:51	0060766
4-Methyl-2-pentanone (MIBK)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.8	108-10-1	06/24/10 14:45	06/25/10 03:51	0060766
Styrene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-42-5	06/24/10 14:45	06/25/10 03:51	0060766
1,1,1,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	630-20-6	06/24/10 14:45	06/25/10 03:51	0060766
1,1,2,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	79-34-5	06/24/10 14:45	06/25/10 03:51	0060766
Tetrachloroethene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	127-18-4	06/24/10 14:45	06/25/10 03:51	0060766
Toluene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	108-88-3	06/24/10 14:45	06/25/10 03:51	0060766
1,1,1-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.1	71-55-6	06/24/10 14:45	06/25/10 03:51	0060766
1,1,2-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.5	79-00-5	06/24/10 14:45	06/25/10 03:51	0060766
Trichloroethene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	79-01-6	06/28/10 12:30	06/28/10 16:54	0060766
Trichlorofluoromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	75-69-4	06/24/10 14:45	06/25/10 03:51	0060766
1,2,3-Trichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	96-18-4	06/24/10 14:45	06/25/10 03:51	0060766
Vinyl Acetate	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.2	108-05-4	06/24/10 14:45	06/25/10 03:51	0060766
Vinyl Chloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	75-01-4	06/24/10 14:45	06/25/10 03:51	0060766
Xylenes, total	EPA 8260B	EPA 5030B	ND	4.0	1	ug/L		0.6	1330-20-7	06/24/10 14:45	06/25/10 03:51	0060766
Surr: Dibromofluoromethane	EPA 8260B	EPA 5030B	105 %		80-120				1868-53-7	06/24/10 14:45	06/25/10 03:51	0060766
Surr: Dibromofluoromethane	EPA 8260B	EPA 5030B	106 %		80-120				1868-53-7	06/28/10 12:30	06/28/10 16:54	0060766
Surr: 1,2-Dichloroethane-d4	EPA 8260B	EPA 5030B	108 %		77-116				17060-07-0	06/28/10 12:30	06/28/10 16:54	0060766
Surr: 1,2-Dichloroethane-d4	EPA 8260B	EPA 5030B	105 %		77-116				17060-07-0	06/24/10 14:45	06/25/10 03:51	0060766
Surr: Toluene-d8	EPA 8260B	EPA 5030B	97 %		80-120				2037-26-5	06/24/10 14:45	06/25/10 03:51	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-Equipment Blank
Lab No: ATF0720-08
Matrix: Water

Project: CMS 4
Date/Time Sampled: 06/22/10 12:05
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Surr: Toluene-d8	EPA 8260B	EPA 5030B	98 %		80-120				2037-26-5	06/28/10 12:30	06/28/10 16:54	0060766
Surr: 4-Bromofluorobenzene	EPA 8260B	EPA 5030B	101 %		80-120				460-00-4	06/24/10 14:45	06/25/10 03:51	0060766
Surr: 4-Bromofluorobenzene	EPA 8260B	EPA 5030B	99 %		80-120				460-00-4	06/28/10 12:30	06/28/10 16:54	0060766

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Client ID: 1304-Field Blank
Lab No: ATF0720-09
Matrix: Water

Project: CMS 4
Date/Time Sampled: 06/22/10 12:15
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Total												
Antimony	EPA 6020A	EPA 3005A	ND	6.00	1	ug/L		0.15	7440-36-0	06/25/10 10:40	06/28/10 22:48	0060782
Arsenic	EPA 6020A	EPA 3005A	3.00	10.0	1	ug/L	J	1.58	7440-38-2	06/25/10 10:40	06/28/10 22:48	0060782
Barium	EPA 6020A	EPA 3005A	0.32	100	1	ug/L	J	0.05	7440-39-3	06/25/10 10:40	06/28/10 22:48	0060782
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/25/10 10:40	06/28/10 22:48	0060782
Cadmium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.16	7440-43-9	06/25/10 10:40	06/28/10 22:48	0060782
Chromium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.63	7440-47-3	06/25/10 10:40	06/29/10 21:05	0060782
Cobalt	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.13	7440-48-4	06/25/10 10:40	06/28/10 22:48	0060782
Copper	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		2.01	7440-50-8	06/25/10 10:40	06/28/10 22:48	0060782
Lead	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.15	7439-92-1	06/25/10 10:40	06/29/10 21:05	0060782
Nickel	EPA 6020A	EPA 3005A	ND	50.0	1	ug/L		0.14	7440-02-0	06/25/10 10:40	06/28/10 22:48	0060782
Selenium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.56	7782-49-2	06/25/10 10:40	06/28/10 22:48	0060782
Silver	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.32	7440-22-4	06/25/10 10:40	06/28/10 22:48	0060782
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/25/10 10:40	06/29/10 21:05	0060782
Vanadium	EPA 6020A	EPA 3005A	ND	25.0	1	ug/L		6.47	7440-62-2	06/25/10 10:40	06/29/10 21:05	0060782
Zinc	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		3.24	7440-66-6	06/25/10 10:40	06/28/10 22:48	0060782
Metals, Dissolved												
Antimony	EPA 6020A	EPA 3005A	ND	6.00	1	ug/L		0.15	7440-36-0	06/30/10 09:20	06/30/10 23:42	0060913
Arsenic	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		1.58	7440-38-2	06/30/10 09:20	06/30/10 23:42	0060913
Barium	EPA 6020A	EPA 3005A	0.19	100	1	ug/L	J	0.05	7440-39-3	06/30/10 09:20	06/30/10 23:42	0060913
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/30/10 09:20	07/02/10 17:25	0060913
Cadmium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.16	7440-43-9	06/30/10 09:20	06/30/10 23:42	0060913

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-Field Blank
Lab No: ATF0720-09
Matrix: Water

Project: CMS 4
Date/Time Sampled: 06/22/10 12:15
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Dissolved												
Chromium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.63	7440-47-3	06/30/10 09:20	06/30/10 23:42	0060913
Cobalt	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.13	7440-48-4	06/30/10 09:20	06/30/10 23:42	0060913
Copper	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		2.01	7440-50-8	06/30/10 09:20	06/30/10 23:42	0060913
Lead	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.15	7439-92-1	06/30/10 09:20	07/02/10 17:25	0060913
Nickel	EPA 6020A	EPA 3005A	ND	50.0	1	ug/L		0.14	7440-02-0	06/30/10 09:20	06/30/10 23:42	0060913
Selenium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.56	7782-49-2	06/30/10 09:20	06/30/10 23:42	0060913
Silver	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.32	7440-22-4	06/30/10 09:20	06/30/10 23:42	0060913
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/30/10 09:20	07/02/10 17:25	0060913
Vanadium	EPA 6020A	EPA 3005A	ND	25.0	1	ug/L		6.47	7440-62-2	06/30/10 09:20	06/30/10 23:42	0060913
Zinc	EPA 6020A	EPA 3005A	4.08	10.0	1	ug/L	J	3.24	7440-66-6	06/30/10 09:20	06/30/10 23:42	0060913
Volatile Organic Compounds by EPA 8260												
Acetone	EPA 8260B	EPA 5030B	ND	100	1	ug/L		3.4	67-64-1	06/24/10 14:45	06/25/10 04:31	0060766
Acrylonitrile	EPA 8260B	EPA 5030B	ND	200	1	ug/L		0.8	107-13-1	06/24/10 14:45	06/25/10 04:31	0060766
Benzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	71-43-2	06/24/10 14:45	06/25/10 04:31	0060766
Bromochloromethane	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.2	74-97-5	06/24/10 14:45	06/25/10 04:31	0060766
Bromodichloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	75-27-4	06/24/10 14:45	06/25/10 04:31	0060766
Bromoform	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.3	75-25-2	06/24/10 14:45	06/25/10 04:31	0060766
Bromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		2.9	74-83-9	06/24/10 14:45	06/25/10 04:31	0060766
Carbon Disulfide	EPA 8260B	EPA 5030B	ND	100	1	ug/L		0.3	75-15-0	06/24/10 14:45	06/25/10 04:31	0060766
Carbon Tetrachloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	56-23-5	06/24/10 14:45	06/25/10 04:31	0060766
Chlorobenzene	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.3	108-90-7	06/24/10 14:45	06/25/10 04:31	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-Field Blank
Lab No: ATF0720-09
Matrix: Water

Project: CMS 4
Date/Time Sampled: 06/22/10 12:15
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Chloroethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.5	75-00-3	06/24/10 14:45	06/25/10 04:31	0060766
Chloroform	EPA 8260B	EPA 5030B	0.6	5.0	1	ug/L	B-01, J	0.2	67-66-3	06/24/10 14:45	06/25/10 04:31	0060766
Chloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	74-87-3	06/24/10 14:45	06/25/10 04:31	0060766
Dibromochloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	124-48-1	06/24/10 14:45	06/25/10 04:31	0060766
1,2-Dibromo-3-chloropropane	EPA 8260B	EPA 5030B	ND	13	1	ug/L		0.8	96-12-8	06/24/10 14:45	06/25/10 04:31	0060766
1,2-Dibromoethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	106-93-4	06/24/10 14:45	06/25/10 04:31	0060766
Dibromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.3	74-95-3	06/24/10 14:45	06/25/10 04:31	0060766
1,2-Dichlorobenzene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.4	95-50-1	06/24/10 14:45	06/25/10 04:31	0060766
1,4-Dichlorobenzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	106-46-7	06/24/10 14:45	06/25/10 04:31	0060766
trans-1,4-Dichloro-2-butene	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.8	110-57-6	06/24/10 14:45	06/25/10 04:31	0060766
1,1-Dichloroethane	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	75-34-3	06/24/10 14:45	06/25/10 04:31	0060766
1,2-Dichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	107-06-2	06/24/10 14:45	06/25/10 04:31	0060766
1,1-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	75-35-4	06/24/10 14:45	06/25/10 04:31	0060766
cis-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	156-59-2	06/24/10 14:45	06/25/10 04:31	0060766
trans-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	156-60-5	06/24/10 14:45	06/25/10 04:31	0060766
1,2-Dichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	78-87-5	06/24/10 14:45	06/25/10 04:31	0060766
cis-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-01-5	06/24/10 14:45	06/25/10 04:31	0060766
trans-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-02-6	06/24/10 14:45	06/25/10 04:31	0060766
Ethylbenzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-41-4	06/24/10 14:45	06/25/10 04:31	0060766
Iodomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.6	74-88-4	06/24/10 14:45	06/25/10 04:31	0060766
Methyl Butyl Ketone (2-Hexanone)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.6	591-78-6	06/24/10 14:45	06/25/10 04:31	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-Field Blank
Lab No: ATF0720-09
Matrix: Water

Project: CMS 4
Date/Time Sampled: 06/22/10 12:15
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Methylene Chloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	75-09-2	06/24/10 14:45	06/25/10 04:31	0060766
Methyl Ethyl Ketone (2-Butanone)	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.1	78-93-3	06/24/10 14:45	06/25/10 04:31	0060766
4-Methyl-2-pentanone (MIBK)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.8	108-10-1	06/24/10 14:45	06/25/10 04:31	0060766
Styrene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-42-5	06/24/10 14:45	06/25/10 04:31	0060766
1,1,1,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	630-20-6	06/24/10 14:45	06/25/10 04:31	0060766
1,1,2,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	79-34-5	06/24/10 14:45	06/25/10 04:31	0060766
Tetrachloroethene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	127-18-4	06/24/10 14:45	06/25/10 04:31	0060766
Toluene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	108-88-3	06/24/10 14:45	06/25/10 04:31	0060766
1,1,1-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.1	71-55-6	06/24/10 14:45	06/25/10 04:31	0060766
1,1,2-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.5	79-00-5	06/24/10 14:45	06/25/10 04:31	0060766
Trichloroethene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	79-01-6	06/28/10 12:30	06/28/10 17:34	0060766
Trichlorofluoromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	75-69-4	06/24/10 14:45	06/25/10 04:31	0060766
1,2,3-Trichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	96-18-4	06/24/10 14:45	06/25/10 04:31	0060766
Vinyl Acetate	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.2	108-05-4	06/24/10 14:45	06/25/10 04:31	0060766
Vinyl Chloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	75-01-4	06/24/10 14:45	06/25/10 04:31	0060766
Xylenes, total	EPA 8260B	EPA 5030B	ND	4.0	1	ug/L		0.6	1330-20-7	06/24/10 14:45	06/25/10 04:31	0060766
Surr: Dibromofluoromethane	EPA 8260B	EPA 5030B	104 %		80-120				1868-53-7	06/24/10 14:45	06/25/10 04:31	0060766
Surr: Dibromofluoromethane	EPA 8260B	EPA 5030B	104 %		80-120				1868-53-7	06/28/10 12:30	06/28/10 17:34	0060766
Surr: 1,2-Dichloroethane-d4	EPA 8260B	EPA 5030B	109 %		77-116				17060-07-0	06/28/10 12:30	06/28/10 17:34	0060766
Surr: 1,2-Dichloroethane-d4	EPA 8260B	EPA 5030B	106 %		77-116				17060-07-0	06/24/10 14:45	06/25/10 04:31	0060766
Surr: Toluene-d8	EPA 8260B	EPA 5030B	99 %		80-120				2037-26-5	06/24/10 14:45	06/25/10 04:31	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-Field Blank
Lab No: ATF0720-09
Matrix: Water

Project: CMS 4
Date/Time Sampled: 06/22/10 12:15
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Surr: Toluene-d8	EPA 8260B	EPA 5030B	97 %		80-120				2037-26-5	06/28/10 12:30	06/28/10 17:34	0060766
Surr: 4-Bromofluorobenzene	EPA 8260B	EPA 5030B	101 %		80-120				460-00-4	06/28/10 12:30	06/28/10 17:34	0060766
Surr: 4-Bromofluorobenzene	EPA 8260B	EPA 5030B	103 %		80-120				460-00-4	06/24/10 14:45	06/25/10 04:31	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW1
Lab No: ATF0720-10
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 13:10
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Total												
Antimony	EPA 6020A	EPA 3005A	0.21	6.00	1	ug/L	J	0.15	7440-36-0	06/25/10 10:40	06/28/10 22:54	0060782
Arsenic	EPA 6020A	EPA 3005A	27.2	25.0	5	ug/L		7.91	7440-38-2	06/25/10 10:40	06/28/10 23:34	0060782
Barium	EPA 6020A	EPA 3005A	2340	100	1	ug/L		0.05	7440-39-3	06/25/10 10:40	06/28/10 22:54	0060782
Beryllium	EPA 6020A	EPA 3005A	1.55	1.00	1	ug/L		0.34	7440-41-7	06/25/10 10:40	06/28/10 22:54	0060782
Cadmium	EPA 6020A	EPA 3005A	8.41	1.00	1	ug/L		0.16	7440-43-9	06/25/10 10:40	06/28/10 22:54	0060782
Chromium	EPA 6020A	EPA 3005A	127	10.0	5	ug/L		3.13	7440-47-3	06/25/10 10:40	06/28/10 23:34	0060782
Cobalt	EPA 6020A	EPA 3005A	669	50.0	5	ug/L		0.66	7440-48-4	06/25/10 10:40	06/28/10 23:34	0060782
Copper	EPA 6020A	EPA 3005A	349	50.0	5	ug/L		10.0	7440-50-8	06/25/10 10:40	06/28/10 23:34	0060782
Lead	EPA 6020A	EPA 3005A	44.7	10.0	5	ug/L		0.77	7439-92-1	06/25/10 10:40	06/28/10 23:34	0060782
Nickel	EPA 6020A	EPA 3005A	559	250	5	ug/L		0.70	7440-02-0	06/25/10 10:40	06/28/10 23:34	0060782
Selenium	EPA 6020A	EPA 3005A	ND	50.0	5	ug/L	R-01	2.80	7782-49-2	06/25/10 10:40	06/28/10 23:34	0060782
Silver	EPA 6020A	EPA 3005A	7.86	10.0	1	ug/L	J	0.32	7440-22-4	06/25/10 10:40	06/28/10 22:54	0060782
Thallium	EPA 6020A	EPA 3005A	0.43	5.50	1	ug/L	J	0.15	7440-28-0	06/25/10 10:40	06/29/10 02:04	0060782
Vanadium	EPA 6020A	EPA 3005A	233	125	5	ug/L		32.3	7440-62-2	06/25/10 10:40	06/29/10 01:57	0060782
Zinc	EPA 6020A	EPA 3005A	4140	50.0	5	ug/L		16.2	7440-66-6	06/25/10 10:40	06/28/10 23:34	0060782
Metals, Dissolved												
Antimony	EPA 6020A	EPA 3005A	ND	6.00	1	ug/L		0.15	7440-36-0	06/30/10 09:20	06/30/10 23:48	0060913
Arsenic	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		1.58	7440-38-2	06/30/10 09:20	06/30/10 23:48	0060913
Barium	EPA 6020A	EPA 3005A	411	100	1	ug/L		0.05	7440-39-3	06/30/10 09:20	06/30/10 23:48	0060913
Beryllium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.34	7440-41-7	06/30/10 09:20	07/02/10 17:32	0060913

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW1
Lab No: ATF0720-10
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 13:10
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Metals, Dissolved												
Cadmium	EPA 6020A	EPA 3005A	ND	1.00	1	ug/L		0.16	7440-43-9	06/30/10 09:20	06/30/10 23:48	0060913
Chromium	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.63	7440-47-3	06/30/10 09:20	06/30/10 23:48	0060913
Cobalt	EPA 6020A	EPA 3005A	23.9	10.0	1	ug/L		0.13	7440-48-4	06/30/10 09:20	06/30/10 23:48	0060913
Copper	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		2.01	7440-50-8	06/30/10 09:20	06/30/10 23:48	0060913
Lead	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.15	7439-92-1	06/30/10 09:20	07/02/10 17:32	0060913
Nickel	EPA 6020A	EPA 3005A	23.9	50.0	1	ug/L	J	0.14	7440-02-0	06/30/10 09:20	06/30/10 23:48	0060913
Selenium	EPA 6020A	EPA 3005A	0.64	10.0	1	ug/L	J	0.56	7782-49-2	06/30/10 09:20	06/30/10 23:48	0060913
Silver	EPA 6020A	EPA 3005A	ND	10.0	1	ug/L		0.32	7440-22-4	06/30/10 09:20	06/30/10 23:48	0060913
Thallium	EPA 6020A	EPA 3005A	ND	5.50	1	ug/L		0.15	7440-28-0	06/30/10 09:20	07/02/10 17:32	0060913
Vanadium	EPA 6020A	EPA 3005A	ND	25.0	1	ug/L		6.47	7440-62-2	06/30/10 09:20	06/30/10 23:48	0060913
Zinc	EPA 6020A	EPA 3005A	6.31	10.0	1	ug/L	J	3.24	7440-66-6	06/30/10 09:20	06/30/10 23:48	0060913
Volatile Organic Compounds by EPA 8260												
Acetone	EPA 8260B	EPA 5030B	ND	100	1	ug/L		3.4	67-64-1	06/24/10 14:45	06/25/10 05:10	0060766
Acrylonitrile	EPA 8260B	EPA 5030B	ND	200	1	ug/L		0.8	107-13-1	06/24/10 14:45	06/25/10 05:10	0060766
Benzene	EPA 8260B	EPA 5030B	2.5	1.0	1	ug/L		0.2	71-43-2	06/24/10 14:45	06/25/10 05:10	0060766
Bromochloromethane	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.2	74-97-5	06/24/10 14:45	06/25/10 05:10	0060766
Bromodichloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	75-27-4	06/24/10 14:45	06/25/10 05:10	0060766
Bromoform	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.3	75-25-2	06/24/10 14:45	06/25/10 05:10	0060766
Bromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		2.9	74-83-9	06/24/10 14:45	06/25/10 05:10	0060766
Carbon Disulfide	EPA 8260B	EPA 5030B	ND	100	1	ug/L		0.3	75-15-0	06/24/10 14:45	06/25/10 05:10	0060766
Carbon Tetrachloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	56-23-5	06/24/10 14:45	06/25/10 05:10	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW1
Lab No: ATF0720-10
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 13:10
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Chlorobenzene	EPA 8260B	EPA 5030B	ND	3.0	1	ug/L		0.3	108-90-7	06/24/10 14:45	06/25/10 05:10	0060766
Chloroethane	EPA 8260B	EPA 5030B	0.6	10	1	ug/L	J	0.5	75-00-3	06/24/10 14:45	06/25/10 05:10	0060766
Chloroform	EPA 8260B	EPA 5030B	0.6	5.0	1	ug/L	B-01, J	0.2	67-66-3	06/24/10 14:45	06/25/10 05:10	0060766
Chloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	74-87-3	06/24/10 14:45	06/25/10 05:10	0060766
Dibromochloromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	124-48-1	06/24/10 14:45	06/25/10 05:10	0060766
1,2-Dibromo-3-chloropropane	EPA 8260B	EPA 5030B	ND	13	1	ug/L		0.8	96-12-8	06/24/10 14:45	06/25/10 05:10	0060766
1,2-Dibromoethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	106-93-4	06/24/10 14:45	06/25/10 05:10	0060766
Dibromomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.3	74-95-3	06/24/10 14:45	06/25/10 05:10	0060766
1,2-Dichlorobenzene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.4	95-50-1	06/24/10 14:45	06/25/10 05:10	0060766
1,4-Dichlorobenzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	106-46-7	06/24/10 14:45	06/25/10 05:10	0060766
trans-1,4-Dichloro-2-butene	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.8	110-57-6	06/24/10 14:45	06/25/10 05:10	0060766
1,1-Dichloroethane	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	75-34-3	06/24/10 14:45	06/25/10 05:10	0060766
1,2-Dichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	107-06-2	06/24/10 14:45	06/25/10 05:10	0060766
1,1-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	75-35-4	06/24/10 14:45	06/25/10 05:10	0060766
cis-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	156-59-2	06/24/10 14:45	06/25/10 05:10	0060766
trans-1,2-Dichloroethene	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.2	156-60-5	06/24/10 14:45	06/25/10 05:10	0060766
1,2-Dichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	78-87-5	06/24/10 14:45	06/25/10 05:10	0060766
cis-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-01-5	06/24/10 14:45	06/25/10 05:10	0060766
trans-1,3-Dichloropropene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	10061-02-6	06/24/10 14:45	06/25/10 05:10	0060766
Ethylbenzene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-41-4	06/24/10 14:45	06/25/10 05:10	0060766
Iodomethane	EPA 8260B	EPA 5030B	ND	10	1	ug/L		0.6	74-88-4	06/24/10 14:45	06/25/10 05:10	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

July 08, 2010

Attention: Mr. Mike Gurley

Client ID: 1304-MW1
Lab No: ATF0720-10
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 13:10
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Methyl Butyl Ketone (2-Hexanone)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.6	591-78-6	06/24/10 14:45	06/25/10 05:10	0060766
Methylene Chloride	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	75-09-2	06/24/10 14:45	06/25/10 05:10	0060766
Methyl Ethyl Ketone (2-Butanone)	EPA 8260B	EPA 5030B	ND	100	1	ug/L		1.1	78-93-3	06/24/10 14:45	06/25/10 05:10	0060766
4-Methyl-2-pentanone (MIBK)	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.8	108-10-1	06/24/10 14:45	06/25/10 05:10	0060766
Styrene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	100-42-5	06/24/10 14:45	06/25/10 05:10	0060766
1,1,1,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	5.0	1	ug/L		0.3	630-20-6	06/24/10 14:45	06/25/10 05:10	0060766
1,1,2,2-Tetrachloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	79-34-5	06/24/10 14:45	06/25/10 05:10	0060766
Tetrachloroethene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	127-18-4	06/24/10 14:45	06/25/10 05:10	0060766
Toluene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	108-88-3	06/24/10 14:45	06/25/10 05:10	0060766
1,1,1-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.1	71-55-6	06/24/10 14:45	06/25/10 05:10	0060766
1,1,2-Trichloroethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.5	79-00-5	06/24/10 14:45	06/25/10 05:10	0060766
Trichloroethene	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.3	79-01-6	06/28/10 12:30	06/28/10 18:14	0060766
Trichlorofluoromethane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.2	75-69-4	06/24/10 14:45	06/25/10 05:10	0060766
1,2,3-Trichloropropane	EPA 8260B	EPA 5030B	ND	1.0	1	ug/L		0.4	96-18-4	06/24/10 14:45	06/25/10 05:10	0060766
Vinyl Acetate	EPA 8260B	EPA 5030B	ND	50	1	ug/L		0.2	108-05-4	06/24/10 14:45	06/25/10 05:10	0060766
Vinyl Chloride	EPA 8260B	EPA 5030B	0.3	1.0	1	ug/L	J	0.2	75-01-4	06/24/10 14:45	06/25/10 05:10	0060766
Xylenes, total	EPA 8260B	EPA 5030B	ND	4.0	1	ug/L		0.6	1330-20-7	06/24/10 14:45	06/25/10 05:10	0060766
Surr: Dibromofluoromethane	EPA 8260B	EPA 5030B	103 %		80-120				1868-53-7	06/28/10 12:30	06/28/10 18:14	0060766
Surr: Dibromofluoromethane	EPA 8260B	EPA 5030B	102 %		80-120				1868-53-7	06/24/10 14:45	06/25/10 05:10	0060766
Surr: 1,2-Dichloroethane-d4	EPA 8260B	EPA 5030B	104 %		77-116				17060-07-0	06/28/10 12:30	06/28/10 18:14	0060766
Surr: 1,2-Dichloroethane-d4	EPA 8260B	EPA 5030B	103 %		77-116				17060-07-0	06/24/10 14:45	06/25/10 05:10	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Client ID: 1304-MW1
Lab No: ATF0720-10
Matrix: Ground Water

Project: CMS 4
Date/Time Sampled: 06/22/10 13:10
Date/Time Received: 06/23/10 09:20

Report No.: ATF0720

Analyte	Analytical Method	Prep Method	Result	SWSL/ RL	DF	Units	Qual	MDL	CAS #	Prep Date/Time	Analysis Date/Time	Batch
Volatile Organic Compounds by EPA 8260												
Surr: Toluene-d8	EPA 8260B	EPA 5030B	98 %		80-120				2037-26-5	06/28/10 12:30	06/28/10 18:14	0060766
Surr: Toluene-d8	EPA 8260B	EPA 5030B	99 %		80-120				2037-26-5	06/24/10 14:45	06/25/10 05:10	0060766
Surr: 4-Bromofluorobenzene	EPA 8260B	EPA 5030B	101 %		80-120				460-00-4	06/28/10 12:30	06/28/10 18:14	0060766
Surr: 4-Bromofluorobenzene	EPA 8260B	EPA 5030B	101 %		80-120				460-00-4	06/24/10 14:45	06/25/10 05:10	0060766

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Metals, Total - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch 0060782 - EPA 3005A										
Blank (0060782-BLK1)							Prepared: 06/25/10 Analyzed: 06/28/10			
Antimony	ND	6.00	ug/L							
Arsenic	ND	10.0	ug/L							
Barium	ND	100	ug/L							
Beryllium	ND	1.00	ug/L							
Cadmium	ND	1.00	ug/L							
Chromium	2.71	10.0	ug/L							J
Cobalt	ND	10.0	ug/L							
Copper	ND	10.0	ug/L							
Lead	ND	10.0	ug/L							
Nickel	ND	50.0	ug/L							
Selenium	ND	10.0	ug/L							
Silver	ND	10.0	ug/L							
Thallium	ND	5.50	ug/L							
Vanadium	ND	25.0	ug/L							
Zinc	ND	10.0	ug/L							
LCS (0060782-BS1)							Prepared: 06/25/10 Analyzed: 06/28/10			
Antimony	100	6.00	ug/L	100.00		100	80-120			
Arsenic	101	10.0	ug/L	100.00		101	80-120			
Barium	100	100	ug/L	100.00		100	80-120			
Beryllium	98.6	1.00	ug/L	100.00		99	80-120			
Cadmium	101	1.00	ug/L	100.00		101	80-120			
Chromium	102	10.0	ug/L	100.00		102	80-120			
Cobalt	101	10.0	ug/L	100.00		101	80-120			
Copper	100	10.0	ug/L	100.00		100	80-120			
Lead	108	10.0	ug/L	100.00		108	80-120			

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Metals, Total - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch 0060782 - EPA 3005A										
LCS (0060782-BS1)							Prepared: 06/25/10 Analyzed: 06/28/10			
Nickel	99.7	50.0	ug/L	100.00		100	80-120			
Selenium	99.7	10.0	ug/L	100.00		100	80-120			
Silver	97.6	10.0	ug/L	100.00		98	80-120			
Thallium	107	5.50	ug/L	100.00		107	80-120			
Vanadium	98.7	25.0	ug/L	100.00		99	80-120			
Zinc	102	10.0	ug/L	100.00		102	80-120			
Matrix Spike (0060782-MS1)	Source: ATF0720-02						Prepared: 06/25/10 Analyzed: 06/28/10			
Antimony	97.2	6.00	ug/L	100.00	ND	97	75-125			
Arsenic	98.5	10.0	ug/L	100.00	3.96	95	75-125			
Barium	225	100	ug/L	100.00	139	86	75-125			
Beryllium	98.0	1.00	ug/L	100.00	ND	98	75-125			
Cadmium	96.6	1.00	ug/L	100.00	1.33	95	75-125			
Chromium	90.7	10.0	ug/L	100.00	ND	91	75-125			
Cobalt	147	10.0	ug/L	100.00	51.3	96	75-125			
Copper	95.9	10.0	ug/L	100.00	5.49	90	75-125			
Lead	104	10.0	ug/L	100.00	ND	104	75-125			
Nickel	170	50.0	ug/L	100.00	76.2	94	75-125			
Selenium	92.3	10.0	ug/L	100.00	ND	92	75-125			
Silver	92.6	10.0	ug/L	100.00	ND	93	75-125			
Thallium	104	5.50	ug/L	100.00	ND	104	75-125			
Vanadium	98.3	25.0	ug/L	100.00	ND	98	75-125			
Zinc	96.9	10.0	ug/L	100.00	7.17	90	75-125			
Matrix Spike Dup (0060782-MSD1)	Source: ATF0720-02						Prepared: 06/25/10 Analyzed: 06/28/10			
Antimony	99.6	6.00	ug/L	100.00	ND	100	75-125	2	20	
Arsenic	98.8	10.0	ug/L	100.00	3.96	95	75-125	0.3	20	

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Metals, Total - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch 0060782 - EPA 3005A										
Matrix Spike Dup (0060782-MSD1)	**Source: ATF0720-02**						Prepared: 06/25/10 Analyzed: 06/28/10			
Barium	224	100	ug/L	100.00	139	84	75-125	0.5	20	
Beryllium	99.6	1.00	ug/L	100.00	ND	100	75-125	2	20	
Cadmium	96.9	1.00	ug/L	100.00	1.33	96	75-125	0.4	20	
Chromium	91.0	10.0	ug/L	100.00	ND	91	75-125	0.3	20	
Cobalt	144	10.0	ug/L	100.00	51.3	93	75-125	2	20	
Copper	94.5	10.0	ug/L	100.00	5.49	89	75-125	1	20	
Lead	103	10.0	ug/L	100.00	ND	103	75-125	1	20	
Nickel	166	50.0	ug/L	100.00	76.2	90	75-125	2	20	
Selenium	91.9	10.0	ug/L	100.00	ND	92	75-125	0.4	20	
Silver	94.0	10.0	ug/L	100.00	ND	94	75-125	2	20	
Thallium	104	5.50	ug/L	100.00	ND	104	75-125	0.1	20	
Vanadium	99.4	25.0	ug/L	100.00	ND	99	75-125	1	20	
Zinc	96.2	10.0	ug/L	100.00	7.17	89	75-125	0.7	20	
Post Spike (0060782-PS1)	**Source: ATF0720-02**						Prepared: 06/25/10 Analyzed: 06/28/10			
Antimony	101		ug/L	100.00	0.02	101	80-120			
Arsenic	101		ug/L	100.00	3.96	97	80-120			
Barium	235		ug/L	100.00	139	96	80-120			
Beryllium	103		ug/L	100.00	0.03	103	80-120			
Cadmium	99.8		ug/L	100.00	1.33	98	80-120			
Chromium	91.9		ug/L	100.00	-1.16	93	80-120			
Cobalt	143		ug/L	100.00	51.3	92	80-120			
Copper	97.1		ug/L	100.00	5.49	92	80-120			
Lead	103		ug/L	100.00	0.14	103	80-120			
Nickel	166		ug/L	100.00	76.2	90	80-120			
Selenium	94.2		ug/L	100.00	0.20	94	80-120			

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Metals, Total - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch 0060782 - EPA 3005A										
Post Spike (0060782-PS1)	Source: ATF0720-02						Prepared: 06/25/10 Analyzed: 06/28/10			
Silver	95.3		ug/L	100.00	0.05	95	80-120			
Thallium	102		ug/L	100.00	-0.02	102	80-120			
Vanadium	99.9		ug/L	100.00	2.50	97	80-120			
Zinc	98.1		ug/L	100.00	7.17	91	80-120			

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Metals, Dissolved - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch 0060913 - EPA 3005A										
Blank (0060913-BLK1)							Prepared & Analyzed: 06/30/10			
Antimony	ND	6.00	ug/L							
Arsenic	ND	10.0	ug/L							
Barium	ND	100	ug/L							
Beryllium	ND	1.00	ug/L							
Cadmium	ND	1.00	ug/L							
Chromium	1.16	10.0	ug/L							J
Cobalt	ND	10.0	ug/L							
Copper	ND	10.0	ug/L							
Lead	ND	10.0	ug/L							
Nickel	ND	50.0	ug/L							
Selenium	ND	10.0	ug/L							
Silver	ND	10.0	ug/L							
Thallium	ND	5.50	ug/L							
Vanadium	ND	25.0	ug/L							
Zinc	ND	10.0	ug/L							
LCS (0060913-BS1)							Prepared & Analyzed: 06/30/10			
Antimony	98.0	6.00	ug/L	100.00		98	80-120			
Arsenic	97.7	10.0	ug/L	100.00		98	80-120			
Barium	103	100	ug/L	100.00		103	80-120			
Beryllium	105	1.00	ug/L	100.00		105	80-120			
Cadmium	98.1	1.00	ug/L	100.00		98	80-120			
Chromium	99.9	10.0	ug/L	100.00		100	80-120			
Cobalt	102	10.0	ug/L	100.00		102	80-120			
Copper	101	10.0	ug/L	100.00		101	80-120			
Lead	89.9	10.0	ug/L	100.00		90	80-120			

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Metals, Dissolved - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch 0060913 - EPA 3005A										
LCS (0060913-BS1)							Prepared & Analyzed: 06/30/10			
Nickel	103	50.0	ug/L	100.00		103	80-120			
Selenium	96.8	10.0	ug/L	100.00		97	80-120			
Silver	98.6	10.0	ug/L	100.00		99	80-120			
Thallium	104	5.50	ug/L	100.00		104	80-120			
Vanadium	89.6	25.0	ug/L	100.00		90	80-120			
Zinc	99.8	10.0	ug/L	100.00		100	80-120			
Matrix Spike (0060913-MS1)	Source: ATF0852-37						Prepared & Analyzed: 06/30/10			
Antimony	96.5	6.00	ug/L	100.00	0.17	96	75-125			
Arsenic	96.5	10.0	ug/L	100.00	ND	97	75-125			
Barium	138	100	ug/L	100.00	38.6	100	75-125			
Beryllium	100	1.00	ug/L	100.00	ND	100	75-125			
Cadmium	95.6	1.00	ug/L	100.00	ND	96	75-125			
Chromium	101	10.0	ug/L	100.00	ND	101	75-125			
Cobalt	105	10.0	ug/L	100.00	1.13	104	75-125			
Copper	104	10.0	ug/L	100.00	ND	104	75-125			
Lead	86.5	10.0	ug/L	100.00	0.17	86	75-125			
Nickel	106	50.0	ug/L	100.00	0.89	105	75-125			
Selenium	90.4	10.0	ug/L	100.00	ND	90	75-125			
Silver	96.6	10.0	ug/L	100.00	ND	97	75-125			
Thallium	102	5.50	ug/L	100.00	ND	102	75-125			
Vanadium	116	25.0	ug/L	100.00	ND	116	75-125			
Zinc	110	10.0	ug/L	100.00	12.8	97	75-125			
Matrix Spike Dup (0060913-MSD1)	Source: ATF0852-37						Prepared & Analyzed: 06/30/10			
Antimony	94.8	6.00	ug/L	100.00	0.17	95	75-125	2	20	
Arsenic	93.8	10.0	ug/L	100.00	ND	94	75-125	3	20	

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Metals, Dissolved - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch 0060913 - EPA 3005A										
Matrix Spike Dup (0060913-MSD1)	Source: ATF0852-37						Prepared & Analyzed: 06/30/10			
Barium	139	100	ug/L	100.00	38.6	101	75-125	0.8	20	
Beryllium	96.1	1.00	ug/L	100.00	ND	96	75-125	4	20	
Cadmium	93.7	1.00	ug/L	100.00	ND	94	75-125	2	20	
Chromium	100	10.0	ug/L	100.00	ND	100	75-125	0.4	20	
Cobalt	103	10.0	ug/L	100.00	1.13	102	75-125	3	20	
Copper	101	10.0	ug/L	100.00	ND	101	75-125	3	20	
Lead	86.5	10.0	ug/L	100.00	0.17	86	75-125	0.07	20	
Nickel	102	50.0	ug/L	100.00	0.89	101	75-125	4	20	
Selenium	89.3	10.0	ug/L	100.00	ND	89	75-125	1	20	
Silver	94.7	10.0	ug/L	100.00	ND	95	75-125	2	20	
Thallium	103	5.50	ug/L	100.00	ND	103	75-125	0.7	20	
Vanadium	117	25.0	ug/L	100.00	ND	117	75-125	0.4	20	
Zinc	105	10.0	ug/L	100.00	12.8	92	75-125	4	20	
Post Spike (0060913-PS1)	Source: ATF0852-37						Prepared & Analyzed: 06/30/10			
Antimony	94.5		ug/L	100.00	0.17	94	80-120			
Arsenic	94.6		ug/L	100.00	0.89	94	80-120			
Barium	138		ug/L	100.00	38.6	100	80-120			
Beryllium	95.8		ug/L	100.00	0.10	96	80-120			
Cadmium	93.5		ug/L	100.00	ND	93	80-120			
Chromium	101		ug/L	100.00	-0.89	102	80-120			
Cobalt	103		ug/L	100.00	1.13	102	80-120			
Copper	101		ug/L	100.00	1.96	99	80-120			
Lead	85.1		ug/L	100.00	0.17	85	80-120			
Nickel	102		ug/L	100.00	0.89	101	80-120			
Selenium	87.5		ug/L	100.00	-0.01	88	80-120			

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Metals, Dissolved - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch 0060913 - EPA 3005A										
Post Spike (0060913-PS1)		Source: ATF0852-37					Prepared & Analyzed: 06/30/10			
Silver	92.3		ug/L	100.00	ND	92	80-120			
Thallium	100		ug/L	100.00	ND	100	80-120			
Vanadium	98.4		ug/L	100.00	-0.81	99	80-120			
Zinc	101		ug/L	100.00	12.8	89	80-120			

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Volatile Organic Compounds by EPA 8260 - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch 0060766 - EPA 5030B										
Blank (0060766-BLK1)							Prepared & Analyzed: 06/24/10			
Acetone	ND	100	ug/L							
Acrylonitrile	ND	200	ug/L							
Benzene	ND	1.0	ug/L							
Bromochloromethane	ND	3.0	ug/L							
Bromodichloromethane	ND	1.0	ug/L							
Bromoform	ND	3.0	ug/L							
Bromomethane	ND	10	ug/L							
Carbon Disulfide	ND	100	ug/L							
Carbon Tetrachloride	ND	1.0	ug/L							
Chlorobenzene	ND	3.0	ug/L							
Chloroethane	ND	10	ug/L							
Chloroform	0.6	5.0	ug/L							J
Chloromethane	ND	1.0	ug/L							
Dibromochloromethane	ND	1.0	ug/L							
1,2-Dibromo-3-chloropropane	ND	13	ug/L							
1,2-Dibromoethane	ND	1.0	ug/L							
Dibromomethane	ND	10	ug/L							
1,2-Dichlorobenzene	ND	5.0	ug/L							
1,4-Dichlorobenzene	ND	1.0	ug/L							
trans-1,4-Dichloro-2-butene	ND	100	ug/L							
1,1-Dichloroethane	ND	5.0	ug/L							
1,2-Dichloroethane	ND	1.0	ug/L							
1,1-Dichloroethene	ND	5.0	ug/L							
cis-1,2-Dichloroethene	ND	5.0	ug/L							
trans-1,2-Dichloroethene	ND	5.0	ug/L							
1,2-Dichloropropane	ND	1.0	ug/L							

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Volatile Organic Compounds by EPA 8260 - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch 0060766 - EPA 5030B										
Blank (0060766-BLK1)							Prepared & Analyzed: 06/24/10			
cis-1,3-Dichloropropene	ND	1.0	ug/L							
trans-1,3-Dichloropropene	ND	1.0	ug/L							
Ethylbenzene	ND	1.0	ug/L							
Iodomethane	ND	10	ug/L							
Methyl Butyl Ketone (2-Hexanone)	ND	50	ug/L							
Methylene Chloride	ND	1.0	ug/L							
Methyl Ethyl Ketone (2-Butanone)	ND	100	ug/L							
4-Methyl-2-pentanone (MIBK)	ND	50	ug/L							
Styrene	ND	1.0	ug/L							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L							
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L							
Tetrachloroethene	ND	1.0	ug/L							
Toluene	ND	1.0	ug/L							
1,1,1-Trichloroethane	ND	1.0	ug/L							
1,1,2-Trichloroethane	ND	1.0	ug/L							
Trichloroethene	ND	1.0	ug/L							
Trichlorofluoromethane	ND	1.0	ug/L							
1,2,3-Trichloropropane	ND	1.0	ug/L							
Vinyl Acetate	ND	50	ug/L							
Vinyl Chloride	ND	1.0	ug/L							
Xylenes, total	ND	4.0	ug/L							
Surr: Dibromofluoromethane	*52*		*ug/L*	*50.000*		*104*	*80-120*			
Surr: 1,2-Dichloroethane-d4	*53*		*ug/L*	*50.000*		*105*	*77-116*			
Surr: Toluene-d8	*49*		*ug/L*	*50.000*		*99*	*80-120*			
Surr: 4-Bromofluorobenzene	*50*		*ug/L*	*50.000*		*100*	*80-120*			

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Volatile Organic Compounds by EPA 8260 - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch 0060766 - EPA 5030B										
Blank (0060766-BLK2)							Prepared & Analyzed: 06/28/10			
Acetone	ND	100	ug/L							
Acrylonitrile	ND	200	ug/L							
Benzene	ND	1.0	ug/L							
Bromochloromethane	ND	3.0	ug/L							
Bromodichloromethane	ND	1.0	ug/L							
Bromoform	ND	3.0	ug/L							
Bromomethane	ND	10	ug/L							
Carbon Disulfide	ND	100	ug/L							
Carbon Tetrachloride	ND	1.0	ug/L							
Chlorobenzene	ND	3.0	ug/L							
Chloroethane	ND	10	ug/L							
Chloroform	0.5	5.0	ug/L							J
Chloromethane	ND	1.0	ug/L							
Dibromochloromethane	ND	1.0	ug/L							
1,2-Dibromo-3-chloropropane	ND	13	ug/L							
1,2-Dibromoethane	ND	1.0	ug/L							
Dibromomethane	ND	10	ug/L							
1,2-Dichlorobenzene	ND	5.0	ug/L							
1,4-Dichlorobenzene	ND	1.0	ug/L							
trans-1,4-Dichloro-2-butene	ND	100	ug/L							
1,1-Dichloroethane	ND	5.0	ug/L							
1,2-Dichloroethane	ND	1.0	ug/L							
1,1-Dichloroethene	ND	5.0	ug/L							
cis-1,2-Dichloroethene	ND	5.0	ug/L							
trans-1,2-Dichloroethene	ND	5.0	ug/L							
1,2-Dichloropropane	ND	1.0	ug/L							

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Volatile Organic Compounds by EPA 8260 - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch 0060766 - EPA 5030B										
Blank (0060766-BLK2)							Prepared & Analyzed: 06/28/10			
cis-1,3-Dichloropropene	ND	1.0	ug/L							
trans-1,3-Dichloropropene	ND	1.0	ug/L							
Ethylbenzene	ND	1.0	ug/L							
Iodomethane	ND	10	ug/L							
Methyl Butyl Ketone (2-Hexanone)	ND	50	ug/L							
Methylene Chloride	ND	1.0	ug/L							
Methyl Ethyl Ketone (2-Butanone)	ND	100	ug/L							
4-Methyl-2-pentanone (MIBK)	ND	50	ug/L							
Styrene	ND	1.0	ug/L							
1,1,1,2-Tetrachloroethane	ND	5.0	ug/L							
1,1,2,2-Tetrachloroethane	ND	1.0	ug/L							
Tetrachloroethene	ND	1.0	ug/L							
Toluene	0.3	1.0	ug/L							J
1,1,1-Trichloroethane	ND	1.0	ug/L							
1,1,2-Trichloroethane	ND	1.0	ug/L							
Trichloroethene	ND	1.0	ug/L							
Trichlorofluoromethane	ND	1.0	ug/L							
1,2,3-Trichloropropane	ND	1.0	ug/L							
Vinyl Acetate	ND	50	ug/L							
Vinyl Chloride	ND	1.0	ug/L							
Xylenes, total	ND	4.0	ug/L							
Surr: Dibromofluoromethane	*53*		*ug/L*	*50.000*		*106*	*80-120*			
Surr: 1,2-Dichloroethane-d4	*54*		*ug/L*	*50.000*		*107*	*77-116*			
Surr: Toluene-d8	*49*		*ug/L*	*50.000*		*98*	*80-120*			
Surr: 4-Bromofluorobenzene	*51*		*ug/L*	*50.000*		*101*	*80-120*			

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Volatile Organic Compounds by EPA 8260 - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch 0060766 - EPA 5030B										
LCS (0060766-BS1)							Prepared & Analyzed: 06/24/10			
Benzene	44		ug/L	50.000		88	80-120			
Chlorobenzene	46		ug/L	50.000		92	80-120			
1,1-Dichloroethene	43		ug/L	50.000		86	77-121			
Toluene	43		ug/L	50.000		86	78-113			
Trichloroethene	43		ug/L	50.000		85	82-122			
Surr: Dibromofluoromethane	*50*		*ug/L*	*50.000*		*99*	*80-120*			
Surr: 1,2-Dichloroethane-d4	*49*		*ug/L*	*50.000*		*99*	*77-116*			
Surr: Toluene-d8	*49*		*ug/L*	*50.000*		*98*	*80-120*			
Surr: 4-Bromofluorobenzene	*51*		*ug/L*	*50.000*		*103*	*80-120*			
Matrix Spike (0060766-MS1)	**Source: ATF0720-01**						Prepared & Analyzed: 06/24/10			
Benzene	48		ug/L	50.000	0.9	94	82-123			
Chlorobenzene	53		ug/L	50.000	1.6	103	75-119			
1,1-Dichloroethene	49		ug/L	50.000	ND	99	80-120			
Toluene	46		ug/L	50.000	0.3	92	80-120			
Trichloroethene	45		ug/L	50.000	1.0	88	81-125			
Surr: Dibromofluoromethane	*51*		*ug/L*	*50.000*		*102*	*80-120*			
Surr: 1,2-Dichloroethane-d4	*52*		*ug/L*	*50.000*		*105*	*77-116*			
Surr: Toluene-d8	*49*		*ug/L*	*50.000*		*98*	*80-120*			
Surr: 4-Bromofluorobenzene	*51*		*ug/L*	*50.000*		*103*	*80-120*			
Matrix Spike Dup (0060766-MSD1)	**Source: ATF0720-01**						Prepared & Analyzed: 06/24/10			
Benzene	42		ug/L	50.000	0.9	83	82-123	12	9	QR-02
Chlorobenzene	47		ug/L	50.000	1.6	91	75-119	12	13	
1,1-Dichloroethene	44		ug/L	50.000	ND	88	80-120	12	9	QR-02

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Volatile Organic Compounds by EPA 8260 - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Qual
Batch 0060766 - EPA 5030B										
Matrix Spike Dup (0060766-MSD1)	**Source: ATF0720-01**					Prepared & Analyzed: 06/24/10				
Toluene	41		ug/L	50.000	0.3	80	80-120	13	9	QR-02
Trichloroethene	40		ug/L	50.000	1.0	78	81-125	11	11	QM-07
Surr: Dibromofluoromethane	*51*		*ug/L*	*50.000*		*102*	*80-120*			
Surr: 1,2-Dichloroethane-d4	*52*		*ug/L*	*50.000*		*105*	*77-116*			
Surr: Toluene-d8	*49*		*ug/L*	*50.000*		*97*	*80-120*			
Surr: 4-Bromofluorobenzene	*51*		*ug/L*	*50.000*		*101*	*80-120*			

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Laboratory Certifications

Code	Description	Number	Expires
LA	Louisiana	02069	06/30/2010
NC	North Carolina	381	12/31/2010
NELAC	NELAC (Non-Potable Water, Solids)	E87315	06/30/2011
SC	South Carolina	98011001	06/30/2010
TX	Texas	T104704397-08-TX	03/31/2011

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

Legend

Defination of Laboratory Terms

ND - Not Detected at levels greater than or equal to SWSL/RL
SWSL/RL - NC DENR Solid Waste Section LImit/Reporting Limit (Adjusted for DF/Prep Factor)
DF - Dilution Factor
MDL - Method Detection Limit

Qualifiers

R-01 Elevated reporting limit due to matrix interference.

QR-02 The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries.

QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.

J Estimated value less than Reporting Limit (RL) but greater than Method Detection Limit(MDL) (CLP J-Flag).

B-01 Analyte was detected in the associated method blank at an estimated level equal to or greater than the MDL. Sample values reported as greater than the MDL and less than 10x the method blank value are reported as estimated values.

Note: Unless otherwise noted, all results are reported on an as received basis.

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

175841



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

175943



ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092

(770) 734-4200 FAX (770) 734-4201

Allied Waste Ind. Inc. - Charlotte
5105-A Morehead Rd.
Concord NC, 28027

Attention: Mr. Mike Gurley

July 08, 2010

175342



175941

CHAIN OF CUSTODY RECORD

ASI ANALYTICAL SERVICES, INC.
ENVIRONMENTAL MONITORING & LABORATORY ANALYSIS
110 TECHNOLOGY PARKWAY NORCROSS, GA 30092
(770) 734-4200 : FAX (770) 734-4201 : www.asi-lab.com

PAGE: 1 OF 1

CLIENT NAME: Republic Waste
CLIENT ADDRESS/PHONE NUMBER/FAX NUMBER: Concord, NC
REPORT TO: Mike Gurly
CC:
REQUESTED COMPLETION DATE:
PO #:
PROJECT NAME/STATE: CMS 4, NC
PROJECT #:

ANALYSIS REQUESTED

DATE	TIME	MATRIX CODE*	COMP	GRAB	SAMPLE IDENTIFICATION	CONTAINER TYPE	PRESERVATION	# of CONTAINERS	App. I VOC	App. I Metals	App. I Metals Dissolved	LAB ID NUMBER
6/21/10	13:00	GW		X	MW-5	1/2	1/7		X			1
6/21/10	13:00	GW		X	MW-5	1	3			X		1
6/21/10	13:00	GW		X	MW-5	1	7				X	1
6/21/10	13:00	GW		X	MW-5D	1/2	1/7		X			2
6/21/10	13:00	GW		X	MW-5D	1	3			X		2
6/21/10	13:00	GW		X	MW-5D	1	7				X	2
6/21/10	14:00	GW		X	MW-6	1/2	1/7		X			3
6/21/10	14:00	GW		X	MW-6	1	3			X		3
6/21/10	14:00	GW		X	MW-6	1	7				X	3
6/21/10	15:10	GW		X	MW-7	1/2	1/7		X			4
6/21/10	15:10	GW		X	MW-7	1	3			X		4
6/21/10	15:10	GW		X	MW-7	1	7				X	4

SAMPLED BY AND TITLE: Daniel Huddleston / Field Tech
DATE/TIME: 6-21-10 / 13:00
RELINQUISHED BY:
DATE/TIME: 6-21-10 / 16:05
RECEIVED BY:
DATE/TIME: 6/21/10 1605
RELINQUISHED BY:
DATE/TIME: 6/21/10 1645
RECEIVED BY LAB:
DATE/TIME: 6/22/10 0905
pH: Labeled Preserved
Ice: Yes or No
SAMPLE SHIPPED VIA: UPS FED-EX COURIER CLIENT OTHER:
Temperature: 2°C
Custody Seal: Intact Broken Missing
Cooler #

CONTAINER TYPE	PRESERVATION
P - PLASTIC	1 - HCl, 4°
A - AMBER GLASS	2 - H2SO4, 4°
G - CLEAR GLASS	3 - HNO3, 4°
V - VOA VIAL	4 - NaOH, 4°
S - STERILE	5 - NaOH/ZnAc, 4°
O - OTHER	6 - Na2S203, 4°
	7 - 4°

*MATRIX CODES:

DW - DRINKING WATER	S - SOIL
WW - WASTEWATER	SL - SLUDGE
GW - GROUNDWATER	SD - SOLID
SW - SURFACE WATER	A - AIR
ST - STORM WATER	L - LIQUID
W - WATER	P - PRODUCT

REMARKS/ADDITIONAL INFORMATION

FOR LAB USE ONLY
LAB #: ATF0720
In-house location: V HSF
Entered Into LIMS: CAL

Please use Black Ink to complete form.

175943

CHAIN OF CUSTODY RECORD

ASI ANALYTICAL SERVICES, INC.
ENVIRONMENTAL MONITORING & LABORATORY ANALYSIS
110 TECHNOLOGY PARKWAY NORCROSS, GA 30092
(770) 734-4200 : FAX (770) 734-4201 : www.asi-lab.com

PAGE: 1 OF 2

CLIENT NAME: Republic Waste
CLIENT ADDRESS/PHONE NUMBER/FAX NUMBER: Concord, NC
REPORT TO: Mike Gurly
CC:
REQUESTED COMPLETION DATE:
PO #:
PROJECT NAME/STATE: CMS4, NC
PROJECT #:

DATE	TIME	MATRIX CODE*	COMP	GRAB	SAMPLE IDENTIFICATION	# of CONTAINERS	App. I VOC	App. I Metals	App. I Metals Dissolved	LAB ID NUMBER
6/22/10	10:05	GW		X	MW-2	12 17	X			5
6/22/10	10:05	GW		X	MW-2	1 3		X		5
6/22/10	10:05	GW		X	MW-2	1 7			X	5
6/22/10	10:35	GW		X	MW-3	12 17	X			6 (1st 6/23/10
6/22/10	10:35	GW		X	MW-3	1 3		X		6
6/22/10	10:35	GW		X	MW-3	1 7			X	6
6/22/10	11:15	GW		X	MW-4	12 17	X			7
6/22/10	11:15	GW		X	MW-4	1 3		X		7
6/22/10	11:15	GW		X	MW-4	1 7			X	7
6/22/10	12:05	W		X	Equipment Blank	12 17	X			8
6/22/10	12:05	W		X	Equipment Blank	1 3		X		8
6/22/10	12:05	W		X	Equipment Blank	1 7			X	8

CONTAINER TYPE	PRESERVATION
P - PLASTIC	1 - HCl, 4°
A - AMBER GLASS	2 - H2SO4, 4°
G - CLEAR GLASS	3 - HNO3, 4°
V - VOA VIAL	4 - NaOH, 4°
S - STERILE	5 - NaOH/ZnAc, 4°
O - OTHER	6 - Na2S203, 4°
	7 - 4°

*MATRIX CODES:

DW - DRINKING WATER	S - SOIL
WW - WASTEWATER	SL - SLUDGE
GW - GROUNDWATER	SD - SOLID
SW - SURFACE WATER	A - AIR
ST - STORM WATER	L - LIQUID
W - WATER	P - PRODUCT

REMARKS/ADDITIONAL INFORMATION

SAMPLED BY AND TITLE: Daniel Huddleston / Field Tech
DATE/TIME: 6-22-10 / 10:05
RELINQUISHED BY:
DATE/TIME: 6-22-10 / 14:00
RECEIVED BY:
DATE/TIME: 6-22-10 14:00
RELINQUISHED BY:
DATE/TIME: 6-22-10 / 17:00
RECEIVED BY LAB:
DATE/TIME: 6/23/10 0920
SAMPLE SHIPPED VIA: UPS FED-EX COURIER CLIENT OTHER:
pH: Labeled Preserved
Ice: Yes or No
Temperature: 2 °C
Custody Seal: Intact Broken Missing
Cooler #

FOR LAB USE ONLY
LAB #: ATF0720
In-house location: V Hgf
Entered Into LIMS: (2f

Please use Black Ink to complete form.

175942

CHAIN OF CUSTODY RECORD

ASI ANALYTICAL SERVICES, INC.
ENVIRONMENTAL MONITORING & LABORATORY ANALYSIS
110 TECHNOLOGY PARKWAY NORCROSS, GA 30092
(770) 734-4200 : FAX (770) 734-4201 : www.asi-lab.com

PAGE: 2 OF 2

CLIENT NAME: Republic Waste
CLIENT ADDRESS/PHONE NUMBER/FAX NUMBER: Concord, NC
REPORT TO: Mike Gurly
CC:
REQUESTED COMPLETION DATE:
PO #:
PROJECT NAME/STATE: CMS 4, NC
PROJECT #:

ANALYSIS REQUESTED

DATE	TIME	MATRIX CODE*	COMP	GRAB	SAMPLE IDENTIFICATION	# of CONTAINERS	App. I VOC	App. I Metals	App. I Metals Dissolved	LAB ID NUMBER
6/22/10	12:15	W		X	Field Blank	1 2 1 7	X			9
6/22/10	12:15	W		X	Field Blank	1 3		X		9
6/22/10	12:15	W		X	Field Blank	1 7			X	9
6/22/10	13:10	GW		X	MW-1	1 2 1 7	X			10
6/22/10	13:10	GW		X	MW-1	1 3		X		10
6/22/10	13:10	GW		X	MW-1	1 7			X	10

CONTAINER TYPE / PRESERVATION

CONTAINER TYPE	PRESERVATION
P - PLASTIC	1 - HCl, 4°
A - AMBER GLASS	2 - H2SO4, 4°
G - CLEAR GLASS	3 - HNO3, 4°
V - VOA VIAL	4 - NaOH, 4°
S - STERILE	5 - NaOH/ZnAc, 4°
O - OTHER	6 - Na2S203, 4°
	7 - 4°

*MATRIX CODES:

DW - DRINKING WATER	S - SOIL
WW - WASTEWATER	SL - SLUDGE
GW - GROUNDWATER	SD - SOLID
SW - SURFACE WATER	A - AIR
ST - STORM WATER	L - LIQUID
W - WATER	P - PRODUCT

REMARKS/ADDITIONAL INFORMATION

SAMPLED BY AND TITLE: Daniel Huddleston / Field Tech
DATE/TIME: 6-22-10 / 10:05
RELINQUISHED BY:
DATE/TIME: 6-22-10 / 14:00
RECEIVED BY:
DATE/TIME: 6-22-10 / 14:00
RELINQUISHED BY:
DATE/TIME: 6-22-10 / 17:00
RECEIVED BY LAB:
DATE/TIME: 6/23/10 0920
SAMPLE SHIPPED VIA: UPS (FED-EX) COURIER CLIENT OTHER:
pH: Labeled Preserved
Ice: Yes or No
Temperature: 2°
Custody Seal: Intact Broken (Missing)
Cooler #

FOR LAB USE ONLY
LAB #: ATF0720
In-house location: V Hg4
Entered Into LIMS: CA

Please use Black Ink to complete form.

ASI

ANALYTICAL SERVICES, INC.

Environmental Monitoring & Laboratory Analysis
110 Technology Parkway, Norcross, GA 30092
(770) 734-4200 FAX (770) 734-4201

LOG-IN CHECKLIST

Printed: 06/23/2010 11:27:36AM

Attn: Mr. Mike Gurley

Client: Allied Waste Ind. Inc. - Charlotte
Project: CMS 4
Date Received: 06/22/10 09:05

Work Order: ATF0720
Logged In By: Charles Hawks

OBSERVATIONS

#Samples: 10 **#Containers:** 50

Minimum Temp(C): 2.0 **Maximum Temp(C):** 2.0 **Custody Seal(s) Used:** No

CHECKLIST ITEMS

COC included with Samples	YES
Sample Container(s) Intact	YES
Chain of Custody Complete	YES
Sample Container(s) Match COC	YES
Custody seal Intact	NO
Temperature in Compliance	YES
Sufficient Sample Volume for Analysis	YES
Zero Headspace Maintained for VOA Analyses	YES
Samples labeled preserved (If Applicable)	YES
Samples received within Allowable Hold Times	YES
Samples Received on Ice	YES
Preservation Confirmed	YES

Comments:

The samples arrived over 2 days, 06/22/2010 at 0905 and 06/23/2010 at 0920. CFH